



70-7004

December 2, 2014
ACO 14-0039

Mr. Larry D. Perkins, Acting Manager
Nuclear Energy Oak Ridge Site Office
U.S. Department of Energy
200 Administration Road
P.O. Box 2001
Oak Ridge, TN 37831

Access Permit Renewal Request for American Centrifuge Operating, LLC Per 10 Code of Federal Regulations Part 725 – Permit for Access to Category C-24, Isotope Separation, Restricted Data – Official Use Only

Dear Mr. Perkins:

Access Permit Number 11-04: AC Operating, Revision 2 was issued to American Centrifuge Operating, LLC (ACO) on January 31, 2013. The permit is valid for two years. Access to Restricted Data remains necessary for ACO to conduct its operations. Accordingly, in accordance with 10 Code of Federal Regulations 725.25 and 725.1, Centrus Energy Corp. (Centrus) requests renewal of the access permit for ACO, a wholly-owned subsidiary of American Centrifuge Holdings, LLC, which is a wholly-owned subsidiary of Centrus, for access to Category C-24, isotope separation, Restricted Data.

Information to support our request for the Access Permit renewal is provided in Enclosure 1 of this letter.

If any further information is needed to complete the review of ACO's Access Permit renewal application, please contact me at 301-564-3250.

Sincerely,

Steven A. Toelle
Director, Regulatory Affairs

OFFICIAL USE ONLY
May be exempt from public release under the Freedom of Information Act (5 U.S.C. 552) exemption number (4) Commercial/Proprietary Department of Energy review required before public release.
Name/Org: Angela Wright Date: 11/25/2014 Guidance: N/A

NMSS01

**Information transmitted herewith contains
OFFICIAL USE ONLY
When separated from Enclosure 1, this letter is uncontrolled.**

OFFICIAL USE ONLY

Mr. Larry D. Perkins
December 2, 2014
ACO 14-0039, Page 2

Enclosure: As stated

cc: J. Craven, DOE-NE-ORSO
R. DeVault, DOE-NE-ORSO
K. Everly, NRC HQ
M. Heiskell, DOE-NE-ORSO
D. Henderson, DOE-NE-HQ
J. Hickey, NRC Region II
L. Pitts, NRC Region II
O. Siurano-Perez, NRC HQ
B. Smith, NRC HQ
T. Vukovinsky, NRC Region II