

NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION		PAGE 2 of 4 PAGES			
			License Number 53-35201-01		
	MATERIALS LICEN SUPPLEMENTARY SHE		Docket or Reference Number 030-38798		
	If the jurisdiction status of a Feder	al facility within an Ag	I reement state is unknown, the licensee should		
	contact the federal agency controll is an area of exclusive Federal juri	ing the job site in que sdiction. Authorizatio	stion to determine whether the proposed job site n for use of radioactive materials at job sites in on shall be obtained from the appropriate state		
11.	11. Licensed materials may be used by, or under the supervision and in the physical presence of, individuals who have received the training described in application dated December 26, 2014.				
12. The Radiation Safety Officer (RSO) for this license is Jimmy Yanos.					
13.	<ol> <li>A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State.</li> </ol>				
	intervals specified in the certific under 10 CFR 32.210 or by an	cate of registration iss Agreement State price	ating that a leak test has been made within the ued by U.S. Nuclear Regulatory Commission or to the transfer, a sealed source or detector cell se until tested and the test results received.		
	they are removed from storage within the required leak test int	fo <mark>r use or t</mark> ransferred erval, they shall be te	rage and are not being used. However, when I to another person, and have not been tested sted before use or transfer. No sealed source thout being tested for leakage and/or		
	radioactive material on the test (185 becquerels) or more of re Regulatory Commission in acc immediately from service and o Commission regulations. The r known with the U.S. Nuclear R	sample. If the test re movable contamination ordance with 10 CFR decontaminated, repa eport shall be filed with egulatory Commission ATTN: Director, Divisi	ance of 0.005 microcurie (185 becquerels) of eveals the presence of 0.005 microcurie on, a report shall be filed with the U.S. Nuclear 30.50(c)(2), and the source shall be removed ired, or disposed of in accordance with thin 5 days of the date the leak test result is n, Region IV, 1600 East Lamar Boulevard, on of Nuclear Materials Safety. The report shall rective action taken.		
	U.S. Nuclear Regulatory Comr the licensee is authorized to co	nission or an Agreem llect leak test sample d by persons specific	ormed by persons specifically licensed by the ent State to perform such services. In addition, s but not perform the analysis; analysis of leak ally licensed by the Commission or an		
	F. Records of leak tests results sl	hall be kept in units of	microcuries and shall be maintained for 3 years.		
14.	Sealed sources or source rods cor detached from source rods or gaug		rial shall not be opened or sources removed or xcept as specifically authorized.		

F

NRC FORM 374A		U.S. NUCLEAR REGULATORY COMMISSION	PAGE 3 of 4 PAGES			
		IATERIALS LICENSE	License Number 53-35201-01 Docket or Reference Number			
	S	UPPLEMENTARY SHEET	030-38798			
15.	The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.					
16.	Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.					
17.	Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage or when not under the direct surveillance of an authorized user.					
18.	<ul> <li>Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.</li> </ul>					
19.		is authorized to transpo <mark>rt licensed material</mark> 71, "Packaging and Transportation of Radio				
20.	licensee s and other below the	shall use surface casing that extends from t appropriate procedures to reduce the prob surface. If it is not feasible to extend the c ement procedures to ensure that the cased	nded more than 3 feet below the surface, the the lowest depth to 12 inches above the surface ability of the source or probe becoming lodged casing 12 inches above the surface, the licensee I hole is free of obstruction before making			
	becomes licensees 10 CFR 3 obtaining	apparent that efforts to recover the sealed shall notify the U.S. Nuclear Regulatory Cor 0.50(b)(2) and (c). The licensee shall not a	ces becomes lodged below the surface and it source or probe may not be successful, the mmission and submit the report required by abandon the sealed source or probe without otification and reporting requirements should be 301-816-5100.			

NRC F	DRM 374A U.S. NUCLEAR REGULATORY COMMISSION	PAGE 4 of 4 PAGES		
	MATERIALS LICENSE	License Number 53-35201-01 Docket or Reference Number		
	SUPPLEMENTARY SHEET	030-38798		
21.	<ul> <li>Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.</li> </ul>			
	<ul> <li>A. Application dated December 26, 2014</li> <li>B. Email dated January 22, 2015 with enclosure</li> <li>C. Letter dated January 26, 2015</li> <li>D. Letters dated January 29, 2015</li> <li>E. Email dated February 19, 2015 with enclosure</li> </ul>	(ML15005A527) (ML15040A294) (ML15033A236) (ML15040A298), (ML15040A305) (ML15051A407)		
	STATES	AL COMMIC		
		× NOIS		
	FOR T			

Date February 20, 2015

/**RA**/ By \_\_\_\_

Roberto J. Torres, M.S., Senior Health Physicist Nuclear Materials Safety Branch B Region IV Arlington, Texas 76011-4511