



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION IV
1600 E. LAMAR BLVD.
ARLINGTON, TX 76011-4511

March 26, 2015

Mr. Ronald Frick, Radiation Safety Officer
Hawaii Pacific Health, Inc.
98-1079 Moanalua Road
Aiea, Hawaii 96701

SUBJECT: RESPONSE TO NRC INSPECTION REPORT 030-31200/2014-001 AND
NOTICE OF VIOLATION

Dear Mr. Frick:

Thank you for your letter dated February 19, 2015, (ADAMS Accession Number ML15082A024) in response to the violation identified in our letter and Notice of Violation (Notice) dated January 22, 2015 (ADAMS Accession Number ML15023A306). We have reviewed your letter and find it responsive to the concerns raised in our Notice. We will review the implementation of your corrective actions during a future inspection to determine that full compliance has been achieved and will be maintained.

In accordance with 10 CFR 2.390 of the Nuclear Regulatory Commission's (NRC) "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

/RA/

Jack E. Whitten, Chief
Nuclear Materials Safety Branch B
Division of Nuclear Materials Safety

License No. 53-23297-01
Docket No. 030-31200

cc w/encl: Jeffrey M. Eckerd, Supervisor
Radiation Section
HI Department of Health
Indoor & Radiological Health
Branch
591 Ala Moana Blvd, Rm 133
Honolulu, HI 96813

SUBJECT: RESPONSE TO NRC INSPECTION REPORT 030-31200/2014-001 AND NOTICE OF VIOLATION

Dear Mr. Frick:

Thank you for your letter dated February 19, 2015, (ADAMS Accession Number ML15082A024) in response to the violation identified in our letter and Notice of Violation (Notice) dated January 22, 2015 (ADAMS Accession Number ML15023A306). We have reviewed your letter and find it responsive to the concerns raised in our Notice. We will review the implementation of your corrective actions during a future inspection to determine that full compliance has been achieved and will be maintained.

In accordance with 10 CFR 2.390 of the Nuclear Regulatory Commission's (NRC) "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

/RA/
 Jack E. Whitten, Chief
 Nuclear Materials Safety Branch B
 Division of Nuclear Materials Safety

License No. 53-23297-01
 Docket No. 030-31200

cc w/encl: Jeffrey M. Eckerd, Supervisor
 Radiation Section
 HI Department of Health
 Indoor & Radiological Health Branch
 591 Ala Moana Blvd, Rm 133
 Honolulu, HI 96813

DISTRIBUTION:

M. Shaffer, D:DNMS	M. Herrera, Fee Coordinator
L. Howell, DD:DNMS	R4DNMS_MS-A
M. Vasquez, C:DNMS/NMSB-A	J. Whitten, C:DNMS/NMSB-B

S:\DNMS\NMIB\~REPORTS IN CONCURRENCE\Ackl Ltr Hawaii Pacific Health.docx

<input checked="" type="checkbox"/> SUNSI Review By: MRS		ADAMS <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Publicly Available <input type="checkbox"/> Non-Publicly Available		<input checked="" type="checkbox"/> Non-Sensitive <input type="checkbox"/> Sensitive	Keyword:
OFFICE	RIV NMSB-B	C:NMSB-B				
NAME	MRSimmons	JEWhitten				
SIGNATURE	<i>/RA/</i>	<i>/RA/</i>				
DATE	03/26/2015	02/26/2015				

OFFICIAL RECORD COPY