

Technical Corrections – Parts 30, 34, 40, and 71
(77 FR 39899, Published July 6, 2012) RATS ID: 2012-3 Effective: August 6, 2012
Date Due for State Adoption August 6, 2015

Change to NRC Section	Title	State Section	Compatibility Category	Summary of Change to CFR	If Difference, Why or Why Not Was a Comment Generated
§30.34(h)(1)(ii)	Terms and conditions of licenses		H&S	<p>In §30.34, paragraph (h)(1)(ii) was revised to remove the reference “11 U.S.C. 101(14)” and add, in its place, the reference “11 U.S.C. 101(15).”</p> <p>(ii) An entity (as that term is defined in 11 U.S.C. 101(15)) controlling the licensee or listing the license or licensee as property of the estate; or</p>	OAR 333-102-0305(9)(a)(B) revised by updating 11U.S.C. 101(14) to (15)
§34.20(a)(1)	Performance requirements for industrial radiography equipment		B	<p>In §34.20(a)(1), the address for the American National Standards Institute is updated as follows:</p> <p>(a)(1) * * * This</p>	OAR 333-105-0420(1) Revised by adding address for the American National Standards Institute.

Change to NRC Section	Title	State Section	Compatibility Category	Summary of Change to CFR	If Difference, Why or Why Not Was a Comment Generated
				publication may be purchased from the American National Standards Institute, Inc., 25 West 43 rd Street, New York, New York 10036; Telephone: (212) 642-4900. * * *	

Change to NRC Section	Title	State Section	Compatibility Category	Summary of Change to CFR	If Difference, Why or Why Not Was a Comment Generated
Part 40, Appendix A, section I, Criterion 4(d)	Criteria Relating to the Operation of Uranium Mills and the Disposition of Tailings for Wastes Produced by the Extraction or Concentration of Source material from ores processed primarily for their Source Material Content		C for States with authority for Uranium Mills/tailings; D for States without authority	<p>The eight paragraph of Criterion 4(d) is revised to read as follows:</p> <p>Criterion 4. * * * (d) *** Rock covering of slopes may be unnecessary where top covers are very thick (on the order of 10 m or greater); impoundment slopes are very gentle (on the order of 10 h:1v or less); bulk cover materials have inherently favorable erosion resistance characteristics; and, there is negligible drainage catchment area upstream of the pile and good wind protection as described in points (a) and (b) of this Criterion.</p>	Oregon does not have the authority to regulate.

Change to NRC Section	Title	State Section	Compatibility Category	Summary of Change to CFR	If Difference, Why or Why Not Was a Comment Generated
Part 71, Appendix A, Table A-1	Packaging and Transportation of Radioactive Material, A ₁ and A ₂ Values for Radionuclides		[B]	<p>In Table A-1, the entries for Bi-205, Cm-248, Eu-150 (long lived), and Te-132(a) and footnote b were revised to read as follows:</p> <p>See the table at the end of the document.</p>	OAR 333-118-0020(1) and (2) refer to CFR Part 71, Table A-1 to reference.

Table A-1—A₁ and A₂ VALUES FOR RADIONUCLIDES

Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci) ^b	Specific activity	
						(TBq/g)	(Ci/g)
*	*	*	*	*	*	*	*
Bi-205	Bismuth (83)	7.0×10 ⁻¹	1.9×10 ¹	7.0×10 ⁻¹	1.9×10 ¹	1.5×10 ³	4.2×10 ⁴
*	*	*	*	*	*	*	*
Cm-248		2.0×10 ⁻²	5.4×10 ⁻¹	3.0×10 ⁻⁴	8.1×10 ⁻³	1.6×10 ⁻⁴	4.2×10 ⁻³
*	*	*	*	*	*	*	*
Eu-150 (long lived)		7.0×10 ⁻¹	1.9×10 ¹	7.0×10 ⁻¹	1.9×10 ¹	6.1×10 ⁴	1.6×10 ⁶
*	*	*	*	*	*	*	*
Te-132 (a)		5.0×10 ⁻¹	1.4×10 ¹	4.0×10 ⁻¹	1.1×10 ¹	1.1×10 ⁴	3.0×10 ⁵
*	*	*	*	*	*	*	*

* * * * *

^b The values of A₁ and A₂ in Curies (Ci) are approximate and for information only; the regulatory standard units are Terabecquerels (TBq) (see Appendix A to part 71—Determination of A₁ and A₂, Section I).