

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

| | | | | | | |
|---------------------------------|-------------------------|-----------------------------|--|-----------|---------|------------|
| 1 a. CERTIFICATE NUMBER 9282 | b. REVISION NUMBER 3 | c. DOCKET NUMBER 71-9282 | d. PACKAGE IDENTIFICATION NUMBER USA/9282/B(U)-96 | PAGE 1 | OF 3 | PAGES 3 |
|---------------------------------|-------------------------|-----------------------------|--|-----------|---------|------------|

2. PREAMBLE

- a. This certificate is issued to certify that the package (packaging and contents) described in Item 5 below meets the applicable safety standards set forth in Title 10, Code of Federal Regulations, Part 71, "Packaging and Transportation of Radioactive Material."
This certificate does not relieve the consignor from compliance with any requirement of the regulations of the U.S. Department of Transportation or other applicable regulatory agencies, including the government of any country through or into which the package will be transported.

3. THIS CERTIFICATE IS ISSUED ON THE BASIS OF A SAFETY ANALYSIS REPORT OF THE PACKAGE DESIGN OR APPLICATION

- a. ISSUED TO (*Name and Address*)
Source Production
and Equipment Company, Inc.
113 Teal Street
St. Rose, LA 70087-9691
- b. TITLE AND IDENTIFICATION OF REPORT OR APPLICATION
Source Production and Equipment Company, Inc.
application dated February 9, 2015.

4. CONDITIONS

This certificate is conditional upon fulfilling the requirements of 10 CFR Part 71, as applicable, and the conditions specified below.

5.

(a) Packaging

(1) Model No.: SPEC-300

(2) Description

The SPEC-300 is a radiographic device that consists of a source assembly, a depleted uranium shield, and a stainless steel enclosure. The radioactive source assembly is housed in a zircaloy or titanium "S" tube that is surrounded by the depleted uranium shield. The depleted uranium shield is secured in the stainless steel enclosure. The void space between the depleted uranium shield and the enclosure is filled with high density polyurethane foam. The package is approximately 26 inches long, 14 inches wide, and 15 inches high (16.5 inches high when including the lifting eye blocks). The maximum gross weight of the package is 780 pounds.

(3) Drawings

The packaging is constructed and assembled in accordance with Source Production and Equipment Co., Inc. General Arrangement drawings: 19B000, sheets 1-8, Rev. 5, B190700, sheet 1, Rev. 5, and B190701, sheet 1, Rev. 1.

(b) Contents

(1) Type and form of material

Cobalt-60 sources which meet the requirements of special form radioactive material.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

| 1. | a. CERTIFICATE NUMBER | b. REVISION NUMBER | c. DOCKET NUMBER | d. PACKAGE IDENTIFICATION NUMBER | PAGE | PAGES |
|----|-----------------------|--------------------|------------------|----------------------------------|------|-------|
| | 9282 | 3 | 71-9282 | USA/9282/B(U)-96 | 2 OF | 3 |

5.(b) Contents (continued)

(2) Maximum quantity of material per package

11.1 TBq (300 Ci) (output)

Output curies are determined in accordance with American National Standard N432-1980, "Radiological Safety for the Design and Construction of Apparatus for Gamma Radiography."

6. The source shall be secured in the shielded position of the packaging by the source assembly lock, lock cap and safety plug assembly. The safety plug assembly, lock cap and source assembly must be fabricated of materials capable of resisting a 1475°F fire environment for one-half hour and maintaining their positioning function. The locking ball of the source assembly must engage the locking device. The flexible cable of the source assembly and safety plug assembly must be of sufficient length and diameter to provide positive positioning of the source in the shielded position.
7. The name plate must be fabricated of materials capable of resisting the fire test of 10 CFR Part 71 and maintaining its legibility.
8. In addition to the requirements of Subpart G of 10 CFR Part 71:
 - (a) The package shall be prepared for shipment in accordance with the Operating Procedures in Chapter 7.0 of the application, as supplemented; and
 - (b) The package must meet the Acceptance Test and Maintenance Program of Chapter 8.0 of the application, as supplemented.
9. The package authorized by this certificate is hereby approved for use under the general license provisions of 10 CFR 71.17.
10. Revision No. 2 of this certificate may be used until April 30, 2016.
11. Expiration date: April 30, 2020.

**CERTIFICATE OF COMPLIANCE
FOR RADIOACTIVE MATERIAL PACKAGES**

| | | | | | |
|--------------------------|--------------------|------------------|----------------------------------|------|-------|
| 1. a. CERTIFICATE NUMBER | b. REVISION NUMBER | c. DOCKET NUMBER | d. PACKAGE IDENTIFICATION NUMBER | PAGE | PAGES |
| 9282 | 3 | 71-9282 | USA/9282/B(U)-96 | 3 OF | 3 |

REFERENCES

Source Production and Equipment Company, Inc., application dated February 9, 2015.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

/RA/

Michele M. Sampson, Chief
Spent Fuel Licensing Branch
Division of Spent Fuel Management
Office of Nuclear Material Safety
and Safeguards

Date: April 7, 2015

