



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

APR 10 2015

Robert Hills, D.O.
Radiation Safety Officer
Sparrow Ionia Hospital
479 Lafayette Street
Ionia, MI 48846

Dear Dr. Hills:

Enclosed is Amendment No. 3 amending your NRC Material License No. 21-32431-01 in accordance with your request. Please note that the changes made to your license are printed in **bold font**.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please be advised that we cannot authorize you to release your "old" nuclear medicine department located at 479 Lafayette Street, Ionia, Michigan, for unrestricted use (even by other members of your staff) until we have received and reviewed a copy of the results of your close-out survey. The survey should consist of exposure rate measurements to show that all sources of radioactive material have been removed, and contamination checks of areas where radioactive materials were used or stored. Average radiation levels associated with surface contamination and removable contaminations should not exceed those specified in the enclosed decontamination guide. Please submit the following information with your close-out survey:

- a) A history of all radionuclides used at your "old" nuclear medicine department located at 479 Lafayette Street, Ionia, Michigan.
- b) A current copy of the leak test results for the sealed sources used at your "old" nuclear medicine department located at 479 Lafayette Street, Ionia, Michigan. Also a history of leaking sealed sources (if any).
- c) A diagram of your "old" nuclear medicine department located at 479 Lafayette Street, Ionia, Michigan with survey and wipe test results keyed to specific locations. Please record your survey results using the appropriate units as described in 10 CFR 30.36 (j) (2) (i) (copy enclosed).
- d) The name of the person performing the survey.
- e) The date the survey was performed.
- f) The instrument(s) used for exposure rate measurements and for analysis of the wipes.
- g) Background readings.
- h) The date that the survey instrument was last calibrated.

R.Hills

- i) Confirm that all radioactive waste has been decayed to background radiation or has been transferred to a radioactive waste broker for disposal. Also, please specify the final disposition of the sealed sources. Please submit a copy of the acknowledgement that the radioactive materials were received by the company where the radioactive materials were shipped for transfer/disposal.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,


William P. Reichhold
Materials Licensing Branch

License No. 21-32431-01
Docket No. 030-36163
Enclosure: Amendment No. 3
Decontamination Guide