

CATEGORY 1

REGULATOR INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9709030337 DOC. DATE: 97/08/26 NOTARIZED: NO DOCKET #
FACIL: 50-269 Oconee Nuclear Station, Unit 1, Duke Power Co. 05000269
50-270 Oconee Nuclear Station, Unit 2, Duke Power Co. 05000270
50-287 Oconee Nuclear Station, Unit 3, Duke Power Co. 05000287
50-369 William B. McGuire Nuclear Station, Unit 1, Duke Powe 05000369
50-370 William B. McGuire Nuclear Station, Unit 2, Duke Powe 05000370
50-413 Catawba Nuclear Station, Unit 1, Duke Power Co. 05000413
50-414 Catawba Nuclear Station, Unit 2, Duke Power Co. 05000414

AUTH. NAME TUCKMAN, M.S. AUTHOR AFFILIATION Duke Power Co.
RECIP. NAME TUCKMAN, M.S. RECIPIENT AFFILIATION Document Control Branch (Document Control Desk)

SUBJECT: Forwards fitness-for-duty program performance data repts, IAW 10CFR26.71(d). Repts submitted for period of 970101-0630.

DISTRIBUTION CODE: A021D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 14
TITLE: "Semiannual Fitness for Duty Program Performance Rept/Data" 10CFR26.7

NOTES:

	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL
	PD2-2 PD NERSES, V	1 1	LABARGE, D TAM, P.	1 1
INTERNAL:	ACRS	1 1	FILE CENTER 01	1 1
	NRR/DRPM/PSGB	1 1	NUDOCS-ABSTRACT	1 1
	RGN2	1 1		
EXTERNAL:	NOAC	1 1	NRC PDR	1 1

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE. TO HAVE YOUR NAME OR ORGANIZATION REMOVED FROM DISTRIBUTION LISTS OR REDUCE THE NUMBER OF COPIES RECEIVED BY YOU OR YOUR ORGANIZATION, CONTACT THE DOCUMENT CONTROL DESK (DCD) ON EXTENSION 415-2083

TOTAL NUMBER OF COPIES REQUIRED: LTTR 11 ENCL 11

C
A
T
E
G
O
R
Y
1
D
O
C
U
M
E
N
T



Duke Power Company
A Duke Energy Company

EC07H
526 South Church Street
P.O. Box 1006
Charlotte, NC 28201-1006

M. S. Tuckman
Executive Vice President
Nuclear Generation

(704) 382-2200 OFFICE
(704) 382-4360 FAX

August 26, 1997

U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, D.C. 20555

Subject: Fitness-For-Duty Program
Performance Data Reports
Oconee Nuclear Station, Docket Nos. 50-269, -270, -287
McGuire Nuclear Station, Docket Nos. 50-369, -370
Catawba Nuclear Station, Docket Nos. 50-413, -414

Gentlemen:

Pursuant to 10CFR 26.71(d), please find enclosed the subject reports for Duke Power Company's Oconee, McGuire and Catawba Nuclear Stations and the General Office. These reports are being submitted for the time period of January 1, 1997 through June 30, 1997.

Should there be any questions concerning these reports, contact G. A. Copp, Manager, Nuclear Regulatory & Industry Affairs at (704) 382-5826.

Very truly yours,

M. S. Tuckman

M. S. Tuckman

Attachment

A021 1/1



9709030337 970826
PDR ADOCK 05000269
R PDR

August 26, 1997

Page 2

xc: Mr. L. A. Reyes
U. S. Nuclear Regulatory Commission
Regional Administrator, RII
Atlanta Federal Center
61 Forsyth St., SW, Suite 23T85
Atlanta, Georgia 30303

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26**

RECEIVED

AUG 13 1997

DUKE POWER COMPANY		June 30, 1997
<small>Company</small>		<small>6 Months Ending</small>
Catawba Nuclear Station		
<small>Location</small>		
Sheila Lowry-Minor		(803) 831-3881
<small>Contact Name</small>		<small>Phone (include area codes)</small>
Cut-offs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10CFR 26		
Marijuana	50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml _____ /
Cocaine	300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml _____ /
Opiates	300 ng/ml / 300 ng/ml	Alcohol (% BAC) .04 _____ /

Testing Results		Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
		# Tested	# Positive *	# Tested	# Positive	# Tested	# Positive
Average Number with Unescorted Access		1670				322	
Categories		# Tested	# Positive *	# Tested	# Positive	# Tested	# Positive
Pre-Access		74	0 0			616	8 8
For Cause	Post accident	0	0 0			0	0 0
	Observed behavior	0	0 0			2	1 0
Random		527	1 0			95	0 1
Follow-up		28	0 0			0	0 0
Other		2	0 0			0	0 0
Total		631	1 0			713	9 9

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

REV. 1/92

RECEIVED

Breakdown of Confirmed Positive Tests for Specific Substances

	* Marijuana		Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal to Test	1	2	3	4	5	
	NRC	DUKE												
Licensee Employees	1						NRC-Duke							
Long-Term Contractors														
Short-Term Contractors	5	7	3				1 / 2							A
Total	6	7	3				1 / 2							19

**Fitness For Duty
Performance Date
Personnel Subject to 10CFR 26**

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, ect. As appropriate.)

- Trained new Supervisors on their roles and responsibilities under the FFD Procedure and Policy.
- Resumed the process for contacting employees to ensure call out question were being properly administer.

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
--------------------------	--	---------------------------	-------------------------------	-------------------------------------

None

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26**

DUKE POWER COMPANY	June 30, 1997
<small>Company</small>	<small>6 Months Ending</small>
McGuire Nuclear Station	
<small>Location</small>	
Deana A. DeLoach	(704) 875-5781
<small>Contact Name</small>	<small>Phone (include area code)</small>
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10CFR 26	
Marijuana 50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml/ 500 ng/ml _____ /
Cocaine 300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml/ 25 ng/ml _____ /
Opiates 300 ng/ml / 300 ng/ml	Alcohol (% BAC) .04 _____ /

Testing Results		Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
		# Tested	# Positive *		# Tested	# Positive	# Tested	# Positive *	
Categories			NRC	DUKE			NRC	DUKE	
Average Number with Unescorted Access		1861					462		
Pre-Access		202	2	0	X		604	4	3
For Cause	Post accident	0	0	0			0	0	0
	Observed behavior	2	0	0			2	1	1
Random		522	2	0			148	0	1
Follow-up		33	1	0			0	0	0
Other		8	0	0			0	0	0
Total		767	5	0			754	5	5

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

Breakdown of Confirmed Positive Tests for Specific Substances

	* Marijuana		Cocaine	Opiates	Ampheta- mines	Phency- clidine	Alcohol		Refusal to Test	1	2	3	4	5	
	NRC	DUKE					NRC	DUKE							
Licensee Employees	1	0	2	0	0	0	2	0	0						
Long-Term Contractors	0	0	0	0	0	0	0	0	0						
Short-Term Contractors	5	4	0	0	0	0	0	2	1						
Total	6	4	2	0	0	0	2	2	1						A
															17

* One Vendor tested positive for two separate substances.
Vendor tested positive for Alcohol & THC

All substances are accounted for on the
breakdown of confirmed positive tests for specific
substances, but it was only counted once
on the performance data at the NRC level.

Fitness For Duty Program
Performance Data
Personnel Subject to 10 CFR 26

Summary of Management Actions:

[Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.]

NONE

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
--------------------------	--	---------------------------	-------------------------------	-------------------------------------

NONE

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26**

RECEIVED

AUG 07 1997

DUKE POWER COMPANY		6/30/97
Company		6 Months Ending
OCONEE NUCLEAR STATION		
Location		
Pauline D. Beatty		864-885-3317
Contact Name		Phone (include area code)
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10CFR 26		
Marijuana	50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml _____ /
Cocaine	300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml _____ /
Opiates	300 ng/ml / 300 ng/ml	Alcohol (% BAC) .04 _____ /

Testing Results		Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel				
		# Tested	# Positive *	# Tested	# Positive	# Tested	# Positive			
Average Number with Unescorted Access		1638				296				
Categories		# Tested	# Positive *	# Tested	# Positive	# Tested	# Positive			
Pre-Access		51	NRC 0	DUKE 0	X			99	NRC 1	DUKE 0
For Cause	Post accident		0	0					0	0
	Observed behavior	0	0	0	0	0	0	0	0	
Random		532	1	1				100	1	0
Follow-up		27	0	0				0	0	0
Other		5	0	0				0	0	0
Total		615	1	1				199	2	0

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

Breakdown of Confirmed Positive Tests for Specific Substances

	* Marijuana		Cocaine	Opiates	Ampe- tamines	Phency- clidine	Alcohol	Refusal to Test	1	2	3	4	5
	NRC	DUKE											
Licensee Employees	1 ✓	1 ✓											
Long-Term Contractors	2 ✓	0											
Short-Term Contractors	0	0											
Total	3	1											

A

Fitness For Duty Program
Performance Data
Personnel Subject to 10 CFR 26

Summary of Management Actions:

[Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.]

None

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
--------------------------	--	---------------------------	-------------------------------	-------------------------------------

None

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26**

DUKE POWER COMPANY		June 30, 1997
Company		6 Months Ending
General Office		
Location		
Lisa L. Stewart	(704) 382-2030	
Contact Name		Phone (include area code)
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10CFR 26		
Marijuana	50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml _____ /
Cocaine	300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml _____ /
Opiates	300 ng/ml / 300 ng/ml	Alcohol (% BAC) .04 _____ /

Testing Results		Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
		# Tested	# Positive *		# Tested	# Positive	# Tested	# Positive *	
Categories		# Tested	NRC	DUKE	# Tested	# Positive	# Tested	NRC	DUKE
Average Number with Unescorted Access		756							
Pre-Access		117	0	0			** 69	N/A	N/A
For Cause	Post accident	0	0	0			N/A	N/A	N/A
	Observed behavior	0	0	0			N/A	N/A	N/A
Random		228	1	0			N/A	N/A	N/A
Follow-up		8	0	0			N/A	N/A	N/A
Other		1	0	0			N/A	N/A	N/A
Total		354	1	0			** 69	N/A	N/A

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

Breakdown of Confirmed Positive Tests for Specific Substances

	Marijuana*		Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal to Test	1	2	3	4	5	
	NRC	IDUKE												
Licensee Employees	0	0	1											
Long-Term Contractors	0	0												
Short-Term Contractors	0	0												A
Total	0	0	1	0	0	0	0	0						1

Fitness For Duty Program
Performance Data
Personnel Subject to 10 CFR 26

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

** Duke Power Company approved the Pre-Access Testing portion of Framatome Technologies' Fitness For Duty Program effective January 28, 1991. The 69 Pre-Access screens reported under "Short Term Contractor Personnel" are being reported with Duke Power Company performance data as a result of accepting Framatome Technologies' program.

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
None				