



118 Hump Road  
Hagerstown, MD 21740  
Phone: 301-739-9814  
Fax: 301-739-0439

*Br. 2*

April 20, 2015

Dear Sirs:

Craig Blacktop and Paving, Inc. would like to terminate our NRC License #19-28189-01. */030-30517*

Attached is NRC form 314, current leak test certifications and Material Transfer sheets for the gauges.

Please let me know if there is any further information that you may need to terminate our License.

Thank you

*Deborah S. Malott*

Deborah S. Malott

RADIATION SAFETY OFFICER

Craig Blacktop and Paving, Inc.

301-739-9814 x 128

dsmalott@gmail.com

REC'D 04/27/15 10:10

*586688*  
KMG/ONI MATERIALS-002



### CERTIFICATE OF DISPOSITION OF MATERIALS

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the FOIA, Privacy, and Information Collections Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to Infocollects.Resource@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

LICENSEE NAME AND ADDRESS <b>Craig Blacktop and Paving Inc. 118 Hump Road HAGERSTOWN MARYLAND 21740</b>	LICENSE NUMBER <b>19-28189-01</b>	DOCKET NUMBER <b>030-30517</b>
	LICENSE EXPIRATION DATE <b>March 31, 2024</b>	

#### A. LICENSE STATUS (Check the appropriate box)

- This license has expired.      This license has not yet expired; please terminate it.

#### B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- 1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.
  - a. Transfer of radioactive materials to the licensee listed below:  
**MD-13-020-01**
  - b. Disposal of radioactive materials:
    - 1. Directly by the licensee:
    - 2. By licensed disposal site:
    - 3. By waste contractor:
  - c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

#### C. SURVEYS PERFORMED AND REPORTED

- 1. A radiation survey was conducted by the licensee. The survey confirms:
  - a. the absence of licensed radioactive materials
  - b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- 2. A copy of the radiation survey results:
  - a. is attached; or      b. is not attached (Provide explanation); or      c. was forwarded to NRC on: \_\_\_\_\_ Date
- 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
  - a. The results of the latest leak test are attached; and/or
  - b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME <b>Deborah S. Malott</b>	TITLE <b>RSO</b>	TELEPHONE (Include Area Code) <b>301 739 9814 x128</b>	E-MAIL ADDRESS <b>dsmalott@gmail.com</b>
----------------------------------	---------------------	---	---

Mail all future correspondence regarding this license to:

**Craig Blacktop and Paving Inc., 118 Hump Road HAGERSTOWN MD 21740**

#### C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE <b>Deborah S. Malott Radiation Safety Officer</b>	SIGNATURE <b>Deborah S. Malott</b>	DATE <b>4.20.2015</b>
---	---------------------------------------	--------------------------

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.



**North East Technical Services, Inc**

75 Aileron Court, Suite 4  
Westminster, MD 21157  
1-866-868-2382  
Fax 410 751-5091

**RADIOACTIVE MATERIAL TRANSFER SHEET**

**DEVICE BEING TRANSFERRED:**

GAUGE MODEL: 3450

SERIAL NUMBER: 256

SOURCE SERIAL NUMBERS: Cs: 750-4952 Am-241:Be: 47-27545

Survey reading of gauge at destination. (In mrem) Less than 5  
(Conduct survey 1 meter from shipping case)

Last Leak Test Date: 2/24/15

**TRANSFERRING THE DEVICE FROM:**

Company/Entity: Craig Paving

Address: 118 Hump Road  
Hagerstown, MD 21740

Company representative: Debbie Malott

Signature Debbie Malott  
Debbie Malott

**TRANSFERRING THE DEVICE TO:**

Company: North East Technical Services, Inc  
Address: 75 Aileron Court, Suite 4  
Westminster, MD 21157

Radioactive Materials License Number: MD-13-020-01  
Expiration date: 3-31-2017

DATE OF TRANSFER: 2/24/2015

Company representative: Kelli Rill

Signature Kelli Rill

*North East Technical Services, Inc is licensed and insured and fully authorized to accept, transfer, sell and service portable nuclear density gauges under radioactive materials license# MD-13-020-01.*



**North East Technical Services, Inc**

75 Aileron Court, Suite 4

Westminster, MD 21157

1-866-868-2382

Fax 410 751-5091

**RADIOACTIVE MATERIAL TRANSFER SHEET**

**DEVICE BEING TRANSFERRED:**

GAUGE MODEL: 4640

SERIAL NUMBER: 843

SOURCE SERIAL NUMBERS: Cs: 50-7989

Survey reading of gauge at destination. (In mrem) Less than 5  
(Conduct survey 1 meter from shipping case)

Last Leak Test Date: 2/24/15

**TRANSFERRING THE DEVICE FROM:**

Company/Entity: Craig Paving

Address: 118 Hump Road  
Hagerstown, MD 21740

Company representative: Debbie Malott

Signature *Debbie Malott*  
*Debbie Malott*

**TRANSFERRING THE DEVICE TO:**

Company: North East Technical Services, Inc

Address: 75 Aileron Court, Suite 4  
Westminster, MD 21157

Radioactive Materials License Number: MD-13-020-01

Expiration date: 3-31-2017

DATE OF TRANSFER: 2/24/2015

Company representative: Kelli Rill

Signature *Kelli Rill*

*North East Technical Services, Inc is licensed and insured and fully authorized to accept, transfer, sell and service portable nuclear density gauges under radioactive materials license# MD-13-020-01.*



**North East Technical Services, Inc**

75 Aileron Court, Suite 4  
Westminster, MD 21157  
1-866-868-2382  
Fax 410 751-5091

**RADIOACTIVE MATERIAL TRANSFER SHEET**

**DEVICE BEING TRANSFERRED:**

GAUGE MODEL: 4640                      SERIAL NUMBER: 1647

SOURCE SERIAL NUMBERS:    Cs: 75-7980

Survey reading of gauge at destination. (In mrem)    Less than 5  
(Conduct survey 1 meter from shipping case)

Last Leak Test Date: 2/24/15

**TRANSFERRING THE DEVICE FROM:**

Company/Entity: Craig Paving

Address:            118 Hump Road  
                         Hagerstown, MD 21740

Company representative: Debbie Malott

Signature Debbie Malott  
*Debbie Malott*

**TRANSFERRING THE DEVICE TO:**

Company: North East Technical Services, Inc  
Address: 75 Aileron Court, Suite 4  
                 Westminster, MD 21157

Radioactive Materials License Number: MD-13-020-01  
Expiration date: 3-31-2017

DATE OF TRANSFER: 2/24/2015

Company representative: Kelli Rill

Signature Kelli Rill  
*Kelli Rill*

*North East Technical Services, Inc is licensed and insured and fully authorized to accept, transfer, sell and service portable nuclear density gauges under radioactive materials license# MD-13-020-01.*



**North East Technical Services, Inc.**  
75 Aileron Ct., Suite 4  
Westminster, MD 21157  
Ph: 410.751.5090 Fax: 410.751.5091

North East Technical Services, Inc  
75 Aileron Ct., Suite 4  
Westminster, MD 21157  
ATTN:

Shipping Address: 75 Aileron Ct., Suite 4  
Westminster, MD 21157

## **LEAK TEST CERTIFICATE**

**MD Materials License # MD-13-020-01**

***This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.***

<b>Gauge Model</b>	<b>4640</b>	<b>Gauge S/N</b>	<b>T843</b>	<b>Leak Test Date</b>	<b>3/9/2015</b>
<b>Source</b>		<b>Reading in microCuries</b>			
	50-7989		0.00007592		

***Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.***

Reviewed by: \_\_\_\_\_

*Douglas Sines*

Date: \_\_\_\_\_

**MAR 11 2015**



**North East Technical Services, Inc.**  
75 Aileron Ct., Suite 4  
Westminster, MD 21157  
Ph: 410.751.5090 Fax: 410.751.5091

North East Technical Services, Inc  
75 Aileron Ct., Suite 4  
Westminster, MD 21157  
ATTN:

Shipping Address: 75 Aileron Ct., Suite 4  
Westminster, MD 21157

## **LEAK TEST CERTIFICATE**

**MD Materials License # MD-13-020-01**

*This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.*

<b>Gauge Model</b>	<b>4640</b>	<b>Gauge S/N</b>	<b>T1647</b>	<b>Leak Test Date</b>	<b>3/9/2015</b>
<b>Source</b>		<b>Reading in microCuries</b>			
	75-7980		0.00005840		

**Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.**

Reviewed by:                     *Doug L. Sims*                    

Date:                     MAR 11 2015



**North East Technical Services, Inc.**  
75 Aileron Ct., Suite 4  
Westminster, MD 21157  
Ph: 410.751.5090 Fax: 410.751.5091

*North East Technical Services, Inc*  
75 Aileron Ct., Suite 4  
Westminster, MD 21157  
ATTN:

**Shipping Address:** 75 Aileron Ct., Suite 4  
Westminster, MD 21157

## **LEAK TEST CERTIFICATE**

**MD Materials License # MD-13-020-01**

*This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.*

<b>Gauge Model</b>	<b>3450</b>	<b>Gauge S/N</b>	<b>Z256</b>	<b>Leak Test Date</b>	<b>2/24/2015</b>
<b>Source</b>			<b>Reading in microCuries</b>		
	750-4952		0.00006298		
	47-27545		0.00000		

**Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.**

**Reviewed by:** 

**Date:** FEB 24 2015



Craig Paving Inc.  
118 Hump Rd.  
Hagerstown MD 21740

Postnet  
95001  
95001 SC  
95001

Licensing Assistant Section  
Nuclear Materials Safety Branch  
U.S. Nuclear Regulatory Commission Region 1  
2100 Renaissance Boulevard Suite 100  
King of Prussia, PA 19406-2713

This is to acknowledge the receipt of your letter/application dated

04/20/2015, and to inform you that the initial processing which includes an administrative review has been performed.

19-28189-01 (Termination)  
 There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned Mail Control Number 586688  
When calling to inquire about this action, please refer to this control number.  
You may call us on (610) 337-5398, or 337-5260.

NRC FORM 532 (R1)  
(6-96)

Sincerely,  
Licensing Assistance Team Leader.