



ANALYTICAL SUMMARY REPORT

February 10, 2012

Rare Element Resources Inc
225 Union Blvd Ste 250
Lakewood, CO 80228-1574

Workorder No.: G12010227

Project Name: Bear Lodge

Energy Laboratories Inc. Gillette WY received the following 7 samples for Rare Element Resources Inc on 1/10/2012 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
G12010227-001	AMS #1	12/19/11 10:53	01/10/12	Filter	Metals on air filter by ICP/ICPMS Digestion, Total Metals Nitric acid-extraction Radium 226 Thorium, Isotopic
G12010227-002	AMS #1	11/21/11 11:55	01/10/12	Filter	Same As Above
G12010227-003	AMS #2	11/28/11 14:16	01/10/12	Filter	Same As Above
G12010227-004	AMS #2	12/23/11 9:40	01/10/12	Filter	Same As Above
G12010227-005	AMS #3	12/05/11 13:45	01/10/12	Filter	Same As Above
G12010227-006	AMS #3	12/30/11 11:19	01/10/12	Filter	Same As Above
G12010227-007	AMS #4	12/12/11 10:30	01/10/12	Filter	Same As Above

The analyses presented in this report were performed by Energy Laboratories, Inc., 400 W. Boxelder Rd., Gillette, WY 82718, unless otherwise noted.

As appropriate, any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

The results as reported relate only to the item(s) submitted for testing.

If you have any questions regarding these tests results, please call.

Report Approved By:



CLIENT: Rare Element Resources Inc
Project: Bear Lodge
Sample Delivery Group: G12010227

Report Date: 02/10/12

CASE NARRATIVE

Tests associated with analyst identified as ELI-B were subcontracted to Energy Laboratories, 1120 S. 27th St., Billings, MT, EPA Number MT00005.

Tests associated with analyst identified as ELI-CA were subcontracted to Energy Laboratories, 2393 Salt Creek Hwy., Casper, WY, EPA Number WY00002 and WY00937.



LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Rare Element Resources Inc
Project: Bear Lodge
Lab ID: G12010227-001
Client Sample ID AMS #1

Report Date: 02/10/12
Collection Date: 12/19/11 10:53
DateReceived: 01/10/12
Matrix: Filter

Analyses	Result	Units	Qualifiers	RL	MDL	Method	Analysis Date / By
METALS IN AIR							
Cerium	12	ug/filter		1	0.009	E200.8	01/22/12 09:20 / eli-b
Lanthanum	6	ug/filter		1	0.004	E200.8	01/22/12 09:20 / eli-b
Thorium	2	ug/filter		1	0.02	E200.8	01/17/12 02:43 / eli-b
Uranium	ND	ug/filter		1	0.00008	E200.8	01/24/12 12:57 / eli-b
RADIONUCLIDES - TOTAL							
Radium 226	0.4	pCi/Filter	U			E903.0	02/08/12 13:17 / eli-c
Radium 226 precision (±)	0.7	pCi/Filter				E903.0	02/08/12 13:17 / eli-c
Radium 226 MDC	1.1	pCi/Filter				E903.0	02/08/12 13:17 / eli-c
RADIOCHEMICAL							
Thorium 230	1.1	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 precision (±)	0.53	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 MDC	0.60	pCi/Filter				E908.0	01/26/12 15:28 / eli-c

Report Definitions: RL - Analyte reporting limit. MDL - Method detection limit
MCL - Maximum contaminant level. QCL - Quality control limit.
ND - Not detected at the reporting limit. MDC - Minimum detectable concentration
U - Not detected at minimum detectable concentration



LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Rare Element Resources Inc
Project: Bear Lodge
Lab ID: G12010227-002
Client Sample ID AMS #1

Report Date: 02/10/12
Collection Date: 11/21/11 11:55
DateReceived: 01/10/12
Matrix: Filter

Analyses	Result	Units	Qualifiers	RL	MDL	Method	Analysis Date / By
METALS IN AIR							
Cerium	13	ug/filter		1	0.009	E200.8	01/22/12 09:21 / eli-b
Lanthanum	7	ug/filter		1	0.004	E200.8	01/22/12 09:21 / eli-b
Thorium	2	ug/filter		1	0.02	E200.8	01/17/12 02:47 / eli-b
Uranium	ND	ug/filter		1	0.00008	E200.8	01/24/12 13:02 / eli-b
RADIONUCLIDES - TOTAL							
Radium 226	0.4	pCi/Filter	U			E903.0	02/08/12 13:17 / eli-c
Radium 226 precision (±)	0.7	pCi/Filter				E903.0	02/08/12 13:17 / eli-c
Radium 226 MDC	1.1	pCi/Filter				E903.0	02/08/12 13:17 / eli-c
RADIOCHEMICAL							
Thorium 230	0.49	pCi/Filter	U			E908.0	01/26/12 15:28 / eli-c
Thorium 230 precision (±)	0.42	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 MDC	0.65	pCi/Filter				E908.0	01/26/12 15:28 / eli-c

Report Definitions:
 RL - Analyte reporting limit.
 MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.
 U - Not detected at minimum detectable concentration

MDL - Method detection limit
 QCL - Quality control limit.
 MDC - Minimum detectable concentration



LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Rare Element Resources Inc
Project: Bear Lodge
Lab ID: G12010227-003
Client Sample ID AMS #2

Report Date: 02/10/12
Collection Date: 11/28/11 14:16
DateReceived: 01/10/12
Matrix: Filter

Analyses	Result	Units	Qualifiers	RL	MDL	Method	Analysis Date / By
METALS IN AIR							
Cerium	24	ug/filter		1	0.009	E200.8	01/22/12 09:23 / eli-b
Lanthanum	14	ug/filter		1	0.004	E200.8	01/22/12 09:23 / eli-b
Thorium	3	ug/filter		1	0.02	E200.8	01/17/12 02:52 / eli-b
Uranium	ND	ug/filter		1	0.00008	E200.8	01/24/12 13:06 / eli-b
RADIONUCLIDES - TOTAL							
Radium 226	0.7	pCi/Filter	U			E903.0	02/08/12 13:17 / eli-c
Radium 226 precision (±)	0.7	pCi/Filter				E903.0	02/08/12 13:17 / eli-c
Radium 226 MDC	1.0	pCi/Filter				E903.0	02/08/12 13:17 / eli-c
RADIOCHEMICAL							
Thorium 230	0.38	pCi/Filter	U			E908.0	01/26/12 15:28 / eli-c
Thorium 230 precision (±)	0.38	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 MDC	0.61	pCi/Filter				E908.0	01/26/12 15:28 / eli-c

Report Definitions:
 RL - Analyte reporting limit.
 MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.
 U - Not detected at minimum detectable concentration

MDL - Method detection limit
 QCL - Quality control limit.
 MDC - Minimum detectable concentration



LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Rare Element Resources Inc
Project: Bear Lodge
Lab ID: G12010227-004
Client Sample ID AMS #2

Report Date: 02/10/12
Collection Date: 12/23/11 09:40
DateReceived: 01/10/12
Matrix: Filter

Analyses	Result	Units	Qualifiers	RL	MDL	Method	Analysis Date / By
METALS IN AIR							
Cerium	15	ug/filter		1	0.009	E200.8	01/22/12 09:25 / eli-b
Lanthanum	8	ug/filter		1	0.004	E200.8	01/22/12 09:25 / eli-b
Thorium	2	ug/filter		1	0.02	E200.8	01/17/12 02:56 / eli-b
Uranium	ND	ug/filter		1	0.00008	E200.8	01/24/12 13:10 / eli-b
RADIONUCLIDES - TOTAL							
Radium 226	0.4	pCi/Filter	U			E903.0	02/08/12 13:17 / eli-c
Radium 226 precision (±)	0.7	pCi/Filter				E903.0	02/08/12 13:17 / eli-c
Radium 226 MDC	1.1	pCi/Filter				E903.0	02/08/12 13:17 / eli-c
RADIOCHEMICAL							
Thorium 230	0.78	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 precision (±)	0.48	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 MDC	0.66	pCi/Filter				E908.0	01/26/12 15:28 / eli-c

Report Definitions:

RL - Analyte reporting limit.	MDL - Method detection limit
MCL - Maximum contaminant level.	QCL - Quality control limit.
ND - Not detected at the reporting limit.	MDC - Minimum detectable concentration
U - Not detected at minimum detectable concentration	



LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Rare Element Resources Inc
Project: Bear Lodge
Lab ID: G12010227-005
Client Sample ID AMS #3

Report Date: 02/10/12
Collection Date: 12/05/11 13:45
DateReceived: 01/10/12
Matrix: Filter

Analyses	Result	Units	Qualifiers	RL	MDL	Method	Analysis Date / By
METALS IN AIR							
Cerium	14	ug/filter		1	0.009	E200.8	01/22/12 09:27 / eli-b
Lanthanum	7	ug/filter		1	0.004	E200.8	01/22/12 09:27 / eli-b
Thorium	5	ug/filter		1	0.02	E200.8	01/17/12 03:19 / eli-b
Uranium	ND	ug/filter		1	0.00008	E200.8	01/24/12 13:15 / eli-b
RADIONUCLIDES - TOTAL							
Radium 226	0.5	pCi/Filter	U			E903.0	02/08/12 13:17 / eli-c
Radium 226 precision (±)	0.7	pCi/Filter				E903.0	02/08/12 13:17 / eli-c
Radium 226 MDC	1.1	pCi/Filter				E903.0	02/08/12 13:17 / eli-c
RADIOCHEMICAL							
Thorium 230	0.61	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 precision (±)	0.40	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 MDC	0.54	pCi/Filter				E908.0	01/26/12 15:28 / eli-c

Report Definitions:
 RL - Analyte reporting limit.
 MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.
 U - Not detected at minimum detectable concentration
 MDL - Method detection limit
 QCL - Quality control limit.
 MDC - Minimum detectable concentration



LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Rare Element Resources Inc
Project: Bear Lodge
Lab ID: G12010227-006
Client Sample ID AMS #3

Report Date: 02/10/12
Collection Date: 12/30/11 11:19
DateReceived: 01/10/12
Matrix: Filter

Analyses	Result	Units	Qualifiers	RL	MDL	Method	Analysis Date / By
METALS IN AIR							
Cerium	12	ug/filter		1	0.009	E200.8	01/22/12 09:28 / eli-b
Lanthanum	6	ug/filter		1	0.004	E200.8	01/22/12 09:28 / eli-b
Thorium	5	ug/filter		1	0.02	E200.8	01/17/12 03:23 / eli-b
Uranium	ND	ug/filter		1	0.00008	E200.8	01/24/12 13:19 / eli-b
RADIONUCLIDES - TOTAL							
Radium 226	-0.07	pCi/Filter	U			E903.0	02/08/12 16:22 / eli-c
Radium 226 precision (±)	0.6	pCi/Filter				E903.0	02/08/12 16:22 / eli-c
Radium 226 MDC	1.1	pCi/Filter				E903.0	02/08/12 16:22 / eli-c
RADIOCHEMICAL							
Thorium 230	0.90	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 precision (±)	0.58	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 MDC	0.85	pCi/Filter				E908.0	01/26/12 15:28 / eli-c

Report Definitions:
 RL - Analyte reporting limit.
 MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.
 U - Not detected at minimum detectable concentration

MDL - Method detection limit
 QCL - Quality control limit.
 MDC - Minimum detectable concentration



LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Rare Element Resources Inc
Project: Bear Lodge
Lab ID: G12010227-007
Client Sample ID AMS #4

Report Date: 02/10/12
Collection Date: 12/12/11 10:30
DateReceived: 01/10/12
Matrix: Filter

Analyses	Result	Units	Qualifiers	RL	MDL	Method	Analysis Date / By
METALS IN AIR							
Cerium	16	ug/filter		1	0.009	E200.8	01/22/12 09:30 / eli-b
Lanthanum	9	ug/filter		1	0.004	E200.8	01/22/12 09:30 / eli-b
Thorium	8	ug/filter		1	0.02	E200.8	01/17/12 03:27 / eli-b
Uranium	ND	ug/filter		1	0.00008	E200.8	01/24/12 13:23 / eli-b
RADIONUCLIDES - TOTAL							
Radium 226	0.9	pCi/Filter	U			E903.0	02/08/12 16:22 / eli-c
Radium 226 precision (±)	0.8	pCi/Filter				E903.0	02/08/12 16:22 / eli-c
Radium 226 MDC	1.1	pCi/Filter				E903.0	02/08/12 16:22 / eli-c
RADIOCHEMICAL							
Thorium 230	2.2	pCi/Filter	U			E908.0	01/26/12 15:28 / eli-c
Thorium 230 precision (±)	1.6	pCi/Filter				E908.0	01/26/12 15:28 / eli-c
Thorium 230 MDC	2.3	pCi/Filter				E908.0	01/26/12 15:28 / eli-c

Report Definitions:

RL - Analyte reporting limit.	MDL - Method detection limit
MCL - Maximum contaminant level.	QCL - Quality control limit.
ND - Not detected at the reporting limit.	MDC - Minimum detectable concentration
U - Not detected at minimum detectable concentration	



QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Rare Element Resources Inc
Project: Bear Lodge

Report Date: 01/26/12
Work Order: G12010227

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: E200.8							Analytical Run: ICPMS202-B_120122A		
Sample ID: QCS	Initial Calibration Verification Standard								01/22/12 08:59
Cerium	0.0489	mg/L	0.010	98	90	110			
Lanthanum	0.0498	mg/L	0.10	100	90	110			
Method: E200.8							Batch: 59840		
Sample ID: MB-59840	Method Blank								01/22/12 09:15
Cerium	0.01	ug/filter							
Lanthanum	0.009	ug/filter							
Sample ID: LFB-59840	Laboratory Fortified Blank								01/22/12 09:40
Cerium	83.5	ug/filter	1.0	83	80	120			
Lanthanum	84.4	ug/filter	1.0	84	80	120			
Sample ID: B12010831-006AMS	Sample Matrix Spike								01/22/12 09:43
Cerium	132	ug/filter	1.0	100	70	130			
Lanthanum	127	ug/filter	1.0	101	70	130			
Sample ID: B12010831-006AMSD	Sample Matrix Spike Duplicate								01/22/12 09:48
Cerium	145	ug/filter	1.0	111	70	130	9.7	20	
Lanthanum	141	ug/filter	1.0	112	70	130	11	20	
Method: E200.8							Analytical Run: ICPMS203-B_120116A		
Sample ID: QCS	Initial Calibration Verification Standard								01/16/12 23:58
Thorium	0.0206	mg/L	0.0010	103	90	110			
Method: E200.8							Batch: 59840		
Sample ID: MB-59840	Method Blank								01/17/12 02:29
Thorium	0.3	ug/filter	0.002						
Sample ID: B11111919-014AMS	Sample Matrix Spike								01/17/12 03:45
Thorium	265	ug/filter	1.0	88	70	130			
Sample ID: B11111919-014AMSD	Sample Matrix Spike Duplicate								01/17/12 03:49
Thorium	284	ug/filter	1.0	95	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Rare Element Resources Inc
Project: Bear Lodge

Report Date: 01/26/12
Work Order: G12010227

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: E200.8									Analytical Run: ICPMS203-B_120124A
Sample ID: U QCS	Initial Calibration Verification Standard								01/24/12 11:32
Uranium	0.0184	mg/L	0.0010	92	90	110			
Method: E200.8									Batch: 59840
Sample ID: MB-59840	Method Blank								01/24/12 12:53
Uranium	0.002	ug/filter	7E-06						
Sample ID: B12010831-007AMS	Sample Matrix Spike								01/24/12 14:00
Uranium	305	ug/filter	1.0	101	70	130			
Sample ID: B12010831-007AMSD	Sample Matrix Spike Duplicate								01/24/12 14:04
Uranium	304	ug/filter	1.0	101	70	130	0.6	20	
Sample ID: MB-59840	Method Blank								01/24/12 12:53
Thorium	0.1	ug/filter	0.002						
Uranium	0.002	ug/filter	7E-06						
Sample ID: B12010831-007ADUP	Sample Duplicate								01/24/12 13:28
Thorium	3.70	ug/filter	1.0					20	
Uranium	0.934	ug/filter	1.0					20	
Sample ID: B12010831-007AMS	Sample Matrix Spike								01/24/12 14:00
Thorium	277	ug/filter	1.0	92	70	130			
Uranium	305	ug/filter	1.0	101	70	130			
Sample ID: B12010831-007AMSD	Sample Matrix Spike Duplicate								01/24/12 14:04
Thorium	336	ug/filter	1.0	112	70	130		20	
Uranium	304	ug/filter	1.0	101	70	130	0.6	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Rare Element Resources Inc
Project: Bear Lodge

Report Date: 02/09/12
Work Order: G12010227

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: E903.0							Batch: 32502		
Sample ID: MB-32502	Method Blank						Run: BERTHOLD 770-1_120202A		02/08/12 13:17
Radium 226	-0.2	pCi/Filter							U
Radium 226 precision (±)	0.1	pCi/Filter							
Radium 226 MDC	0.2	pCi/Filter							
Sample ID: LCS-32502	Laboratory Control Sample						Run: BERTHOLD 770-1_120202A		02/08/12 13:17
Radium 226	12.9	pCi/Filter	109		70	130			
Sample ID: C12010517-007BMS	Sample Matrix Spike						Run: BERTHOLD 770-1_120202A		02/08/12 16:22
Radium 226	113	pCi/Filter	89		70	130			
Sample ID: C12010517-007BMSD	Sample Matrix Spike Duplicate						Run: BERTHOLD 770-1_120202A		02/08/12 16:22
Radium 226	130	pCi/Filter	102		70	130	14		21.1

Qualifiers:

RL - Analyte reporting limit.
MDC - Minimum detectable concentration

ND - Not detected at the reporting limit.
U - Not detected at minimum detectable concentration



QA/QC Summary Report

Prepared by Casper, WY Branch

Client: Rare Element Resources Inc
Project: Bear Lodge

Report Date: 02/09/12
Work Order: G12010227

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: E908.0 Batch: 32502									
Sample ID: C12010524-002GMS Thorium 230	Sample Matrix Spike 12	pCi/L		119	70	130			01/27/12 11:52
Sample ID: C12010524-002GMSD Thorium 230	Sample Matrix Spike Duplicate 11	pCi/L		107	70	130	10	44.8	01/27/12 11:52
Sample ID: LCS-32502 Thorium 230	Laboratory Control Sample 9.98	pCi/Filter		100	70	130			01/26/12 15:28
Sample ID: MB-32502 Thorium 230	Method Blank 0.2	pCi/Filter							01/27/12 11:52
Thorium 230 precision (±)	0.1	pCi/Filter							
Thorium 230 MDC	0.1	pCi/Filter							

Qualifiers:

RL - Analyte reporting limit.

MDC - Minimum detectable concentration

ND - Not detected at the reporting limit.

Workorder Receipt Checklist



G12010227

Login completed by: Misty Voegele

Date Received: 1/10/2012

Reviewed by: BL2000\kscotruff

Received by: tlf

Reviewed Date: 1/11/2012

Carrier Hand Del
name:

- | | | | |
|---|---|-----------------------------|--|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> |
| Custody seals intact on shipping container/cooler? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | Not Present <input checked="" type="checkbox"/> |
| Custody seals intact on sample bottles? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | Not Present <input checked="" type="checkbox"/> |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| All samples received within holding time?
(Exclude analyses that are considered field parameters
such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.) | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Container/Temp Blank temperature: | °C NA | | |
| Water - VOA vials have zero headspace? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | No VOA vials submitted <input checked="" type="checkbox"/> |
| Water - pH acceptable upon receipt? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | Not Applicable <input checked="" type="checkbox"/> |

Contact and Corrective Action Comments:

None



Chain of Custody and Analytical Request Record

PLEASE PRINT (Provide as much information as possible.)

Company Name: **Gene E. Levent Resources (EIR)**
 Report Mail Address: **Boon Lodge, Basel, NY 54P**
 Invoice Address: **Gene E. Levent Resources (EIR)**
 Project Name, PWS, Permit, Etc.: **Boon Lodge, Basel, NY 54P**
 Contact Name: **Gene E. Levent**
 Phone/Fax: **(303) 867-2208**
 Sample Origin State: **NY**
 Email: **gelle@levent.com**
 Invoice Contact & Phone: **Gene E. Levent (303) 867-2208**
 Purchase Order: **1101121025**
 EPA/State Compliance: Yes No
 Sampler: (Please Print) **Gene E. Levent**
 Quote/Bottle Order: **1101121025**

Special Report/Formats:
 DW
 POTW/WWTP
 State: _____
 Other: _____
 EDD/EDT (Electronic Data)
 Format: _____
 LEVEL IV
 NE/LAC

Number of Containers: _____
 Sample Type: AWS V B O DW
 Air Water Soils/Solids
 Vegetation Bioassay Other
 DW - Drinking Water

ANALYSIS REQUESTED

SEE ATTACHED

Standard Turnaround (TAT)
R U S H

Contact EIR prior to RUSH sample submittal for charges and scheduling - See Instruction Page

Comments: _____

Shipped by: _____
 Cooler ID(s): _____
 Receipt Temp: _____ °C
 On Ice: Y N
 Custody Seal: _____
 On Bottle: _____
 On Cooler: _____
 Intact: _____
 Signature: _____
 Match: _____

SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)	Collection Date	Collection Time	MATRIX	ANALYSIS REQUESTED	Standard Turnaround (TAT)	Comments	Signature
1 AMS # 1	12-11-11	10:53					
2 AMS # 1	11-21-11	11:55					
3 AMS # 2	11-28-11	14:16					
4 AMS # 2	12-23-11	9:40					
5 AMS # 3	12-5-11	13:45					
6 AMS # 3	12-30-11	11:19					
7 AMS # 4	12-12-11	10:30					
8							
9							
10							

Custody Record MUST be Signed

Requested by (print): **Gene E. Levent** Date/Time: **1-10-12 16:25** Signature: **Gene E. Levent**

Relinquished by (print): _____ Date/Time: _____ Signature: _____

Received by Laboratory: **Gene E. Levent** Date/Time: **1/10/12 10:25** Signature: **Gene E. Levent**

Received by (print): _____ Date/Time: _____ Signature: _____

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report. Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.

LABORATORY USE ONLY

1201121025

200.7.8-A

Ce

La

Th

U

Niosh- prep

AMS # 1 Continuous

12010227

Start 11-25-11 14:16

Stop - 12-19-11 10:53

TF 1374800 .0 SCF

3510800 .2 ACF

34,362 .4 Min ET

Collected 12-19-11 10:53

AMS # 1

start 11-16-11 12:48 pm

stop 11-21-11 11:55 ~~am~~ Am

~~TF 1374800 .0 SCF~~

Continuous

ET - 7,119.9

AMS #2 11-28-11

12010227

Continuous

SCF 993719.4

ACF 1416159.7 ~~A~~

ET 17157.6 min

Start- 11-16-11 16:15

End- 11-28-11 14:16

AMS #2 cont.

9:40 12-23-11 coll. cont.

1330663.5 SCF

1997645.1 ACF

29729.8 min

Start 12-5-11 13:00

Stop 9:40 12-23-11

AMS # 3

Continuous collected 12-5-11 13:45

12010227

TF - 1074240.0 SCF
1577770.3 ACF
24180.3 ET/min.

Start: 11-16-11

Stop: 12-5-11

AMS #3 Continuous

Start 12-12-11 10:00

Stop 12-30-11 11:19

1051782.7 SCF
1296915.4 ACF
25979.8 ET/min

AMS #4 Continuous

120102c

TF 1488 727.2 SCF

2314 990.2 ACF

37233.3 min ET

Start: 11-16-11 14:50

End: 12-12-11 10:30 Am