



NEI 07-07

May 15, 2015

U.S. Nuclear Regulatory Commission  
ATTN: Document Control Desk  
Washington, DC 20555-0001

Peach Bottom Atomic Power Station (PBAPS), Units 2 and 3  
Renewed Facility Operating License Nos. DPR-44 and DPR-56  
NRC Docket Nos. 50-277 and 50-278

Subject: Groundwater Protection Initiative (GPI) – Voluntary Special Report for Tritium  
Discovered On-Site

This voluntary, special report is submitted in accordance with NEI 07-07, *Industry Ground Water Protection Initiative – Final Guidance Document*.

On April 17, 2015, a water sample from an on-site groundwater monitoring well was confirmed to contain a level of tritium in excess of the NEI 07-07 voluntary reporting threshold of 20,000 picocuries per liter. This water sample was collected on April 7, 2015 from just outside of the northeast corner of the Unit 3 Turbine Building. The level of tritium measured was 37,700 picocuries per liter.

A small accumulation of water on the turbine building floor was identified as a possible source and removed. Drainage was improved to prevent future accumulation. Follow-up sampling from the well has shown a declining trend. A sample obtained on May 4, 2015, contained 9,410 picocuries per liter.

The samples were obtained from a well that is for groundwater monitoring only. This event had no impact on any on-site or off-site drinking water wells. It is possible that the water could eventually migrate into the plant's outlet canal. If so, the potential dose to a member of the public would be negligible. This will be calculated as part of the site's annual effluent report.

There are no regulatory commitments contained in this document. If you have any questions or require additional information, please contact Mr. Frank Leone, Chemistry, Environmental and Radwaste Manager at 717-456-3844.

Sincerely,

A handwritten signature in black ink, appearing to read "Patrick D. Navin".

Patrick D. Navin  
Plant Manager  
Peach Bottom Atomic Power Station

IE22  
NRR

U.S. Nuclear Regulatory Commission

Page 2

May 15, 2015

cc: D. H. Dorman, US NRC, Administrator, Region I  
S. L. Hansell, US NRC, Senior Resident Inspector  
R. R. Janati, Commonwealth of Pennsylvania  
S. Grey, State of Maryland  
P. Steinhauer, PSE&G, Financial Controls and Co-owner Affairs  
R. Anderson, NEI ([GW\\_Notice@nei-org](mailto:GW_Notice@nei-org))  
S. Focht, American Nuclear Insurer's

CCN: 15-52

IR 2486460