

**RULES
OF
TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION**

**CHAPTER 0400-20-10
LICENSING AND REGISTRATION**

TABLE OF CONTENTS

0400-20-10-.01	Purpose	0400-20-10-.20	Division Action on Application to Renew or Amend
0400-20-10-.02	Scope	0400-20-10-.21	Inalienability of Licenses
0400-20-10-.03	Exemptions: Source Material	0400-20-10-.22	Transfer of Material
0400-20-10-.04	Exemptions: Radioactive Materials Other Than Source Material	0400-20-10-.23	Modification, Revocation, and Termination of Licenses
0400-20-10-.05	Reserved	0400-20-10-.24	Registration
0400-20-10-.06	Exemptions: U.S. Department of Energy and U.S. Nuclear Regulatory Commission Contractors	0400-20-10-.25	Reports
0400-20-10-.07	Other Exemptions	0400-20-10-.26	Records
0400-20-10-.08	Types of Licenses	0400-20-10-.27	Inspections
0400-20-10-.09	General Licenses - Source Material	0400-20-10-.28	Tests
0400-20-10-.10	General Licenses - Radioactive Material Other Than Source Material	0400-20-10-.29	Reciprocal Recognition of Licenses
0400-20-10-.11	Filing of Application for Specific Licenses	0400-20-10-.30	Packaging and Transportation of Radioactive Material
0400-20-10-.12	General Requirements for the Issuance of Specific Licenses	0400-20-10-.31	Fees for Licenses
0400-20-10-.13	Special Requirements for Issuance of Specific Licenses	0400-20-10-.32	Licensing of Shippers of Radioactive Material Into or Within Tennessee
0400-20-10-.14	Reserved	0400-20-10-.33	Reserved
0400-20-10-.15	Issuance of Specific Licenses	0400-20-10-.34	Supplemental Fees for Calendar Year 2013
0400-20-10-.16	Specific Terms and Conditions of Licenses	0400-20-10-.35	Reserved
0400-20-10-.17	Expiration of Licenses	0400-20-10-.36	Radiological Criteria for License Termination
0400-20-10-.18	Renewal of License	0400-20-10-.37	Reserved
0400-20-10-.19	Amendment of Licenses at Request of Licensee	0400-20-10-.38	Appendix - Schedules

0400-20-10-.01 PURPOSE.

This Chapter establishes requirements for the licensing and registration of sources of radiation.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.02 SCOPE.

Except as otherwise specifically provided, no person shall manufacture, produce, receive, possess, use, transfer, own, or acquire radioactive material unless authorized in a specific or general license issued pursuant to this chapter. All other sources of radiation, registered inspectors, and x-ray installations and services unless exempt from this Chapter under Rule 0400-20-10-.03, 0400-20-10-.04, 0400-20-10-.06, 0400-20-10-.07 or 0400-20-10-.30 shall be registered with the Division in accordance with the requirements of Rule 0400-20-10-.24.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.03 EXEMPTIONS: SOURCE MATERIAL.

- (1) Any person is exempt from this Chapter to the extent that such person receives, possesses, uses, or transfers source material in any chemical mixture, compound, solution or alloy in which the source material is by weight less than 1/20 of 1 percent (0.05 percent) of the mixture, compound, solution, or alloy.

(Rule 0400-20-10-.03, continued)

- (2) Any person is exempt from this Chapter to the extent that such person receives, possesses, uses or transfers unrefined and unprocessed ore containing source material; provided that, except as authorized in a specific license, such person shall not refine or process such ore.
- (3) Any person is exempt from this Chapter to the extent that such person receives, possesses, uses, or transfers:
 - (a) Any quantities of thorium contained in:
 1. Incandescent gas mantles;
 2. Vacuum tubes;
 3. Welding rods;
 4. Electric lamps for illuminating purposes provided that each lamp does not contain more than 50 milligrams of thorium;
 5. Germicidal lamps, sunlamps, and lamps for outdoor or industrial lighting provided that each lamp does not contain more than 2 grams of thorium;
 6. Rare earth metals and compounds, mixtures, and products containing not more than 0.25 percent by weight of thorium, uranium, or any combination of these; or
 7. Personnel neutron dosimeters provided that each dosimeter does not contain more than 50 milligrams of thorium.
 - (b) Source material contained in the following products:
 1. Glazed ceramic tableware, provided that the glaze contains not more than 20 percent by weight source material;
 2. Piezoelectric ceramic glassware containing not more than 10 percent by weight source material; but not including commercially manufactured glass brick, pane glass, ceramic tile, or other glass or ceramic used in construction;
 3. Glass enamel or glass enamel frit containing not more than 10 percent by weight source material imported or ordered for importation into the United States, or initially distributed by manufacturers in the United States, before July 25, 1983.
 - (c) Photographic film, negatives, and prints containing uranium or thorium.
 - (d) Any finished product or part fabricated of, or containing tungsten or magnesium-thorium alloys, provided that the thorium content of the alloy does not exceed 4 percent by weight and that the exemption contained in this subparagraph shall not be deemed to authorize the chemical, physical, or metallurgical treatment or processing of any such product or part.
 - (e) Uranium contained in counterweights installed in aircraft, rockets, projectiles and missiles or stored or handled in connection with installation or removal of such counterweights, provided that:
 1. The counterweights are manufactured in accordance with a specific license issued by the U.S. Nuclear Regulatory Commission authorizing distribution by the licensee pursuant to 10 CFR 40;

(Rule 0400-20-10-.03, continued)

2. Each counterweight has been impressed with the following legend clearly legible through any plating or other covering: "DEPLETED URANIUM"¹ [Depleting uranium means the source material uranium in which the isotope uranium-235 is less than 0.711 weight percent of the total uranium present];
 3. Each counterweight is durably and legibly labeled or marked with the identification of manufacturer and the statement: "UNAUTHORIZED ALTERATIONS PROHIBITED"¹; and
 4. The exemption contained in this subparagraph shall not be deemed authorize the chemical, physical, or metallurgical treatment or processing of any such counterweights other than repair or restoration of any plating or other covering.
- (f) Uranium used as shielding constituting part of any shipping container which is conspicuously and legibly impressed with the legend "CAUTION - RADIOACTIVE SHIELDING - URANIUM" and which is encased in mild steel or equally fire resistant metal of minimum wall thickness of 1/8 inch.
- (g) Thorium contained in finished optical lenses, provided that each lens does not contain more than 30 percent by weight of thorium; and that the exemption contained in this subparagraph shall not be deemed to authorize either:
1. The shaping, grinding, or polishing of such lens or manufacturing processes other than the assembly of such lens into optical systems and devices without any alteration of the lens; or
 2. The receipt, possession, use or transfer of thorium contained in contact lenses or in spectacles or in eye pieces in binoculars or other optical instruments.
- (h) Uranium contained in detector heads for use in fire detection units, provided that each detector head contains no more than 0.005 microcurie of uranium.
- (i) Thorium contained in any finished aircraft engine part containing nickel-thoria alloy, provided that:
1. The thorium is dispersed in the nickel-thoria alloy in the form of finely divided thoria (thorium dioxide); and
 2. The thorium content in the nickel-thoria alloy does not exceed 4 percent by weight.
- (4) The exemptions in paragraph (3) of this rule do not authorize the manufacture of any of the products described.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.04 EXEMPTIONS: RADIOACTIVE MATERIALS OTHER THAN SOURCE MATERIAL.

- (1) Exempt concentrations.

¹ The requirements specified in parts 2 and 3 of this subparagraph need not be met by counterweights manufactured prior to December 31, 1969; provided that such counterweights are impressed with the legend, "CAUTION - RADIOACTIVE MATERIAL - URANIUM" as previously required by the regulations.

(Rule 0400-20-10-.04, continued)

- (a) Except as provided in subparagraphs (b) and (d) of this paragraph, any person is exempt from these regulations to the extent that such person receives, possesses, uses, transfers, owns, or acquires products containing radioactive material introduced in concentrations not in excess of those listed in Schedule RHS 8-4.
 - (b) No person may introduce radioactive material into a product or material knowing or having reason to believe that it will be transferred to persons exempt under subparagraph (a) of this paragraph or equivalent regulations of the U.S. Nuclear Regulatory Commission, any Agreement State or Licensing State except in accordance with a license issued pursuant 10 CFR 32.11.
 - (c) This paragraph shall not be deemed to authorize the import of radioactive material or products containing radioactive material.
 - (d) A manufacturer, processor, or producer of a product or material is exempt from the requirements for a license set forth in these regulations to the extent that this person transfers radioactive material contained in a product or material in concentrations not in excess of those specified in Schedule RHS 8-4 in the Appendix to this Chapter and introduced into the product or material by a licensee holding a specific license issued by the NRC expressly authorizing such introduction. This exemption does not apply to the transfer of radioactive material contained in any food, beverage, cosmetic, drug, or other commodity or product designed for ingestion or inhalation by, or application to, a human being.
- (2) Exempt products.
- (a) Except for persons who apply radioactive materials to or persons who incorporate radioactive material into the products listed in this paragraph, any person is exempt from these regulations to the extent that he receives, possesses, uses, transfers, owns or acquires the following products²:
 1. Time pieces or hands or dials containing not more than the following quantities of radioactive material and not exceeding the following specified levels of radiation:
 - (i) 25 millicuries of tritium per timepiece;
 - (ii) 5 millicuries of tritium per hand;
 - (iii) 15 millicuries of tritium per dial (bezels when used shall be considered as part of the dial);
 - (iv) 100 microcuries of promethium-147 per watch or 200 microcuries of promethium-147 per any other timepiece;
 - (v) 20 microcuries of promethium-147 per watch hand or 40 microcuries of promethium-147 per other timepiece hand;
 - (vi) 60 microcuries of promethium-147 per watch dial or 120 microcuries of promethium-147 per other timepiece dial (bezels when used shall be considered part of the dial);

² Authority to transfer possession or control by the manufacturer, processor or producer of any equipment, device, commodity, or other product containing radioactive material, whose subsequent possession, use, transfer, and disposal by all other persons are exempted from regulatory requirements may be obtained only from the U.S. Nuclear Regulatory Commission, Washington, DC 20555.

(Rule 0400-20-10-.04, continued)

- (vii) The levels of radiation from hands and dials containing radioactive materials will not exceed when measured through 50 milligrams per square centimeter of absorber:
 - (I) For wrist watches, 0.1 millirad per hour at 10 centimeters from any surface;
 - (II) For pocket watches, 0.1 millirad per hour at 1 centimeter from any surface;
 - (III) For any other timepiece, 0.2 millirad per hour at 10 centimeters from any surface.
 - (viii) 1 microcurie of radium-226 per timepiece in timepieces acquired prior to May 31, 1986.
2. Certain named devices and equipment.
- (i) Static elimination device. Devices designed for use as static eliminators that contain, as a sealed source or sources, radioactive material consisting of a total of not more than 500 microcuries of polonium 210 per device.
 - (ii) Ion generating tube. Devices designed for ionization of air that contain, as a sealed source or sources, byproduct radioactive consisting of a total of not more than 50 millicuries of hydrogen 3 (tritium) per device.
 - (iii) Such devices authorized before October 23, 2012 for use under the general license then provided in 0400-20-10-.38 Appendix-Schedule RHS 8-5 and manufactured, tested, and labeled by the manufacturer in accordance with specifications contained in a specific license issued by the commission.
3. Balances of precision containing not more than 1 millicurie of tritium per balance or not more than 0.5 millicurie of tritium per balance part.
4. Reserved.
5. Marine compasses containing not more than 750 millicuries of tritium gas and other marine navigational instruments containing not more than 250 millicuries of tritium gas manufactured before December 17, 2007.
6. Reserved.
7. Electron tubes³ containing not more than one of the following specified quantities of radioactive material per tube:
- (i) 150 millicuries of tritium per microwave receiver protector tube or 10 millicuries of tritium per any other electron tube;

³ "Electron tubes", as used in this subparagraph, include spark gap tubes, power tubes, gas tubes, including glow lamps, receiving tubes, microwave tubes, indicator tubes, pickup tubes, radiation detection tubes and any other completely sealed tube that is designed to conduct or control electrical currents.

(Rule 0400-20-10-.04, continued)

- (ii) 1 microcurie of cobalt-60;
- (iii) 5 microcuries of nickel-63;
- (iv) 30 microcuries of krypton-85;
- (v) 5 microcuries of cesium-137;
- (vi) 30 microcuries of promethium-147;

provided, the levels of radiation from each electron tube containing radioactive material do not exceed 1 millirad per hour at 1 centimeter from any surface when measured through 7 milligrams per square centimeter of absorber.

- 8. Reserved.
- 9. Gas and aerosol detectors containing radioactive material.
 - (i) Except for persons who manufacture, process, produce, or initially transfer for sale or distribution gas and aerosol detectors containing radioactive material, any person is exempt from these regulations to the extent that such person receives, possesses, uses, transfers, owns, or acquires radioactive material in gas and aerosol detectors designed to protect health, safety, or property from fires and airborne hazards provided that detectors containing radioactive material shall have been manufactured, processed, produced, or initially transferred⁴ in accordance with a specific license issued by the U.S. Nuclear Regulatory Commission pursuant to section 32.26 of 10 CFR Part 32 or a licensing state pursuant to regulations equivalent to paragraph (15) of Rule 0400-20-10-13 that authorizes the initial transfer of the detectors to persons who are exempt from regulatory requirements. This exemption also covers gas and aerosol detectors manufactured or distributed before December 8, 2011 in accordance with a specific license issued by an Agreement State under comparable provisions to paragraph (15) of Rule 0400-20-10-13 authorizing distribution to persons exempt from regulatory requirements.
 - (ii) Any person who desires to manufacture, process, or produce gas and aerosol detectors containing radioactive material, or to initially transfer such products for use under paragraph (i) of this section, should apply for a license under 10 CFR 32.26 and for a certificate of registration in accordance with 10 CFR 32.210.
 - (iii) Gas and aerosol detectors previously manufactured and distributed to general licensees in accordance with a specific license issued by an Agreement State shall be considered exempt under subpart (i) of this part, provided that the device is labeled in accordance with the specific license authorizing distribution of the generally licensed device, And provided further that they meet the requirements of paragraph (15) of Rule 0400-20-10-13.

⁴ Authority to transfer possession or control by the manufacturer, processor or producer of any equipment, device, commodity, or other product containing radioactive material, whose subsequent possession, use, transfer, and disposal by all other persons are exempted from regulatory requirements may be obtained only from the U.S. Nuclear Regulatory Commission, Washington, DC 20555.

(Rule 0400-20-10-.04, continued)

- (iv) Gas and aerosol detectors containing NARM previously manufactured and distributed in accordance with a specific license issued by a Licensing State shall be considered exempt under subpart (i) of this part, provided that the device is labeled in accordance with the specific license authorizing distribution, and provided further that they meet the requirements of paragraph (15) of Rule 0400-20-10-.13.
10. Self luminous products containing radioactive material.
- (i) Except for persons who manufacture, process, or produce self-luminous products containing tritium, krypton-85, or promethium-147, any person is exempt from these regulations to the extent that such person receives, possesses, uses, transfers, owns or acquires tritium, krypton-85, promethium-147 in self luminous products manufactured, processed, produced, imported, or transferred in accordance with a specific license issued by the U.S. Nuclear Regulatory Commission pursuant to Section 32.22 of 10 CFR Part 32, which license authorizes the transfer of the product to persons who are exempt from regulatory requirements.
- (ii) Any person who desires to manufacture, process, or produce, or initially transfer for sale or distribution self-luminous products containing tritium, krypton-85, or promethium-147 for use under paragraph (i) of this section, should apply for a license under 10 CFR 32.22 and for a certificate of registration in accordance with 10 CFR 32.210.
- (iii) The exemption in subpart (i) of this part does not apply to tritium, krypton-85, or promethium-147 used in products for frivolous purposes or in toys or adornments.
- (iv) Any person is exempt from these regulations to the extent that such person receives, possesses, uses, transfers, or owns self luminous products containing less than 0.1 microcurie of radium-226 which were acquired prior to September 28, 1991.
11. Ionizing radiation measuring instruments containing, for purposes of internal calibration or standardization, one or more sources of radioactive material; provided that:
- (i) Each source contains no more than one exempt quantity set forth in Schedule RHS 8-3;
- (ii) Each instrument contains no more than 10 exempt quantities. For purposes of this part, an instrument's source(s) may contain either one type or different types of radionuclides and an individual exempt quantity may be composed of fractional parts of one or more of the exempt quantities in Schedule RHS 8-3, provided that the sum of such fractions shall not exceed unity; and
- (iii) For purposes of this part, 0.05 microcuries of americium-241 is considered an exempt quantity under Schedule RHS 8-3.
12. Reserved.

(Rule 0400-20-10-.04, continued)

13. Ionization chamber smoke detectors containing not more than 1 microcurie (μCi) of americium-241 per detector in the form of a foil and designed to protect life and property from fires.
14. Capsules containing carbon-14 urea for 'in vivo' diagnostic use for humans.
 - (i) Except as provided in subparagraphs (b) and (c) of this paragraph, any person is exempt from these regulations to the extent that such person receives, possesses, uses, transfers, owns or acquires capsules containing 1 microcurie (37 kilobecquerels) carbon-14 urea (allowing for nominal variation that may occur during the manufacturing process) each, for 'in vivo' diagnostic use for humans.
 - (ii) Any person who desires to use the capsules for research involving human subjects shall apply for and receive a specific license under this Chapter.
 - (iii) Any person who desires to manufacture, prepare, process, produce, package, repackage, such capsules shall apply for and receive a specific license pursuant to 0400-20-10-.12.
 - (iv) Nothing in this paragraph relieves persons from complying with applicable FDA, other Federal and State requirements governing receipt, administration and use of drugs.
15. Certain Industrial Devices
 - (i) Except for persons who manufacture, process, produce, or initially transfer for sale or distribution industrial devices containing radioactive material designed and manufactured for the purpose of detecting, measuring, gauging or controlling thickness, density, level, interface location, radiation, leakage, or qualitative or quantitative chemical composition, or for producing an ionized atmosphere, any person is exempt from the requirements for a license set forth in 0400-20-05, 0400-20-07, 0400-20-08, 0400-20-10, 0400-20-12 to the extent that such person receives, possesses, uses, transfers, owns, or acquires radioactive material, in these certain detecting, measuring, gauging, or controlling devices and certain devices for producing an ionized atmosphere, and manufactured, processed, produced in accordance with a specific license issued under 10 CFR 32.30, which license authorizes the initial transfer of the device for use under this section. This exemption does not cover sources not incorporated into a device, such as calibration and reference sources.
 - (ii) Any person who desires to manufacture, process, produce, or initially transfer for sale or distribution industrial devices containing radioactive material for use under paragraph (a) of this section, should apply for a license under 10 CFR 32.30 and for a certificate of registration in accordance with 10 CFR 32.210.
- (b) Any person who desires to apply radioactive material to, or to incorporate radioactive material into, the products exempted in subparagraph (a) of this paragraph or who desires to initially transfer for sale or distribution such products containing radioactive material, should apply for a specific license pursuant to 10 CFR 32.14, which license

(Rule 0400-20-10-.04, continued)

states that the product may be distributed by the licensee to persons exempt from subparagraph (a) of this paragraph.

(3) Exempt quantities.

- (a) Except as provided in subparagraphs (c) through (e) of this paragraph, any person is exempt from these regulations to the extent that such person receives, possesses, uses, transfers, owns, or acquires radioactive material in individual quantities each of which does not exceed the applicable quantity set forth in Schedule RHS 8-3.
- (b) Any person who possesses radioactive material received or acquired before September 25, 1971, under the general license formerly provided in this Chapter is exempt from the requirements for a license set forth in this Chapter to the extent that such person possesses, uses, transfers, or owns such radioactive material.
- (c) This paragraph does not authorize the production, packaging or repackaging of radioactive material for purposes of commercial distribution, or the incorporation of radioactive material into products intended for commercial distribution.
- (d) No person may, for purposes of commercial distribution, transfer radioactive material in the individual quantities set forth in Schedule RHS 8-3, knowing or having reason to believe that such quantities of radioactive material will be transferred to persons exempt under this paragraph or equivalent regulations of the U.S. Nuclear Regulatory Commission, any Agreement State or Licensing State, except in accordance with a specific license issued by the U.S. Nuclear Regulatory Commission pursuant to Section 32.18 of 10 CFR Part 32 or by the Department pursuant to paragraph (14) of Rule 0400-20-10-.13 which license states that the radioactive material may be transferred by the licensee to persons exempt under this paragraph or the equivalent regulations of the U.S. Nuclear Regulatory Commission, an Agreement State or Licensing State.⁵
- (e) No person may, for purposes of producing an increased radiation level, combine quantities of radioactive material covered by this exemption so that the aggregate quantity exceeds the limits set forth in Schedule RHS 8-3 in the Appendix to this Chapter, except for radioactive material combined within a device placed in use before May 3, 1999, or as otherwise permitted by the regulations in this Chapter.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.05 RESERVED.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.06 EXEMPTIONS: U.S. DEPARTMENT OF ENERGY AND U.S. NUCLEAR REGULATORY COMMISSION.

Any contractor or subcontractor of the U.S. Department of Energy (DOE) or the U.S. Nuclear Regulatory Commission (NRC) of the following categories operating within this State is exempt from these

⁵ Authority to transfer possession or control by the manufacturer, processor or producer of any equipment, device, commodity, or other product containing radioactive material, whose subsequent possession, use, transfer, and disposal by all other persons are exempted from regulatory requirements may be obtained only from the U.S. Nuclear Regulatory Commission, Washington, DC 20555.

(Rule 0400-20-10-.04, continued)

regulations to the extent that such contractor or subcontractor under his contract receives, possesses, uses, transfers or acquires sources of radiation:

- (1) Prime contractors performing work for DOE at U.S. Government-owned or controlled sites including the transportation of sources of radiation to or from such sites and the performance of contract services during temporary interruption of such transportation;
- (2) Prime contractors of DOE performing research in, or development, manufacture, storage, testing or transportation of atomic weapons or components thereof;
- (3) Prime contractors of DOE using or operating nuclear reactors or other nuclear devices in the U.S. Government-owned vehicle or vessel; and
- (4) Any other prime contractor or subcontractor of DOE or NRC when the State and NRC jointly determine that:
 - (a) Under the terms of the contract or subcontract, there is assurance that the work thereunder can be accomplished with protection of the public health and safety; and
 - (b) The exemption of such contractor or subcontractor is authorized by law.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.07 OTHER EXEMPTIONS.

- (1) The following machines and equipment are exempt from these regulations:
 - (a) Domestic television receivers, providing the exposure rate at 5 centimeters from any outer surface is less than 0.5 milliroentgen per hour.
 - (b) Other electrical equipment that produces radiation incidental to its operation for other purposes, providing the dose rate to the whole body at the point of nearest approach to such equipment when any external shielding is removed does not exceed 0.5 rem per year. The production testing or factory servicing for such equipment shall not be exempt.
 - (c) Radiation producing machines while in transit or storage incident thereto.
 - (d) Radiation machines which are totally unusable except for salvage parts.
- (2) Equipment described in paragraph (1) of this rule shall not be exempt if it is used or handled in such a manner that any individual might receive a dose of radiation in excess of the limits specified in these regulations.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.08 TYPES OF LICENSES.

- (1) Licenses for radioactive materials are of two types:
 - (a) General licenses provided for in this Chapter are effective without the filing of applications with the Division or the issuance of licensing documents to particular persons; however, the Division will require reporting of devices covered by the particular general license in accordance with part (2)(c)13 of Rule 0400-20-10-.10.

(Rule 0400-20-10-.08, continued)

- (b) Specific licenses are issued to named persons upon applications filed pursuant to this chapter.

(2) Reserved.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.09 GENERAL LICENSES - SOURCE MATERIAL.

- (1) A general license is hereby issued authorizing receipt, possession, use and transfer of not more than 15 pounds (6,803.89 grams) of source material at any one time:
 - (a) To commercial and industrial firms, research, educational and medical institutions and State and local government agencies, for research, development, educational, commercial, or operational purposes;
 - (b) Persons who receive, possess, use or transfer source material pursuant to the general license in this paragraph are prohibited from administering source material, or the radiation there from, either externally or internally, to human beings except as authorized by the Division in a specific license.
 - (c) Provided, that no such person shall, pursuant to this general license, receive more than a total of 150 pounds (68,038.90 grams) of source material in any one calendar year.
 - (d) Persons who receive, possess, use or transfer source material pursuant to the general license issued in accordance with this paragraph are exempt from the provisions of Chapter 0400-20-05 to the extent that such receipt, possession, use or transfer is within the terms of such general license; provided, however, that this exemption shall not be deemed to apply to any such person who is also in possession of source material under a specific license issued pursuant to this Chapter.
- (2) A general license is hereby issued authorizing the receipt of title to source material without regard to quantity. The general license under this paragraph does not authorize any person to receive, possess, use or transfer source material.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.10 GENERAL LICENSES⁶ - RADIOACTIVE MATERIAL OTHER THAN SOURCE MATERIAL.

- (1) A general license is hereby issued to receive, acquire, own, possess, use and transfer radioactive material incorporated in a device or equipment manufactured pursuant to a specific license or equivalent licensing document, issued by the Division, the U.S. Nuclear Regulatory Commission, or any Agreement State and authorizing distribution under the general license of this paragraph or its equivalent.
- (2) Certain detecting, measuring, gauging or controlling devices and certain devices for producing light or an ionized atmosphere.⁷

⁶ Different general licenses are issued in this rule, each of which has its own specific conditions and requirements.

⁷ Persons possessing radioactive material in devices under the general license in this paragraph before October 2, 1978, may continue to possess, use or transfer that material in accordance with the requirements in the 1972 edition of the regulations.

(Rule 0400-20-10-.10, continued)

- (a) A general license is hereby issued to commercial and industrial firms and research, educational and medical institutions, individuals in the conduct of their business and State or local government agencies to own, acquire, receive, possess, use or transfer, in accordance with the provisions of subparagraphs (b), (c) and (d) of this paragraph, radioactive material contained in devices designed and manufactured for the purpose of detecting, measuring, gauging or controlling thickness, density, level, interface location, radiation, leakage, or qualitative or quantitative chemical composition, or for producing light or an ionized atmosphere.
- (b)
 - 1. The general license in subparagraph (a) of this paragraph applies only to radioactive material contained in devices that have been manufactured or initially transferred and labeled in accordance with the specifications contained in:
 - (i) A specific license issued by the Division pursuant to paragraph (5) of Rule 0400-20-10-.13, or
 - (ii) A specific license issued by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.51 or an Agreement State with provisions comparable to paragraph (5) of Rule 0400-20-10-.13.
 - 2. The devices shall have been received from one of the licensees in part 1 of this subparagraph or through a transfer made under part (c)9 of this paragraph.
- (c) Persons who own, acquire, receive, possess, use or transfer radioactive material in a device pursuant to the general license contained in subparagraph (a) of this paragraph:
 - 1. Shall assure that all labels affixed to the device at the time of receipt and bearing the statement that removal of the label is prohibited are maintained thereon and shall comply with all instructions and precautions provided by such labels;
 - 2. Shall assure that the device is tested for leakage of radioactive material and proper operation of the on-off mechanism and indicator, if any, at no longer than 6 month intervals or at such other intervals as are specified in the label; however,
 - (i) Devices containing only krypton need not be tested for leakage of radioactive material; and
 - (ii) Devices containing only tritium or not more than 100 microcuries of other beta and/or gamma emitting material or 10 microcuries of alpha emitting material and devices held in storage in the original shipping container prior to initial installation need not be tested for any purpose.
 - 3. Shall assure that the tests required by part 2 of this subparagraph and other testing, installation, servicing and removal from installation involving the radioactive material, its shielding or containment, are performed:
 - (i) In accordance with the instructions provided by the labels, or
 - (ii) By a person holding an applicable specific license issued by the Division, the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State to perform such activities.
 - 4. Shall maintain records showing compliance with the requirements of parts 2 and 3 of this subparagraph. The records shall show the results of tests. The records also shall show the dates of performance of and the names of persons

(Rule 0400-20-10-.10, continued)

performing testing, installation, servicing and removal from installation of the radioactive material, its shielding or containment. The licensee shall retain these records as follows:

- (i) Each record of a test for leakage or radioactive material required by part 2 of this subparagraph shall be retained for 3 years after the next required leak test is performed or until the sealed source is transferred or disposed of;
 - (ii) Each record of a test of the on-off mechanism and indicator required by part 2 of this subparagraph shall be retained for 3 years after the next required test of the on-off mechanism and indicator is performed or until the sealed source is transferred or disposed of; and
 - (iii) Each record that is required by part 3 of this subparagraph shall be retained for 3 years from the date of the recorded event or until the sealed source is transferred or disposed of.
5. Shall immediately suspend operation of the device if there is a failure of or damage to, or any indication of a possible failure of or damage to, the shielding of the radioactive material or the on-off mechanism or indicator, or upon the detection of 0.005 microcurie (185 becquerel) or more removable radioactive material. The device may not be operated until it has been repaired by the manufacturer or other person holding an applicable specific license issued by the Division, the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State to repair such devices. The device and any radioactive material from the device may only be disposed of by transfer to a person holding an applicable specific license to receive the radioactive material contained in the device or as otherwise approved by the Division. The licensee shall within 30 days furnish to the Division at the address in Rule 0400-20-04-.07 a report containing a brief description of the event and the remedial action taken. In the case of detection of 0.005 microcurie or more removable radioactive material or failure of or damage to a source likely to result in contamination of the premises or the environs, the licensee shall within 30 days submit to the Division at the address in Rule 0400-20-04-.07 a plan for ensuring that the premises and environs are acceptable for unrestricted use. Under these circumstances, the criteria set out in paragraph (2) of Rule 0400-20-10-.36, "Radiological criteria for unrestricted use," may be applicable, as determined by the Division on a case-by-case basis;
 6. Shall not abandon the device containing radioactive material;
 7. Shall not export the device containing radioactive material except in accordance with 10 CFR 110;
 8. Shall:
 - (i) Transfer or dispose of the device containing radioactive material only by export as provided by part 7 of this subparagraph, by transfer to another general licensee as authorized in part 9 of this subparagraph, or to a person authorized to receive the device by a specific license issued by the Division under this Chapter or an equivalent license issued by the U.S. Nuclear Regulatory Commission or an Agreement State, or as otherwise approved under subpart (iii) of this part.

(Rule 0400-20-10-.10, continued)

- (ii) Shall within 30 days after the transfer of a device to a specific licensee or export furnish a report to the Division. The report shall contain:
 - (I) The identification of the device by manufacturer's (or initial transferor's) name, model number and serial number;
 - (II) The name, address and license number of the person receiving the device (license number not applicable if exported); and
 - (III) The date of the transfer.
 - (iii) Shall obtain written Division approval before transferring the device to any other specific licensee not specifically identified in subpart (i) of this part. However a holder of a specific license may transfer a device for possession and use under its own specific license without prior approval, if, the holder:
 - (I) Verifies that the specific license authorizes the possession and use, or applies for and obtains an amendment to the license authorizing the possession and use;
 - (II) Removes, alters, covers, or clearly and unambiguously augments the existing label (otherwise required by part 1 of this subparagraph) so that the device is labeled in compliance with Rule 0400-20-05-.113; however the manufacturer, model number, and serial number must be retained;
 - (III) Obtains manufacturer's or initial transferor's information concerning maintenance that would be applicable under the specific license (such as leak testing procedures); and
 - (IV) Reports the transfer under subpart (ii) of this part.
9. Shall transfer the device to another general licensee only if:
- (i) The device remains in use at a particular location. In this case, the transferor shall give the transferee a copy of this paragraph and any safety documents identified in the label of the device. Within 30 days of the transfer, the transferor shall report to the Division:
 - (I) The manufacturer's (or initial transferor's) name;
 - (II) The model number and the serial number of the device transferred;
 - (III) The transferee's name and mailing address for the location of use; and
 - (IV) The name, title and phone number of the responsible individual identified by the transferee in accordance with part 12 of this subparagraph to have knowledge of and authority to take actions to ensure compliance with the appropriate regulations and requirements; or
 - (ii) The device is held in storage by an intermediate person in the original shipping container at its intended location of use prior to initial use by a general licensee.

(Rule 0400-20-10-.10, continued)

10. Shall comply with the provisions of Rules 0400-20-05-.140 and 0400-20-05-.141 for reporting radiation incidents, theft or loss of radioactive material;
11. Shall respond to written requests from the Division to provide information relating to the general license within 30 calendar days of the date of the request, or other time specified in the request. If the general licensee cannot provide the requested information within the allotted time, it shall, within that same time period, request a longer period to supply the information by submitting a letter to the Division at the address in Rule 0400-20-04-.07 providing written justification as to why it cannot comply;
12. Shall appoint an individual responsible for having knowledge of the appropriate regulations and requirements and the authority for taking required actions to comply with appropriate regulations and requirements. The general licensee, through this individual, shall ensure the day-to-day compliance with appropriate regulations and requirements. This appointment does not relieve the general licensee of any of its responsibility in this regard;
13. Shall:
 - (i) Report these devices to the Division annually. Reporting shall be done by verifying, correcting and/or adding to the information provided in a request for a report received from the Division. The report information shall be submitted to the Division within 30 days of the date of the request or as otherwise indicated in the request.
 - (ii) In reporting devices, furnish the following information and any other information specifically requested by the Division:
 - (I) Name and mailing address of the general licensee;
 - (II) Information about each device: the manufacturer (or initial transferor), model number, serial number, the radioisotope and activity (as indicated on the label);
 - (III) Name, title and telephone number of the responsible person designated as a representative of the general licensee under part 12 of this subparagraph;
 - (IV) Address or location at which the device(s) are used and/or stored. For portable devices, the address of the primary place of storage. Each address for a location of use represents a separate general license;
 - (V) Certification by the responsible representative of the general licensee that the information concerning the device(s) has been verified through a physical inventory and checking of label information; and
 - (VI) Certification by the responsible representative of the general licensee that they are aware of the requirements of the general license.

(Rule 0400-20-10-.10, continued)

14. Shall be subject to the bankruptcy notification requirement in paragraph (7) of Rule 0400-20-10-.16 if holding devices containing radioactive material that meet the following criteria, based on the activity indicated on the label:
 - (i) At least 10 mCi (370MBq) of cesium-137;
 - (ii) At least 0.1 mCi (3.7 MBq) of strontium-90;
 - (iii) At least 1 mCi (37 MBq) of cobalt-60;
 - (iv) At least 1 mCi (37 MBq) of americium-241 or any other transuranic (i.e., element with atomic number greater than uranium (92)); or
 - (v) At least 0.1 mCi (37 MBq) of radium-226.
 15. Persons generally licensed by the U.S. Nuclear Regulatory Commission or an Agreement State with respect to devices meeting the criteria in parts 13 and 14 of this subparagraph are not subject to reporting requirements if the devices are used in areas subject to the Division's jurisdiction for a period less than 180 days in any calendar year. The Division will not request reporting information from such licensees.
 16. Shall report changes to the mailing address for the location of use (including change in name of general licensee) to the Division, at the address in Rule 0400-20-04-.07, within 30 days of the effective date of the change. For a portable device, a report of address change is only required for a change in the device's primary place of storage;
 17. Shall not hold devices that are not in use for longer than 2 years. If devices with shutters are not being used, the shutter shall be locked in the closed position. The testing required by part 2 of this subparagraph need not be performed during the period of storage only. However, when devices are put back into service or transferred to another person and have not been tested within the required test interval, they shall be tested for leakage before use or transfer and the shutter tested before use. Devices kept in standby for future use are excluded from the 2-year time limit if the general licensee performs quarterly physical inventories of these devices while they are in storage.
- (d) The general license provided in this paragraph is subject to the provisions of paragraphs (1), (2) and (3) of Rule 0400-20-10.16, paragraphs (1), (2) and (3) of Rule 0400-20-10-.23, Rules 0400-20-10-.26 through 0400-20-10-.28 and Rule 0400-20-10-.30.
 - (e) The general license in subparagraph (a) of this paragraph does not authorize the manufacture or import of devices containing radioactive material.
- (3) Luminous safety devices for aircraft.
 - (a) A general license is hereby issued to own, receive, acquire, possess and use tritium or promethium-147 contained in luminous safety devices for use in aircraft, provided:
 1. Each device contains not more than 10 curies of tritium or 300 millicuries of promethium-147; and
 2. Each device has been manufactured, assembled or imported in accordance with a specific license issued by the U.S. Nuclear Regulatory Commission, or each

(Rule 0400-20-10-.10, continued)

device has been manufactured or assembled in accordance with the specifications contained in a specific license or equivalent licensing document issued by the Division or an Agreement State to the manufacturer or assembler of such device pursuant to licensing requirements equivalent to those in Section 32.53 of 10 CFR Part 32.

- (b) Persons who own, receive, acquire, possess or use luminous safety devices pursuant to the general license in subparagraph (a) of this paragraph are exempt from the requirements of Chapter 0400-20-05, except that they shall comply with the provisions of Rules 0400-20-05-.140 and 0400-20-05-.141.
 - (c) This general license does not authorize the manufacture, assembly or repair of luminous safety devices containing tritium or promethium-147.
 - (d) This general license does not authorize the ownership, receipt, acquisition, possession or use of promethium-147 contained in instrument dials.
 - (e) The general license provided in this paragraph is subject to the provisions of Rules 0400-20-10-.16 through 0400-20-10-.30, as applicable.
- (4) Calibration and reference sources.
- (a) A general license is hereby issued to those persons listed below to own, receive, acquire, possess, use and transfer, in accordance with the provisions of subparagraphs (d) and (e) of this paragraph, americium-241 in the form of calibration or reference sources:
 - 1. Any person who holds a specific license issued by the Division that authorizes the receipt, possession, use and transfer of radioactive materials; and
 - 2. Any person who holds a specific license issued by the U.S. Nuclear Regulatory Commission which authorizes the receipt, possessions, use and transfer of special nuclear material.
 - (b) A general license is hereby issued to receive, possess, use and transfer plutonium in the form of calibration or reference sources in accordance with the provisions of subparagraph (d) and (e) of this paragraph to any person who holds a specific license issued by the Division which authorizes him to receive, possess, use and transfer radioactive material.
 - (c) A general license is hereby issued to own, receive, possess, use and transfer radium-226 in the form of calibration or reference sources in accordance with the provisions of subparagraph (d) and (e) of this paragraph to any person who holds a specific license issued by the Division which authorizes him to receive, possess, use, and transfer radioactive material.
 - (d) The general licenses in subparagraphs (a), (b) and (c) of this paragraph apply only to calibration or reference sources which have been manufactured in accordance with the specifications contained in a specific license issued to the manufacturer or importer of the sources by the U.S. Nuclear Regulatory Commission pursuant to Section 32.57 of 10 CFR, Part 32 or Section 70.39 of 10 CFR, Part 70 or which have been manufactured in accordance with the specifications contained in a specific license issued to the manufacturer by the Division or any Agreement State or Licensing State pursuant to licensing requirements equivalent to those contained in Section 32.57 of 10 CFR, Part 32 or Section 70.39 of 10 CFR, Part 70.

(Rule 0400-20-10-.10, continued)

(e) The general licenses provided in subparagraphs (a), (b) and (c) of this paragraph are subject to the provisions of Rules 0400-20-10-.16, 0400-20-10-.22, 0400-20-10-.23, 0400-20-10-.26, 0400-20-10-.27, 0400-20-10-.28, and 0400-20-10-.30, and Chapters 0400-20-04 and 0400-20-05. In addition, persons who own, receive, acquire, possess, use and transfer one or more calibration or reference sources pursuant to these general licenses:

1. Shall not possess at any one time, at any one location of storage or use, more than 5 microcuries of americium-241, 5 microcuries of plutonium or 5 microcuries of radium-226 in such sources;
2. Shall not receive, possess, use or transfer such source unless the source, or the storage container, bears a label which includes one of the following statements, as appropriate, or a similar statement which contains the information called for in one of the following statements, as appropriate:
 - (i) The receipt, possession, use and transfer of this source, Model _____, Serial No. _____, are subject to a general license and the regulations of the U.S. Nuclear Regulatory Commission or of a state with which the Commission has entered into an agreement for the exercise of regulatory authority. Do not remove this label.

CAUTION - RADIOACTIVE MATERIAL - THIS
SOURCE CONTAINS (AMERICIUM-241) (PLUTONIUM)⁸.
DO NOT TOUCH RADIOACTIVE
PORTION OF THIS SOURCE

(name of manufacturer or importer)

- (ii) The receipt, possession, use and transfer of this source, Model _____, Serial No. _____, are subject to a general license and the regulations of a Licensing State. Do not remove this label.

CAUTION - RADIOACTIVE MATERIAL - THIS
SOURCE CONTAINS RADIUM-226.
DO NOT TOUCH RADIOACTIVE
PORTION OF THIS SOURCE

(name of manufacturer or importer)

3. Shall not transfer, abandon or dispose of such source except by transfer to a person authorized by a license from the Division, the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State to receive the source;
4. Shall store such source, except when the source is being used, in a closed container adequately designed and constructed to contain americium-241, plutonium or radium-226 which might otherwise escape during storage; and
5. Shall not use such source for any purpose other than the calibration of radiation detectors or the standardization of other sources.

(f) These general licenses do not authorize the manufacture of calibration or reference sources containing americium-241, plutonium or radium-226.

⁸ Showing only the name of the appropriate material.

(Rule 0400-20-10-.10, continued)

(5) Ownership of radioactive material.

A general license is hereby issued to own radioactive material without regard to quantity. Notwithstanding any other provisions of this Chapter, this general license does not authorize the manufacture, production, transfer, receipt, possession or use of radioactive material.

(6) Ice detection devices.

(a) A general license is hereby issued to own, receive, acquire, possess, use and transfer strontium-90 contained in ice detection devices, provided each device contains not more than 50 microcuries of strontium-90 and each device has been manufactured or imported in accordance with a specific license issued by the U.S. Nuclear Regulatory Commission or each device has been manufactured in accordance with the specifications contained in a specific license or equivalent licensing document issued by the Division or any Agreement State to the manufacturer of such device pursuant to licensing requirements equivalent to those in Section 32.61 of 10 CFR, Part 32 of the regulations of the U.S. Nuclear Regulatory Commission.

(b) Persons who own, receive, acquire, possess, use or transfer strontium-90 contained in ice detection devices pursuant to the general license in subparagraph (a) of this paragraph:

1. Shall, upon occurrence of visually observable damage, such as a bend or crack or discoloration from overheating to the device, discontinue use of the device until it has been inspected, tested for leakage and repaired by a person holding a specific license or equivalent licensing document from the U.S. Nuclear Regulatory Commission or an Agreement State to manufacture or service such devices; or shall dispose of the device pursuant to the provisions of these regulations;
2. Shall assure that all labels affixed to the device at the time of receipt, and which bear a statement which prohibits removal of the labels, are maintained thereon;
3. Are exempt from the requirements of Chapter 0400-20-05 except that such persons shall comply with the provisions of paragraph (1) of Rule 0400-20-05-.120, Rule 0400-20-05-.140 and Rule 0400-20-05-.141.

(c) This general license does not authorize the manufacture, assembly, disassembly or repair of strontium-90 sources in ice detection devices.

(d) The general license provided in this paragraph is subject to the provisions of Rules 0400-20-10-.16, 0400-20-10-.22, 0400-20-10-.23, 0400-20-10-.26, 0400-20-10-.27, 0400-20-10-.28, and 0400-20-10-.30.

(7) Radioactive material for certain in vitro clinical or laboratory testing.

(a) A general license is hereby issued to any physician, veterinarian in the practice of veterinary medicine, clinical laboratory or hospital to receive, acquire, possess, transfer or use, for any of the following stated tests, in accordance with the provisions of subparagraphs (b), (c), (d), (e) and (f) of this paragraph, the following radioactive materials in prepackaged units for use in "in vitro" clinical or laboratory tests not involving internal or external administration of radioactive material, or the radiation therefrom, to human beings or animals:

1. Iodine-125, in units not exceeding 10 microcuries each.

(Rule 0400-20-10-.10, continued)

2. Iodine-131, in units not exceeding 10 microcuries each.
 3. Carbon-14, in units not exceeding 10 microcuries each.
 4. Hydrogen-3 (tritium), in units not exceeding 50 microcuries each.
 5. Iron-59, in units not exceeding 20 microcuries each.
 6. Cobalt-57, in units not exceeding 10 microcuries each.
 7. Selenium-75, in units not exceeding 10 microcuries each.
 8. Mock iodine-125 reference or calibration sources, in units not exceeding 0.05 microcurie of iodine-129 and 0.005 microcurie of americium-241 each.
- (b) No person shall receive, acquire, possess, use or transfer radioactive material pursuant to the general license established by subparagraph (a) of this paragraph until he has filed an application for and received from the Division a copy of Form RHS 8-5I with number assigned. The general licensee shall furnish on the application the following information and such other information as may be required by that form:
1. Name and address of the licensee;
 2. The location of use; and
 3. A statement that the licensee has appropriate radiation measuring instruments to carry out "in vitro" clinical or laboratory tests with radioactive materials as authorized under this general license and that such tests will be performed only by personnel competent in the use of such instruments and in the handling of the radioactive materials.
- (c) A person who receives, acquires, possesses or uses radioactive material pursuant to this general license shall comply with the following:
1. The general licensee shall not possess at any one time, pursuant to this general license, at any one location of storage or use, a total amount of iodine-125, iodine-131, cobalt-57, selenium-75 and/or iron-59 in excess of 200 microcuries.
 2. The general licensee shall store the radioactive material, until used, in the original shipping container or in a container providing equivalent radiation protection.
 3. The general licensee shall use the radioactive material only for the uses authorized by subparagraph (a) of this paragraph.
 4. The general licensee shall not transfer the radioactive material except by transfer to a person authorized to receive it by a license pursuant to this Chapter, from the U.S. Nuclear Regulatory Commission, or an Agreement State or Licensing State nor transfer the radioactive material in any manner other than in the unopened, labeled shipping container as received from the supplier.
 5. The general licensee shall dispose of the Mock Iodine - 125 reference or calibration sources described in subparagraph (a) of this paragraph as required by Rule 0400-20-05-.120.

(Rule 0400-20-10-.10, continued)

(d) The general licensee shall not receive, acquire, possess or use radioactive material pursuant to subparagraph (a) of this paragraph:

1. Except as prepackaged units which are labeled in accordance with the provisions of a specific license issued by the Division, the U.S. Nuclear Regulatory Commission, an Agreement State or Licensing State that authorizes manufacture and distribution of iodine-125, iodine-131, carbon-14, hydrogen-3 (tritium), selenium-75, cobalt-57, iron-59, or Mock Iodine-125 to persons generally licensed; and

2. Unless one of the following statements, as appropriate, or a substantially similar statement which contains the information called for in one of the following statements, appears on a label affixed to each prepackaged unit or appears in a leaflet or brochure which accompanies the package:

(i) This radioactive material may be received, acquired, possessed and used only by physicians, veterinarians in the practice of veterinary medicine, clinical laboratories or hospitals and only for "in vitro" clinical or laboratory tests not involving internal or external administration of the material, or the radiation there from, to human beings or animals. Its receipt, acquisition, possession, use and transfer are subject to the regulations and a general license of the U.S. Nuclear Regulatory Commission or of a State with which the Commission has entered into an agreement for the exercise of regulatory authority.

(name of manufacturer)

(ii) This radioactive material may be received, acquired, possessed, and used only by physicians, veterinarians in the practice of veterinary medicine, clinical laboratories or hospitals and only for "in vitro" clinical or laboratory tests not involving internal or external administration of the material, or the radiation there from, to human beings or animals. Its receipt, acquisition, possession, use and transfer are subject to the regulations and a general license of a Licensing State.

(name of manufacturer)

(e) Licensees possessing or using radioactive materials under this general license shall report in writing to the Director, Division of Radiological Health, at the address in Rule 0400-20-04-.07, any changes in information furnished in the application submitted under subparagraph (b) of this paragraph. The report shall be furnished within 30 days after the effective date of such change.

(f) Any person using radioactive material pursuant to this general license is exempt from the requirements of Chapter 0400-20-05 with respect to radioactive materials covered by this general license, except that such person using the Mock Iodine-125 described in part (a)8 of this paragraph shall comply with the provisions of Rules 0400-20-05-.120, 0400-20-05-.140, and 0400-20-05-.141.

(8) Self Luminous Products Containing Radium-226

(a) A general license is hereby issued to any person to acquire, receive, possess, use, or transfer, in accordance with the provisions of subparagraphs (b) through (d) of this

(Rule 0400-20-10-.10, continued)

paragraph, radium-226 contained in the following products manufactured prior to December 8, 2011.

1. Antiquities originally intended for use by the general public.

For the purposes of this paragraph, antiquities mean products originally intended for use by the general public and distributed in the late 19th and early 20th centuries, such as radium emanator jars, revigators, radium water jars, radon generators, refrigerator cards, radium bath salts, and healing pads.

2. Intact timepieces containing greater than 0.037 MBq (1 μ Ci), nonintact timepieces, and timepiece hands and dials no longer installed in timepieces.
3. Luminous items installed in air, marine, or land vehicles.
4. All other luminous products provided that no more than 100 items are used or stored at the same location at any one time.
5. Small radium sources containing no more than 0.037 MBq (1 μ Ci) of radium-226.

For the purposes of this paragraph, "small radium sources" means discrete survey instrument check sources, sources contained in radiation measuring instruments, sources used in educational demonstrations (such as cloud chambers and spinthariscopes), electron tubes, lightning rods, ionization sources, static eliminators, or as designated by the NRC.

- (b) Persons who acquire, receive, possess, use, or transfer byproduct material under the general license issued in subparagraph (a) of this paragraph are exempt from the provisions of Chapters 0400-20-04 and 0400-20-05, and Rule 0400-20-10-.26, to the extent that the receipt, possession, use, or transfer of byproduct material is within the terms of the general license; provided, however, that this exemption shall not be deemed to apply to any such person specifically licensed under this Chapter.

- (c) Any person who acquires, receives, possesses, uses, or transfers byproduct material in accordance with the general license in subparagraph (a) of this paragraph shall:

1. Notify the Division should there be any indication of possible damage to the product so that it appears it could result in a loss of the radioactive material (a report containing a brief description of the event, and the remedial action taken, must be furnished to the Division at the address listed in Rule 0400-20-04-.07 within 30 days);
2. Not abandon products containing radium-226 (the product, and any radioactive material from the product, may only be disposed of according to Rule 0400-20-05-.127 or by transfer to a person authorized by a specific license to receive the radium-226 in the product or as otherwise approved by the NRC or an Agreement State);
3. Not export products containing radium-226 except in accordance with 10 CFR Part 110;
4. Dispose of products containing radium-226 at a disposal facility authorized to dispose of radioactive material in accordance with any Federal or State solid or hazardous waste law, including the Solid Waste Disposal Act, as authorized under the Energy Policy Act of 2005, by transfer to a person authorized to receive radium-226 by a specific license issued under this Chapter, or equivalent

(Rule 0400-20-10-.10, continued)

regulations of the NRC or an Agreement State, or as otherwise approved by the NRC or an Agreement State; and

5. Respond to written requests from the Division to provide information relating to the general license within 30 calendar days of the date of the request, or other time specified in the request. If the general licensee cannot provide the requested information within the allotted time, it shall, within that same time period, request a longer period to supply the information by providing the Division, by an appropriate method listed in 10 CFR 30.6(a), a written justification for the request.
- (d) The general license in subparagraph (a) of this paragraph does not authorize the manufacture, assembly, disassembly, repair, or import of products containing radium-226, except that timepieces may be disassembled and repaired.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.11 FILING OF APPLICATION FOR SPECIFIC LICENSES.

- (1) Application for specific licenses shall be filed in duplicate on a form prescribed by the Division.
- (2) The Division may at any time after the filing of the original application, and before the expiration of the license, require further statements in order to enable the Division to determine whether the application should be granted or denied or whether a license should be modified or revoked.
- (3) Each application shall be signed by the applicant or licensee or a person duly authorized to act for and on his behalf.
- (4) An application for a license may include a request for a license authorizing one or more activities.
- (5) In his application, the applicant may incorporate by reference information contained in previous applications, statements or reports filed with the Division provided such references are specific.
- (6) Applications and documents submitted to the Division may be made available for public inspection except that the Division may withhold any document or part thereof from public inspection if disclosure of its contents involves proprietary information.
- (7) An application for a specific license to use radioactive material in the form of a sealed source or in a device that contains the sealed source shall either:
 - (a) Identify the source or device by manufacturer and model number as registered with the NRC under 10 CFR 32.210 or with an Agreement State or for a source or a device containing radium-226 or accelerator-produced radioactive material with an Agreement State under provisions comparable to 10 CFR 32.210; or
 - (b) Contain the information identified in 10 CFR 32.210(c).
 - (c) For sources or devices manufactured prior to the effective date of these rules that are not registered with the NRC under 10 CFR 32.210 or with an Agreement State, and for which the applicant is unable to provide all categories of information specified in 10 CFR 32.210(c), the applicant must provide:

(Rule 0400-20-10-.11, continued)

1. All available information identified in 10 CFR 32.210(c) concerning the source, and, if applicable, the device; and
 2. Sufficient additional information to demonstrate that there is reasonable assurance that the radiation safety properties of the source or device are adequate to protect health and minimize danger to life and property. Such information must include a description of the source or device, a description of radiation safety features, the intended use and associated operating experience, and the results of a recent leak test.
- (d) For sealed sources and devices allowed to be distributed without registration of safety information in accordance with Rule 0400-20-10-.13(19)(g)(i) of this chapter, the applicant may supply only the manufacturer, model number, and radionuclide and quantity.
- (e) If it is not feasible to identify each sealed source and device individually, the applicant may propose constraints on the number and type of sealed sources and devices to be used and the conditions under which they will be used, in lieu of identifying each sealed source and device.
- (8) An application from a medical facility, educational institution, or Federal facility to produce Positron Emission Tomography (PET) radioactive drugs for noncommercial transfer to licensees in its consortium authorized for medical use under Chapter 0400-20-07 or equivalent Agreement State requirements shall include:
- (a) A request for authorization for the production of PET radionuclides or evidence of an existing license issued under this Chapter or Agreement State requirements for a PET radionuclide production facility within its consortium from which it receives PET radionuclides;
 - (b) Evidence that the applicant is qualified to produce radioactive drugs for medical use by meeting one of the criteria in part (10)(a)2 of Rule 0400-20-10-.13;
 - (c) Identification of individual(s) authorized to prepare the PET radioactive drugs if the applicant is a pharmacy, and documentation that each individual meets the requirements of an authorized nuclear pharmacist as specified in part (10)(b)2 of Rule 0400-20-10-.13; and
 - (d) Information identified in part (10)(a)3 of Rule 0400-20-10-.13 on the PET drugs to be noncommercially transferred to members of its consortium.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.12 GENERAL REQUIREMENTS FOR THE ISSUANCE OF SPECIFIC LICENSES.

A license application will be approved if the Division determines that:

- (1) The applicant has properly trained a sufficient number of personnel to use the material in question for the purpose required in accordance with these regulations in such a manner as to protect the public health and safety or property;
- (2) The applicant's proposed equipment, facilities and procedures are in good repair and working order and designed to protect the public health and safety or property;

(Rule 0400-20-10-.12, continued)

- (3) The applicant satisfies all applicable requirements of these regulations;
- (4) The applicant or an existing licensee in any of the classes specified in subparagraph (a) of this paragraph and not otherwise specifically exempted by subparagraph (m) of this paragraph has provided financial assurance as herein specified. (See paragraph (6) of this Rule for definitions of terms used in this paragraph.)
 - (a) Classes for financial assurance:
 1. Major processors
 2. Waste handlers
 3. Ore refineries
 4. Former USAEC or USNRC licensed facilities
 5. Other persons with or applicants for a specific license as determined by the Commissioner.
 - (b) The financial assurance shall be filed with and maintained by the Director, Division of Radiological Health (hereafter referred to as Director), in a dollar amount determined by the Commissioner as necessary to provide for the protection of public health and safety in the event of abandonment, insolvency or other inability of the licensee to perform to the satisfaction of the Commissioner. The Commissioner shall consider the following in making his determination of the financial assurance requirements for each individual applicant or licensee:
 1. The probable extent of contamination, including contamination of residual radioactivity, through the use or possession of radioactive material at the facility or site and the probable cost of removal of such contamination to a level in conformance with prevailing national standards or guidelines. This consideration shall encompass all probable contaminating event associated with the licensee's methods or modes of operation;
 2. The amount of possible off-site property damage caused by operation of the facility or site;
 3. The cost of removal and disposal of sources of radiation, which are or would be generated, stored, processed or otherwise present at the licensed facility or site; and
 4. The costs involved in reclaiming the property on which the facility or site is located. For purposes of this part, "reclaiming" shall mean return of the property to a condition or state such that the property no longer presents a public health or safety hazard or threat to the environment.
 - (c) Each applicant or licensee of each facility to which it is applicable must file and maintain with the Director financial assurance for reclaiming the facility in accordance with the requirements of this subparagraph.
 1. The applicant or licensee must choose from the financial assurance mechanisms as specified in subparagraph (d) of this paragraph. (NOTE: See also subparagraphs (e), (f) and (g) of this paragraph.)

(Rule 0400-20-10-.12, continued)

2. The applicant or licensee must file and maintain financial assurance in an amount at least equal to the current reclaiming cost estimate.
 - (i) Whenever the reclaiming cost estimate increases to an amount greater than the amount of financial assurance currently filed with the Director, the licensee must, within 60 days after the increase, file additional financial assurance at least equal to this increase.
 - (ii) Whenever the current reclaiming cost estimate decreases, and upon the written request of the licensee, the Commissioner shall, provided the decrease is validated, reduce the amount of financial assurance required for the facility to the amount of the current reclaiming cost estimate. Upon such occurrence, the Director shall, as appropriate considering the financial assurance mechanism(s) on file, either cause to be released to the licensee cash or collateral equal to this reduction or allow the licensee to substitute for the mechanism(s) on file a new mechanism(s) in the reduced amount.
 3. An applicant for a license must file the financial assurance instrument(s) before the license can be issued.
 4. The financial assurance must be maintained by the applicant or licensee until the Commissioner releases the licensee from the requirements of this subparagraph, as specified in this part, or until the Commissioner orders forfeiture of the financial assurance as provided in part 5 of this subparagraph.
 5. The Commissioner may order that any financial assurance filed by a licensee pursuant to this subparagraph be forfeited to the State if the Commissioner determines that the licensee has failed to perform reclaiming in a manner deemed acceptable by the Commissioner to assure health and safety from radiation hazards and other license requirements when required to do so. Any such forfeiture action shall follow the procedures provided in subparagraph (h) of this paragraph.
- (d) Mechanisms of financial assurance.
1. Surety Bond

An applicant or licensee may satisfy the requirements of subparagraph (c) of this paragraph by obtaining and filing a surety bond which conforms to the requirements of this part.

 - (i) The surety company issuing the bond must be licensed to do business as a surety in Tennessee.
 - (ii) The wording of the surety bond must be identical to the wording specified in part (j)1 of this paragraph.
 - (iii) The bond must guarantee that:
 - (I) Funds will be available to perform reclaiming in a manner deemed acceptable by the Commissioner to assure health and safety from radiation hazards and other requirements of the license for the facility whenever required to do so.

(Rule 0400-20-10-.12, continued)

- (II) The licensee will provide alternate financial assurance as specified in this paragraph and obtain the Director's written approval of the assurance provided within 90 days of receipt by both the licensee and the Director of a notice of cancellation of the bond from the surety.
- (iv) Under the terms of the bond, the surety will become liable on the bond obligation when the licensee fails to perform as guaranteed by the bond. Following a determination by the Commissioner that the licensee has failed to so perform, under the terms of the bond the surety will perform reclamation to the satisfaction of the State as guaranteed by the bond or will forfeit the amount of the penal sum, as provided in part (c)5 of this paragraph.
- (v) The penal sum of the bond must be in an amount at least adequate to provide the necessary financial assurance.
- (vi) Under the terms of the bond, the surety may cancel the bond by sending notice of cancellation by certified mail to the licensee and to the Director. Cancellation may not occur, however, during the 180 days beginning on the date of receipt of the notice of cancellation by both the licensee and the Director, as evidenced by the return receipts.
- (vii) The surety will not be liable for deficiencies in the performance of reclaiming after the Commissioner releases the licensee from the financial assurance requirements as provided in part (c)4 of this paragraph.

2. Personal Bond Supported by a Letter of Credit

An applicant or licensee may satisfy the requirements of subparagraph (c) of this paragraph by filing his personal performance guarantee accompanied by collateral in the form of an irrevocable standby letter of credit. He must guarantee funds to perform reclaiming in accordance with acceptable practice for protection of health and safety and other requirements of the license for the facility. The irrevocable standby letter of credit supporting this guarantee must conform to the following requirements:

- (i) The institution issuing the letter of credit must be an entity which has the authority to issue letter of credit and whose letter-of-credit operations are regulated and examined by a Federal or State agency.
- (ii) The wording of the letter of credit must be identical to the wording specified in part (j)2 of this paragraph.
- (iii) The letter of credit must be accompanied by a letter from the licensee referring to the letter of credit by number, issuing institution and date and providing the following information: The radioactive material license number, name and address of the facility and the amount of funds assured for reclaiming of the facility by the letter of credit. (NOTE: This letter from the licensee may also contain his personal performance guarantee.)
- (iv) The letter of credit must be irrevocable and issued for a period of at least 1 year. The letter of credit must provide that the expiration date will be automatically extended for a period of at least 1 year unless, at least 180 days before the current expiration date, the issuing institution notifies both the licensee and the Director by certified mail of a decision not to extend

(Rule 0400-20-10-.12, continued)

the expiration date. Under the terms of the letter of credit, the 180 days will begin on the date when both the licensee and the Director have received the notice, as evidenced by the return receipts.

- (v) The letter of credit must be issued in an amount at least adequate to provide the necessary financial assurance.
- (vi) The Commissioner may draw on the letter of credit upon forfeiture as provided in part (c)5 of this paragraph. The Commissioner will also draw on the letter of credit if the licensee does not establish alternate financial assurance as specified in this paragraph and obtain written approval of such alternate assurance from the Director within 90 days after receipt by both the licensee and the Director of a notice from the issuing institution that it has decided not to extend the letter of credit beyond the current expiration date. The Director may delay the drawing if the issuing institution grants an extension of the term of the credit. During the last 30 days of any such extension the Commissioner will draw on the letter of credit if the licensee has failed to provide alternate financial assurance as specified in this paragraph and obtain written approval of such assurance from the Director.

3. Personal Bond Supported by Insurance

An applicant or licensee may satisfy the requirements of subparagraph (c) of this paragraph by filing his personal performance guarantee accompanied by collateral in the form of an insurance policy. He must guarantee funds sufficient to perform reclaiming in a manner deemed acceptable by the Commissioner for protection of health and safety and other requirements of the license for the facility. The insurance policy supporting this guarantee must conform to the following requirements:

- (i) The insurer must be licensed to transact the business of insurance or eligible to provide insurance as an excess or surplus lines insurer in the State of Tennessee.
- (ii) The insurance policy must be accompanied by a certificate of insurance whose wording is identical to the wording specified in part (j)3 of this paragraph.
- (iii) The insurance policy must be for a face amount at least adequate to provide the necessary financial assurance. The term "face amount" means the total amount the insurer is obligated to pay under the policy. Actual payments by the insurer will not change the face amount, although the insurer's future liability will be lowered by the amount of the payments.
- (iv) The insurance policy must guarantee that funds will be available for reclaiming the facility whenever reclaiming is necessary.
- (v) Upon forfeiture of financial assurance as provided in part (c)5 of this paragraph, the Commissioner will direct the insurer to pay the full face amount to the State.
- (vi) The licensee must maintain the policy in full force and effect until the Commissioner releases the financial assurance mechanism as provided in this paragraph. Failure to pay the premium, without substitution of alternate financial assurance as specified in this paragraph, will constitute a

(Rule 0400-20-10-.12, continued)

significant violation of these regulations, warranting such remedy as the Commissioner deems necessary. Such violation will be deemed to begin upon receipt by the Director of a notice of future cancellation, termination or failure to renew due to nonpayment of the premium, rather than upon the date of expiration.

- (vii) The policy must provide that the insurer may not cancel, terminate or fail to renew the policy except for failure to pay the premium. The automatic renewal of the policy must, at a minimum, provide the insured with the option of renewal at the face amount of the expiring policy. If there is a failure to pay the premium, the insurer may elect to cancel, terminate or fail to renew the policy by sending notice by certified mail to the licensee and the Director. Cancellation, termination or failure to renew may not occur, however, during the 180 days beginning with the date of receipt of the notice by both the Director and the licensee, as evidenced by the return receipts. Cancellation, termination or failure to renew may not occur and the policy will remain in full force and effect in the event that on or before the date of expiration:
 - (I) The Commissioner deems the facility abandoned;
 - (II) The license is terminated or revoked or renewal is denied;
 - (III) Closure is ordered by the Commissioner or a court of competent jurisdiction;
 - (IV) The licensee is named as debtor in a voluntary or involuntary proceeding under Title 11 (Bankruptcy), U.S. Code; or
 - (V) The premium due is paid.
- (viii) Commencing on the date that liability to make payments pursuant to the policy accrues, the insurer will thereafter annually increase the face amount of the policy. Such increase must be equivalent to the face amount of the policy, less any payments made, multiplied by an amount equivalent to 85 percent of the most recent investment rate or of the equivalent coupon-issue yield announced by the U.S. Treasury for 26-week Treasury securities.

4. Personal Bond Supported by Securities

An applicant or licensee may satisfy the requirements of subparagraph (c) of this paragraph by filing his personal performance guarantee accompanied by collateral in the form of securities. He must guarantee sufficient funds to perform reclaiming in accordance with acceptable practices for protection of health and safety and other requirements of the license for the facility. The securities supporting this guarantee must be fully registered as to principal and interest in such manner as to identify the State and the Division as holder of such collateral and to also identify that person filing such collateral. These securities must have a current market value at least adequate to provide the necessary financial assurance and must be included among the following types:

- (i) Negotiable certificates of deposit assigned irrevocably to the State.

(Rule 0400-20-10-.12, continued)

- (I) Such certificates of deposit must be automatically renewable and must be assigned to the State in writing and recorded as such in the records of the financial institution issuing such certificate.
 - (II) Such certificates of deposit must also include a statement signed by an officer of the issuing financial institution which waives all rights of lien which the institution has or might have against the certificate.
 - (ii) Negotiable United States Treasury securities assigned irrevocably to the State.
 - (iii) Negotiable general obligation municipal or corporate bonds which have at least an "A" rating by Moody's and/or Standard & Poor's rating services and which are assigned irrevocably to the State.
5. Personal Bond Supported by Cash

An applicant or licensee may satisfy the requirements of subparagraph (c) of this paragraph by filing his personal performance guarantee accompanied by cash in an amount at least adequate to provide the necessary financial assurance.

6. Financial Test and Corporate Guarantee.

- (i) An applicant or licensee may satisfy the requirements of subparagraph (c) of this paragraph by demonstrating that he passes a financial test as specified in this part. To pass this test the licensee must meet the criteria of either item (I) or (II) of this subpart as follows:
 - (I) The applicant or licensee must have:
 - I. Two of the following three ratios: a ratio of total liabilities to net worth less than 2.0, a ratio of the sum of net income plus depreciation, depletion and amortization to total liabilities greater than 0.1, and a ratio of current assets to current liabilities greater than 1.5;
 - II. Net working capital and tangible net worth each at least 6 times the current reclaiming cost estimate;
 - III. Tangible net worth of at least \$10 million; and
 - IV. Assets in the United States amounting to at least 90 percent of this total assets or at least 6 times the current reclaiming cost estimate.
 - (II) The applicant or licensee must have:
 - I. A current rating for his most recent bond issuance of AAA, AA, A or BBB as issued by Standard & Poor's, or Aaa, Aa, A or Baa as issued by Moody's;
 - II. Tangible net worth at least 6 times the current reclaiming cost estimate;
 - III. Tangible net worth of at least \$10 million; and

(Rule 0400-20-10-.12, continued)

- IV. Assets located in the United States amounting to at least 90 percent of his total assets or at least 6 times the current reclaiming cost estimate.
- (ii) The phrase “current reclaiming cost estimates” as used in subpart (i) of this part refers to the cost estimates required to be shown in paragraphs 1 through 4 of the letter from the applicant’s or licensee’s chief financial officer.
 - (iii) To demonstrate that he meets this test, the applicant or licensee must submit the following items to the Director:
 - (I) A letter signed by the applicant’s or licensee’s chief financial officer and worded as specified in part (j)4 of this paragraph;
 - (II) A copy of the independent certified public accountant’s report on examination of the applicant’s or licensee’s financial statements for the latest completed fiscal year; and
 - (III) A special report from the applicant’s or licensee’s independent certified public accountant to the applicant or licensee stating that:
 - I. He has compared the data which the letter from the chief financial officer specifies as having been derived from the independently audited, year-end financial statements for the latest fiscal year with the amounts in such financial statements; and
 - II. In connection with that procedure, no matters came to his attention which caused him to believe that the specified data should be adjusted.
 - (iv) After the initial submission of items specified in subpart (iii) of this part, the licensee must send updated information to the Director within 90 days after the close of each succeeding fiscal year. This information must consist of all three items specified in subpart (iii) of this part.
 - (v) If the licensee no longer meets the requirements of subpart (i) of this part, he must send notice to the Director of intent to establish alternate financial assurance as specified in this paragraph. The notice must be sent by certified mail within 90 days after the end of the fiscal year for which the year-end financial data show that the licensee no longer meets the requirements. The licensee must provide the alternate financial assurance within 120 days after the end of such fiscal year.
 - (vi) The Director may, based on a reasonable belief that the licensee may no longer meet the requirements of subpart (i) of this part, require reports of financial condition at any time from the licensee in addition to those specified in subpart (iii) of this part. If the Director finds, on the basis of such reports or other information, that the licensee no longer meets the requirements of subpart (i) of this part, the licensee must provide alternate financial assurance as specified in this paragraph within 30 days after notification of such a finding.
 - (vii) The Director may disallow use of this test on the basis of qualifications in the opinion expressed by the independent certified public accountant in his

(Rule 0400-20-10-.12, continued)

report on examination of the applicant's or licensee's financial statements. An adverse opinion or a disclaimer of opinion will be cause for disallowance. The Director will evaluate other qualifications on an individual basis. The applicant or licensee must provide alternate financial assurance as specified in this paragraph within 30 days after notification of the disallowance.

(viii) An applicant or licensee may meet the requirements of subparagraph (c) of this paragraph by obtaining a written guarantee, hereafter referred to as "corporate guarantee." The guarantor must be the parent corporation of the licensee. The guarantor must meet the requirements for applicants or licensees in subparts (i) through (vii) of this part and must comply with the terms of the corporate guarantee. The wording of the corporate guarantee must be identical to the wording specified in part (j)5 of this paragraph. The corporate guarantee must accompany the items sent to the Director as specified in subpart (iii) of this part. The terms of the corporate guarantee must provide that:

(I) If the licensee fails to perform reclaiming of a facility covered by a corporate guarantee for reclaiming in accordance with acceptable practices to protect health and safety and other license requirements whenever required to do so, the guarantor will do so or forfeit to the State monies in an amount equal to the current reclaiming cost estimate for the facility, as provided in part (c)5 of this paragraph.

(II) The corporate guarantee will remain in force unless the guarantor sends notice of cancellation by certified mail to the licensee and to the Director. Cancellation may not occur, however, during the 180 days beginning on the date of receipt of the notice of cancellation by both the licensee and the Director as evidenced by the return receipts.

(III) If the licensee fails to provide alternate financial assurance as specified in this paragraph and obtain the written approval of such alternate assurance from the Director within 90 days after receipt by both the licensee and the Director of a notice of cancellation of the corporate guarantee from the guarantor, the guarantor will provide such alternative financial assurance in the name of the licensee.

(e) Use of Multiple Financial Mechanisms

In meeting the requirements of subparagraph (c) of this paragraph, an applicant or licensee may utilize more than one financial assurance mechanism per facility. These mechanisms are limited to personal bonds supported by letters of credit, insurance, securities or cash. The mechanisms must be as specified in subparagraph (d) of this paragraph, except that it is the combination of mechanisms, rather than the single mechanism, which must provide financial assurance for the necessary amount.

(f) Use of a Financial Mechanism for Multiple Facilities

An applicant or licensee may use a financial assurance mechanism specified in subparagraph (d) of this paragraph to meet the requirements of subparagraph (c) of this paragraph for more than one facility he owns or operates in Tennessee. If so, the mechanism submitted to the Director must include a list showing, for each facility, the license number, name, address and amount of funds for reclaiming care assured by the mechanism. The amount of funds available through the mechanism must be no

(Rule 0400-20-10-.12, continued)

less than the sum of funds that would be available if a separate mechanism had been filed and maintained for each facility.

(g) Substituting Alternate Financial Assurance

In meeting the requirements of subparagraph (c) of this paragraph, a licensee may substitute alternate financial assurance meeting the requirements of this paragraph for the financial assurance already filed with the Director for the facility. However, the existing financial assurance shall not be released by the Commissioner until the substitute financial assurance has been received and approved by him.

(h) Procedures for Forfeiture of Financial Assurance.

1. Upon the determination of abandonment, insolvency or other inability of the licensee to perform to the satisfaction of the Commissioner, a notice of non-compliance shall be served upon the licensee. Such notice shall be hand-delivered or forwarded by certified mail. The notice of non-compliance shall specify in what respects the licensee has failed to perform as required.
2. If the Commissioner determines that the licensee has failed to perform as specified in the notice of non-compliance, or as specified in any subsequent compliance agreement which may have been reached by the licensee and the Commissioner, the Director shall cause a notice of show cause meeting to be served upon the licensee. Such notice shall be signed by the Director and either hand-delivered or forwarded by certified mail to the licensee. The notice of show cause meeting shall establish the date, time and location of a meeting scheduled to provide the licensee with the opportunity to show cause why the Director should not pursue forfeiture of the financial assurance filed to guarantee such performance.
3. If no mutual compliance agreement is reached at the show cause meeting, or, upon the Commissioner's determination that the licensee has failed to perform as specified in such agreement that was reached, the Director shall request the Commissioner to order forfeiture of the financial assurance filed to guarantee such performance.
4. The Commissioner shall order forfeiture of the financial assurance upon his validation of the Director's determinations and upon his determination that the procedures of this subparagraph have been followed. The Commissioner may, however, at his discretion, provide opportunity for the licensee to be heard before himself before issuing such order. Upon issuance a copy of the order shall be hand-delivered or forwarded by certified mail to the licensee. Any such order issued by the Commissioner shall become effective 30 days after the receipt by the licensee.
5. If necessary, upon the effective date of the order of forfeiture, the Commissioner shall give notice to the State Attorney General who shall collect the forfeiture.
6. All funds from forfeited financial assurances shall be deposited in the State's radiation reclamation trust fund account for use by the Commissioner as set forth in T.C.A. § 68-202-405.

(i) Incapacity of Applicants or Licensees, Guarantors, or Financial Institutions.

1. An applicant or licensee must notify the Director by certified mail of the commencement of a voluntary or involuntary proceeding under Title 11

(Rule 0400-20-10-.12, continued)

(Bankruptcy), U.S. Code, naming the applicant or licensee as debtor, within 10 days after commencement of the proceeding. A guarantor of a corporate guarantee as specified in part (d)6 of this paragraph must make such a notification if he is named as debtor, as required under the terms of the corporate guarantee.

2. An applicant or licensee who fulfills the requirements of this paragraph by obtaining a surety bond, letter of credit or insurance policy will be deemed to be without the required financial assurance in the event of bankruptcy of the issuing institution or a suspension or revocation of the authority of the institution issuing the surety bond, letter of credit or insurance policy to issue such instruments. The applicant or licensee must establish other financial assurance within 30 days after such an event.

(j) Wording of the Instruments.

1. A surety bond guaranteeing funds for reclaiming as specified in part (d)1 of this paragraph, must be worded as follows except that the instructions in parentheses are to be replaced with the relevant information and the parentheses deleted:

SURETY BOND

Date bond executed: _____

Effective date: _____

Principal: (legal name and business address of applicant or licensee)

Type of organization: (insert "individual," "joint venture," "partnership" or "corporation")

State of incorporation: _____

Surety(ies): (Name(s) and business address(es))

License number, name, address and reclaiming cost for each facility guaranteed by this bond (list amounts separately):

\$ _____

Total penal sum of bond: \$ _____

Surety's bond number: _____

KNOW ALL PERSONS BY THESE PRESENTS, that we, the Principal and Surety(ies) hereto are firmly bound to the Tennessee Department of Environment and Conservation (hereinafter called Department), in the above penal sum for the payment of which we bind ourselves, our heirs, executors, administrators, successors and assigns jointly and severally; provided that, where the Surety(ies) are corporations acting as co-sureties, we, the Sureties, bind ourselves in such sum "jointly and severally" only for the purpose of allowing a joint action or actions against any or all of us, and for all other purposes each Surety binds itself, jointly and severally with the Principal, for the payment of such sum only as is set forth opposite the name of such Surety, but if no limit of liability is indicated, the limit of liability shall be the full amount of the penal sum.

WHEREAS said Principal is required, under the Tennessee Radiological Health Services Act, as amended, to have a license in order to receive, possess, store and use radioactive material at the facility identified above, and

WHEREAS said Principal is required to provide financial assurance for reclaiming as a condition of the license;

NOW, THEREFORE, the conditions of this obligation are such that if the Principal shall faithfully perform reclaiming, whenever required to do so, of each

(Rule 0400-20-10-.12, continued)

facility for which this bond guarantees funds for reclaiming, to the satisfaction of the Commissioner, Tennessee Department of Environment and Conservation in accordance with acceptable practices for protection of health and safety pursuant to all applicable laws, statutes, rules and regulations, as such laws, statutes, rules and regulations may be amended,

OR, if the Principal shall provide alternate financial assurance as specified in paragraph (4) of Rule 0400-20-10-.12, and obtain the written approval of such assurance from the Director, Division of Radiological Health (hereinafter called Director), within 90 days after the date notice of cancellation is received by both the Principal and the Director from the Surety(ies), then this obligation shall be null and void, otherwise it is to remain in full force and effect.

The Surety(ies) shall become liable on this bond obligation only when the Principal has failed to fulfill the conditions described above.

Upon notification by the Director that the Principal has been found in violation of the reclaiming requirements of the Division, for a facility for which this bond guarantees funds for performance of reclaiming, the Surety(ies) shall forfeit the reclaiming cost amount guaranteed for the facility to the Department as directed by the Director.

Upon notification by the Director that the Principal has failed to provide alternate financial assurance as specified in paragraph (4) of Rule 0400-20-10-.12, and obtain written approval of such assurance from the Director during the 30 days following receipt by both the Principal and the Director of a notice of cancellation of the bond, the Surety(ies) shall forfeit funds in the amount guaranteed for the facility(ies) to the Department as directed by the Director.

The Surety(ies) hereby waive(s) notification of amendments to licenses, applicable laws, statutes, rules and regulations and agree(s) that no such amendment shall in any way alleviate its (their) obligation on this bond.

The liability of the Surety(ies) shall not be discharged by any payment or succession of payments hereunder, unless and until such payment or payments shall amount in the aggregate to the penal sum of the bond, but in no event shall the obligation of the Surety(ies) hereunder exceed the amount of said penal sum.

The Surety(ies) may cancel the bond by sending notice of cancellation by certified mail to the Principal and to the Director, provided, however, that cancellation shall not occur during the 180 days beginning on the date of receipt of the notice of cancellation by both the Principal and the Director, as evidenced by the return receipts.

The Principal may terminate this bond by sending written notice to the Surety(ies), provided, however, that no such notice shall become effective until the Surety(ies) receive(s) written authorization for termination of the bond by the Director.

IN WITNESS WHEREOF, the Principal and Surety(ies) have executed this SURETY BOND and have affixed their seals on the date set forth above.

The persons whose signatures appear below hereby certify that they are authorized to execute this surety bond on behalf of the Principal and Surety(ies) and that the wording of this surety bond is identical to the wording specified in

(Rule 0400-20-10-.12, continued)

part (4)(j)1 of Rule 0400-20-10-.12 as such regulation was constituted on the date this bond was executed.

PRINCIPAL

(Signature(s))
 (Name(s))
 (Title(s))
 (Corporate seal)
 CORPORATE SURETY(IES)
 (Name and address)
 State of incorporation: _____
 Liability limit: \$ _____
 (Signature(s))
 (Name(s) and title(s))
 Corporate seal:
 (For every co-surety, provide signature(s), corporate seal and other information in the same manner as for Surety above.)
 Bond premium: \$ _____

2. A letter of credit, as specified in part (d)2 of this paragraph, must be worded as follows except that instructions in parentheses are to be replaced with the relevant information and the parentheses deleted:

IRREVOCABLE STANDBY LETTER OF CREDIT

Director
 Division of Radiological Health
 Tennessee Department of Environment and Conservation

Dear Sir or Madam:

We hereby establish our Irrevocable Standby Letter of Credit No. _____ in your favor, at the request and for the account of (applicant's or licensee's name and address) up to the aggregate amount of (in words) U.S. dollars \$ _____, available upon presentation of:

- 1) your sight draft, bearing reference to this letter of credit No. _____, and
- 2) your signed statement reading as follows: "I certify that the amount of the draft is payable pursuant to regulations issued under authority of the Tennessee Radiological Health Services Act, as amended."

This letter of credit is effective as of (date) and shall expire on (date at least 1 year later), but such expiration date shall be automatically extended for a period of (at least 1 year) on (date) and on each successive expiration date, unless, at least 180 days before the current expiration date, we notify both you and (applicant's or licensee's name) by certified mail that we have decided not to extend this letter of credit beyond the current expiration date. In the event you are so notified, any unused portion of the credit shall be available upon presentation of your sight draft for 180 days after the date of receipt by both you and (licensee's name), as shown on the signed return receipts.

Whenever this letter of credit is drawn on under and in compliance with the terms of this credit, we shall duly honor such draft upon presentation to us, and we

(Rule 0400-20-10-.12, continued)

shall forfeit the amount of the draft to the State of Tennessee in accordance with your instructions.

We certify that the wording of this letter of credit is identical to the wording specified in part (4)(j)2 of Rule 0400-20-10-.12 as such regulation was constituted on the date shown immediately below.

(Signature(s) and title(s) of official(s) of issuing institution) (Date)

This credit is subject to (insert "the most recent edition of the Uniform Customs and Practice for Documentary Credits, published by the International Chamber of Commerce," or "the Uniform Commercial Code").

- 3. A Certificate of insurance, as specified in part (d)3 of this paragraph must be worded as follows except that instructions in parentheses are to be replaced with the relevant information and the parentheses deleted:

CERTIFICATE OF INSURANCE FOR RECLAIMING

Name and Address of Insurer
(herein called the "Insurer"): _____

Name and Address of Insured
(herein called the "Insured") : _____

Facilities Covered: (List for each facility: The license number, name, address and the amount of insurance for reclaiming (these amounts for all facilities covered must total the face amount shown below))

Face Amount: \$ _____

Policy Number: _____

Effective Date: _____

The Insurer hereby certifies that it has issued to the Insured the policy of insurance identified above to provide financial assurance for reclaiming the facilities identified above. The Insurer further warrants that such policy conforms in all respects with the requirements of part (4)(j)3 of Rule 0400-20-10-.12, as applicable and as such regulations were constituted on the date shown immediately below. It is agreed that any provision of the policy inconsistent with such regulation is hereby amended to eliminate such inconsistency.

Whenever requested by the Director, Division of Radiological Health, Tennessee Department of Environment and Conservation, the Insurer agrees to furnish to the Director, Division of Radiological Health a duplicate original of the policy listed above, including all endorsements thereon.

I hereby certify that the wording of this certificate is identical to the wording specified in part (4)(j)3 of Rule 0400-20-10-.12 as such regulation was constituted on the date shown immediately below.

(Authorized signature for Insurer)

(Name of person signing)

(Rule 0400-20-10-.12, continued)

(Title of person signing)

Signature of witness or notary: _____

(Date)

4. A letter from the chief financial officer, as specified in part (d)6 of this paragraph must be worded as follows except that instructions in parentheses are to be replaced with the relevant information and the parentheses deleted:

LETTER FROM CHIEF FINANCIAL OFFICER

(Address to Director, Division of Radiological Health)

I am the chief financial officer of (name and address of firm). This letter is in support of this firm's use of the financial test to demonstrate financial assurance, as specified in paragraph (4) of Rule 0400-20-10-.12.

(Fill out the following four paragraphs regarding facilities and associated cost estimates. If your firm has no facilities that belong in a particular paragraph, write "None" in the space indicated. For each facility, include its license number, name, address and current reclaiming cost estimates.)

1. This firm is the licensee at the following facility for which financial assurance for reclaiming is demonstrated through the financial test specified in paragraph (4) of Rule 0400-20-10-.12. The current reclaiming cost estimate covered by the test is: \$ _____.
2. This firm guarantees, through the corporate guarantee specified in paragraph (4) of Rule 0400-20-10-.12, the reclaiming of the following facility owned or operated by a subsidiary of this firm. The current cost estimates for reclaiming so guaranteed is: \$ _____.
3. In other states, this firm, as licensee or guarantor, is demonstrating financial assurance for reclaiming of the following facilities through the use of a test equivalent or substantially equivalent to the financial test specified in paragraph (4) of Rule 0400-20-10-.12. The current reclaiming cost estimates covered by such a test are shown for each facility: \$ _____.
4. This firm is the licensee of the following facilities receiving, possessing, using or storing radioactive material for which financial assurance for reclaiming is not demonstrated either to the Division, another State, or the U.S. Nuclear Regulatory Commission through the financial test or any other financial assurance mechanisms specified in paragraph (4) of Rule 0400-20-10-.12 or equivalent or substantially equivalent mechanisms. The current reclaiming cost estimates not covered by such financial assurance are shown for each facility: \$ _____.

This firm (insert "is required" or "is not required") to file a Form 10K with the Securities and Exchange Commission (SEC) for the latest fiscal year.

The fiscal year of this firm ends on (month, day). The figures for the following items marked with an asterisk are derived from this firm's independently audited, year-end financial statement for the latest completed fiscal year, ending (date).

(Rule 0400-20-10-.12, continued)

(Fill in Alternative I if the criteria of item (d)6(i)(I) of this paragraph are used. Fill in Alternative II if the criteria of item (d)6(i)(II) of this paragraph are used).

ALTERNATIVE I

- 1. Sum of current reclaiming cost estimates (total of all cost estimates shown in the four paragraphs above) \$ _____
- *2. Total liabilities (if any portion of the reclaiming cost estimate is included in total liabilities, you may deduct the amount of that portion from this line and add that amount to lines 3 and 4) \$ _____
- *3. Tangible net worth \$ _____
- *4. Net worth \$ _____
- *5. Current assets \$ _____
- *6. Current liabilities \$ _____
- *7. Net working capital (line 5 minus line 6) \$ _____
- *8. The sum of net income plus depreciation, depletion, and amortization \$ _____
- *9. Total assets in U.S. (required only if less than 90% of firm's assets are located in the U.S.) \$ _____

YES NO

- 10. Is line 3 at least \$10 million? _____ _____
- 11. Is line 3 at least 6 times line 1? _____ _____
- 12. Is line 7 at least 6 times line 1? _____ _____
- *13. Are at least 90% of firm's assets located in the U.S.? If not, complete line 14 _____ _____
- 14. Is line 9 at least 6 times line 1? _____ _____
- 15. Is line 2 divided by line 4 less than 2.0? _____ _____
- 16. Is line 8 divided by line 2 greater than 0.1? _____ _____
- 17. Is line 5 divided by line 6 greater than 1.5? _____ _____

ALTERNATIVE II

- 1. Sum of current reclaiming cost estimates (total of all cost estimates shown in the four paragraphs above) \$ _____

(Rule 0400-20-10-.12, continued)

- 2. Current bond rating of most recent issuance of this firm and name of rating service _____
 - 3. Date of issuance of bond _____
 - 4. Date of maturity of bond _____
 - *5. Tangible net worth \$ _____
 - *6. Total assets in U.S. (required only if less than 90% of firm's assets are located in the U.S.) \$ _____
- | | | |
|---|------------|-----------|
| | <u>YES</u> | <u>NO</u> |
| 7. Is line 5 at least \$10 million? | _____ | _____ |
| 8. Is line 5 at least 6 times line 1? | _____ | _____ |
| 9. Are at least 90% of firm's assets located in the U.S.? If not, complete line 10. | _____ | _____ |
| 10. Is line 6 at least 6 times line 1? | _____ | _____ |

I hereby certify that the wording of this letter is identical to the wording specified in part (4)(j)4 of Rule 0400-20-10-.12 as such regulations were in effect on the date shown immediately below.

(Signature)
 (Name)
 (Title)
 (Date)

- 5. A corporate guarantee, as specified in part (d)6 of this paragraph, must be worded as follows except that instructions in parentheses are to be replaced with the relevant information and the parentheses deleted:

CORPORATE GUARANTEE FOR RECLAIMING

Guarantee made this (date) by (name of guaranteeing entity), a business corporation organized under the laws of the State of (insert name of State), herein referred to as guarantor, to the Tennessee Department of Environment and Conservation (Department), obligee, on behalf of our subsidiary (applicant or licensee) of (business address).

Recitals

- 1. Guarantor meets or exceeds the financial test criteria and agrees to comply with the reporting requirements for guarantors as specified in part (4)(d)6 of Rule 0400-20-10-.12.
- 2. (Applicant or licensee) owns or operates and is licensed by the Department to receive, possess, store and use radioactive material at the facility covered by this guarantee: (List for the facility: license number, name and address).

(Rule 0400-20-10-.12, continued)

3. For value received from (licensee), guarantor guarantees to the Department that in the event that (licensee) fails to perform reclaiming of the above facility in a manner deemed acceptable by the Commissioner to assure health and safety from radiation hazards and other license requirements, the guarantor shall do so or forfeit to the State of Tennessee, as specified in paragraph (4) of Rule 0400-20-10-.12 monies in an amount equal to the current reclaiming cost estimates as specified in paragraph (4) of Rule 0400-20-10-.12.
4. Guarantor agrees that if, at the end of any fiscal year before termination of this guarantee, the guarantor fails to meet the financial test criteria, guarantor shall send within 30 days, by certified mail, notice to the Director of the Department's Division of Radiological Health (Division Director) and to (licensee) that he intends to provide alternate financial assurance as specified in paragraph (4) of Rule 0400-20-10-.12, in the name of (licensee). Within 90 days after the end of such fiscal year, the guarantor shall establish such financial assurance unless (licensee) has done so.
5. The guarantor agrees to notify the Division Director, by certified mail, of a voluntary or involuntary proceeding under Title 11 (Bankruptcy), U.S. Code, naming guarantor as debtor, within 10 days after commencement of this proceeding.
6. Guarantor agrees that within 30 days after being notified by the Division Director of a determination that guarantor no longer meets the financial test criteria or that he is disallowed from continuing as a guarantor for reclaiming he shall establish alternate financial assurance as specified in paragraph (4) of Rule 0400-20-10-.12 in the name of (licensee) unless (licensee) has done so.
7. Guarantor agrees to remain bound under this guarantee notwithstanding any or all of the following: amendment or modification of the license, the extension or reduction of the time of performance of reclaiming or any other modification or alteration of an obligation of the licensee pursuant to these regulations.
8. Guarantor agrees to remain bound under this guarantee for so long as (licensee) must comply with the applicable financial assurance requirements of paragraph (4) of Rule 0400-20-10-.12 for the above-listed facility, except that guarantor may cancel this guarantee by sending notice by certified mail to the Division Director and to (licensee), such cancellation to become effective no earlier than 180 days after receipt of such notice by both the Department and (licensee), as evidenced by the return receipts.
9. Guarantor agrees that if (licensee) fails to provide alternate financial assurance as specified in paragraph (4) of Rule 0400-20-10-.12, and obtain written approval of such assurance from the Division Director within 30 days after a notice of cancellation by the guarantor is received by the Division Director from guarantor, guarantor shall provide such alternate financial assurance in the name of (licensee).
10. Guarantor expressly waives notice of acceptance of this guarantee by the Department or by (licensee). Guarantor also expressly waives notice of amendments or modification of the facility license.

(Rule 0400-20-10-.12, continued)

I hereby certify that the wording of this guarantee is identical to the wording specified in part (4)(j)5 of Rule 0400-20-10-.12 as such regulations were in effect on the date first above written.

Effective Date: _____

(Name of guarantor)

(Authorized signature for guarantor)

(Name of person signing)

(Title of person signing)

Signature of witness or notary: _____

- (k) Persons licensed at the time these financial assurance regulations become effective and upon notice by the Department must, within a period of 90 days following such notice, provide the required financial assurance.
- (l) The Department may reevaluate, at any time, the adequacy of existing financial assurance and may require their adjustment by either increasing or decreasing the amount of financial assurance required so that adequate funds will be available.
- (m) Except that the following persons are exempt from the requirements of this paragraph:
 1. State and local government agencies.
 2. Educational institutions accredited by the Southern Association of Colleges and Schools.
 3. Licensees of the State Licensing Board for the Healing Arts and those medical facilities possessing or utilizing radioactive materials for medical purposes when supervised by such licensees.
 4. Veterinarians possessing or utilizing radioactive materials in their veterinary practice.
 5. Persons possessing or utilizing radioactive materials for “in vitro” medical purposes.
 6. Persons possessing or utilizing only generally licensed quantities of radioactive materials.
- (n) Each person licensed under this chapter shall keep records of information important to the decommissioning of a facility in an identified location until the site is released for unrestricted use. Before licensed activities are transferred or assigned in accordance with Rule 0400-20-10-.16, a licensee shall transfer all records described in this paragraph to the new licensee. In this case, the new licensee will be responsible for maintaining these records until the license is terminated. If records important to the decommissioning of a facility are kept for other purposes, reference to these records and their locations may be used. Information the Division considers important to decommissioning consists of:

(Rule 0400-20-10-.12, continued)

1. Records of spills or other unusual occurrences involving the spread of contamination in and around the facility, equipment, or site (These records may be limited to instances when contamination remains after any cleanup procedures or when there is reasonable likelihood that contaminants may have spread to inaccessible areas as in the case of possible seepage into porous materials such as concrete. These records must include any known information on identification of involved nuclides, quantities, forms, and concentrations);
 2. As-built drawings and modifications of structures and equipment in restricted areas where radioactive materials are used and/or stored, and of locations of possible inaccessible contamination such as buried pipes which may be subject to contamination (If required drawings are referenced, each relevant document need not be indexed individually. If drawings are not available, the licensee shall substitute appropriate records of available information concerning these areas and locations);
 3. Except for areas containing only sealed sources (provided the sources have not leaked or no contamination remains after any leak) or byproduct materials having only half-lives of less than 65 days, a list contained in a single document and updated every 2 years, of the following:
 - (i) All areas designated and formerly designated restricted areas as defined in paragraph (62) of Rule 0400-20-05-.32;
 - (ii) All areas outside of restricted areas that require documentation under part 1 of this subparagraph;
 - (iii) All areas outside of restricted areas where current and previous wastes have been buried as documented under Rule 0400-20-05-.137; and
 - (iv) All areas outside of restricted areas that contain material such that, if the license expired, the licensee would be required to either decontaminate the area to meet the criteria for decommissioning in Rule 0400-20-10-.36, or apply for approval for disposal under Rule 0400-20-05-.121.
 4. Records of the cost estimate performed for the decommissioning funding plan or of the amount certified for decommissioning, and records of the funding method used for assuring funds if either a funding plan or certification is used.
- (5) The applicant or an existing licensee, for whom financial assurance is required and where it is intended that the licensed facility will eventually cease to operate while containing, storing or possessing radioactive sources on the premises and will require continuing and perpetual care or surveillance over the facility to protect public health, safety or welfare, shall deposit sums to a Perpetual Care Trust Fund maintained by the Commissioner in the name of the State.
- (a) The Commissioner shall consider the following in making his determination of the Perpetual Care Trust Fund deposits for each individual applicant or licensee.
 1. The nature of the licensed radioactive material; including its radiotoxicity, half-life, chemical and physical form and containment;
 2. Size and type of facility to be decommissioned; and
 3. The anticipated cost to the State of perpetual care and surveillance.

(Rule 0400-20-10-.12, continued)

- (b) The Department may reevaluate at any time the adequacy of a licensee's contributions to the existing Perpetual Care Trust Fund and may adjust by increasing or decreasing the rate of contribution or the specified amount required of a licensee so that the fund may be adequate in amount to meet perpetual care requirements of that licensee.
- (6) Definitions of terms used in paragraph (4) of this rule.
- (a) "Current reclaiming cost estimate" means the most recent of the estimates prepared in accordance with parts (4)(c)1, 2, and 3 of this rule.
 - (b) "Director" means the Director of the Division of Radiological Health of the Department of Environment and Conservation.
 - (c) "Parent corporation" means a corporation which directly owns at least 50 percent of the voting stock of the corporation which is the facility owner or operator; the latter corporation is deemed a "subsidiary" of the parent corporation.
 - (d) The following terms are used in the specifications for the financial tests for financial assurance for reclaiming. The definitions are intended to assist in the understanding of these regulations and are not intended to limit the meanings of terms in a way that conflicts with generally accepted accounting practices.
 1. "Assets" means all existing and all probable future economic benefits obtained or controlled by a particular entity.
 2. "Current assets" means cash or other assets or resources commonly identified as those which are reasonably expected to be realized in cash or sold or consumed during the normal operating cycle of the business.
 3. "Current liabilities" means obligations whose liquidation is reasonably expected to require the use of existing resources properly classifiable as current assets or the creation of other current liabilities.
 4. "Independently audited" refers to an audit performed by an independent certified public accountant in accordance with generally accepted auditing standards.
 5. "Liabilities" means probable future sacrifices of economic benefits arising from present obligations to transfer assets or provide services to other entities in the future as a result of past transactions or events.
 6. "Net working capital" means current assets minus current liabilities.
 7. "Net worth" means total assets minus total liabilities and is equivalent to owner's equity.
 8. "Tangible net worth" means the tangible assets that remain after deducting liabilities; such assets would not include intangibles such as goodwill and rights to patents or royalties.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.13 SPECIAL REQUIREMENTS FOR ISSUANCE OF SPECIFIC LICENSES.

- (1) Reserved

(Rule 0400-20-10-.13, continued)

- (2) Reserved
- (3) Reserved
- (4) Multiple quantities of types of radioactive material for use in research and development. In addition to the requirements set forth in Rule 0400-20-10-.12, a specific license for multiple quantities or types of radioactive material for use in research and development will be issued only if:
 - (a) The applicant has established an isotope committee (composed of such persons as a radiological safety officer, a representative of the business office, and one or more persons trained or experienced in the safe use of radioactive materials) which will review and approve, in advance of purchase of radioisotopes, proposals for use; and
 - (b) The applicant has appointed a radiological safety officer who will advise and assist on radiological safety problems.
- (5) Manufacture, distribution or initial distribution of devices to persons generally licensed under paragraph (2) of Rule 0400-20-10-.10. In addition to the requirements set forth in Rule 0400-20-10-.12, a specific license to distribute certain devices of the types enumerated in paragraph (2) of Rule 0400-20-10-.10 to persons generally licensed under paragraph (2) of Rule 0400-20-10-.10 or equivalent regulations of the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State will be issued only if:
 - (a) The applicant submits sufficient information relating to the design, manufacture, prototype testing, quality control, labels, proposed uses, installation, servicing, leak testing, operating and safety instructions, and potential hazards of the device to provide assurance that:
 - 1. The device can be safely operated by persons not having training in radiological protection;
 - 2. Under ordinary conditions of handling, storage and use of the device, the radioactive material contained in the device will not be released or inadvertently removed from the device, and no person will receive in 1 year a dose in excess of 10 percent of the limits specified in Rule 0400-20-05-.50; and
 - 3. Under accident conditions (such as fire and explosion) associated with handling, storage and use of the device, it is unlikely that any person would receive an external radiation dose or dose commitment in excess of the dose to the appropriate organ as specified in Table RHS 7-1:

TABLE RHS 7-1
TABLE OF ORGAN DOSES

Part of Body	rem	mSv/ Sv
Whole body; head and trunk; active blood forming organs; gonads; or lens of eye	15	150 mSv
Hands and forearms; feet and ankles; localized areas of skin averaged over areas no larger than 1 square centimeter	200	2 Sv

(Rule 0400-20-10-.13, continued)

Other organs	50	500 mSv
--------------	----	---------

—

- (b) Each device bears a durable, legible clearly visible label or labels approved by the Division that contain(s) in a clearly identified and separate statement:
 - 1. Instructions and precautions for safe installation, operation and servicing of the device (documents such as operating and service manuals may be identified in the label and used to provide this information);
 - 2. The requirements, or lack of requirement, for leak testing, or for testing any on-off mechanism and indicator, including the maximum time interval for such testing, and the identification of the radioactive material by isotope, quantity of radioactivity and date of determination of the quantity; and
 - 3. The information called for in one of the following statements in the same or similar form:
 - (i) The receipt, possession, use, and transfer of this device, Model _____,⁹ Serial No. _____,⁹ are subject to a general license or the equivalent and the regulations of the U.S. Nuclear Regulatory Commission or of a State with which the NRC has entered into an agreement for the exercise of regulatory authority. This label shall be maintained on the device in a legible condition. Removal of this label is prohibited.

CAUTION – RADIOACTIVE MATERIAL

(Name of manufacturer or distributor)

- (ii) The receipt, possession, use and transfer of this device Model _____,⁹ Serial No. _____,⁹ are subject to a general license or the equivalent and the regulations of a Licensing State. This label shall be maintained on the device in a legible condition. Removal of this label is prohibited.

CAUTION – RADIOACTIVE MATERIAL

(Name of manufacturer or distributor)

- (c) Each device having a separable source housing that provides the primary shielding for the source also bears, on the source housing, a durable label containing the device model number and serial number, the isotope and quantity, the words "CAUTION - RADIOACTIVE MATERIAL," and, if practicable, the radiation symbol described in Rule 0400-20-05-.110 and the name of the manufacturer or initial distributor.
- (d) Each device meeting the criteria of Rule 0400-20-10-.10 bears a permanent (e.g., embossed, etched, stamped, or engraved) label affixed to the source housing if separable, or the device if the source housing is not separable, that includes the words,

⁹ If specified elsewhere in labeling affixed to the device, the model, serial number and manufacturer or distributor may be omitted from this label.

(Rule 0400-20-10-.13, continued)

"CAUTION – RADIOACTIVE MATERIAL," and, if practicable, the radiation symbol described in Rule 0400-20-05-.110.

- (e) The device has been registered in the Sealed Source and Device Registry.
- (f) In the event the applicant desires that the device be tested at intervals longer than 6 months, either for proper operation of the on-off mechanism and indicator, if any, or for leakage of radioactive material, or for both, he shall include in his application information to demonstrate that such longer interval is justified by performance characteristics of the device or similar devices, and by design features that have a significant bearing on the probability or consequences of leakage of radioactive material or failure of the on-off mechanism indicator. In determining the acceptable interval for the test for leakage of radioactive material, the Division will consider information that includes, but is not limited to:
1. Primary containment (source capsule);
 2. Protection of primary containment;
 3. Method of sealing containment;
 4. Containment construction materials;
 5. Form of contained radioactive material;
 6. Maximum temperature withstood during prototype tests;
 7. Maximum pressure withstood during prototype tests;
 8. Maximum quantity of contained radioactive material;
 9. Radiotoxicity of contained radioactive material; and
 10. Operating experience with identical devices or similarly designed and constructed devices;
- (g) In the event the applicant desires that the general licensee under paragraph (2) of Rule 0400-20-10-.10 or under equivalent regulations of the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State, be authorized to install the device, collect the sample to be analyzed by a specific licensee for leakage of radioactive material, service the device, test the on-off mechanism and indicator, or remove the device from installation, he shall include in his application written instructions to be followed by the general licensee, estimated calendar quarter doses associated with such activity or activities and the basis for such estimates. The submitted information shall demonstrate that performance of such activity or activities by an individual untrained in radiological protection, in addition to other handling, storage and use of devices under the general license, will not cause that individual to receive in one year a dose in excess of 10 percent of the limits specified in Rule 0400-20-05-.50;
- (h) Before radioactive material may be transferred in a device for use under a general license, each person licensed under this paragraph shall furnish the following information to each person to whom he directly or through an intermediate person transfers radioactive material in a device. In the case of a transfer through an intermediate person, the information shall be provided to the intended user and to

(Rule 0400-20-10-.13, continued)

the intermediate person prior to initial transfer to the intermediate person.

For use under the general license contained in paragraph (2) of Rule 0400-20-10-.10

For use under equivalent regulations of the U.S. Nuclear Regulatory Commission or an Agreement State or a Licensing State

1. A Copy of the general license contained in paragraph (2) of Rule 0400-20-10-.10.

A copy of the general license contained in the U.S. Nuclear Regulatory Commission's, Agreement State's, or Licensing State's regulations equivalent to paragraph (2) Rule 0400-20-10-.10.

Alternatively, he may furnish a copy of the general license contained in paragraph (2) of Rule 0400-20-10-.10. If a copy of the general license in paragraph (2) of Rule 0400-20-10-.10 is furnished to such a person, it shall be accompanied by a note explaining that the use of the device is regulated by the U.S. Nuclear Regulatory Commission, Agreement State or Licensing State under requirements substantially the same as those in paragraph (2) of Rule 0400-20-10-.10;

If parts (2)(c)2 through 4 or 13 of Rule 0400-20-10-.10 do not apply to the particular device, those parts may be omitted;

If parts (2)(c)2 through 4 or 13 of Rule 0400-20-10-.10, or sections of the Agreement State or Licensing State regulations equivalent to these parts, do not apply to the particular device, these parts may be omitted.

2. A copy of Rules 0400-20-10-.26, 0400-20-05-.140 and 0400-20-05-.141.

A copy of 10 CFR §§31.2, 30.51, 20.2201, and 20.2202 or the Agreement State or Licensing State regulations equivalent to these NRC regulations.

3. A list of services that may only be performed by a specific licensee;

4. Information on acceptable disposal options including estimated costs of disposal;

5. A statement that regulatory agencies may issue citations and civil penalties for improper disposal; and

6. The name or title, address, and phone number of the person at the appropriate regulatory agency from whom additional information may be obtained.

(i) An alternative approach to informing customers may be proposed by the licensee for approval by the Division.

(j) Each device that is transferred on May 26, 2008 or later shall meet the labeling requirements in subparagraphs (b), (c) and (d) of this paragraph.

(k) Each person licensed under this paragraph to distribute devices to generally licensed persons shall:

(Rule 0400-20-10-.13, continued)

1. Report to the Division, at its offices located at the address in Rule 0400-20-04-.07, all transfers of such devices to persons for use under the general license in paragraph (2) of Rule 0400-20-10-.10.
2. Report to the U.S. Nuclear Regulatory Commission all transfers of such devices to persons for use under the U.S. Nuclear Regulatory Commission general license in Section 31.5 of 10 CFR Part 31.
3. Report to the responsible Agreement or Licensing State agency all transfers of devices manufactured and distributed pursuant to this paragraph for use under a general license in that state's regulations equivalent to paragraph (2) of Rule 0400-20-10-.10.
4. Reports required by parts 1, 2, and 3 of this subparagraph shall identify:
 - (i) Each general licensee by name and mailing address for the location of use; if there is no mailing address for the location of use, an alternate address for the general licensee shall be submitted along with information on the actual location of use;
 - (ii) The name, title and phone number of the person identified by the general licensee as having knowledge of and authority to take required actions to ensure compliance with the appropriate regulations and requirements;
 - (iii) The date of transfer;
 - (iv) The type, model number and serial number of the device transferred; and
 - (v) The quantity and type of radioactive material contained in the device.
5. If one or more intermediate persons will temporarily possess the device at the intended place of use prior to its possession by the user, the report shall include the same information for both the intended user and each intermediate person, and clearly designate the intermediate person(s).
6. For devices received from a general licensee, the report shall include the identity of the general licensee by name and address, the type, model number and serial number of the device received, the date of receipt, and, in the case of devices not initially transferred by the reporting licensee, the name of the manufacturer or initial transferor.
7. If the licensee makes changes to a device possessed by a general licensee, such that the label must be changed to update required information, the report shall identify the general licensee, the device, and the changes to information on the device label.
8. The report shall cover each calendar quarter, shall be filed within 30 days of the end of the calendar quarter, and shall clearly indicate the period covered by the report.
9. The report shall clearly identify the specific licensee submitting the report and include the license number of the specific licensee.

(Rule 0400-20-10-.13, continued)

10. If no transfers have been made to or from persons generally licensed under paragraph (2) of Rule 0400-20-10-.10 during the reporting period, the report shall so indicate.
 11. Keep records showing the name, address of use, and responsible individual for each general licensee to whom he directly or through an intermediate person transfers radioactive material in devices for use pursuant to the general license provided in paragraph (2) of Rule 0400-20-10-.10 or equivalent regulations of the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State. The records shall show the date of each transfer, the model number, serial number and the isotope and quantity of radioactivity in each device transferred, the identity of any intermediate person(s), and compliance with the report requirements of this subparagraph. The records required by this part shall be maintained for a period of 3 years from the date of the recorded event.
- (6) The use of sealed sources in industrial radiography.

In addition to the requirements set forth in Rule 0400-20-10-.12, a specific license for use of sealed sources in industrial radiography will be issued only if:

- (a) The applicant will have a program for training radiographers and radiographer's assistants and submits to the Division for approval a schedule or description of such program which specifies the:
 1. Initial training:
 - (i) This initial training will consist of a complete training program as outlined in Rule 0400-20-08-.07; or
 - (ii) Résumés of prior training and experience of individuals that show fulfillment of the requirements of subparagraphs (7)(a) and (b) of Rule 0400-20-08-.07 and the program for the initial training of such individuals in the licensee's or registrant's specific industrial radiography program as outlined in subparagraphs (7)(c), (d) and (e) of Rule 0400-20-08-.07;
 2. Periodic training;
 3. On-the-job training;
 4. Means to be used by the applicant to determine the radiographer's knowledge and understanding of and ability to comply with Division regulations and licensing requirements and the operating and emergency procedures of the applicant; and
 5. Means to be used by the applicant to determine the radiographer's assistant's knowledge and understanding of and ability to comply with the operating and emergency procedures of the applicant;
- (b) The applicant has established and submits to the Division for approval written operating and emergency procedures as described in paragraph (2) of Rule 0400-20-08-.05;
- (c) The applicant will have an internal inspection system to assure that Division regulations, license provisions, and the applicant's operating and emergency procedures are followed by radiographers and radiographer's assistants; the inspection system shall include the performance of internal inspections at intervals not to exceed

(Rule 0400-20-10-.13, continued)

3 months and the retention of records of such inspections for inspection by the Division.

- (d) The applicant submits to the Division a description of his overall organizational structure pertaining to the radiography program, including specified delegations of authority and responsibility for operation of the program; and
 - (e) The applicant who desires to conduct his own leak tests must establish procedures to be followed in testing sealed sources for possible leakage and contamination and submit to the Division for approval a description of such procedures including:
 - 1. Instrumentation to be used;
 - 2. Method of performing tests, e.g., points on equipment to be smeared and method of taking smear; and
 - 3. Pertinent experience of the person who will perform the test.
- (7) Multiple quantities or types of radioactive material for use in processing.

In addition to the requirements set forth in Rule 0400-20-10-.12, a specific license for multiple quantities or types of radioactive material for use in processing for distribution to other authorized persons will be issued only if¹⁰:

- (a) The applicant's staff has experience in the use of radioisotopes for processing and distribution; and
 - (b) The applicant has appointed a radiological safety officer who will advise and assist on radiological safety problems.
- (8) Introduction of radioactive material into products in exempt concentrations.

In addition to the requirements set forth in Rule 0400-20-10-.12, a specific license authorizing the introduction of radioactive material into a product or material owned by or in the possession of the licensee or another to be transferred to persons exempt under subparagraph (1)(a) of Rule 0400-20-10-.04 will be issued only if:

- (a) The applicant submits a description of the product or material into which the radioactive material will be introduced, intended use of the radioactive material and the product or material into which it is introduced, method of introduction, initial concentration of the radioactive material in the product or material, control methods to assure that no more than the specified concentration is introduced into the product or material, estimated time interval between introduction and transfer of the product or material and estimated concentration of the radioactive material in the product or material at the time of transfer; and
- (b) The applicant provides assurance that the concentrations of radioactive material at the time of transfer will not exceed the concentrations in Schedule RHS 8-4, that reconcentration of the radioactive material in concentrations exceeding those in Schedule RHS 8-4 is not likely, that lower concentrations cannot be used, and that the product or material is not likely to be incorporated in any food, beverage, cosmetic,

¹⁰ Authority to transfer possession or control by the manufacturer, processor, or producer of any equipment, device, commodity, or other product containing by product material whose subsequent possession, use, transfer, and disposal by all other persons are exempted from regulatory requirements may be obtained only from the U.S. Nuclear Regulatory Commission, Washington, DC 20555.

(Rule 0400-20-10-.13, continued)

drug, or other commodity or product designed for ingestion or inhalation by, or application to, a human being. Each person licensed under this paragraph, shall file an annual report with the Division which shall identify the type and quantity of each product or material into which radioactive material has been introduced during the reporting period, name and address of the person who owns or possesses the product or material into which radioactive material has been introduced at the time of introduction, the type and quantity of radioactive material introduced into each product or material, and the initial concentrations of radioactive material in the product or material at the time of transfer of the radioactive material by the licensee. If no transfers of radioactive material have been made pursuant to this paragraph during the reporting period, the report shall so indicate. The report shall be submitted within 30 days after the end of each calendar year.

- (9) Radioactive material in luminous safety devices for use in aircraft.

In addition to the requirements set forth in Rule 0400-20-10-.12, a specific license to manufacture, assemble, repair, or distribute to persons generally licensed under paragraph (3) of Rule 0400-20-10-.10 luminous safety devices containing radioactive materials for use in aircraft will be issued only if the requirements of Sections 32.53, 32.54, 32.55, and 32.56 of 10 CFR Part 32 or their equivalent are met.

- (10) Manufacture, preparation or transfer for commercial distribution of radiopharmaceuticals containing radioactive material for medical use.

(a) An application for a specific license to manufacture, prepare, or transfer for commercial distribution radiopharmaceuticals containing radioactive material for use by persons authorized pursuant to Chapter 0400-20-07 will be approved if:

1. The applicant satisfies the general requirements specified in Rule 0400-20-10-.12;
2. The applicant submits evidence that the applicant is at least one of the following:
 - (i) Registered or licensed with the U.S. Food and Drug Administration (FDA) as the owner or operator of a drug establishment that engages in the manufacture, preparation, propagation, compounding, or processing of a drug under 21 CFR 207.20(a);
 - (ii) Registered or licensed with a state agency as a drug manufacturer;
 - (iii) Licensed as a pharmacy by the Tennessee Board of Pharmacy;
 - (iv) Operating as a nuclear pharmacy within a Federal medical institution; or
 - (v) A Positron Emission Tomography (PET) drug production facility registered with a state agency.
3. The applicant submits information on the radionuclide; chemical and physical form; packaging including maximum activity per vial, syringe, generator or other container of the radioactive drug; and shielding provided by the packaging of the radioactive material for safe handling and storage of radiopharmaceuticals by medical use licensees; and
4. The applicant satisfies the following labeling requirements:

(Rule 0400-20-10-.13, continued)

- (i) A label is affixed to each transport radiation shield, whether it is constructed of lead, glass, plastic or other material, of a radioactive drug to be transferred for commercial distribution. The label shall include the radiation symbol and the words "CAUTION, RADIOACTIVE MATERIAL" or "DANGER, RADIOACTIVE MATERIAL"; the name of the radioactive drug or its abbreviation; and the quantity of radioactivity at a specified date and time. For radioactive drugs with a half-life greater than 100 days, the time may be omitted.
 - (ii) A label is affixed to each syringe, vial or other container used to hold a radioactive drug to be transferred for commercial distribution. The label shall include the radiation symbol and the words "CAUTION, RADIOACTIVE MATERIAL" or "DANGER, RADIOACTIVE MATERIAL" and an identifier that ensures that the syringe, vial or other container can be correlated with the information on the transport radiation shield label.
- (b) A licensee described by subpart (a)2(iii) of this paragraph:
1. May prepare radiopharmaceuticals for medical use, as defined in Rule 0400-20-07-.05, provided that the radiopharmaceuticals are prepared by either an authorized nuclear pharmacist, as specified in parts 2 and 4 of this subparagraph, or an individual under the supervision of an authorized nuclear pharmacist as specified in Rule 0400-20-07-.19.
 2. May allow a pharmacist to work as an authorized nuclear pharmacist if:
 - (i) This individual qualifies as an authorized nuclear pharmacist as defined in Rule 0400-20-07-.05,
 - (ii) This individual meets the requirements specified in paragraph (2) of Rule 0400-20-07-.25 and Rule 0400-20-07-.27, and the licensee has received an approved license amendment identifying this individual as an authorized nuclear pharmacist; or
 - (iii) This individual is designated as an authorized nuclear pharmacist in accordance with part 4 of this subparagraph.
 3. The actions authorized in parts 1 and 2 of this subparagraph are permitted in spite of more restrictive language in license conditions.
 4. May designate a pharmacist (as defined in Rule 0400-20-07-.05) as an authorized nuclear pharmacist if:
 - (i) The individual was a nuclear pharmacist at a Government agency or Federally recognized Indian Tribe before November 30, 2007 or at all other pharmacies before August 8, 2009, or an earlier date as noticed by the NRC.
 5. Shall provide to the Division a copy of each individual's:
 - (i) Certification by a specialty board whose certification process has been recognized by the Division, U.S. Nuclear Regulatory Commission or an Agreement State as specified in paragraph (1) of Rule 0400-20-07-.25 with the written attestation signed by a preceptor as required by subparagraph (2)(b) of Rule 0400-20-07-.25; or

(Rule 0400-20-10-.13, continued)

- (ii) The Division, U.S. Nuclear Regulatory Commission or other Agreement State license; or
 - (iii) NRC master materials licensee permit; or
 - (iv) The permit issued by a licensee or NRC master materials permittee of broad scope or the authorization from a commercial nuclear pharmacy authorized to list its own authorization nuclear pharmacist; or
 - (v) Documentation that only accelerator-produced radioactive materials were used in the practice of nuclear pharmacy at a Government agency or Federally recognized Indian Tribe before November 30, 2007 or at all other locations of use before August 8, 2009, or an earlier date as noticed by the NRC; and
 - (vi) A copy of the state pharmacy licensure or registration, no later than 30 days after the date that the licensee allows, the individual to work as an authorized nuclear pharmacist under subparts 2(i) and (ii) of this subparagraph.
- (c) A licensee shall possess and use instrumentation to measure the radioactivity of radioactive drugs. The licensee shall have procedures for use of the instrumentation. The licensee shall measure by direct measurement or by combination of measurements and calculations, the amount of radioactivity in dosages of alpha-, beta-, or photon-emitting radioactive drugs before transfer for commercial distribution. In addition, the licensee shall:
- 1. Perform tests before initial use, periodically and following repair, on each instrument for accuracy, linearity and geometry dependence, as appropriate for the use of the instrument; and make adjustments when necessary; and
 - 2. Check each instrument for constancy and proper operation at the beginning of each day of use.
- (d) Nothing in this rule relieves the licensee from complying with applicable FDA, other Federal and State requirements governing radioactive drugs.
- (11) Manufacture and distribution of generators or reagent kits for preparation of radiopharmaceuticals containing radioactive material. In addition to the requirements set forth in Rule 0400-20-10-.12, a specific license to manufacture and distribute generators or reagent kits containing radioactive material for preparation of radiopharmaceuticals by persons licensed pursuant to Chapter 0400-20-07 will be issued only if¹¹:
- (a) The requested site for manufacture and/or distribution of generators or reagent kits is located within this State;
 - (b) The applicant submits evidence that:
 - 1. The generator or reagent kit is to be manufactured, labeled and packaged in accordance with the Federal Food, Drug and Cosmetic Act or the Public Health

¹¹ Although the Department does not regulate the manufacture and distribution of reagent kits that do not contain radioactive material, it does regulate the use of such reagent kits for the preparation of radiopharmaceuticals containing radioactive material as part of its licensing and regulation of the users of radioactive material. Any manufacturer of reagent kits that do not contain radioactive material who desires to have reagent kits approved by the Department for use by persons licensed pursuant to Chapter 0400-20-07 may submit the pertinent information specified in this paragraph.

(Rule 0400-20-10-.13, continued)

- Service Act, such as a new drug application (NDA) approved by the United States Food and Drug Administration (FDA), a biologic product license issued by FDA or a "Notice of Claimed Investigational Exemption for a New Drug" (IND) accepted by FDA; or
2. The manufacture and distribution of the generator or reagent kit are not subject to the Federal Food, Drug and Cosmetic Act and the Public Health Service Act;
- (c) The applicant submits information on the radionuclide, chemical and physical form, packaging including maximum activity per package, and shielding provided by the packaging of the radioactive material contained in the generator or reagent kit;
 - (d) The label affixed to the generator or reagent kit contains information on the radionuclide, quantity and date of assay;
 - (e) The label affixed to the generator or reagent kit, or the leaflet or brochure which accompanies the generator or reagent kit, contains:
 1. Information, from a radiation safety standpoint, on the procedures to be followed and the equipment and shielding to be used in eluting the generator or processing radioactive material with the reagent kit; and
 2. A statement that this generator or reagent kit, as appropriate, is approved for use by persons licensed by the Division pursuant to Chapter 0400-20-07 of these regulations, or under equivalent licenses of the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State; and
 - (f) The labels, leaflets or brochures required by subparagraphs (d) and (e) of this paragraph are in addition to the labeling required by the FDA and they may be separate from or, with the approval of FDA, may be combined with the labeling required by FDA.
- (12) Manufacture and distribution of sources or devices containing radioactive material for medical uses. In addition to the requirements set forth in Rule 0400-20-10-.12, an application for a specific license to manufacture and distribute sources and devices containing radioactive material to persons licensed under Chapter 0400-20-07 of these regulations for use as a calibration, transmission, or reference source or for the uses listed in Rules 0400-20-07-.51, 0400-20-07-.61, 0400-20-07-.63, and 0400-20-07-.81 will be approved if:
- (a) The applicant satisfies the general requirements in Rule 0400-20-10-.12.
 - (b) The applicant submits information regarding each type of source or device pertinent to an evaluation of its radiation safety, including:
 1. The radioactive material contained, its chemical and physical form and amount;
 2. Details of design and construction of the source or device;
 3. Procedures for, and results of, prototype tests to demonstrate that the source or device will maintain its integrity under stresses likely to be encountered;
 4. For devices containing radioactive material, the radiation profile of a prototype device;
 5. Details of quality control procedures to assure that production sources and devices meet the standards of the design and prototype tests;

(Rule 0400-20-10-.13, continued)

6. Procedures and standards for calibrating sources and devices;
 7. Legend and methods for labeling sources and devices as to their radioactive content; and
 8. Instructions for handling and storing the source or device for radiation safety; these instructions are to be included on a durable label attached to the source or device or attached to a permanent storage container for the source or device; provided that instructions which are too lengthy for such label may be summarized on the label and printed in detail on a brochure which is referenced on the label;
- (c) The label affixed to the source or device, or to the permanent storage container for the source or device, contains information on the radionuclide, quantity, and date of assay, and a statement that the Division has approved distribution of the (name of the source or device) to persons licensed to use radioactive material identified in Rules 0400-20-07-.31, 0400-20-07-.51, 0400-20-07-.61, and 0400-20-07-.63 as appropriate, and to persons who hold an equivalent license issued by the U.S. NRC or an Agreement State.
- (d) The source or device has been registered in the Sealed Source and Device Registry.
- (e) In the event the applicant desires that the source or device be required to be tested for leakage of radioactive material at intervals longer than 6 months, the applicant shall include in his application information to demonstrate that such longer interval is justified by performance characteristics of the source or device or similar sources or devices and by design features that have a significant bearing on the probability or consequences of leakage of radioactive material from the source. In determining the acceptable interval for test of leakage of radioactive material, the Division will consider information that includes, but is not limited to:
1. Primary containment (source capsule);
 2. Protection of primary containment;
 3. Method of sealing containment;
 4. Containment construction materials;
 5. Form of contained radioactive material;
 6. Maximum temperature withstood during prototype tests;
 7. Maximum pressure withstood during prototype tests;
 8. Maximum quantity of contained radioactive material;
 9. Radiotoxicity of contained radioactive material; and
 10. Operating experience with identical sources or devices or similarly designed and constructed devices;
- (13) Manufacture and distribution of radioactive material for certain in vitro clinical or laboratory testing under general license.

(Rule 0400-20-10-.13, continued)

In addition to the requirements set forth in Rule 0400-20-10-.12, a specific license to manufacture or distribute radioactive material for use under the general license of paragraph (7) of Rule 0400-20-10-.10 will be issued only if:

- (a) The radioactive material is to be prepared for distribution in prepackaged units of:
 1. Iodine-125 in units not exceeding 10 microcuries each.
 2. Iodine-131 in units not exceeding 10 microcuries each.
 3. Carbon-14 in units not exceeding 10 microcuries each.
 4. Hydrogen-3 (tritium) in units not exceeding 50 microcuries each.
 5. Iron-59 in units not exceeding 20 microcuries each.
 6. Cobalt-57 in units not exceeding 10 microcuries each.
 7. Selenium-75 in units not exceeding 10 microcuries each.
 8. Mock Iodine-125 in units not exceeding 0.05 microcurie of iodine-129 and 0.005 microcurie of americium-241 each.
- (b) Each prepackaged unit bears a durable, clearly visible label:
 1. Identifying the radioactive contents as to chemical form and radionuclide, and indicating that the amount of radioactivity does not exceed 10 microcuries of iodine-131, iodine-125, cobalt-57, selenium-75, or carbon-14; 50 microcuries of hydrogen-3 (tritium); 20 microcuries of iron-59; or Mock Iodine-125 in units not exceeding 0.05 microcurie of iodine-129 and 0.005 microcurie of americium-241 each; and
 2. Displaying the radiation caution symbol described in Rule 0400-20-05-.110 and the words, "Caution, Radioactive Material" and "Not for Internal or External Use in Humans or Animals."
- (c) The following statement or a substantially similar statement which contains the information called for in the following statement, appears on a label affixed to each prepackaged unit or appears in a leaflet or brochure which accompanies the package:
 1. This radioactive material may be received, acquired, possessed and used only by physicians, veterinarians in the practice of veterinary medicine, clinical laboratories or hospitals and only for "in vitro" clinical or laboratory tests not involving internal or external administration of the material, or the radiation therefrom, to human beings or animals. Its receipt, acquisition, possession, use and transfer are subject to the regulations and a general license of the U.S. Nuclear Regulatory Commission or of a state with which the Commission has entered into an agreement for the exercise of regulatory authority.

(Name of Manufacturer)
- (d) The label affixed to the unit, or the leaflet or brochure which accompanies the package, contains adequate information as to the precautions to be observed in handling and storing such radioactive material. In the case of the Mock Iodine-125 reference or

(Rule 0400-20-10-.13, continued)

calibration source, the information accompanying the source must also contain directions to the licensee regarding the waste disposal requirements set out in Rule 0400-20-05-.120.

- (14) Distribution of radioactive material in exempt quantities¹².
- (a) An application for a specific license to distribute NARM to persons exempt from these regulations pursuant to paragraph (3) of Rule 0400-20-10-.04 will be approved if:
1. The radioactive material is not contained in any food, beverage, cosmetic, drug, or other commodity designed for ingestion or inhalation by, or application to, a human being;
 2. The radioactive material is in the form of processed chemical elements, compounds, or mixtures, tissue samples, bioassay samples, counting standards, plated or encapsulated sources, or similar substances, identified as radioactive and to be used for its radioactive properties, but is not incorporated into any manufactured or assembled commodity, product, or device intended for commercial distribution; and
 3. The applicant submits copies of prototype labels and brochures and the Division approves such labels and brochures.
- (b) The license issued under subparagraph (a) of this paragraph is subject to the following conditions:
1. No more than 10 exempt quantities shall be sold or transferred in any single transaction. However, an exempt quantity may be composed of fractional parts of one or more of the exempt quantity provided the sum of the fractions shall not exceed unity.
 2. Each exempt quantity shall be separately and individually packaged. No more than 10 such packaged exempt quantities shall be contained in any outer package for transfer to persons exempt pursuant to paragraph (3) of Rule 0400-20-10-.04. The outer package shall be such that the dose rate at the external surface of the package does not exceed 0.5 millirem per hour.
 3. The immediate container of each quantity or separately packaged fractional quantity of radioactive material shall bear a durable, legible label which:
 - (i) Identifies the radionuclide and the quantity of radioactivity; and
 - (ii) Bears the words "Radioactive Material."
 4. In addition to the labeling information required by part 3 of this subparagraph, the label affixed to the immediate container, or an accompanying brochure, shall:
 - (i) State that the contents are exempt from Licensing State requirements;
 - (ii) Bear the words "Radioactive Material - Not for Human Use -Incorporation into Foods, Beverages, Cosmetics, Drugs, or Medicinals, or into Products Manufactured for Commercial Distribution is Prohibited - Exempt Quantities Should Not Be Combined"; and

¹² See footnote 2 of this Chapter.

(Rule 0400-20-10-.13, continued)

- (iii) Set forth appropriate additional radiation safety precautions and instructions relating to the handling, use, storage and disposal of the radioactive material.
 - (c) Each person licensed under this paragraph shall maintain records identifying, by name and address, each person to whom radioactive material is transferred for use under paragraph (3) of Rule 0400-20-10-.04 or the equivalent regulations of a Licensing State, and stating the kinds and quantities of radioactive material transferred. An annual summary report stating the total quantity of each radionuclide transferred under the specific license shall be filed with the Division. Each report shall cover the year ending June 30, and shall be filed within 30 days thereafter. If no transfers of radioactive material have been made pursuant to this paragraph during the reporting period, the report shall so indicate.
- (15) Incorporation of naturally occurring and accelerator-produced radioactive material into gas and aerosol detectors.

An application for a specific license authorizing the incorporation of NARM into gas and aerosol detectors to be distributed to persons exempt under part (2)(a)9 of Rule 0400-20-10-.04 will be approved if the application satisfies requirements equivalent to those contained in Section 32.26 of 10 CFR Part 32. The maximum quantity of radium-226 in each device shall not exceed 0.1 microcurie.

- (16) Special requirements for license to manufacture or initially transfer calibration sources containing americium-241, plutonium or radium-226 for distribution to persons generally licensed under paragraph (4) of Rule 0400-20-10-.10.
- (a) An application for a specific license to manufacture or initially transfer calibration or reference sources containing americium-241, plutonium, or radium-226 for distribution to persons generally licensed under paragraph (4) of Rule 0400-20-10-.10 will be approved if:
 - 1. The applicant satisfies the general requirement of Rule 0400-20-10-.12; and
 - 2. The applicant submits sufficient information regarding each type of calibration or reference source pertinent to evaluation of the potential radiation exposure, including:
 - (i) Chemical and physical form and maximum quantity of americium 241, plutonium or radium-226 in the source;
 - (ii) Details of construction and design;
 - (iii) Details of the method of incorporation and binding of the americium-241, plutonium or radium-226 in the source;
 - (iv) Procedures for and results of prototype testing of sources, which are designed to contain more than 185 Bq (0.005 μ Ci) of americium-241, plutonium or radium-226, to demonstrate that the americium-241, plutonium or radium-226 contained in each source will not be released or be removed from the source under normal conditions of use;
 - (v) Details of quality control procedures to be followed in manufacture of the source;

(Rule 0400-20-10-.13, continued)

- (vi) Description of labeling to be affixed to the source or the storage container for the source; and
 - (vii) Any additional information, including experimental studies and tests, required by the Division to facilitate a determination of the safety of the source.
3. Each source will contain no more than 185 kBq (5 μ Ci) of americium-241, plutonium or radium-226.
4. The Division determines, with respect to any type of source containing more than 185 Bq (0.005 μ Ci) of americium-241, plutonium or radium-226, that:
- (i) The method of incorporation and binding of the americium-241, plutonium or radium-226 in the source is such that the americium-241, plutonium or radium-226 will not be released or be removed from the source under normal conditions of use and handling of the source; and
 - (ii) The source has been subjected to and has satisfactorily passed appropriate tests prescribed by subparagraph (b) of this paragraph.
5. The applicant shall subject at least five prototypes of each source that is designed to contain more than 0.185 kilobecquerel (0.005 microcurie) of americium-241 or radium-226 to tests as follows:
- (i) The initial quantity of radioactive material deposited on each source is measured by direct counting of the source.
 - (ii) The sources are subjected to tests that adequately take into account the individual, aggregate, and cumulative effects of environmental conditions expected in service that could adversely affect the effective containment or binding of americium-241 or radium-226, such as physical handling, moisture, and water immersion.
 - (iii) The sources are inspected for evidence of physical damage and for loss of americium-241 or radium-226, after each stage of testing, using methods of inspection adequate for determining compliance with the criteria in subpart (iv) of this paragraph.
 - (iv) Source designs are rejected for which the following has been detected for any unit: Removal of more than 0.185 kilobecquerel (0.005 microcurie) of americium-241 or radium-226 from the source or any other evidence of physical damage.

five prototypes of such source, which contains more than 185 Bq (0.005 μ Ci) of americium-241, plutonium or radium-226, as follows:

(Rule 0400-20-10-.13, continued)

(c) Labeling of devices.

Each person licensed under subparagraph (a) of this paragraph shall affix to each source, or storage container for the source, a label which shall contain sufficient information relative to safe use and storage of the source and shall include the following statement or a substantially similar statement which contains the information called for in the following statement:

The receipt, possession, use and transfer of this source, Model _____, Serial No. _____, are subject to a general license and the regulations of the NRC or an Agreement State. Do not remove this label.

CAUTION--RADIOACTIVE MATERIAL--
THIS SOURCE CONTAINS AMERICIUM-241 [PLUTONIUM OR RADIUM-226].
DO NOT TOUCH RADIOACTIVE PORTION OF THIS SOURCE.

Name of manufacturer or initial transferor

- (d) Leak testing of each source. Each person licensed under subparagraph (a) of this paragraph shall perform a dry wipe test upon each source containing more than 3.7 kBq (0.1 μ Ci) of americium-241, plutonium or radium 226 prior to transferring the source to a general licensee under paragraph (4) of Rule 0400-20-10-.10. This test must be performed by wiping the entire radioactive surface of the source with a filter paper with the application of moderate finger pressure. The radioactivity on the filter paper must be measured by using methods capable of detecting 185 Bq (0.005 μ Ci) of americium-241, plutonium, or radium-226. If a source has been shown to be leaking or losing more than 185 Bq (0.005 μ Ci) of americium-241, plutonium or radium-226 by the methods described in this section, the source must be rejected and must not be transferred to a general licensee under paragraph (4) of Rule 0400-20-10-.10 or equivalent regulations of the NRC or an Agreement State.
- (17) Ice detection devices containing strontium-90; requirements for license to manufacture or initially transfer. An application for a specific license to manufacture or initially transfer ice detection devices containing strontium-90 for distribution to persons generally licensed under 0400-20-10-.10 will be approved if:
- (a) The applicant satisfies the general requirements specified in 0400-20-10-.12 ;
 - (b) The applicant submits sufficient information regarding each type of device pertinent to evaluation of the potential radiation exposure, including:
 1. Chemical and physical form and maximum quantity of strontium-90 in the device;
 2. Details of construction and design of the source of radiation and its shielding;
 3. Radiation profile of a prototype device;
 4. Procedures for and results of prototype testing of devices to demonstrate that the strontium-90 contained in each device will not be released or be removed from the device under the most severe conditions likely to be encountered in normal handling and use;
 5. Details of quality control procedures to be followed in manufacture of the device;
 6. Description of labeling to be affixed to the device;

(Rule 0400-20-10-.13, continued)

7. Instructions for handling and installation of the device;
 8. Any additional information, including experimental studies and tests, required by The Division to facilitate a determination of the safety of the device;
- (c) Each device will contain no more than 50 microcuries of strontium-90 in an insoluble form;
- (d) Each device will bear durable, legible labeling which includes the radiation caution symbol prescribed by 0400-20-05-.110, a statement that the device contains strontium-90 and the quantity thereof, instructions for disposal and statements that the device may be possessed pursuant to a general license, that the manufacturer or civil authorities should be notified if the device is found, that removal of the labeling is prohibited and that disassembly and repair of the device may be performed only by a person holding a specific license to manufacture or service such devices;
- (e) The Division determines that:
1. The method of incorporation and binding of the strontium-90 in the device is such that the strontium-90 will not be released from the device under the most severe conditions which are likely to be encountered in normal use and handling of the device;
 2. The strontium-90 is incorporated or enclosed so as to preclude direct physical contact by any individual with it and is shielded so that no individual will receive a radiation exposure to a major portion of his body in excess of 0.5 rem in a year under ordinary circumstances of use;
 3. The device is so designed that it cannot be easily disassembled;
 4. Prototypes of the device have been subjected to and have satisfactorily passed the tests required by paragraph (f) of this section.
 5. Quality control procedures have been established to satisfy the requirements of 0400-20-10-.13(18).
- (f) The applicant shall subject at least five prototypes of the device to tests as follows:
1. The devices are subjected to tests that adequately take into account the individual, aggregate, and cumulative effects of environmental conditions expected in service that could adversely affect the effective containment of strontium-90, such as temperature, moisture, absolute pressure, water immersion, vibration, shock, and weathering.
 2. The devices are inspected for evidence of physical damage and for loss of strontium-90 after each stage of testing, using methods of inspection adequate for determining compliance with the criteria in paragraph (f)(3) of this section.
 3. Device designs are rejected for which the following has been detected for any unit:
 - (i) A leak resulting in a loss of 0.1 percent or more of the original amount of strontium-90 from the device; or
 - (ii) Surface contamination of strontium-90 on the device of more than 2,200

(Rule 0400-20-10-.13, continued)

disintegrations per minute per 100 square centimeters of surface area; or

(iii) Any other evidence of physical damage.

(g) The device has been registered in the Sealed Source and Device Registry.

(18) Same: Quality assurance; prohibition of transfer.

(a) Each person licensed under 0400-20-10-.13(17) shall visually inspect each device and shall reject any which has an observable physical defect that could affect containment of the strontium-90.

(b) Each person licensed under 0400-20-10-.13(17) shall test each device for possible loss of strontium-90 or for contamination by wiping with filter paper an area of at least 100 square centimeters on the outside surface of the device, or by wiping the entire surface area if it is less than 100 square centimeters. The detection on the filter paper of more than 2,200 disintegrations per minute of radioactive material per 100 square centimeters of surface wiped shall be cause for rejection of the tested device.

(c) Each person licensed under 0400-20-10-.13(17) shall:

1. Maintain quality assurance systems in the manufacture of the ice detection device containing strontium-90 in a manner sufficient to provide reasonable assurance that the safety-related components of the distributed devices are capable of performing their intended functions; and
2. Subject inspection lots to acceptance sampling procedures, by procedures specified in paragraph (d) of this section and in the license issued under 0400-20-10-.13(17), to provide at least 95 percent confidence that the Lot Tolerance Percent Defective of 5.0 percent will not be exceeded.

(d) Each person licensed under 0400-20-10-.13(17) shall subject each inspection lot to:

1. Tests that adequately take into account the individual, aggregate, and cumulative effects of environmental conditions expected in service that could possibly affect the effective containment of strontium-90, such as absolute pressure and water immersion.
2. Inspection for evidence of physical damage, containment failure, or for loss of strontium-90 after each stage of testing, using methods of inspection adequate to determine compliance with the following criteria for defective: A leak resulting in a loss of 0.1 percent or more of the original amount of strontium-90 from the device and any other criteria specified in the license issued under 0400-20-10-.13(17).

(e) No person licensed under 0400-20-10-.13(17) shall transfer to persons generally licensed under 0400-20-10-.10(6), or under an equivalent general license of an Agreement State:

1. Any ice detection device containing strontium-90 tested and found defective under the criteria specified in a license issued under 0400-20-10-.13(17), unless the defective ice detection device has been repaired or reworked, retested, and determined by an independent inspector to meet the applicable acceptance criteria; or

(Rule 0400-20-10-.13, continued)

2. Any ice detection device containing strontium-90 contained within any lot that has been sampled and rejected as a result of the procedures in paragraph (c)(2) of this section, unless:

- (i) A procedure for defining sub-lot size, independence, and additional testing procedures is contained in the license issued under 0400-20-10-.13(17), and
- (ii) Each individual sub-lot is sampled, tested, and accepted in accordance with paragraphs (c)(2) and (e)(2)(i) of this section and any other criteria as may be required as a condition of the license issued under 0400-20-10-.13(17).

(19) Registration of sealed source and device product information.

- (a) Any manufacturer or initial distributor of a sealed source or device containing a sealed source may submit a request to the Division for evaluation of radiation safety information about its product and for its registration.
- (b) The request for review must be sent to the Tennessee Division of Radiological Health at the address given in 0400-20-04-.07(1)(c).
- (c) The request for review of a sealed source or a device must include sufficient information about the design, manufacture, prototype testing, quality control program, labeling, proposed uses and leak testing and, for a device, the request must also include sufficient information about installation, service and maintenance, operating and safety instructions, and its potential hazards, to provide reasonable assurance that the radiation safety properties of the source or device are adequate to protect health and minimize danger to life and property.
- (d) The Division normally evaluates a sealed source or a device using radiation safety criteria in accepted industry standards. If these standards and criteria do not readily apply to a particular case, the Division formulates reasonable standards and criteria with the help of the manufacturer or distributor. The Division shall use criteria and standards sufficient to ensure that the radiation safety properties of the device or sealed source are adequate to protect health and minimize danger to life and property. Subpart A of this part includes specific criteria that apply to certain exempt products and subpart B includes specific criteria applicable to certain generally licensed devices. Subpart C includes specific provisions that apply to certain specifically licensed items.
- (e) After completion of the evaluation, the Division issues a certificate of registration to the person making the request. The certificate of registration acknowledges the availability of the submitted information for inclusion in an application for a specific license proposing use of the product, or concerning use under an exemption from licensing or general license as applicable for the category of certificate.
- (f) The person submitting the request for evaluation and registration of safety information about the product shall manufacture and distribute the product in accordance with-
 - (i) The statements and representations, including quality control program, contained in the request; and
 - (ii) The provisions of the registration certificate.

(Rule 0400-20-10-.13, continued)

- (g) Authority to manufacture or initially distribute a sealed source or device to specific licensees may be provided in the license without the issuance of a certificate of registration in the following cases:
- (i) Calibration and reference sources containing no more than:
 - (I) 37 MBq (1 mCi), for beta and/or gamma emitting radionuclides; or
 - (II) 0.37 MBq (10 μ Ci), for alpha emitting radionuclides; or
 - (iii) The intended recipients are qualified by training and experience and have sufficient facilities and equipment to safely use and handle the requested quantity of radioactive material in any form in the case of unregistered sources or, for registered sealed sources contained in unregistered devices, are qualified by training and experience and have sufficient facilities and equipment to safely use and handle the requested quantity of radioactive material in unshielded form, as specified in their licenses; and
 - (I) The intended recipients are licensed under 0400-20-10, or
 - (II) The recipients are authorized for research and development; or
 - (III) The sources and devices are to be built to the unique specifications of the particular recipient and contain no more than 740 GBq (20 Ci) of tritium or 7.4 GBq (200 mCi) of any other radionuclide.
- (h) After the certificate is issued, the Division may conduct an additional review as it determines is necessary to ensure compliance with current regulatory standards. In conducting its review, the Division will complete its evaluation in accordance with criteria specified in this section. The Division may request such additional information as it considers necessary to conduct its review and the certificate holder shall provide the information as requested.

(20) Inactivation of certificates of registration of sealed sources and devices.

- (a) A certificate holder who no longer manufactures or initially transfers any of the sealed source(s) or device(s) covered by a particular certificate issued by the Division shall request inactivation of the registration certificate. Such a request must be made to the Tennessee Division of Radiological Health at the address given in 0400-20-04-.07(1)(c) and must normally be made no later than two years after initial distribution of all of the source(s) or device(s) covered by the certificate has ceased. However, if the certificate holder determines that an initial transfer was in fact the last initial transfer more than two years after that transfer, the certificate holder shall request inactivation of the certificate within 90 days of this determination and briefly describe the circumstances of the delay.
- (b) If a distribution license is to be terminated in accordance with 0400-20-10-.17, the licensee shall request inactivation of its registration certificates associated with that distribution license before the Division will terminate the license. Such a request for inactivation of certificate(s) must indicate that the license is being terminated and include the associated specific license number.

(Rule 0400-20-10-.13, continued)

- (c) A specific license to manufacture or initially transfer a source or device covered only by an inactivated certificate no longer authorizes the licensee to initially transfer such sources or devices for use. Servicing of devices must be in accordance with any conditions in the certificate, including in the case of an inactive certificate.

(21) Emergency preparedness.

(a) Emergency preparedness for possession of radioactive material other than uranium and plutonium.

1. In addition to the requirements set forth in Rule 0400-20-10-.12, all specific licenses issued, or for which an initial application or an application to amend is submitted, to possess radioactive materials in unsealed form, on foils or plated sources, or sealed in glass in excess of the quantities in Table RHS 7-2 must contain either:
 - (i) An evaluation showing that the maximum dose to a person offsite due to a release of radioactive materials would not exceed 1 rem effective dose equivalent or 5 rems to the thyroid; or
 - (ii) An emergency plan for responding to a release of radioactive material.
2. One or more of the following factors may be used to support an evaluation submitted under subpart 1(i) of this subparagraph:
 - (i) The radioactive material is physically separated so that only a portion could be involved in an accident;
 - (ii) All or part of the radioactive material is not subject to release during an accident because of the way it is stored or packaged;
 - (iii) The release fraction in the respirable size range would be lower than the release fraction shown in Table RHS 7-2 due to the chemical or physical form of the material;
 - (iv) The solubility of the radioactive material would reduce the dose received;
 - (v) Facility design or engineered safety features in the facility would cause the release fraction to be lower than shown in Table RHS 7-2;
 - (vi) Operating restrictions or procedures would prevent a release fraction as large as that shown in Table RHS 7-2; or
 - (vii) Other factors appropriate for the specific facility.

Table RHS 7-2
Quantities of radioactive materials requiring consideration of the need for an emergency plan for responding to a release.

Radioactive material ¹	Release fraction	Quantity (curies)	Radioactive material ¹	Release fraction	Quantity (curies)
			Actinium-228		0.001 4,000
			Americium-241		0.001 2

(Rule 0400-20-10-.13, continued)

Americium-242	0.001	2	Niobium-94	0.01	300
Americium-243	0.001	2	Phosphorus-32	0.5	100
Antimony-124	0.01	4,000	Phosphorus-33	0.5	1,000
Antimony-126	0.01	6,000	Polonium-210	0.01	10
Barium-133	0.01	10,000	Potassium-42	0.01	9,000
Barium-140	0.01	30,000	Promethium-145	0.01	4,000
Bismuth-207	0.01	5,000	Promethium-147	0.01	4,000
Bismuth-210	0.01	600	Radium-226	0.001	100
Cadmium-109	0.01	1,000	Ruthenium-106	0.01	200
Cadmium-113	0.01	80	Samarium-151	0.01	4,000
Calcium-45	0.01	20,000	Scandium-46	0.01	3,000
Californium-252	0.001	9 (20 mg)	Selenium-75	0.01	10,000
Carbon-14	0.01	50,000	Silver-110m	0.01	1,000
Cerium-141	0.01	10,000	Sodium-22	0.01	9,000
Cerium-144	0.01	300	Sodium-24	0.01	10,000
Cesium-134	0.01	2,000	Strontium-89	0.01	3,000
Cesium-137	0.01	3,000	Strontium-90	0.01	90
Chlorine-36	0.5	100	Sulfur-35	0.5	900
Chromium-51	0.01	300,000	Technetium-99	0.01	10,000
Cobalt-60	0.001	5,000	Technetium-99m	0.01	400,000
Copper-64	0.01	200,000	Tellurium-127m	0.01	5,000
Curium-242	0.001	60	Tellurium-129m	0.01	5,000
Curium-243	0.001	3	Terbium-160	0.01	4,000
Curium-244	0.001	4	Thulium-170	0.01	4,000
Curium-245	0.001	2	Tin-113	0.01	10,000
Europium-152	0.01	500	Tin-123	0.01	3,000
Europium-154	0.01	400	Tin-126	0.01	1,000
Europium-155	0.01	3,000	Titanium-44	0.01	100
Germanium-68	0.01	2,000	Vanadium-48	0.01	7,000
Gadolinium-153	0.01	5,000	Xenon-133	1.0	900,000
Gold-198	0.01	30,000	Yttrium-91	0.01	2,000
Hafnium-172	0.01	400	Zinc-65	0.01	5,000
Hafnium-181	0.01	7,000	Zirconium-93	0.01	400
Holmium-166m	0.01	100	Zirconium-95	0.01	5,000
Hydrogen-3	0.5	20,000	Any other beta-gamma emitter	0.01	10,000
Iodine-125	0.5	10	Mixed fission products	0.01	1,000
Iodine-131	0.5	10	Mixed corrosion products	0.01	10,000
Indium-114m	0.01	1,000	Contaminated equipment beta-gamma	0.001	10,000
Iridium-192	0.001	40,000	Irradiated material, any form	0.01	1,000
Iron-55	0.01	40,000	solid noncombustible	0.001	10,000
Iron-59	0.01	7,000	Irradiated material, solid noncombustible	0.01	1,000
Krypton-85	1.0	6,000,000	Mixed radioactive waste, beta-gamma	0.01	1,000
Lead-210	0.01	8	Packaged mixed waste, beta-gamma ²	0.001	10,000
Manganese-56	0.01	60,000	Any other alpha emitter	0.001	2
Mercury-203	0.01	10,000	Contaminated equipment, alpha	0.0001	20
Molybdenum-99	0.01	30,000	Packaged waste, alpha ²	0.0001	20
Neptunium-237	0.001	2	Combinations of radioactive materials listed above		1
Nickel-63	0.01	20,000			

¹ For combinations of radioactive materials, consideration of the need for an emergency plan is required if the sum of the ratios of the quantity of each radioactive material authorized to the quantity listed for that material in Table RHS 7-2 exceeds one.

² Waste packaged in Type B containers does not require an emergency plan.

(b) Emergency preparedness for possession of uranium hexafluoride.

1. In addition to the requirements set forth in Rule 0400-20-10-.12, all specific licenses to possess uranium hexafluoride in excess of 50 kilograms in a single container or 1000 kilograms total must contain either:
 - (i) An evaluation showing that the maximum intake of uranium by a member of the public due to a release would not exceed 2 milligrams; or

(Rule 0400-20-10-.13, continued)

- (ii) An emergency plan for responding to the radiological hazards of an accidental release of source material and to any associated chemical hazards directly incident thereto.
2. One or more of the following factors may be used to support an evaluation submitted under subpart 1(i) of this subparagraph:
- (i) All or part of the radioactive material is not subject to release during an accident because of the way it is stored or packaged;
 - (ii) Facility design or engineered safety features in the facility would reduce the amount of the release; or
 - (iii) Other factors appropriate for the specific facility.
- (c) Emergency preparedness for possession of plutonium.
1. In addition to the requirements set forth in Rule 0400-20-10-.12, all specific licenses to possess plutonium in excess of 2 curies in unsealed form or on foils or plated sources must contain either:
- (i) An evaluation showing that the maximum dose to a member of the public offsite due to a release of plutonium would not exceed 1 rem effective dose equivalent, or
 - (ii) An emergency plan for responding to the radiological hazards of an accidental release of special nuclear material and to any associated chemical hazards directly incident thereto.
2. One or more of the following factors may be used to support an evaluation submitted under subpart 1(i) of this subparagraph:
- (i) The plutonium is physically separated so that only a portion could be involved in an accident;
 - (ii) All or part of the plutonium is not subject to release during an accident because of the way it is stored or packaged;
 - (iii) In the case of fires or explosions, the release fraction would be lower than 0.001 due to the chemical or physical form of the material;
 - (iv) The solubility of the material released would reduce the dose received;
 - (v) The facility design or engineered safety features in the facility would cause the release fraction to be lower than 0.001;
 - (vi) Operating restrictions or procedures would prevent a release large enough to cause a member of the public offsite to receive a dose exceeding 1 rem effective dose equivalent; or
 - (vii) Other factors appropriate for the specific facility.
- (d) An emergency plan for responding to a release of radioactive material submitted under subpart (a)1(ii), (b)1(ii) or (c)1(ii) of this paragraph must include the following information:

(Rule 0400-20-10-.13, continued)

1. Facility description.

A brief description of the licensee's facility and area near the site.

2. Types of accidents.

An identification of each type of accident for which protective actions may be needed.

3. Classification of accidents.

A classification system for classifying accidents as alerts or site area emergencies.

4. Detection of accidents.

Identification of the means of detecting each type of radioactive materials accident in a timely manner.

5. Mitigation of consequences.

A brief description of the means and equipment for mitigating the consequences of each type of accident, including those provided to protect workers onsite, and a description of the program for maintaining the equipment.

6. Assessment of releases.

A brief description of the methods and equipment to assess releases of radioactive material.

7. Responsibilities.

A brief description of the responsibilities of licensee personnel should an accident occur, including identification of personnel responsible for promptly notifying offsite response organizations and the Division of Radiological Health; also responsibilities for developing, maintaining and updating the plan.

8. Notification and coordination.

A commitment to and a brief description of the means to promptly notify offsite response organizations and request offsite assistance, including medical assistance for the treatment of contaminated, injured onsite workers when appropriate. A control point must be established. The notification and coordination must be planned so that unavailability of some personnel, parts of the facility, and some equipment will not prevent the notification and coordination. The licensee shall also commit to notify the Division of Radiological Health immediately after notification of the offsite response organizations and not later than 1 hour after the licensee declares an emergency.¹³

9. Information to be communicated.

¹³ These reporting requirements do not supersede or release licensees of complying with the requirements under the Emergency Planning and Community Right-to-Know Act of 1986, Title III, Public Law 99-499 (42 U.S.C. Chapter 112) or other state or federal reporting requirements.

(Rule 0400-20-10-.13, continued)

A brief description of the types of information on facility status, radioactive releases and recommended protective actions, if necessary, to be given to offsite response organizations and to the Division of Radiological Health.

10. Training.

A brief description of the frequency, performance objectives and plan for the training that the licensee will provide workers on how to respond to an emergency including any special instructions and orientation tours the licensee would offer to fire, police, medical and other emergency personnel. The training shall familiarize personnel with site-specific emergency procedures. Also, the training shall thoroughly prepare site personnel for their responsibilities in the event of accident scenarios postulated as most probable for the specific site, including the use of team training for such scenarios.

11. Safe shutdown.

A brief description of the means of restoring the facility to a safe condition after an accident.

12. Exercises.

Provisions for conducting quarterly communications checks with offsite response organizations and biennial onsite exercises to test response to simulated emergencies. Quarterly communications checks with offsite response organizations must include the check and update of all necessary telephone numbers. The licensee shall invite offsite response organizations to participate in the biennial exercises. Participation of offsite response organizations in biennial exercises although recommended is not required. Exercises must use accident scenarios postulated as most probable for the specific site and the scenarios shall not be known to most exercise participants. The licensee shall critique each exercise using individuals not having direct implementation responsibility for the plan. Critiques of exercises must evaluate the appropriateness of the plan, emergency procedures, facilities, equipment, training of personnel and overall effectiveness of the response. Deficiencies found by the critiques must be corrected.

13. Hazardous chemicals.

A certification that the applicant has met its responsibilities under the Emergency Planning and Community Right-to-Know Act of 1986, Title III, Public Law 99-499 (42 U.S.C. Chapter 116), if applicable to the applicant's activities at the proposed place of the use of the source material.

(e) The licensee shall allow the offsite response organizations expected to respond in case of an accident 60 days to comment on the licensee's emergency plan before submitting it to the Division of Radiological Health. The licensee shall provide any comments received within the 60 days to the Division of Radiological Health with the emergency plan.

(f) Licensees required to submit emergency plans by this paragraph shall follow the emergency plan approved by the Division of Radiological Health. The licensee may change the plan without Division of Radiological Health approval if the changes do not decrease the effectiveness of the plan. The licensee shall furnish the change to the Division of Radiological Health and to affected offsite response organizations within 6 months after the change is made. Proposed changes that decrease the effectiveness

(Rule 0400-20-10-.13, continued)

of the approved emergency plan may not be implemented without application to and prior approval by the Division of Radiological Health.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.14 RESERVED.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.15 ISSUANCE OF SPECIFIC LICENSES.

- (1) Upon a determination that an applicant meets the requirements of T.C.A. §§ 68-202-201 et seq. and the rules of the Division will issue a specific license authorizing the proposed activity in such form and containing such conditions and limitations as it deems appropriate or necessary.
- (2) The Division may incorporate in any license at the time of issuance, or thereafter by amendment, such additional requirements and conditions with respect to the licensee's receipt, possession, use and transfer of radioactive material subject to this Chapter as it deems appropriate or necessary in order to:
 - (a) Protect the public health and safety or property;
 - (b) Require such reports and the keeping of such records, and to provide for such inspection of activities under the license as may be necessary to evaluate activities conducted under the license; and
 - (c) Prevent loss or theft of material subject to this Chapter.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.16 SPECIFIC TERMS AND CONDITIONS OF LICENSES.

- (1) Each license issued pursuant to this Chapter shall be subject to all provisions of T.C.A. §§ 68-202-201 et seq., now or hereafter in effect, and to all rules, regulations, and orders of the Division.
- (2) Neither the license nor any right under the license shall be assigned or otherwise transferred in violation of the provisions of T.C.A. §§ 68-202-201 et seq.
- (3) Each person licensed by the Division pursuant to this Chapter shall confine his or her use and possession of the material licensed to the locations and purposes authorized in the license.
- (4) Each licensee authorized under paragraph (5) of Rule 0400-20-10-.13 to distribute certain devices to generally licensed persons shall:
 - (a) Report to the Division within 30 days after the end of each calendar quarter all transfers of such devices to persons generally licensed under paragraph (2) of Rule 0400-20-10-.10 or, if no transfers have been made during the reporting period, the report shall so indicate. For all transfers the report shall identify each general licensee by name and address, an individual by name and/or position who may constitute a point of contact between the Division and the general licensee, the type and model number of device

(Rule 0400-20-10-.16, continued)

transferred and the quantity and type of radioactive material contained in the device;
and

- (b) Furnish to each general licensee in this State to whom he transfers such device a copy of the general license contained in paragraph (2) of Rule 0400-20-10-.10.
- (5) Each specific licensee shall notify the Division in writing when the licensee decides to permanently discontinue all activities involving radioactive materials authorized under the license.
- (6) Each licensee preparing technetium-99m radiopharmaceuticals from molybdenum-99/technetium-99m generators or rubidium-82 from strontium-82/rubidium-82 generators shall test the generator eluates for molybdenum-99 breakthrough or strontium-82 and strontium-85 contamination, respectively, in accordance with Rule 0400-20-07-.41. The licensee shall record the results of each test and retain each record for 3 years after the record is made.
- (7) Each specific licensee and each general licensee meeting the criteria of part (2)(c)14 of Rule 0400-20-10-.10 shall:
 - (a) Provide the Division written notification, at the address in Rule 0400-20-04-.07, immediately following the filing of a voluntary or involuntary petition for bankruptcy under any Chapter of Title 11 (Bankruptcy) of the United States Code (U.S.C.):
 1. By or against the licensee;
 2. By or against an entity (as that term is defined in 11 U.S.C. 101(15)) controlling the licensee or listing the license or licensee as property of the estate; or
 3. By or against an affiliate (as that term is defined in 11 U.S.C. 101(2)) of the licensee;
 - (b) Include in the notification required in subparagraph (a) of this paragraph the bankruptcy court in which the petition for bankruptcy was filed; and
 - (c) Include in the notification required in subparagraph (a) of this paragraph the date of the filing of the petition.
- (8) When temporary job-sites are authorized on a specific license, radioactive material may be used at temporary job-sites, in areas not under exclusive federal jurisdiction, throughout the State of Tennessee.
- (9) Each portable gauge licensee shall use a minimum of 2 independent physical controls that form tangible barriers to secure portable gauges from unauthorized removal, whenever portable gauges are not under the control and constant surveillance of the licensee.
- (10)
 - (a) Authorization under paragraph (8) of Rule 0400-20-10-.11 to produce Positron Emission Tomography (PET) radioactive drugs for noncommercial transfer to medical use licensees in its consortium does not relieve the licensee from complying with applicable FDA, other Federal, and Agreement State requirements governing radioactive drugs.
 - (b) Each licensee authorized under paragraph (8) of Rule 0400-20-10-.11 to produce PET radioactive drugs for noncommercial transfer to medical use licensees in its consortium shall:
 1. Satisfy the labeling requirements in part (10)(a)4 of Rule 0400-20-10-.13 for each PET radioactive drug transport radiation shield and each syringe, vial, or other

(Rule 0400-20-10-.16, continued)

- container used to hold a PET radioactive drug intended for noncommercial distribution to members of its consortium; and
2. Possess and use instrumentation to measure the radioactivity of the PET radioactive drugs intended for noncommercial distribution to members of its consortium and meet the procedural, radioactivity measurement, instrument test, instrument check, and instrument adjustment requirements in subparagraph (10)(c) of Rule 0400-20-10-.13.
- (c) A licensee that is a pharmacy authorized under paragraph (8) of Rule 0400-20-10-.11 to produce PET radioactive drugs for noncommercial transfer to medical use licensees in its consortium shall require that any individual that prepares PET radioactive drugs shall be:
1. An authorized nuclear pharmacist that meets the requirements in part (10)(b)2 of Rule 0400-20-10-.13, or
 2. An individual under the supervision of an authorized nuclear pharmacist as specified in Rule 0400-20-07-.19.
- (d) A pharmacy, authorized under paragraph (8) of Rule 0400-20-10-.11 to produce PET radioactive drugs for noncommercial transfer to medical use licensees in its consortium that allows an individual to work as an authorized nuclear pharmacist, shall meet the requirements of part (10)(b)5 of Rule 0400-20-10-.13.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012. Amendments filed March 3, 2015; effective June 1, 2015.

0400-20-10-.17 EXPIRATION AND TERMINATION OF LICENSES AND DECOMMISSIONING OF SITES AND SEPARATE BUILDINGS OR OUTDOOR AREAS.

- (1) Expiration of specific licenses.

Except as provided in paragraph (2) of this rule, each specific license shall expire at the end of the day, in the month and year stated therein.

- (2) Termination of specific licenses:

- (a) Specific licenses shall continue in effect, beyond the expiration date if necessary, with respect to possession of radioactive material until the Division notifies the licensee in writing that the license is terminated. During this time, the licensee shall:
1. Limit actions involving radioactive material to those related to decommissioning; and
 2. Continue to control entry to restricted areas until they are suitable for release in accordance with Division requirements.
- (b) Specific licenses, including expired licenses, will be terminated by written notice to the licensee when the Division determines that:
1. The licensee has properly disposed of radioactive material;
 2. The licensee has made reasonable effort to eliminate residual radioactive contamination, if present;

(Rule 0400-20-10-.17, continued)

3. The premises are suitable for release in accordance with Division requirements. The licensee may demonstrate suitability for release by:
 - (i) Performance of the radiation survey described in part (3)(d)2 of this rule, or
 - (ii) Submission of other information that the Division determines is acceptable;
4. The licensee has complied with any requests for information from the Division; and
5. The licensee has submitted a written request for license termination to the Division.

(3) Decommissioning of sites or separate buildings or outdoor areas:

(a) Each specific licensee shall notify the Division in writing, at the address in Rule 0400-20-04-.07, within 60 days of any of the following occurrences:

1. The license has expired pursuant to paragraph (2) of this rule;
2. The licensee has decided to permanently cease principal activities, as defined in this rule:
 - (i) At the entire site, or
 - (ii) In any separate building or outdoor area that contains residual radioactivity such that the building or outdoor area is unsuitable for release in accordance with Division requirements;
3. No principal activities under the license have been conducted for 24 months; or
4. No principal activities have been conducted for 24 months in any separate building or outdoor area that contains residual radioactivity such that the building or outdoor area is unsuitable for release in accordance with Division requirements.

(b) Each specific licensee:

1. If not required by subparagraph (g) of this paragraph to submit a decommissioning plan, shall begin decommissioning its site or any separate building or outdoor area that contains residual radioactivity within 60 days of any occurrence listed in subparagraph (a) of this paragraph.
2. If required by subparagraph (g) of this paragraph to submit a decommissioning plan, shall:
 - (i) Submit a decommissioning plan within 12 months of notification of any occurrence listed in subparagraph (a) of this paragraph, and
 - (ii) Begin decommissioning upon Division approval of that plan.

(c) Coincident with the notification required by subparagraph (a) of this paragraph, the specific licensee shall maintain in effect all financial assurances that were established, pursuant to paragraph (3) of Rule 0400-20-10-.12 in conjunction with a license issuance or renewal, or that are required by this rule.

(Rule 0400-20-10-.17, continued)

1. The Division will determine if the licensee shall increase, or may decrease, the amount of the financial assurance to cover the detailed cost estimate for decommissioning established pursuant to part (i)5 of this paragraph.
 2. The licensee may with Division approval reduce the amount of the financial assurance as decommissioning proceeds and radiological contamination is reduced at the site.
- (d) As the final steps in decommissioning, specific licensees shall:
1. Certify the disposition of all licensed material, including accumulated wastes; and
 2. Demonstrate that the premises are suitable for release in accordance with Division requirements.
 - (i) The licensee shall:
 - (I) Conduct a radiation survey of the premises where the licensed activities were carried out and submit a report of the results of this survey, or
 - (II) Submit other information that the Division determines is acceptable.
 - (ii) The licensee shall, as appropriate:
 - (I) Report levels of gamma radiation in units of microroentgens (millisieverts) per hour at 1 meter from surfaces, and
 - (II) Report levels of radioactivity, including alpha and beta, in units of
 - I. Disintegrations per minute or microcuries (megabecquerels) per 100 square centimeters — removable and fixed — for surfaces,
 - II. Microcuries (megabecquerels) per milliliter for water, and
 - III. Picocuries (becquerels) per gram for solids such as soils or concrete, and
 - (III) Specify the survey instrument(s) used and certify that each instrument was properly calibrated and tested at the time of the survey.
 3. Records required by paragraphs (4) and (6) of Rule 0400-20-10-.26 have been received.
- (e) Except as provided in part (k)3 of this paragraph, specific licensees shall complete decommissioning of the site or separate building or outdoor area so that the site, building or outdoor area is suitable for release in accordance with Division requirements as soon as practicable but no later than 24 months following the initiation of decommissioning.
- (f) Except as provided in part (k)3 of this paragraph, when decommissioning involves the entire site, the specific licensee shall request license termination as soon as practicable but no later than 24 months following the initiation of decommissioning.

(Rule 0400-20-10-.17, continued)

- (g) A specific licensee shall submit a decommissioning plan if:
 - 1. Required to do so by license condition; or
 - 2. The Division determines that the procedures and activities necessary to carry out decommissioning of the site or separate building or outdoor area have not been previously approved by the Division and that these procedures could increase potential health and safety impacts to workers or to the public. Some examples are procedures:
 - (i) That would involve techniques not applied routinely during cleanup or maintenance operations;
 - (ii) In which workers would be entering areas not normally occupied where surface contamination and radiation levels are significantly higher than routinely encountered during operation;
 - (iii) That could result in significantly greater airborne concentrations of radioactive materials than are present during operation; or
 - (iv) That could result in significantly greater releases of radioactive material to the environment than those associated with operation.
- (h) Specific licensees shall not carry out procedures with potential health and safety impacts before Division approval of the decommissioning plan.
- (i) The proposed decommissioning plan for the site or separate building or outdoor area shall include:
 - 1. A description of the conditions of the site or separate building or outdoor area sufficient to evaluate the acceptability of the plan;
 - 2. A description of planned decommissioning activities;
 - 3. A description of methods used to ensure protection of workers and the environment against radiation hazards during decommissioning;
 - 4. A description of the planned final radiation survey;
 - 5. A detailed cost estimate for decommissioning, comparison of that estimate with present funds set aside for financial assurance, and a plan for assuring the availability of adequate funds for completion of decommissioning; and
 - 6. For decommissioning plans calling for completion of decommissioning later than 24 months after plan approval, the plan shall include a justification for the delay based on the criteria in part (k)3 of this paragraph.
- (j) The Division will approve the proposed decommissioning plan if the information in the plan demonstrates that the licensee:
 - 1. Will complete decommissioning as soon as practicable; and
 - 2. Will adequately protect the health and safety of workers and the public.
- (k) Requests for extensions:

(Rule 0400-20-10-.17, continued)

1. A licensee may request a delay in initiating decommissioning.
 - (i) The Division may grant this delay, if the Division determines that this delay is not detrimental to the public health and safety and is otherwise in the public interest.
 - (ii) The request for a delay shall be submitted no later than 30 days before notification pursuant to subparagraph (a) of this paragraph.
 - (iii) The schedule for decommissioning set forth in subparagraph (b) of this paragraph shall not start until the Division has made a determination on the request.
2. A licensee may request an alternative schedule for the submittal of a decommissioning plan. The Division may approve the alternative schedule, if the Division determines that the alternative schedule is necessary to the effective conduct of decommissioning operations and presents no undue risk from radiation to the public health and safety and is otherwise in the public interest.
3. A licensee may request an alternative schedule for the completion of decommissioning of the site or separate building or outdoor area, and license termination if appropriate. The Division may approve the alternative schedule for completion of decommissioning, if the Division determines that it is warranted by consideration of the following:
 - (i) Whether it is technically feasible to complete decommissioning within the allotted 24-month period;
 - (ii) Whether sufficient waste disposal capacity is available to allow completion of decommissioning within the allotted 24 month period;
 - (iii) Whether allowing short-lived radionuclides to decay will achieve a significant volume reduction in wastes requiring disposal;
 - (iv) Whether allowing short-lived radionuclides to decay will achieve a significant reduction in radiation exposure to workers;
 - (v) Other site-specific factors that the Division may determine are beyond the control of the licensee.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.18 RENEWAL OF LICENSE.

- (1) Applications for renewal of specific licenses shall be filed in accordance with Rule 0400-20-10-.11.
- (2) In any case in which a licensee, not less than 30 days prior to expiration of his existing license, has filed an application in proper form for renewal or for a new license authorizing the same activities, such existing license shall not expire until the application has been finally determined by the Division.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

(Rule 0400-20-10-.17, continued)

0400-20-10-.19 AMENDMENT OF LICENSES AT REQUEST OF LICENSEE.

Applications for amendment of a license shall be filed in accordance with Rule 0400-20-10-.11 and shall specify the respects in which the licensee desires his license to be amended and the grounds for such amendment.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.20 DIVISION ACTION ON APPLICATION TO RENEW OR AMEND.

In considering an application by a licensee to renew or amend his license, the Division will apply the criteria set forth in Rules 0400-20-10-.12 and 0400-20-10-.13, as applicable.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.21 INALIENABILITY OF LICENSES.

No license issued or granted under this Chapter and no right to possess or utilize radioactive material granted by any license issued pursuant to this Chapter shall be transferred, assigned, or in any manner disposed of, either voluntarily or involuntarily, directly or indirectly, through transfer of control of any license to any person unless the Division shall, after securing full information, find that the transfer is in accordance with the provisions of T.C.A. §§ 68-202-201 et seq., and shall give its consent in writing.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.22 TRANSFER OF MATERIAL.

- (1) No licensee shall transfer radioactive material except as authorized pursuant to this rule.
- (2) Any licensee may transfer radioactive material:
 - (a) To the Division provided such transfer is accepted by the Division in writing;
 - (b) To the U.S. Department of Energy;
 - (c) To any person exempt from the regulations in this Chapter to the extent permitted under such exemption;
 - (d) To any person authorized to receive such material under terms of a general license or its equivalent, or a specific license or equivalent licensing document, issued by the Division, the U.S. Nuclear Regulatory Commission, any Agreement State or a Licensing State; or
 - (e) As otherwise authorized by the Division in writing.
- (3) Before transferring sources of radiation to a specific licensee of the Division, the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State, or to a general licensee who is required to register with or report to the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State prior to receipt of the source of radiation, the transferor of the source of radiation shall verify that the transferee's authorization is for the receipt of the type, form, and quantity of the source of radiation to be transferred.

(Rule 0400-20-10-.22, continued)

- (4) The following methods for the verification required in paragraph (3) of this rule are acceptable:
 - (a) The transferor may have in his possession, and read, a current copy of the transferee's specific license or registration certificate;
 - (b) The transferor may have in his possession a written certification by the transferee that he is authorized by license or registration certificate to receive the type, form and quantity of the source of radiation to be transferred, specifying the license or registration certificate number, issuing agency, and expiration date;
 - (c) For emergency shipments the transferor may accept oral certification containing all of the information specified in subparagraph (b) of this paragraph provided that written certification is forwarded to the transferor within 10 days following the oral communication;
 - (d) The transferor may obtain other information compiled by a reporting service from official records of the Division, the U.S. Nuclear Regulatory Commission or the licensing agency of any state as to the identity of licensees and the scope and expiration dates of licenses and registrations; or
 - (e) When none of the methods of verification described in subparagraphs (a) through (d) of this paragraph are readily available or when a transferor desires to verify that information received by one of such methods is correct or up-to-date, the transferor may obtain and record confirmation from the Division, the U.S. Nuclear Regulatory Commission, or the licensing agency of any state that the transferee is authorized to receive the source of radiation.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.23 MODIFICATION, REVOCATION, AND TERMINATION OF LICENSES.

- (1) The terms and conditions of all licenses may be subject to amendment, revision, or modification or the license may be suspended or revoked by reason of amendments to T.C.A. §§ 68-202-201 et seq., or by reason of rules or regulations issued by the Department.
- (2) Any license may be revoked, suspended, or modified, in whole or in part, for any material false statement in the application or in any statement of fact required under provisions of the Act, or because of conditions revealed by such application or statement of fact or any report, record, or inspection or other means that would warrant the Department to refuse to grant a license on an original application, or for violation of, or failure to observe any of the terms and conditions of T.C.A. §§ 68-202-201 et seq., or of the license, or of any rule or regulation of the Department. This action will be taken pursuant to T.C.A. Title 68, Chapter 202.
- (3) The Division may terminate a specific license upon request submitted by the licensee to the Division in writing.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.24 REGISTRATION.

- (1) The owner or person having possession of any radiation machine or accelerator, except those specifically exempted in Rule 0400-20-10-.07, shall register such sources within 10 days after acquisition of such machine. The owner or possessor of any accelerator shall

(Rule 0400-20-10-.24, continued)

substitute an application for certified registration required in Chapter 0400-20-09. The application for certified registration must be received by the Department within 10 days after acquisition of the accelerator; however, an accelerator may not be energized until registered pursuant to Chapter 0400-20-09. In addition, every person who provides inspections as provided for in paragraph (4) of Rule 0400-20-10-.27 and every person who assembles, installs, or services radiation machines shall register with the Division of Radiological Health, Tennessee Department of Environment and Conservation. Registration under this rule shall be on Department Form RHS 8-4, Form RHS 8-4a or Form RHS 8-4b, as appropriate, as furnished by the Department and may be obtained from the Division of Radiological Health, at the address given in Rule 0400-20-04-.07. A registration fee in accordance with the Classification and Fee Schedule in paragraph (3) of this rule shall be due upon receipt of an invoice from the Division of Radiological Health following the submittal of the completed registration form. The check for the fee shall be made payable to "Treasurer, State of Tennessee."

- (2) An annual registration fee will be required each year as long as the radiation machine or service is subject to registration. Each registrant shall submit the annual fee payable to, "Treasurer, State of Tennessee," in the appropriate dollar amount in accordance with the Classification and Fee Schedule in paragraph (3) of this rule to the Division of Radiological Health. Payment shall be accompanied by a copy of the fee invoice properly completed. The invoice for the annual fee will be dated May 1st and will require payment by June 15th of the indicated year. The annual registration fee shall be due within 45 days of issuance of an invoice. At the time of the annual payment, a registrant of only Class II radiation machines may request specific times or list restricted hours during normal work hours for inspections pursuant to Rule 0400-20-10-.27 by personnel of the Division of Radiological Health, Tennessee Department of Environment and Conservation.
- (3) Classification and fee schedule. For purposes of inspections and payment of fees the classification and fee schedule shall be as follows:

(a) Radiation Machines

CLASS I

Dental Radiation Machines: \$85.00 per tube

All diagnostic equipment used exclusively for dental diagnostic procedures.

CLASS II

Priority Two Medical Radiation Machines: \$195.00 per tube

All medical diagnostic x-ray equipment, not in Class III, used exclusively for medical or veterinary diagnostic procedures.

CLASS III

Priority One Medical Radiation Machines: \$286.00 per tube

All diagnostic x-ray equipment used in radiologists' offices, orthopedic surgeon's offices or hospitals exclusively for medical diagnostic procedures.

CLASS IV

Therapy Medical Radiation Machines: \$390.00 per tube

(Rule 0400-20-10-.24, continued)

All x-ray equipment with energies less than 0.9 MeV used for the purpose of medical or veterinary radiation therapy.

CLASS V

Priority Two Industrial and Educational Radiation Machines: \$780.00 per tube

Closed-beam analytical radiation machines, gauges or industrial radiation machines used in shielded room or cabinet radiography.

CLASS VI

Priority One Industrial and Educational Radiation Machines: \$1,170.00 per tube

All x-ray machines used for industrial radiography and all open-beam analytical x-ray machines and all radiation machines not specifically included in Class I, II, III, IV, V, VII.

CLASS VII

Accelerators: \$2,600.00 annual fee, plus an initial

All devices defined as accelerators as per "State Regulations for Protection Against Radiation" maximum nominal rated MeV for initial certified registration review initial review fee not to exceed \$150,000.00) fee of \$375.00 per

- (b) A person providing inspection services as permitted by paragraph (4) Rule 0400-20-10-.27 shall pay of an annual registration fee of eight hundred fifty dollars. \$850.00
- (c) A person providing assembly/installation/servicing shall pay an annual registration fee of eight hundred fifty dollars. \$850.00
- (d) A registrant may qualify to pay a registration fee equal to 18 percent of that listed in this paragraph, subject to the following conditions:
 - 1. All tubes subject to registration are inspected in accordance with paragraphs (3), (4) and (5) of Rule 0400-20-10-.27.
 - (i) For purposes of the 18 percent fee, the first inspection performed on an x-ray tube on or after December 6, 2011, will establish a new baseline date for that tube. Previous baseline dates will be reset to the last day of the month of performance of the previous inspections.
 - (I) Each subsequent inspection of a tube shall be performed during the same month as the preceding inspection or the month immediately following resulting in "baseline periods" of from 59 days to 62 days, depending upon applicable new 2 month periods, according to the schedule set out in subparagraph (3)(a) of Rule 0400-20-10-.27.

(Rule 0400-20-10-.24, continued)

- (II) An inspection performed prior to or after the applicable new 2 month period shall establish a new baseline date for that tube.
 - (III) An inspection performed after the applicable new 2 month period shall not qualify the registrant for the 18 percent fee.
 - (IV) An inspection performed prior to the applicable new 2 month period and meeting all other requirements found in paragraphs (3), (4) and (5) of Rule 0400-20-10-.27 shall qualify the registrant for the 18 percent fee.
- (ii) Reserved.
2. Each newly acquired tube subject to registration is inspected within 3 months of ownership or possession.
 3. An individual who satisfies the requirements in paragraph (4) of Rule 0400-20-10-.27 performs all inspections.
 4. The registrant submits to the Division, at the address given in Rule 0400-20-04-.07:
 - (i) Copies of the appropriate State evaluation forms within 60 days after the inspection.
 - (ii) Copies of applicable service reports to document correction of any deficiencies noted within 60 days after the inspection.
 - (iii) A signed "X-Ray Inspection Notification and Certification of Compliance" form within 60 days of the inspection.
 5. Inspections found by the Division to be unsatisfactory under this subparagraph or under paragraph (4) or (5) of Rule 0400-20-10-.27 shall not qualify for the 18 percent.
 - (i) The registrant shall correct and re-submit the report(s) and documentation of an inspection found to be unsatisfactory within 30 days of the date of notification by the Division. Failure to correct and re-submit the report(s) and documentation of an unsatisfactory inspection will subject the registrant to the Division's normal enforcement actions, penalties and assessments.
 - (ii) The 30-day correction period shall not establish a new baseline. It shall not:
 - (I) Qualify an existing tube for reduced fee for the following calendar year, or
 - (II) Qualify a newly acquired tube for reduced fee for the current calendar year.
- (e) Reserved.
- (4) Any failure to pay an invoiced amount by the date specified on the invoice, unless qualified by subparagraph (3)(d) of this rule, shall be deemed to constitute a violation of T.C.A. §§ 68-203-101 et seq.

(Rule 0400-20-10-.24, continued)

- (5) Whenever there is a change in information such as address, ownership, possessor, or location of use from that declared on the last previous registration, the completion of a new Form RHS 8-4 shall be required within 10 days of the change.
- (6) Each registrant, or his estate, who permanently discontinues the use of or transfers all of his radiation machines at an installation shall notify the Division in writing within 60 days of such action. In the event of a transfer, the notification shall include the name and address of the transferee.
- (7) No person shall state or imply that any activity under such a registration has been approved by the Division.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012. Amendment filed February 13, 2013; effective May 14, 2013. Amendments filed September 25, 2014; effective December 24, 2014. Amendments filed March 3, 2015; effective June 1, 2015.

0400-20-10-.25 REPORTS.

- (1) Any person who sells, leases, transfers, assembles, reassembles, or lends radiation machines, except those exempted from registration by Rule 0400-20-10-.07 shall report to the Division, within 30 days after the end of each calendar quarter, the name and address of persons to whom they have transferred such items and the date of transfer. Persons routinely engaged in the sale, transfer, leasing, lending, assembling, or reassembling of x-ray equipment shall report each calendar quarter, including a report for calendar quarters in which no radiation machine transfer occurs. Such reports shall be held proprietary by the Division.
- (2) Each out-of-state person who brings radiation machines into the State, except those exempted in Rule 0400-20-10-.07, for any temporary use shall:
 - (a) Notify the Division in writing at least 3 days prior to engaging in such use. Such notification shall indicate the location, period, and type of proposed use within the State. If, for a specific case, the 3-day period would impose an undue hardship, he may, upon application to the Division obtain permission to proceed sooner;
 - (b) Register the radiation machines with this Division on Form RHS 8-4 prior to entry into the State; and
 - (c) Comply with all applicable regulations of the Division including the payment of the fee for the Class, as appropriate, contained in paragraph (3) of Rule 0400-20-10-.24.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.26 RECORDS.

- (1) Each person who receives radioactive material pursuant to a license issued pursuant to these rules shall keep records showing the receipt, transfer, and disposal of the radioactive material as follows:
 - (a) The licensee shall retain each record of receipt of radioactive material as long as the material is possessed and for 3 years following transfer or disposal of the material.

(Rule 0400-20-10-.26, continued)

- (b) The licensee who transferred the material shall retain each record of transfer for 3 years after each transfer, unless a specific requirement in another part of these rules dictate otherwise.
 - (c) The licensee who disposed of the material shall retain each record of disposal of radioactive material until the Division terminates each license that authorizes disposal of the material.
- (2) A licensee shall retain each record that is required by these rules or by license condition for the period specified by the appropriate rule or license condition. If a retention period is not otherwise specified by rule or license condition, the record must be retained until the Division terminates each license that authorizes the activity that is subject to the recordkeeping requirement.
 - (3) Records which must be maintained pursuant to this rule may be the original or a reproduced copy. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. A licensee shall maintain adequate safeguards against tampering with and loss of records.
 - (4) Prior to license termination, each licensee authorized to possess radioactive material with a half-life greater than 120 days, in an unsealed form, shall forward the following records to the Division:
 - (a) Records of disposal of licensed material made under Rules 0400-20-05-.121 (including burials authorized before January 28, 1981), 0400-20-05-.122, 0400-20-05-.123, 0400-20-05-.124; and
 - (b) Records required by subparagraph (2)(d) of Rule 0400-20-05-.132.
 - (5) If licensed activities are transferred or assigned in accordance with paragraph (2) of Rule 0400-20-10-.16, each licensee authorized to possess radioactive material, with a half-life greater than 120 days, in an unsealed form, shall transfer the following records to the new licensee and the new licensee will be responsible for maintaining these records until the license is terminated:
 - (a) Records of disposal of licensed material made under Rules 0400-20-05-.121 (including burials authorized before January 28, 1981), 0400-20-05-.122, 0400-20-05-.123, 0400-20-05-.124; and
 - (b) Records required by subparagraph (2)(d) of Rule 0400-20-05-.132.
 - (6) Prior to license termination, each licensee shall forward the records required subparagraph (4)(n) of Rule 0400-20-10-.12 to the Division.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.27 INSPECTIONS.

- (1) Each licensee or registrant shall afford the Division at all reasonable times opportunity to inspect sources of radiation, premises, facilities and activities subject of these regulations and records maintained pursuant to these regulations.

(Rule 0400-20-10-.27, continued)

- (a) Department inspectors may consult privately with workers concerning matters of occupational radiation protection and other matters related to applicable provisions of the regulations, license, and Certified Registration to the extent the inspectors deem necessary for the conduct of an effective and thorough inspection.
 1. During the course of an inspection, any worker may bring privately to the attention of the inspectors, either orally or in writing, any past or present condition which he has reason to believe may have contributed to or caused any violation of the Act, these regulations, or license or Certified Registration condition, or any unnecessary exposure to radiation or radioactive material under the licensee's or registrant's control. Any such notice in writing shall comply with paragraph (2) of this rule.
 2. The licensee or registrant or licensee's or registrant's representative may accompany Division inspectors during other phases of an inspection.
 3. The provision of part 1 of this subparagraph shall not be interpreted as authorization to disregard instructions pursuant to Rule 0400-20-04-.12.
 - (b) If at the time of inspection, an individual has been authorized by the workers to represent them during inspections by the Division, the licensee or registrant shall notify the inspectors of such authorization and shall give the workers' representative an opportunity to accompany the inspectors during the inspection of physical working conditions.
 1. Different representative of licensees or registrants and workers may accompany the inspectors during different phases of an inspection if there is no resulting interference with the conduct of the inspection. However, only one worker's representative at a time may accompany the inspectors.
 2. Any worker's representative shall be an employee of the licensee or registrant and should be a worker as defined in Rule 0400-20-04-.04 and shall have received instructions as specified in Rule 0400-20-04-.12.
 3. In addition to the licensee's or registrant's representative and with the approval of the licensee or registrant and the workers' representative, an individual who is not routinely engaged in work under control of the licensee or registrant, for example, a consultant to the licensee or registrant or to the workers' representative, shall be afforded the opportunity to accompany Division inspectors during the inspection of physical working conditions.
 4. The workers' representative for any area containing proprietary information shall be an individual previously authorized by the licensee or registrant to enter that area.
 5. Notwithstanding the other provisions of this rule, Division inspectors are authorized to refuse to permit accompaniment by any individual who deliberately interferes with a fair and orderly inspection.
- (2) Requests by Workers for Inspection.
- (a) Any worker or representative of workers who believes that a violation of T.C.A. §§ 68-202-201 et seq., these rules, conditions of a Certified Registration, or license conditions exists or has occurred in activities subject to these regulations with regard to radiological working conditions in which the worker is engaged, may request an inspection by registering a complaint of the alleged violation with the Commissioner,

(Rule 0400-20-10-.27, continued)

Tennessee Department of Environment and Conservation; Director, Division of Radiological Health; or Division inspectors.

1. Any such complaint shall be in writing, shall set forth the specific grounds for the complaint and shall be signed by the worker or representative of workers.
 2. A copy of the complaint shall be provided the licensee or registrant by the Division no later than at the time of inspection except that, upon request of the worker registering such complaint, his name and the name of individuals referred to therein shall not appear in such a copy or on any record published, released or made available by the Division except for good cause shown.
- (b) If, upon receipt of such complaint, the Division determines that the complaint meets the requirements set forth in subparagraph (a) of this paragraph and that there are reasonable grounds to believe that the alleged violation exists or has occurred, an inspection will be made as soon as practicable, to determine if such alleged violation exists or has occurred. Inspections pursuant to this paragraph need not be limited to matters referred to in the request for an inspection.
- (c) If it is determined that there are no reasonable grounds to believe that a violation exists or has occurred, the complainant shall be notified by the Division in writing.
- (d) No licensee or registrant shall discharge or in any manner discriminate against any worker because such worker has filed any complaint or instituted or caused to be instituted any proceeding under these regulations or has testified or is about to testify in any such proceeding or because of the exercise by such worker on behalf of himself or others of any option afforded by these regulations.
- (3) Inspections of radiation machines are to be conducted:
- (a) According to Class as follows:
CLASS I - once every 4 years
CLASSES II and V - once every 2 years
CLASSES III, IV, VI and VII – annually
 - (b) By personnel of the Division of Radiological Health, Tennessee Department of Environment and Conservation, or
 - (c) As provided in paragraph (4) of this rule, and
 - (d) According to the same criteria and to the satisfaction of the Division and provided the appropriate Division forms are completed and submitted along with any documentation required by subparagraph (e) of this paragraph, and
 - (e) By the Division of Radiological Health on a selected number of those facilities providing an inspection report as permitted by paragraph (4) of this rule.
- (4) The Division will accept, as inspections for a reduced registration fee as provided for in subparagraph (3)(d) of Rule 0400-20-10-.24, inspections by individuals other than employees of the Division:
- (a) Whose inspections are satisfactory to the Division;

(Rule 0400-20-10-.27, continued)

- (b) Who are registered with the Division;
- (c) Who are staff inspectors, or who have paid an annual registration fee to the Division; and
- (d) Who meet one set of the following criteria:

	Formal Education or Certification	Plus	Experience
1.	Bachelor's degree in a physical science or mathematics		4 years of applied health physics experience in a program with radiation safety problems similar to those in the program to be surveyed
2.	Bachelor's degree in a physical science or a biological science with a physical science minor and 1 year of graduate work in health physics		3 years of applied health physics experience in a program with radiation safety problems similar to those in the program to be surveyed
3.	Master's degree in health physics or radiological health		2 years of applied health physics experience in a program with radiation safety problems similar to those in the program to be surveyed
4.	Doctor's degree in health physics or radiological health		1 year of applied health physics experience in a program with radiation safety problems similar to those in the program to be surveyed
5.	Certification by the American Board of Health Physics or by the American Board of Radiology or be a Fellow, Canadian College of Physicists in Medicine		1 year of applied health physics experience in a program with radiation safety problems similar to those in the program to be surveyed
6.	2 notarized letters of reference from persons registered to provide inspections for reduction in fees and meeting any of the above sets of criteria certifying to the individual's capabilities to perform the necessary inspections		5 years of applied health physics experience in a program with radiation safety problems similar to those in the program to be surveyed

(5) Inspections satisfactory to the Division. The following constitute a proper inspection and must occur:

- (a) The inspection of an x-ray facility subject to registration under "State Regulations for Protection Against Radiation" shall identify the compliance status of the facility and each piece of equipment subject to registration with respect to requirements in Chapters 0400-20-04, 0400-20-05, 0400-20-06, 0400-20-08, 0400-20-09 and this Chapter.
- (b) The qualified individual performing the inspection shall record the results of the inspection on evaluation forms provided by the Division, one form for each facility plus an appropriate form, or forms, for each piece of equipment. The evaluation forms shall describe the compliance status of the facility and equipment, as it exists at the time of

(Rule 0400-20-10-.27, continued)

the inspection. The Division will accept computer-generated forms if these contain the same questions as Division forms contain.

- (c) The qualified individual shall provide signed and dated evaluation and certification of compliance forms to the registrant promptly.
- (d) The registrant shall submit evaluation and certification of compliance forms to the Division as set out in subparagraph (3)(d) of Rule 0400-20-10-.24.
- (e) A registrant whose inspection reveals an item of non-compliance shall correct the item promptly following notification by the qualified individual. The registrant shall provide appropriate documentation of the correction to the Division as set out in paragraph (3) of Rule 0400-20-10-.24.
- (f) If as a result of inadvertent error or excusable neglect a tube(s) is not inspected, the Commissioner or the Commissioner's designee may grant the 18 percent fee for all other tubes provided they were timely inspected by a qualified individual.
- (g) For a tube that is inoperable at the time of inspection, the qualified individual shall submit a form indicating the tube was inoperable. The tube shall be inspected within 60 days of its becoming functional.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.28 TESTS.

Each licensee and registrant shall perform, upon instruction from the Division, or shall permit the Division to perform, such tests as the Division may require including, but not limited to, tests of:

- (1) Sources of radiation;
- (2) Facilities wherein sources of radiation are used or stored;
- (3) Radiation detection and monitoring instruments; and
- (4) Other equipment and devices used in connection with utilization or storage of licensed or registered sources of radiation.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.29 RECIPROCAL RECOGNITION OF LICENSES.

- (1) Subject to these regulations, any individual in another state who holds a specific license from the U.S. Nuclear Regulatory Commission, an Agreement State or Licensing State, and issued by the agency having primary jurisdiction, where the licensee maintains an office for directing the licensed activities and at which radiation safety records are normally maintained, may possess or use the licensed radioactive material to conduct the activities authorized by such license within this State for a period not in excess of 180 days in any period of 12 consecutive months and will be considered, without obtaining a specific licensing document from this Division, a licensee of this State provided that:
 - (a) The out-of-state licensing document does not limit the activity authorized by such document to specified installations or locations;

(Rule 0400-20-10-.29, continued)

- (b) The out-of-state licensee notifies the Division in writing at least 3 days prior to each entry into this State to engage in such activity. Such notification shall indicate the location, period, type of proposed possession, use and supervisor within this State, and shall be accompanied by a copy of the pertinent licensing document or shall indicate in the notification that such licensing document has previously been submitted to this Division. If for a specific case, the 3 day period would impose an undue hardship, the Division may authorize such person to proceed sooner upon notification by telephone of intent to conduct the proposed activity provided that the licensee shall file in writing the information required in this paragraph within 3 days of the telephone notification;
 - (c) The out-of-state licensee shall not transfer or dispose of radioactive material possessed or used under the provisions of this rule except by transfer to a person:
 - 1. Specifically licensed by the Division, the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State to receive such material; or
 - 2. Exempt from the requirements for a license for such material under subparagraph (1)(a) of Rule 0400-20-10-.04;
 - (d) The out-of-state licensee complies with all applicable regulations of the Division and with all the terms and conditions of his licensing document, except any such terms and conditions which may be inconsistent with applicable regulations of the Division; and
 - (e) The Division may require the out-of-state licensee to supply such other information as the Division may request.
- (2) Notwithstanding the provision of paragraph (1) of this rule, any person who holds a specific license issued by the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State authorizing the holder to manufacture, install, or service a device described in subparagraph (2)(a) of Rule 0400-20-10-.10 within the areas subject to the jurisdiction of the licensing body is hereby granted a general license to install and service such device in this State provided that:
- (a) The device has been manufactured, labeled, installed and serviced in accordance with applicable provisions of the specific license issued to such person by the U.S. Nuclear Regulatory Commission, an Agreement State or a Licensing State; and
 - (b) Such person shall assure that any labels required to be affixed to the device under regulations of the authority which licensed manufacture of the device bear a statement that "Removal of this label is prohibited."
- (3) The Division may withdraw, limit, or qualify its acceptance of any specific license or equivalent licensing document issued by another agency, or any product distributed pursuant to such licensing document, upon determining that such action is necessary in order to protect the public health and safety or property.
- (4) Before radioactive materials can be used at a temporary job site within the State at any Federal facility, the jurisdictional status of the job site shall be determined. If the jurisdictional status is unknown, the Federal agency should be contacted to determine if the job site is under exclusive Federal jurisdiction.
- (a) In areas of exclusive Federal jurisdiction, the general license is subject to all the applicable rules, regulations, orders and fees of the NRC, and
 - (b) Authorizations for use of radioactive materials at job sites under exclusive Federal jurisdiction shall be obtained from the NRC by either:

(Rule 0400-20-10-.29, continued)

1. Filing a NRC Form-241 in accordance with 10 CFR 150.20(b); or
 2. By applying for a specific NRC license.
- (5) Before radioactive material can be used at a temporary job site in another State, authorization shall be obtained for the State if it is an Agreement State, or from the NRC for any non-Agreement State, either by filing for reciprocity or applying for a specific license.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.30 PACKAGING AND TRANSPORTATION OF RADIOACTIVE MATERIAL.

- (1) This rule establishes requirements for packaging, preparation for shipment, and transportation of radioactive material and applies to any licensee or registrant authorized by specific or general license to receive, possess, use, or transfer licensed material, if the person delivers that material to a carrier for transport, transports the material outside the site of usage as specified in the license, or transports that material on public highways. This rule does not authorize possession of licensed material.
- (2) Except as authorized in a general license or a specific license issued by the Division, or as exempted in this rule, no licensee may:
 - (a) Deliver licensed material to a carrier for transport; or
 - (b) Transport licensed material.
- (3) Any physician as defined in Rule 0400-20-04-.04 is exempt from paragraph (4) of this rule with respect to transport by the physician of licensed material for use in the practice of medicine. However, any physician operating under this exemption must be licensed under Chapter 0400-20-07 or 10 CFR Part 35.
- (4) A licensee who, under a general or specific license, transports licensed material outside its site of authorized use or on public highways, or who delivers licensed material to a carrier for transport, shall comply with the applicable requirements of this rule and with the applicable requirements of the U.S. DOT regulations in 49 CFR Parts 107, 171 through 180, and 390 through 397, appropriate to the mode of transport.
 - (a) The licensee shall particularly note U.S. DOT regulations in the following areas:
 1. Packaging: 49 CFR part 173, subparts A and B and I;
 2. Marking and labeling: 49 CFR 172, subpart D, 172.400 through 172.407, and 172.436 through 172.441 of subpart E;
 3. Placarding: 49 CFR part 172, subpart F, especially 172.500 through 172.519, 172.556 and appendices B and C;
 4. Accident reporting: 49 CFR part 171, 171.15 and 171.16;
 5. Shipping papers and emergency information: 49 CFR part 172, subparts C and G;
 6. Hazardous material employee training: 49 CFR part 172, subpart H;

(Rule 0400-20-10-.30, continued)

7. Hazardous material shipper/carrier registration: 49 CFR part 107, subpart G; and
 8. Security plans: 49 CFR Part 172, Subpart I.
- (b) The licensee shall also note U.S. DOT regulations pertaining to the following modes of transportation:
1. Rail: 49 CFR part 174, subparts A through D and K;
 2. Air: 49 CFR part 175;
 3. Vessel: 49 CFR part 176, subparts A through F and M; and
 4. Public highway: 49 CFR part 177 and parts 390 through 397.
- (5) If U.S. DOT regulations are not applicable to a shipment of licensed material, the licensee shall conform to the standards and requirements of the U.S. DOT specified in subparagraph (4)(a) of this rule to the same extent as if the shipment or transportation were subject to U.S. DOT regulations. A request for modification, waiver or exemption from those requirements, and any notification referred to in those requirements, shall be filed with, or made to, the Director of the Division of Radiological Health at the address given in Rule 0400-20-04-.07.
- (6) Exemptions.
- (a) Exemption for low-level materials.
1. A licensee is exempt from all requirements of this rule with respect to shipment or carriage of the following low-level material:
 - (i) Natural material and ores containing naturally occurring radionuclides that are not intended to be processed for use of these radionuclides, provided the activity concentration of the material does not exceed 10 times the values specified in Table A-2 of Schedule 10-6 in Rule 0400-20-10-.38; and
 - (ii) Materials for which the activity concentration is not greater than the activity concentration values specified in Table A-2 of Schedule 10-6 in Rule 0400-20-10-.38, or for which the consignment activity is not greater than the limit for an exempt consignment found in Table A-2 of Schedule 10-6 in Rule 0400-20-10-.38.
 2. A licensee is exempt from all requirements of this rule other than paragraphs (4), (5), and (15) of this rule, with respect to shipment or carriage of the following packages, provided the packages contain no fissile material or the fissile material exemption standards of subparagraph (6)(b) of this rule or 10 CFR 71.15 are satisfied:
 - (i) A package containing no more than a Type A quantity of radioactive material;
 - (ii) A package in which the only radioactive material is low specific activity (LSA) material or surface contaminated objects (SCO), provided the external radiation level at 3-meters from the unshielded material or objects does not exceed 10 mSv/h (1 rem/h); or

(Rule 0400-20-10-.30, continued)

- (iii) A package transported within locations within the United States that contains plutonium in special form with an aggregate radioactivity not to exceed 20 curies (.74 TBq).
 - 3. A licensee is exempt from all requirements of this rule other than paragraphs (4), (5) and (15) of this rule, with respect to shipment or carriage of low-specific-activity (LSA) material in group LSA-I, or surface contaminated objects (SCO's) in group SCO-I.
 - (b) Exemption from classification as fissile material.
 - 1. Fissile material meeting the requirements of at least one of the subparts (i) through (vi) of this part are exempt from classification as fissile material and from the fissile material package standards of 10 CFR 71.55 and 71.59, but are subject to all other requirements of this rule, except as noted;
 - (i) Individual package containing 2 grams or less fissile material;
 - (ii) Individual or bulk packaging containing 15 grams or less of fissile material provided the package has at least 200 grams of solid nonfissile material for every gram of fissile material. Lead, beryllium, graphite, and hydrogenous material enriched in deuterium may be present in the package but must not be included in determining the required mass for solid nonfissile material;
 - (iii) (I) Low concentrations of solid fissile material commingled with solid nonfissile material, provided that:
 - I. There is at least 2000 grams of solid nonfissile material for every gram of fissile material, and
 - II. There is no more than 180 grams of fissile material distributed within 360 kg of contiguous nonfissile material;
 - (II) Lead, beryllium, graphite, and hydrogenous material enriched in deuterium may be present in the package but must not be included in determining the required mass of solid nonfissile material;
 - (iv) Uranium enriched in uranium-235 to a maximum of 1 percent by weight, and with total plutonium and uranium-233 content of up to 1 percent of the mass of uranium-235, provided that the mass of any beryllium, graphite, and hydrogenous material enriched in deuterium constitutes less than 5 percent of the uranium mass;
 - (v) Liquid solutions of uranyl nitrate enriched in uranium-235 to a maximum of 2 percent by mass, with a total plutonium and uranium-233 content not exceeding 0.002 percent of the mass of uranium, and with a minimum nitrogen to uranium atomic ratio (N/U) of 2. The material must be contained in at least a DOT Type A package; and
 - (vi) Packages containing, individually, a total plutonium mass of not more than 1000 grams, of which not more than 20 percent by mass may consist of plutonium-239, plutonium-241, or any combination of these radionuclides.
- (7) General license: U.S. NRC-approved package.

(Rule 0400-20-10-.30, continued)

- (a) A general license is hereby issued to any licensee of the Division to transport, or to deliver to a carrier for transport, licensed material in a package for which a license, certificate of compliance or other approval has been issued by the U.S. Nuclear Regulatory Commission.
 - (b) This general license applies only to a licensee who:
 - 1. Has a copy of the certificate of compliance, or other approval of the package, and has the drawings and other documents referenced in the approval relating to the use and maintenance of the packaging and to the actions to be taken before shipment;
 - 2. Complies with the terms and conditions of the license, certificate, or other approval, as applicable, and the applicable requirements of subparts A, G and H of 10 CFR 71;
 - 3. Submits in writing to the Director, Division of Radiological Health, at the address given in Rule 0400-20-04-.07, before the licensee's first use of the package, the licensee's name and license number and the package identification number specified in the package approval; and
 - 4. Has submitted to the Division and received Division approval for a quality assurance program that satisfies the provisions found in subpart H of 10 CFR 71.
 - (c) This general license applies only when the package approval authorizes use of the package under this general license.
 - (d) For a Type B or fissile material package, the design of which was approved by U.S. NRC before April 1, 1996, the general license is subject to the additional restrictions in paragraph (8) of this rule.
- (8) Previously approved package.
- (a) A Type B package previously approved by U.S. NRC but not designated as B(U) or B(M) in the identification number of the U.S. NRC Certificate of Compliance, may be used under the general license in paragraph (7) of this rule with the following additional conditions:
 - 1. Fabrication of the packaging was satisfactorily completed by August 31, 1986, as demonstrated by application of its model number in accordance with 10 CFR 71.85(c);
 - 2. A package used for a shipment to a location outside the United States is subject to multilateral approval, as defined in U.S. DOT regulations at 49 CFR 173.403; and
 - 3. A serial number that uniquely identifies each packaging which conforms to the approved design is assigned to, and legibly and durably marked on, the outside of each packaging.
 - (b) A Type B(U) package, a Type B(M) package, a low specific activity (LSA) material package or a fissile material package, previously approved by the U.S. NRC but without the designation '-85' in the identification number of the U.S. NRC Certificate of Compliance, may be used under the general license in paragraph (7) of this rule with the following additional conditions:

(Rule 0400-20-10-.30, continued)

1. Fabrication of the package was satisfactorily completed by April 1, 1999 as demonstrated by application of its model number in accordance with 10 CFR 71.85(c);
 2. A package used for a shipment to a location outside the United States is subject to multilateral approval as defined in U.S. DOT regulations at 49 CFR 173.403; and
 3. A serial number which uniquely identifies each packaging which conforms to the approved design is assigned to and legibly and durably marked on the outside of each packaging.
- (9) General license: Use of foreign approved package.
- (a) A general license is issued to any licensee of the Division to transport, or to deliver to a carrier for transport, licensed material in a package the design of which has been approved in a foreign national competent authority certificate that has been revalidated by U.S. DOT as meeting the applicable requirements of 49 CFR 171.12.
 - (b) This general license applies only to a licensee who:
 1. Has a copy of the applicable certificate, the revalidation and the drawings and other documents referenced in the certificate, relating to the use and maintenance of the packaging and to the actions to be taken before shipment;
 2. Complies with the terms and conditions of the certificate and revalidation and with the applicable requirements of this rule. With respect to the quality assurance provisions of 10 CFR Part 71, the licensee is exempt from design, construction, and fabrication considerations; and
 3. Has submitted to the Division and received Division approval for a quality assurance program that satisfies the provisions found in subpart H of 10 CFR 71.
 - (c) This general license applies only to shipments made to or from locations outside the United States.
- (10) General license: Fissile material
- (a) A general license is issued to any licensee of the Division or U.S. NRC to transport fissile material, or to deliver fissile material to a carrier for transport, if the material is shipped in accordance with this paragraph. The fissile material need not be contained in a package which meets the standards of 10 CFR Part 71 subparts E and F of U.S. NRC regulations; however, the material must be contained in a Type A package. The Type A package must also meet the DOT requirements of 49 CFR 173.417(a).
 - (b) The general license applies only to a licensee who has submitted to the Division and received Division approval for a quality assurance program that satisfies the provisions found in Subpart H of 10 CFR 71.
 - (c) The general license applies only when a package's contents:
 1. Contain less than a Type A quantity of fissile material; and
 2. Contain less than 500 total grams of beryllium, graphite, or hydrogenous material enriched in deuterium.

(Rule 0400-20-10-.30, continued)

- (d) The general license applies only to packages containing fissile material that are labeled with a CSI which:
 - 1. Has been determined in accordance with subparagraph (e) of this paragraph;
 - 2. Has a value less than or equal to 10; and
 - 3. For a shipment of multiple packages containing fissile material, the sum of the CSIs must be less than or equal to 50 (for shipment on a nonexclusive use conveyance) and less than or equal to 100 (for shipment on an exclusive use conveyance).
- (e) 1. The value for the CSI must be greater than or equal to the number calculated by the following equation:

$$CSI = 10 \left[\frac{\text{grams of } ^{235}\text{U}}{X} + \frac{\text{grams of } ^{233}\text{U}}{Y} + \frac{\text{grams of Pu}}{Z} \right];$$

- 2. The calculated CSI must be rounded up to the first decimal place;
- 3. The values of X, Y, and Z used in the CSI equation must be taken from Tables RHS 7-3 or 7-4, as appropriate;
- 4. If Table RHS 7-4 is used to obtain the value of X, then the values for the terms in the equation for uranium-233 and plutonium must be assumed to be zero; and
- 5. Table RHS 7-3 values for X, Y, and Z must be used to determine the CSI if:
 - (i) Uranium-233 is present in the package;
 - (ii) The mass of plutonium exceeds 1 percent of the mass of uranium-235;
 - (iii) The uranium is of unknown uranium-235 enrichment or greater than 24 weight percent enrichment; or
 - (iv) Substances having a moderating effectiveness (i.e., an average hydrogen density greater than H₂O) (e.g., certain hydrocarbon oils or plastics) are present in any form, except as polyethylene used for packing or wrapping.

Table RHS 7-3. Mass Limits for General License Packages Containing Mixed Quantities of Fissile Material or Uranium-235 of Unknown Enrichment per subparagraph (10)(e) of Rule 0400-20-10-.30

Fissile material	Fissile material mass mixed with moderating substances having an average hydrogen density less than or equal to H ₂ O (grams)	Fissile material mass mixed with moderating substances having an average hydrogen density greater than H ₂ O ^a (grams)
²³⁵ U (X)	60	38
²³³ U (Y)	43	27
²³⁹ Pu or ²⁴¹ Pu (Z)	37	24

(Rule 0400-20-10-.30, continued)

^a When mixtures of moderating substances are present, the lower mass limits shall be used if more than 15 percent of the moderating substance has an average hydrogen density greater than H₂O.

Table RHS 7-4 Mass Limits for General License Packages Containing Uranium-235 of Known Enrichment per subparagraph (10)(e) of Rule 0400-20-10-.30

Uranium enrichment in weight percent of ²³⁵ U not exceeding	Fissile material mass of ²³⁵ U (X) (grams)
24	60
20	63
15	67
11	72
10	76
9.5	78
9	81
8.5	82
8	85
7.5	88
7	90
6.5	93
6	97
5.5	102
5	108
4.5	114
4	120
3.5	132
3	150
2.5	180
2	246
1.5	408
1.35	480
1	1,020
0.92	1,800

(11) General license: Plutonium-beryllium special form material.

- (a) A general license is issued to any licensee of the Division or the U.S. NRC to transport fissile material in the form of plutonium-beryllium (Pu-Be) special form sealed sources, or to deliver Pu-Be sealed sources to a carrier for transport, if the material is shipped in accordance with this rule. This material need not be contained in a package which meets the standards of 10 CFR Part 71 subparts E and F; however, the material must

(Rule 0400-20-10-.30, continued)

be contained in a Type A package. The Type A package must also meet the DOT requirements of 49 CFR 173.417(a).

- (b) The general license applies only to a licensee who has submitted to the Division and received Division approval for a quality assurance program that satisfies the provisions found in Subpart H of 10 CFR 71.
- (c) The general license applies only when a package's contents:
 - 1. Contain no more than a Type A quantity of radioactive material; and
 - 2. Contain less than 1000 g of plutonium, provided that: plutonium-239, plutonium-241, or any combination of these radionuclides, constitutes less than 240 g of the total quantity of plutonium in the package.
- (d) The general license applies only to packages labeled with a CSI which:
 - 1. Has been determined in accordance with subparagraph (e) of this paragraph;
 - 2. Has a value less than or equal to 100; and
 - 3. For a shipment of multiple packages containing Pu-Be sealed sources, the sum of the CSIs must be less than or equal to 50 (for shipment on a nonexclusive use conveyance) and less than or equal to 100 (for shipment on an exclusive use conveyance).
- (e) 1. The value for the CSI must be greater than or equal to the number calculated by the following equation:

$$\text{CSI} = 10 \left[\frac{\text{Grams of } ^{239}\text{Pu} + \text{grams of } ^{241}\text{Pu}}{24} \right]; \text{ and}$$

- 2. The calculated CSI must be rounded up to the first decimal place.

(12) Fissile Material: Assumptions as to Unknown Properties of Fissile Material.

- (a) When the isotopic abundance, mass, concentration, degree of irradiation, degree of moderation, or other pertinent property of fissile material in any package is not known, the licensee shall package the fissile material as if the unknown properties have credible values that will cause the maximum neutron multiplication.

(13) Preliminary determinations.

- (a) Before the first use of any packaging for the shipment of licensed material:
 - 1. The licensee shall ascertain that there are no cracks, pinholes, uncontrolled voids, or other defects that could significantly reduce the effectiveness of the packaging or impact compliance with the standards specified in 10 CFR 71.
 - 2. Where the maximum normal operating pressure will exceed 35 kPa (5 lbf/in²) gauge, the licensee shall test the containment system at an internal pressure at least 50 percent higher than the maximum normal operating pressure, to verify the capability of that system to maintain its structural integrity at that pressure; and

(Rule 0400-20-10-.30, continued)

3. The licensee shall conspicuously and durably mark the packaging with its model number, serial number, gross weight and a package identification number assigned by the U.S. Nuclear Regulatory Commission (U.S. NRC). Before applying the model number, the licensee shall determine that the packaging has been fabricated in accordance with the design approved by the U.S. NRC.

(b) Reserved.

(14) Routine determinations.

- (a) Before each shipment of licensed material, the licensee shall ensure that the package with its contents satisfies the applicable requirements of this rule and of the license. The licensee shall determine that:

1. The package is proper for the contents to be shipped;
2. The package is in unimpaired physical condition except for superficial defects such as marks or dents;
3. Each closure device of the packaging, including any required gasket, is properly installed, secured and free of defects;
4. Any system for containing liquid is adequately sealed and has adequate space or other specified provision for expansion of the liquid in accordance with 10 CFR 71, Subpart F;
5. Any pressure relief device is operable and set in accordance with written procedures;
6. The package has been loaded and closed in accordance with written procedures;
7. For fissile material, any moderator or neutron absorber, if required, is present and in proper condition;
8. Any structural part of the package that could be used to lift or tie down the package during transport is rendered inoperable for that purpose, unless it satisfies the design requirements of 10 CFR 71.45;
9. The level of non-fixed (removable) radioactive contamination on the external surfaces of each package offered for shipment is as low as reasonably achievable and within the limits specified in U.S. DOT regulations in 49 CFR 173.443;
10. External radiation levels around the package and around the vehicle, if applicable, will not exceed the limits specified in 10 CFR 71.47 at any time during transportation; and
11. Accessible package surface temperatures will not exceed the limits specified in 10 CFR 71.43(g) at any time during transportation.

(b) Reserved.

(15) Air transport of plutonium.

(Rule 0400-20-10-.30, continued)

- (a) Notwithstanding the provisions of any general licenses and notwithstanding any exemptions stated directly in this rule or included indirectly by citation of 49 CFR Chapter I, as may be applicable, the licensee shall assure that plutonium in any form, whether for import, export or domestic shipment, is not transported by air or delivered to a carrier for air transport unless:
1. The plutonium is contained in a medical device designed for individual human application; or
 2. The plutonium is contained in a material in which the specific activity is less than or equal to the activity concentration values for plutonium specified in Schedule 10-6. Determination of A_1 and A_2 in Rule 0400-20-10-.38 and in which the radioactivity is essentially uniformly distributed; or
 3. The plutonium is shipped in a single package containing no more than an A_2 quantity of plutonium in any isotope or form and is shipped in accordance with paragraphs (4) and (5) of this rule; or
 4. The plutonium is shipped in a package specifically authorized for the shipment of plutonium by air in the Certificate of Compliance for that package issued by the U.S. Nuclear Regulatory Commission.
- (b) Nothing in subparagraph (a) of this paragraph is to be interpreted as removing or diminishing the requirements of 10 CFR 73.24.
- (c) For a shipment of plutonium by air that is subject to part (a)4 of this paragraph, the licensee shall, through special arrangement with the carrier, require compliance with 49 CFR 175.704, U.S. Department of Transportation regulations applicable to the air transport of plutonium.

(16) Opening instructions.

Before delivery of a package to a carrier for transport, the licensee shall ensure that any special instructions needed to safely open the package have been sent to, or otherwise made available to, the consignee for the consignee's use in accordance with subparagraphs (5)(a) and (b) of Rule 0400-20-05-.115.

(17) Records.

- (a) Each licensee shall maintain, for a period of 3 years after shipment, a record of each shipment of licensed material not exempt under paragraph (6) of this rule, showing where applicable:
1. Identification of the packaging by model number and serial number;
 2. Verification that there are no significant defects in the packaging, as shipped;
 3. Volume and identification of coolant;
 4. Type and quantity of licensed material in each package and the total quantity of each shipment;
 5. For each item of irradiated fissile material:
 - (i) Identification by model number and serial number;

(Rule 0400-20-10-.30, continued)

- (ii) Irradiation and decay history to the extent appropriate to demonstrate that its nuclear and thermal characteristics comply with license conditions; and
 - (iii) Any abnormal or unusual condition relevant to radiation safety;
 - 6. Date of the shipment;
 - 7. For fissile packages and for Type B packages, any special controls exercised;
 - 8. Name and address of the transferee;
 - 9. Address to which the shipment was made; and
 - 10. Results of the determinations required by paragraph (14) of this rule and by the conditions of the package approval.
 - (b) The licensee shall make available to the Division for inspection, upon reasonable notice, all records required by this rule. Records are only valid if stamped, initialed, or signed and dated by authorized personnel or otherwise authenticated.
- (18) The licensee shall maintain sufficient written records to furnish evidence of the quality of packaging. The records to be maintained include results of the determinations required by paragraph (13) of this rule; design, fabrication and assembly records; results of reviews, inspections, tests and audits; results of monitoring work performance and materials analyses; and results of maintenance, modification and repair activities. Inspection, test and audit records shall identify the inspector or data recorder, the type of observation, the results, the acceptability and the action taken in connection with any deficiencies noted. The records shall be retained for 3 years after the life of the packaging to which they apply.
- (19) Inspection and tests.
- In addition to the requirements in paragraph (1) of Rule 0400-20-10-.27 and Rule 0400-20-10-.28, the licensee shall notify the Director, Division of Radiological Health, at the address given in Rule 0400-20-10-.07, at least 45 days before fabrication of a package to be used for the shipment of licensed material having a decay heat load in excess of 5 kW or with a maximum normal operating pressure in excess of 103 kPa (15 lbf/in²) gauge.
- (20) Reports.
- The licensee shall report to the Director, Division of Radiological Health, within 30 days:
- (a) Any instance in which there is significant reduction in the effectiveness of any approved Type B, or fissile, packaging during use;
 - (b) Details of any defects with safety significance in Type B, or fissile, packaging after first use, with the means employed to repair the defects and prevent their recurrence; or
 - (c) Instances in which the conditions of approval in the certificate of compliance were not observed in making a shipment.
- (21) Advance notification of shipment of nuclear waste.
- (a) 1. As specified in subparagraphs (b), (c) and (d) of this paragraph, each licensee shall provide advance notification to the governor of a state, or the governor's designee, and to the Director, Division of Radiological Health, of the shipment of licensed material, within or across the boundary of the State, before the transport, or delivery

(Rule 0400-20-10-.30, continued)

to a carrier for transport, of licensed material outside the confines of the licensee's plant or other place of use or storage.

2. As specified in subparagraphs (b), (c), and (d) of this paragraph, each licensee shall provide advance notification to the Tribal official of participating Tribes referenced in subpart (c)3(iii) of this paragraph, or the official's designee, of the shipment of licensed material, within or across the boundary of the Tribe's reservation, before the transport, or delivery to a carrier, for transport, of licensed material outside the confines of the licensee's plant or other place of use or storage.
- (b) Advance notification is also required under this paragraph for shipment of licensed material, other than irradiated fuel, meeting the following three conditions:
1. The licensed material is required by 10 CFR 71 to be in Type B packaging for transportation;
 2. The licensed material is being transported to or across the State boundary en route to a disposal facility or to a collection point for transport to a disposal facility; and
 3. The quantity of licensed material in a single package exceeds the least of the following:
 - (i) 3000 times the A_1 value of the radionuclides as specified in Schedule 10-6 in Rule 0400-20-10-.38, Table A-1 for special form radioactive material;
 - (ii) 3000 times the A_2 value of the radionuclides as specified in Schedule 10-6 in Rule 0400-20-10-.38, Table A-1 for normal form radioactive material; or
 - (iii) 1000 TBq (27,000 Ci).
- (c) Procedures for submitting advance notification.
1. The notification shall be made in writing to the office of each appropriate governor or governor's designee, the office of each appropriate Tribal official or Tribal official's designee, and to the Director, Division of Radiological Health.
 2. A notification delivered by mail shall be postmarked at least 7 days before the beginning of the 7-day period during which departure of the shipment is estimated to occur.
 3. A notification delivered by any other means than mail shall reach the office of the governor, or of the governor's designee, or the Tribal official or Tribal official's designee and of the Director, Division of Radiological Health, at least 4 days before the beginning of the 7-day period during which departure of the shipment is estimated to occur.
 - (i) A list of the names and mailing addresses of the governors' designees receiving advance notification of transportation of nuclear waste was published in the Federal Register on June 30, 1995 (60 FR 34306).
 - (ii) The list of governor's designees and Tribal official's designees of participating Tribes will be published annually in the Federal Register on or about June 30 to reflect any changes in information.

(Rule 0400-20-10-.30, continued)

- (iii) A list of the names and mailing addresses of the governors' designees and Tribal officials' designees of participating Tribes is available on request from the Director, Division of Intergovernmental Liaison and Rulemaking, Office of Federal and State Materials and Environmental Management Programs, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.
 - (iv) The licensee shall retain a copy of the notification as a record for 3 years.
- (d) Information to be furnished in advance notification of shipment. Each advance notification of shipment nuclear waste shall contain the following information:
1. The name, address and telephone number of the shipper, carrier and receiver of the nuclear waste shipment;
 2. A description of the nuclear waste contained in the shipment, as specified in the regulations of U.S. DOT in 49 CFR 172.202 and 172.203(d);
 3. The point of origin of the shipment and the 7-day period during which departure of the shipment is estimated to occur;
 4. The 7-day period during which arrival of the shipment at the State boundaries or Tribal reservation boundaries is estimated to occur;
 5. The destination of the shipment and the 7-day period during which arrival of the shipment is estimated to occur; and
 6. A point of contact, with a telephone number, for current shipment information.
- (e) Revision notice.
- A licensee who finds that schedule information previously furnished to the governor, or governor's designee, or a Tribal official or Tribal official's designee, and to the Director, Division of Radiological Health, in accordance with this paragraph, will not be met, shall telephone a responsible individual in the office of the governor of the State, or of the governor's designee, or a Tribal official or Tribal official's designee, and of the Division of Radiological Health and inform those individuals of the extent of the delay beyond the schedule originally reported. The licensee shall maintain a record of the name of the individual contacted for 3 years.
- (f) Cancellation notice.
1. Each licensee who cancels a nuclear waste shipment for which advance notification has been sent shall send a cancellation notice to the governor of each State, or to the governor's designee, previously notified, each Tribal official or to the Tribal official's designee previously notified, and to the Director, Division of Radiological Health.
 2. The licensee shall state in the notice that it is a cancellation and identify the advance notification that is being canceled. The licensee shall retain a copy of the notice as a record for 3 years.

(22) Quality Assurance

- (a) Quality Assurance Requirements.

(Rule 0400-20-10-.30, continued)

1. This subparagraph describes quality assurance requirements applying to design, purchase, fabrication, handling, shipping, storing, cleaning, assembly, inspection, testing, operation, maintenance, repair, and modification of components of packaging that are important to safety. As used in this paragraph, "quality assurance" comprises all those planned and systematic actions necessary to provide adequate confidence that a system or component will perform satisfactorily in service. Quality assurance includes quality control, which comprises those quality assurance actions related to control of the physical characteristics and quality of the material or component to predetermined requirements. The licensee, certificate holder, and applicant for a CoC are responsible for the quality assurance requirements as they apply to design, fabrication, testing, and modification of packaging. Each licensee is responsible for the quality assurance provision which applies to its use of a packaging for the shipment of licensed material subject to this paragraph.

2. Establishment of program.

Each licensee, certificate holder, and applicant for a CoC shall establish, maintain, and execute a quality assurance program satisfying each of the applicable criteria of 10 CFR 71.101 through 71.137 and satisfying any specific provisions that are applicable to the licensee's activities including procurement of packaging. The licensee, certificate holder, and applicant for a CoC shall execute the applicable criteria in a graded approach to an extent that is commensurate with the quality assurance requirement's importance to safety.

3. Approval of program.

Before the use of any package for the shipment of licensed material subject to this paragraph, each licensee shall obtain Division approval of its quality assurance program and file a description of its quality assurance program, including a discussion of which requirements of this paragraph are applicable and how they will be satisfied.

4. Radiography containers.

A program for transport container inspection and maintenance limited to radiographic exposure devices, source changers, or packages transporting these devices and meeting the requirements of subparagraph (8)(b) of Rule 0400-20-08-.04 or equivalent Nuclear Regulatory Commission, or Agreement State requirement, is deemed to satisfy the requirements of part (7)(b)4 of this rule and part 2 of of this subparagraph.

- (b) Quality assurance organization.

1. A licensee¹⁴, certificate holder, and applicant for a CoC shall be responsible for the establishment and execution of the quality assurance program. The licensee, certificate holder, and applicant for a CoC may delegate to others, such as contractors, agents, or consultants, the work of establishing and executing the quality assurance program, or any part of the quality assurance program, but shall retain responsibility for the program. These activities include performing the

¹⁴ While the term "licensee" is used in these criteria, the requirements are applicable to whatever design, fabrication, assembly, and testing of the package is accomplished with respect to a package before the time a package approval is issued.

(Rule 0400-20-10-.30, continued)

functions associated with attaining quality objectives and the quality assurance functions.

2. The quality assurance functions are:
 - (i) Assuring that an appropriate quality assurance program is established and effectively executed; and
 - (ii) Verifying, by procedures such as checking, auditing, and inspection, that activities affecting the functions that are important to safety have been correctly performed.
3. The persons and organizations performing quality assurance functions must have sufficient authority and organizational freedom to:
 - (i) Identify quality problems;
 - (ii) Initiate, recommend, or provide solutions; and
 - (iii) Verify implementation of solutions.

(c) Quality assurance program.

1. A licensee, certificate holder, and applicant for a CoC shall establish, at the earliest practicable time consistent with the schedule for accomplishing the activities, a quality assurance program that complies with the requirements of 10 CFR 71.101 through 71.137. The licensee, certificate holder, and applicant for a CoC shall document the quality assurance program by written procedures or instructions and shall carry out the program in accordance with those procedures throughout the period during which the packaging is used. The licensee, certificate holder, and applicant for a CoC shall identify the material and components to be covered by the quality assurance program, the major organizations participating in the program, and the designated functions of these organizations.
2. A licensee, certificate holder, and applicant for a CoC, through its quality assurance program, shall provide control over activities affecting the quality of the identified materials and components to an extent consistent with their importance to safety, and as necessary to assure conformance to the approved design of each individual package used for the shipment of radioactive material. The licensee, certificate holder, and applicant for a CoC shall assure that activities affecting quality are accomplished under suitably controlled conditions. Controlled conditions include the use of appropriate equipment; suitable environmental conditions for accomplishing the activity, such as adequate cleanliness; and assurance that all prerequisites for the given activity have been satisfied. The licensee, certificate holder, and applicant for a CoC shall take into account the need for special controls, processes, test equipment, tools, and skills to attain the required quality, and the need for verification of quality by inspection and test.
3. A licensee, certificate holder, and applicant for a CoC shall base the requirements and procedures of its quality assurance program on the following considerations concerning the complexity and proposed use of the package and its components:
 - (i) The impact of malfunction or failure of the item to safety;

(Rule 0400-20-10-.30, continued)

- (ii) The design and fabrication complexity or uniqueness of the item;
- (iii) The need for special controls and surveillance over processes and equipment;
- (iv) The degree to which functional compliance can be demonstrated by inspection or test; and
- (v) The quality history and degree of standardization of the item.

4. A licensee, certificate holder, and applicant for a CoC shall provide for indoctrination and training of personnel performing activities affecting quality, as necessary to assure that suitable proficiency is achieved and maintained. The licensee, certificate holder, and applicant for a CoC shall review the status and adequacy of the quality assurance program at established intervals. Management of other organizations participating in the quality assurance program shall review regularly the status and adequacy of that part of the quality assurance program they are executing.

(d) Handling, storage, and shipping control.

The licensee, certificate holder, and applicant for a CoC shall establish measures to control, in accordance with instructions, the handling, storage, shipping, cleaning, and preservation of materials and equipment to be used in packaging to prevent damage or deterioration. When necessary for particular products, special protective environments, such as inert gas atmosphere, and specific moisture content and temperature levels must be specified and provided.

(e) Inspection, test, and operating status.

1. A licensee, a certificate holder, and an applicant for a CoC shall establish measures to indicate, by the use of markings such as stamps, tags, labels, routing cards, or other suitable means, the status of inspections and tests performed upon individual items of the packaging. These measures must provide for the identification of items that have satisfactorily passed required inspections and tests, where necessary to preclude inadvertent bypassing of the inspections and tests.

2. A licensee shall establish measures to identify the operating status of components of the packaging, such as tagging valves and switches, to prevent inadvertent operation.

(f) Nonconforming materials, parts, or components.

A licensee, certificate holder, and applicant for a CoC shall establish measures to control materials, parts, or components that do not conform to the licensee's requirements to prevent their inadvertent use or installation. These measures must include, as appropriate, procedures for identification, documentation, segregation, disposition, and notification to affected organizations. Nonconforming items must be reviewed and accepted, rejected, repaired, or reworked in accordance with documented procedures.

(g) Corrective action.

A licensee, certificate holder, and applicant for a CoC shall establish measures to assure that conditions adverse to quality, such as deficiencies, deviations, defective

(Rule 0400-20-10-.30, continued)

material and equipment, and nonconformances, are promptly identified and corrected. In the case of a significant condition adverse to quality, the measures must assure that the cause of the condition is determined and corrective action taken to preclude repetition. The identification of the significant condition adverse to quality, the cause of the condition, and the corrective action taken must be documented and reported to appropriate levels of management.

(h) Quality assurance records.

A licensee, certificate holder, and applicant for a CoC shall maintain sufficient written records to describe the activities affecting quality. The records must include the instructions, procedures, and drawings required by 10 CFR 71.111 to prescribe quality assurance activities and must include closely related specifications such as required qualifications of personnel, procedures, and equipment. The records must include the instructions or procedures which establish a records retention program that is consistent with applicable regulations and designates factors such as duration, location, and assigned responsibility. The licensee, certificate holder, and applicant for a CoC shall retain these records for 3 years beyond the date when the licensee, certificate holder, and applicant for a CoC last engage in the activity for which the quality assurance program was developed. If any portion of the written procedures or instructions is superseded, the licensee, certificate holder, and applicant for a CoC shall retain the superseded material for 3 years after it is superseded.

(i) Audits.

A licensee, a certificate holder, and an applicant for a CoC shall carry out a comprehensive system of planned and periodic audits to verify compliance with all aspects of the quality assurance program and to determine the effectiveness of the program. The audits must be performed in accordance with written procedures or checklists by appropriately trained personnel not having direct responsibilities in the areas being audited. Audited results must be documented and reviewed by management having responsibility in the area audited. Follow up action, including re-audit of deficient areas, must be taken where indicated.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012. Amendment filed March 3, 2015; effective June 1, 2015.

0400-20-10-.31 FEES FOR LICENSES.

- (1) A fee shall be assessed and collected on the application for and annual maintenance of licenses regarding radioactive materials, as follows:
 - (a) Application filing fees from applicants for licenses to use or possess radioactive materials or any other activity authorized under this Chapter that requires a license from the Department.
 - (b) Annual maintenance fees from licensees or persons required to possess a license under this Chapter, including reciprocal activity under Rule 0400-20-10-.29.
- (2) The application filing fees shall be the same amount as the annual maintenance fees set forth in paragraphs (6) through (19) of this rule. A radioactive material license application will not be considered for completeness unless the application filing fee has been paid in full. Within 15 days of receipt of an application, an invoice for the fee will be prepared and mailed to the applicant. The application filing fee is not refundable, except as specified in T.C.A. § 68-203-103. Applicants for licenses greater than Category 8 shall pay the application fee annually

(Rule 0400-20-10-.31, continued)

until such time as the license is issued or denied. (An application filing fee shall be required when a licensee applies for a license modification to change to a higher numbered category, in which case the application fee will be the amount of the proposed new Category. The application filing fee shall serve as full payment of fees for the balance of the calendar year in which the license is issued.)

- (3) If a license authorizes activities under more than one Category, the application and annual maintenance fee shall be the cumulative total for each applicable category under which the license is issued.
- (4) The annual maintenance fees, based on the categories in paragraphs (6) through (19) of this rule shall be payable to the Division of Radiological Health by check made payable to "Treasurer State of Tennessee" by February 17 of each year, as indicated on the annual invoice, until the license is terminated in accordance with these regulations.
 - (a) Provided that the licensee has demonstrated to the satisfaction of the Department that all of the requirements concerning disposal of radioactive material and the decontamination of facilities are met, the termination of the license is administratively accomplished by using one of the following:
 1. As requested by the licensee;
 2. By the Department for cause; or
 3. In accordance with these regulations.
 - (b) The failure to acquire radioactive material or the disposal of radioactive material without notifying the Department and requesting termination in writing does not constitute termination of the license.
- (5) Complete Applications
 - (a) For the purpose of determining whether or not the Division has acted in the time frame established to process applications set forth in subparagraph (e) of this paragraph, the evaluation period shall not begin until a complete application has been filed in the Division of Radiological Health Central Office. All items on the application form shall be completed in sufficient detail to allow the Division to determine that the applicant's equipment, facilities and radiation protection program are adequate to protect health and minimize danger to life and property.
 - (b) The Division shall denote the date that all applications for radioactive material license are received in its Nashville office.
 - (c) Upon receipt of an application, the Division must examine it to insure that it is complete and advise the applicant in writing of its findings via certified mail. 60 days will be allowed for the initial and each subsequent review per part 3 of this subparagraph.
 1. If an application is determined to be incomplete, the Division must notify the applicant in writing via certified mail of the finding with a brief explanation of the deficiencies. The application filing fee shall be retained by the Division.
 2. After receiving notice from the Division that the application was incomplete, the applicant shall have 180 calendar days to correct the deficiencies. If properly corrected, the application will be processed and no additional application fee is required, except for the possibility of those above Category 8. If the deficiencies are not corrected within the 180 day correction period, the fee will be forfeited in

(Rule 0400-20-10-.31, continued)

its entirety to the Division with no further action taken on the application by the Division. If the applicant re-applies, a new application fee must be paid in full.

- 3. Upon receipt of a corrected application revised pursuant to part 1 or 2 of this subparagraph, the Division shall re-evaluate the application and notify the applicant of its finding as to whether or not the deficiencies in the application have been completed. The same procedure to notify an applicant as to whether or not the application is complete will follow the requirements specified by this subparagraph, with the exception being that the 180 day correction period begins from the receipt of the initial application - not receipt of the revised application.
- 4. Any person possessing licensable quantities of unlicensed radioactive material during the review of an application for a license for the radioactive material shall be in violation of Rule 0400-20-10-.02.

- (d) Revisions to an application, to reflect changes in radioactive material or its use, will be accepted by the Division during the application processing period. However, notwithstanding subparagraph (e) of this paragraph, the deadline for evaluation as to issuance of a license will restart upon each and every revision.
- (e) The Division shall make a decision to issue or deny a request for a new radioactive material license, except Category 12, and notify the applicant of that decision in no more than 365 days after receipt of a complete application, unless the Division has requested technical assistance in the review of the application from the Nuclear Regulatory Commission.

(6) CATEGORY GL ----- \$350.00

Any person possessing radioactive material, under the terms of any general license issued these regulations, in a form or device on which a test for leakage of radioactive material is required.

(7) CATEGORY 1----- \$425.00

A specific license for source material used exclusively for shielding radiation.

(8) CATEGORY 2----- \$850.00

- (a) Reserved.
- (b) The application, use or possession of radioactive material as chromatography sources or gauges not requiring assignment to another category.
- (c) The application, use or possession of radioactive material for in vitro use only, total quantity not to exceed 200 microcuries.
- (d) Any person who packages or containerizes, loads transport vehicles or ships radioactive materials to a licensed disposal/processing facility in Tennessee. In addition to application and annual maintenance fees, there is also a levied fee of two cents per pound (\$0.02/lb) on all items contaminated or potentially contaminated with radioactive material or on low-level radioactive waste received at a processing, storage, disposal or refurbishing facility in Tennessee.

Notwithstanding the requirements of this paragraph and Rule 0400-20-10-.32, licensees with multiple sites within the state will be levied only one fee if items are moved directly from one site to another.

(Rule 0400-20-10-.31, continued)

The operator of the disposal/processing facility shall collect the fee of two cents per pound (\$0.02/lb). For each calendar month, he shall remit the total of fees collected for the month to the Division of Radiological Health by the 25th day of the following month.

- (e) The application, use or possession of radioactive material for the calibration for hire of radiation detection, monitoring and measuring instruments.
- (f) The performance for hire of leak tests on sealed sources of radioactive material.
- (9) CATEGORY 3----- \$1,170.00
 - (a) The application, use or possession of radioactive material, unless specific to a higher numbered category, by an academic institution, but does not include licenses authorizing all radioisotopes with atomic number 3 through 83.
 - (b) The possession and use of radioactive material for civil defense activities.
 - (c) The application, use or possession of radioactive material by a medical institution or physicians for use in radiopharmaceuticals for the diagnosis or therapy of humans.
 - (d) Reserved.
 - (e) Reserved.
 - (f) Reserved.
 - (g) The application, use or possession of radioactive material for demonstration or training purposes.
 - (h) The application, use or possession of radioactive material for in vitro use only, total quantity exceeding 200 microcuries.
 - (i) The use of sealed sources for soil and/or construction materials testing at temporary job-sites by licensees with licensed authorization for no more than two (2) devices.
 - (j) The use of radioactive material as chromatography sources at temporary job-sites by licensees with licensed authorization for no more than two (2) devices.
 - (k) The use of gauging and measuring devices at temporary job-sites by licensees with licensed authorization for no more than two (2) devices.
- (10) CATEGORY 4----- \$1,950.00
 - (a) The application, use or possession of radioactive material by a medical institution or physicians for interstitial, intracavitary or superficial treatment of humans using sealed sources, seeds or wires.
 - (b) The application, use or possession of radioactive material in sealed sources for irradiation of materials in which the source is not removed from its shield (self-contained irradiators).
 - (c) The application, use or possession of radioactive material for analytical testing purposes.
- (11) CATEGORY 5----- \$2,730.00

(Rule 0400-20-10-.31, continued)

- (a) The use of radioactive material in research and development, manufacturing, testing, processing and assembling of products. This group includes the use of source material in the manufacture of items such as mantles, alloys, gases, liquids, metals, ceramics, glass or photographic products.
 - (b) The use of radioactive material in a process that incorporates that material into a product in exempt concentrations.
 - (c) The possession and use of radioactive material in curie quantities in a number of sources in gauges and gauging applications that require frequent changes and therefore frequent review of the program to ensure that the hazard potential does not exceed the scope of the radiation safety program.
 - (d) The use of a single radioactive material in the fabrication of sealed sources or ampoules.
 - (e) The receipt of prepackaged radioactive material waste from other persons by a nuclear waste handler for storage for less than three (3) months before, transfer only to persons licensed to receive or dispose of the material.
 - (f) The use of sealed sources for soil and/or construction materials testing at temporary job-sites by licensees with licensed authorization for more than two (2) devices.
 - (g) The use of radioactive material as chromatography sources at temporary job-sites by licensees with licensed authorization for more than two (2) devices.
 - (h) The use of gauging and measuring devices at temporary job-sites by licensees with licensed authorization for more than two (2) devices.
 - (i) The application, use or possession of radioactive material by a medical institution or physicians for the treatment of humans with sealed sources contained in teletherapy devices.
 - (j) The application, use or possession of radioactive material by a veterinarian for the treatment of animals using sealed sources, seeds or wires.
- (12) CATEGORY 6----- \$7,800.00
- (a) The application, use or possession of radioactive material including source and/or special nuclear material in unsealed form in less than multi-curie quantities for use in the fabrication of sealed sources without regard to amount of contained radioactivity.
 - (b) The manufacture of devices and/or sources that require in-depth review before approval by the Division. Each device and/or source reviewed shall be subject to this fee.
 - (c) The preparation, use or distribution of radiopharmaceuticals to locations other than the licensee's address for use in medical diagnosis or therapy.
 - (d) The use of radiography (the examination of the structure of materials by nondestructive methods using radioactive material) on the licensee's premises in a permanent shielded facility or temporary job-sites.
 - (e) The possession and use of radioactive material by academic and medical institutions under a license authorizing all radioisotopes with atomic numbers 3 through 83.

(Rule 0400-20-10-.31, continued)

- (f) Reserved.
 - (g) The application of radioactive material to soil, water, air, plants and animals, if the application involves an actual or potential release in or to unrestricted areas.
 - (h) The possession, use and distribution of radioactive material at one or more satellite facilities, or the possession and use of radioactive material at one or more satellite facilities, by medical institutions.
 - (i) The application, use or possession of radioactive material by a medical institution or physicians for research using humans and/or animals.
- (13) CATEGORY 7----- \$5,200.00
- (a) Reserved.
 - (b) Reserved.
 - (c) The application, use or possession of radioactive material for well logging, well surveys or tracer studies.
- (14) CATEGORY 8----- \$14,625.00
- (a) The receipt of radioactive material waste from other persons by a nuclear waste handler, for the purpose of packaging or repackaging the material prior to transfer only to persons licensed to receive or dispose of the material.
 - (b) The commercial collection, laundering or dry cleaning of wearing apparel that is contaminated with radioactive material.
- (15) CATEGORY 9----- \$19,500.00
- (a) The possession of radioactive material or equipment contaminated or potentially contaminated with radioactive material as a result of operations involving the recovery of an element, compound or mixture from ores not subject to licensure because of the radioactive material content of the ore.
 - (b) Facilities that possess radioactive material as a result of operations (not directly involving radioactive decontamination activities) involving recovery of materials or other manufacturing processes (not directly manufacturing radioactive items or products).
- (16) CATEGORY 10----- \$27,000.00
- (a) Facilities storing radioactive material, contaminated equipment and/or potentially contaminated equipment for transfer to authorized recipients as a service to the nuclear industry.
 - (b) Possession and refurbishment of contaminated equipment and/or potentially contaminated equipment that has been used at nuclear power plants.
- (17) CATEGORY 11----- \$36,000.00
- (a) The collection, transfer, sorting and/or brokerage of radioactive material as sealed source, residue, product or as material in or on equipment; and/or

(Rule 0400-20-10-.31, continued)

The decontamination of products and/or equipment containing radioactive material and/or contaminated with radioactive material; and/or

The possession, storage and incineration of radioactive material or items contaminated with radioactive materials.

- (b) On site possession and storage of radioactive material and/or equipment contaminated with radioactive material as a result of operations involving the recovery of an element, compound or mixture from ores subject to licensure because of the radioactive material content of the ore or concentration of the radioactive material during the processing of the ore.
- (c) Facilities involved in the manufacture of product lines containing radioactive material in the manufactured product.
- (d) Possession of radioactive material for processing. This material may exist in ores, concentrates, compounds or metals.
- (e) The possession of multi-curie quantities of unsealed radioactive material either as waste or for further processing and/or conversion into specific marketable products.
- (f) Operations involving the fabrication of sealed sources or manufacture of compounds for distribution to other specific or general licensees.
- (g) The possession and use of radioactive material in a sealed source for irradiation of materials in which the source is exposed for irradiation purposes (non self-contained irradiators).

(18) CATEGORY 12-----\$450,000.00

- (a) The application for and/or operation of a low-level radioactive waste disposal facility.
- (b) The maximum length of reviewing time (the period of time when there are no outstanding unanswered questions) after receipt of a new application and the appropriate fee for a Category 12 specific license and the issuance of a license is 60 months.

(19) CATEGORY 13-----At least \$200.00 not greater than \$375,000.00

The application, use or possession of radioactive material for uses or procedures not specifically included in any other category.

The fee shall be determined on a case-by-case basis.

The determination shall be based on an analysis of the hazard, the scope of the difficulty encountered in the review process and the specifics of the activity pursuant to the categories established in paragraphs (6) through (18) of this rule.

(20) CATEGORY NUCLEAR POWER PLANTS AND OTHER ----- Actual cost of program FUEL FACILITIES

The Department may set and collect an annual fee from persons engaged in the business of producing electricity by utilizing nuclear energy and persons operating facilities for the fabrication of nuclear fuel. The amount of fees collected may not exceed the actual expenses that arise from emergency planning and implementation and environmental surveillance activities.

(Rule 0400-20-10-.31, continued)

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012. Amendment filed February 13, 2013; effective May 14, 2013.

0400-20-10-.32 LICENSING OF SHIPPERS OF RADIOACTIVE MATERIAL INTO OR WITHIN TENNESSEE.

- (1) This rule applies to any shipper who transports or offers for transport into or within Tennessee on public waterways, roadways, railways or other transportation facilities upon which United States Department of Transportation (USDOT) regulations are applicable, any radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities for packaging, repackaging, processing, refurbishing, storage pending disposal or disposal.
- (2) All persons subject to the provisions of this rule shall comply with all applicable provisions of the USDOT Regulations (49 CFR) of October 1, 1990, as amended, the U.S. Nuclear Regulatory Commission (NRC) Regulations (10 CFR) of November 30, 1988, as amended, and any disposal/processing facility radioactive material license requirements with special emphasis regarding the packaging, transportation, disposal, storage pending disposal or delivery of radioactive material.
- (3) Definitions used in this rule.
 - (a) "Carrier" means any person who transports radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities.
 - (b) "Disposal" means isolation of radioactive waste from the biosphere.
 - (c) "Disposal/Processing Facility" means any facility located within Tennessee that accepts radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities for packaging, repackaging, processing, refurbishing, storage pending disposal or disposal.
 - (d) (Reserved)
 - (e) (Reserved)
 - (f) "License for delivery" means an authorization issued by the Division to any shipper of radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities to transport such radioactive material or offer such material for transport to a disposal/processing facility.
 - (g) "Shipper" means any person, whether a resident of Tennessee or a non-resident:
 1. Who transfers radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities to a carrier for transport;
 2. Who transports his own radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities;

(Rule 0400-20-10-.32, continued)

3. Who transports radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities he has packaged, repackaged, processed or stored pending disposal for another person; or
 4. Who transfers radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities to another person if such materials are transported into or within the state.
- (h) "Transport" means the movement of radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities into or within the State of Tennessee on waterways, roadways, railways or other transportation facilities upon which USDOT regulations are applicable.
- (4) Licensing for Delivery.
- (a) Before any shipper transports or causes to be transported radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities to a disposal/processing facility within the State for subsequent processing, he shall obtain a license for delivery of such materials from the Division. An application for a license for delivery shall be submitted on Division Form RHS-30, together with any necessary fee, to the Division at the address in Rule 0400-20-04-.07. The check for payment of the fee is to be made payable to "Treasurer: State of Tennessee."
 - (b) Except as provided in part 6 of this subparagraph, before a license for delivery shall be issued, the shipper must deposit and maintain with the Division an acceptable form of financial assurance in the amount of \$500,000; or, provide to the Division satisfactory evidence of liability insurance.
 1. For purposes of this paragraph, liability insurance shall mean coverage of \$500,000 per occurrence and \$1,000,000 aggregate, or as otherwise provided by State law.
 2. Any insurance carried pursuant to Section 2210 of Title 42 of the United States Code and U.S. NRC Regulations (10 CFR Part 140) of November 30, 1988, as amended shall be sufficient to meet the requirements of this subparagraph.
 3. Liability insurance shall be specific to the packaging, transportation, disposal, storage and delivery of radioactive waste.
 4. Shippers maintaining liability insurance for the purpose of this paragraph may provide to the Division a certificate of insurance from their insurer indicating the policy number, limits of liability, policy date and specific coverage for packaging, transportation, disposal, storage pending disposal and delivery of radioactive materials.
 5. A cash or corporate surety bond previously posted will be returned to the shipper upon notification to the Division in writing of his intention to cease shipments of radioactive waste into or within the State. Such bond will be returned after the last such shipment is accepted safely at its destination.
 6. The requirements of this subparagraph shall not apply to any contractor or subcontractor to the United States Department of Energy that has contract terms consistent with the Price-Anderson Act, 42 U.S.C. § 2210.

(Rule 0400-20-10-.32, continued)

- (c) Each license for delivery application shall include a certification to the Division that the shipper will comply fully with all applicable State and Federal laws, administrative rules and regulations, licenses, or license conditions of the disposal/processing facility regarding the packaging, transportation, storage pending disposal, disposal and delivery of radioactive materials.
 - (d) Each license for delivery application shall include a certification that the shipper will hold the State of Tennessee harmless for all claims, actions or proceedings in law or equity arising out of radiological injury or damage to persons or property occurring during the transportation of its radioactive waste into or within the State including all costs of defending the same; provided, however, that nothing contained herein shall be construed as a waiver of the State's sovereign immunity; and, further provided that agencies of the State of Tennessee shall not be subject to the requirements of subparagraph (b) of this paragraph.
- (5) Disposal/processing facility operator.
- (a) Owners and operators of disposal/processing facilities shall permanently record, and report to the Division within 24 hours after discovery, all conditions in violation of the requirement of this rule discovered as a result of inspections required by any license under which the facility is operated. In addition, owners and operators of disposal/processing facilities shall record all violations of these regulations and license conditions and maintain the record for inspection by the Division.
 - (b) Prior to the receipt of radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities at a disposal/processing facility in Tennessee, the owners and operators of such facility shall notify each shipper of any special requirements, if any, in effect regarding the packaging, transportation, storage pending disposal, disposal or delivery of such wastes at that facility.
 - (c) No owner or operator of a disposal/processing facility located within this State shall accept radioactive waste and/or items contaminated or potentially contaminated with licensable quantities of radioactive material or from licensable activities for packaging, repackaging, processing, refurbishing, storage pending disposal or disposal unless the shipper of such waste has a valid license for delivery issued pursuant to this rule.
 - (d) The owner or operator of a disposal/processing facility shall, along with the remittance of the fee collected pursuant to subparagraph (8)(d) of Rule 0400-20-10-.31, submit a listing containing the name and address of each shipper and the volume and poundage from each shipper for the calendar month.
 - (e) Any contractor or subcontractor to the United States Department of Energy is not required to meet the requirements of subparagraph (d) of this paragraph as long as it has a contract provision based on the DOE regulations implementing the Price-Anderson Act, 42 U.S.C. § 2210.
- (6) Penalties.

All shippers shall be subject to fees and Civil Penalties as authorized and specified in T.C.A. § 68-202-212 and other pertinent rules of the Division.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012. Amendment filed March 17, 2014; effective June 15, 2014.

(Rule 0400-20-10-.32, continued)

0400-20-10-.33 RESERVED.

(Note: The following has been moved to the Appendix to this Chapter (Rule 0400-20-10-.38):
 Schedule RHS 8-3 Exempt Quantities
 Schedule RHS 8-4 Exempt Concentrations

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.34 SUPPLEMENTAL FEES FOR CALENDAR YEAR 2013.

(1) Purpose

Adequate funds are required to facilitate the proper administration of The Radiological Health Service Act and The Medical Radiation Inspection Safety Act. Failure to properly administer these acts threatens the health and safety of the citizens of the state. Operating revenue for the administration of these acts is collected on a calendar year basis. Projected revenue needs of the Division in 2013 cannot be met by current registration and licensing fees. Rulemaking to increase 2013 fees cannot be completed prior to the first assessment date, January 1, 2013. Therefore, one time supplemental fees are hereby established to provide the Division with additional revenue during Calendar Year 2013. Division invoices will establish due dates for payment of these supplemental fees.

(2) Supplemental Fees Schedules

(a) In addition to the fees established in paragraph (3) of Rule 0400-20-10-.24 Registration, persons subject to registration anytime during Calendar Year 2013 shall pay a supplemental fee to be determined according to Schedule I of this paragraph:

SCHEDULE I

Class I Equipment	\$20.00 per tube
Class II Equipment	\$45.00 per tube
Class III Equipment	\$86.00 per tube
Class IV Equipment	\$90.00 per tube
Class V Equipment	\$180.00 per tube
Class VI Equipment	\$270.00 per tube
Class VII Equipment	\$600.00 per tube
A person providing inspection services under paragraph (4) of Rule 0400-20-10-.27	\$250.00
A person providing assembly/installation/servicing	\$250.00

(b) In addition to the fees established in paragraphs (6) through (19) of Rule 0400-20-10-.31 Fees for Licenses, persons subject to licensure anytime during Calendar Year 2013 shall pay a supplemental fee to be determined according to Schedule II of this paragraph:

(Rule 0400-20-10-.34, continued)

SCHEDULE II

Category GL	\$200.00
Category 1	\$125.00
Category 2	\$250.00
Category 3	\$270.00
Category 4	\$450.00
Category 5	\$630.00
Category 6	\$1,800.00
Category 7	\$1,200.00
Category 8	\$3,375.00
Category 9	\$4,500.00
Category 10	\$4,500.00
Category 11	\$6,000.00
Category 12	\$75,000.00
Category 13	At least \$50.00 and not greater than \$125,000.00

The Category 13 supplemental fee shall be determined on a case-by-case basis. The determination shall be based on an analysis of the hazard, the scope of the difficulty encountered in the review process and the specifics of the activity, following the categories established in paragraphs (6) through (19) of Rule 0400-20-10-.31.

Category Nuclear Power Plants and Other Fuel Facilities	Actual expenses that arise from emergency planning and implementation and environmental surveillance activities
---	---

Authority: T.C.A. §§ 68-202-201 et seq. and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012. Amendment filed February 13, 2013; effective May 14, 2013.

0400-20-10-.35 RESERVED.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.36 RADIOLOGICAL CRITERIA FOR LICENSE TERMINATION.

(Rule 0400-20-10-.36, continued)

- (1) General provisions and scope.
 - (a) The criteria in this rule apply to the decommissioning of facilities licensed under this Chapter and Chapters 0400-20-07, 0400-20-08, 0400-20-09, 0400-20-11 and 0400-20-12. For low-level waste disposal facilities (Chapter 0400-20-11), the criteria apply only to ancillary surface facilities that support radioactive waste disposal activities.
 - (b) Reserved.
 - (c) After a site has been decommissioned and the license terminated in accordance with the criteria in this rule, the Division will require additional cleanup if, based on new information, it determines that the criteria of this rule were not met and residual radioactivity remaining at the site could result in a significant threat to public health and safety.
 - (d) When calculating TEDE to the average member of the critical group the licensee shall determine the peak annual TEDE dose expected within the first 1,000 years after decommissioning.

- (2) Radiological criteria for unrestricted use.

A site will be considered acceptable for unrestricted use if:

- (a) The residual radioactivity that is distinguishable from background radiation results in a TEDE to an average member of the critical group that does not exceed 25 mrem (0.25 mSv) per year, including that from groundwater sources of drinking water, and
 - (b) The residual radioactivity has been reduced to levels that are as low as reasonably achievable (ALARA). Determination of the levels that are ALARA must take into account consideration of any detriments, such as deaths from transportation accidents, potentially expected to result from decontamination and waste disposal.
- (3) Criteria for license termination under restricted conditions.

A site will be considered acceptable for license termination under restricted conditions if:

- (a) A licensee can demonstrate that further reductions in residual radioactivity necessary to comply with the provisions of paragraph (2) of this rule:
 1. Would result in net public or environmental harm or
 2. Were not being made because the residual levels associated with restricted conditions are ALARA. Determination of the levels that are ALARA must take into account consideration of any detriments, such as traffic accidents, expected to potentially result from decontamination and waste disposal;
- (b) The licensee has made provisions for legally enforceable institutional controls that provide reasonable assurance that the TEDE from residual radioactivity distinguishable from background to the average member of the critical group will not exceed 25 mrem (0.25 mSv) per year;
- (c) The licensee has provided sufficient financial assurance to enable an independent third party, including a governmental custodian of a site, to assume and carry out responsibilities for any necessary control and maintenance of the site. Acceptable

(Rule 0400-20-10-.36, continued)

financial assurance mechanisms are specified in paragraph (4) of Rule 0400-20-10-.12; and

- (d) Residual radioactivity at the site has been reduced so that if the institutional controls were no longer in effect, there is reasonable assurance that the TEDE from residual radioactivity distinguishable from background to the average member of the critical group is ALARA and would not exceed either:
 - 1. 100 mrem (1 mSv) per year; or
 - 2. 500 mrem (5 mSv) per year provided the licensee:
 - (i) Demonstrates that further reductions in residual radioactivity necessary to comply with the 100 mrem/y (1 mSv/y) value of part 1 of this subparagraph:
 - (I) Are not technically achievable,
 - (II) Would be prohibitively expensive or
 - (III) Would result in net public or environmental harm;
 - (ii) Makes provisions for durable institutional controls;
 - (iii) Provides sufficient financial assurance to enable a responsible government entity or independent third party, including a governmental custodian of a site, both to carry out periodic rechecks of the site and to assume and carry out responsibilities for any necessary control and maintenance of those controls. Periodic rechecks shall be carried out no less frequently than every 5 years to assure that the institutional controls remain in place as necessary to meet the criteria of subparagraph (b) of this paragraph. Acceptable financial assurance mechanisms are those in subparagraph (4)(d) of Rule 0400-20-10-.12.
- (4) Alternate criteria for license termination.
- (a) The Division may terminate a license using alternate criteria greater than the dose criterion of paragraph (2) of this rule and subparagraph (3)(b) of this rule, if the licensee:
 - 1. Provides assurance that public health and safety would continue to be protected, and that it is unlikely that the dose from all man-made sources combined, other than medical, would be more than the 1 mSv/y (100 mrem/y) limit of Rules 0400-20-05-.60 and 0400-20-05-.61, by submitting an analysis of possible sources of exposure;
 - 2. Has employed to the extent practicable restrictions on site use according to the provisions of paragraph (3) of this rule in minimizing exposures at the site; and
 - (i) Reduces doses to ALARA levels, taking into consideration any detriments such as traffic accidents expected to potentially result from decontamination and waste disposal.
 - (iii) Reserved.

(Rule 0400-20-10-.36, continued)

3. Provides sufficient financial assurance to enable a responsible government entity or independent third party, including a governmental custodian of a site, both to carry out periodic rechecks of the site and to assume and carry out responsibilities for any necessary control and maintenance of those controls. Periodic rechecks shall be carried out no less frequently than every 5 years to assure that the institutional controls remain in place as necessary to meet the criteria of subparagraph (b) of this paragraph. Acceptable financial assurance mechanisms are those in subparagraph (4)(d) of Rule 0400-20-10-.12.

(b) The use of alternate criteria to terminate a license requires the approval of the Division. The Division will consider staff recommendations to address any comments provided by the Environmental Protection Agency and any public comments submitted under paragraph (5) of this rule.

(5) Public notification and public participation.

Whenever the Division deems such notice to be in the public interest, the Division may:

- (a) Notify and solicit comments from:
 - 1. Local governments and other State government agencies in the vicinity of the site that could be affected by the decommissioning; and
 - 2. The Environmental Protection Agency for cases where the licensee proposes to release a site under paragraph (4) of this rule.
- (c) Publish a notice on the Tennessee Administrative Register web site, and in another appropriate forum that is readily accessible to individuals near the site, and solicit comments from affected parties. Another appropriate forum may include local newspapers and letters to State or local organizations.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

0400-20-10-.37 RESERVED.

(Note: The contents of Rule 0400-20-10-.37 Schedule 10-6: Determination of A₁ and A₂ have moved to the Appendix to Rule 0400-20-10-.38.)

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012.

SCHEDULE RHS 8-3: EXEMPT QUANTITIES

Radioactive Material	Micro-curies
Antimony-122 (Sb 122)	100
Antimony-124 (Sb 124)	10
Antimony-125 (Sb 125)	10
Arsenic-73 (As 73)	100

Radioactive Material	Micro-curies
Arsenic-74 (As 74)	10
Arsenic-76 (As 76)	10
Arsenic-77 (As 77)	100
Barium-131 (Ba 131)	10

Rule 0400-20-10-.38 Appendix—Schedules

Radioactive Material	Micro-curies
Barium-133 (Ba 133)	10
Barium-140 (Ba 140)	10
Bismuth-210 (Bi 210)	1
Bromine-82 (Br 82)	10
Cadmium-109 (Cd 109)	10
Cadmium-115m (Cd 115m)	10
Cadmium-115 (Cd 115)	100
Calcium-45 (Ca 45)	10
Calcium-47 (Ca 47)	10
Carbon-14 (C 14)	100
Cerium-141 (Ce 141)	100
Cerium-143 (Ce 143)	100
Cerium-144 (Ce 144)	1
Cesium-129 (Cs 129)	100
Cesium-131 (Cs 131)	1,000
Cesium-134m (Cs 134m)	100
Cesium-134 (Cs 134)	1
Cesium-135 (Cs 135)	10
Cesium-136 (Cs 136)	10
Cesium-137 (Cs 137)	10
Chlorine-36 (Cl 36)	10
Chlorine-38 (Cl 38)	10
Chromium-51 (Cr 51)	1,000
Cobalt-57 (Co 57)	100
Cobalt-58m (Co 58m)	10
Cobalt-58 (Co 58)	10
Cobalt-60 (Co 60)	1
Copper-64 (Cu 64)	100
Dysprosium-165 (Dy 165)	10
Dysprosium-166 (Dy 166)	100
Erbium-169 (Er 169)	100
Erbium-171 (Er 171)	100
Europium-152 (Eu 152)9.2 h	100
Europium-152 (Eu 152)13 yr	1
Europium-154 (Eu 154)	1
Europium-155 (Eu 155)	10
Fluorine-18 (F 18)	1,000
Gadolinium-153 (Gd 153)	10
Gadolinium-159 (Gd 159)	100
Gallium-67 (Ga 67)	100
Gallium-72 (Ga 72)	10
Germanium-68 (Ge 68)	10
Germanium-71 (Ge 71)	100
Gold-195 (Au 195)	10
Gold-198 (Au 198)	100
Gold-199 (Au 199)	100
Hafnium-181 (Hf 181)	10
Holmium-166 (Ho 166)	100
Hydrogen-3 (H 3)	1,000
Indium-111 (In 111)	100
Indium-113m (In 113m)	100
Indium-114m (In 114m)	10

Radioactive Material	Micro-curies
Indium-115m (In 115m)	100
Indium-115 (In 115)	10
Iodine-123 (I 123)	100
Iodine-125 (I 125)	1
Iodine-126 (I 126)	1
Iodine-129 (I 129)	0.1
Iodine-131 (I 131)	1
Iodine-132 (I 132)	10
Iodine-133 (I 133)	1
Iodine-134 (I 134)	10
Iodine-135 (I 135)	10
Iridium-192 (Ir 192)	10
Iridium-194 (Ir 194)	100
Iron-52 (Fe 52)	10
Iron-55 (Fe 55)	100
Iron-59 (Fe 59)	10
Krypton-85 (Kr 85)	100
Krypton-87 (Kr 87)	10
Lanthanum-140 (La 140)	10
Lutetium-177 (Lu 177)	100
Manganese-52 (Mn 52)	10
Manganese-54 (Mn 54)	10
Manganese-56 (Mn 56)	10
Mercury-197m (Hg 197m)	100
Mercury-197 (Hg 197)	100
Mercury-203 (Hg 203)	10
Molybdenum-99 (Mo 99)	100
Neodymium-147 (Nd 147)	100
Neodymium-149 (Nd 149)	100
Nickel-59 (Ni 59)	100
Nickel-63 (Ni 63)	10
Nickel-65 (Ni 65)	100
Niobium-93m (Nb 93m)	10
Niobium-95 (Nb 95)	10
Niobium-97 (Nb 97)	10
Osmium-185 (Os 185)	10
Osmium-191m (Os 191m)	100
Osmium-191 (Os 191)	100
Osmium-193 (Os 193)	100
Palladium-103 (Pd 103)	100
Palladium-109 (Pd 109)	100
Phosphorus-32 (P 32)	10
Platinum-191 (Pt 191)	100
Platinum-193m (Pt 193m)	100
Platinum-193 (Pt 193)	100
Platinum-197m (Pt 197m)	100
Platinum-197 (Pt 197)	100
Polonium-210 (Po 210)	0.1
Potassium-42 (K 42)	10
Potassium-43 (K 43)	10
Praseodymium-142 (Pr 142)	100
Praseodymium-143 (Pr 143)	100

Rule 0400-20-10-.38 Appendix—Schedules

Radioactive Material	Micro-curies
Promethium-147 (Pm 147)	10
Promethium-149 (Pm 149)	10
Rhenium-186 (Re 186)	100
Rhenium-188 (Re 188)	100
Rhodium-103m (Rh 103m)	100
Rhodium-105 (Rh 105)	100
Rubidium-81 (Rb 81)	10
Rubidium-86 (Rb 86)	10
Rubidium-87 (Rb 87)	10
Ruthenium-97 (Ru 97)	100
Ruthenium-103 (Ru 103)	10
Ruthenium-105 (Ru 105)	10
Ruthenium-106 (Ru 106)	1
Samarium-151 (Sm 151)	10
Samarium-153 (Sm 153)	100
Scandium-46 (Sc 46)	10
Scandium-47 (Sc 47)	100
Scandium-48 (Sc 48)	10
Selenium-75 (Se 75)	10
Silicon-31 (Si 31)	100
Silver-105 (Ag 105)	10
Silver-110m (Ag 110m)	1
Silver-111 (Ag 111)	100
Sodium-22 (Na 22)	10
Sodium-24 (Na 24)	10
Strontium-85 (Sr 85)	10
Strontium-89 (Sr 89)	1
Strontium-90 (Sr 90)	0.1
Strontium-91 (Sr 91)	10
Strontium-92 (Sr 92)	10
Sulfur-35 (S 35)	100
Tantalum-182 (Ta 182)	10
Technetium-96 (Tc 96)	10
Technetium-97m (Tc 97m)	100
Technetium-97 (Tc 97)	100
Technetium-99m (Tc 99m)	100
Technetium-99 (Tc 99)	10
Tellurium-125m (Te 125m)	10
Tellurium-127m (Te 127m)	10
Tellurium-127 (Te 127)	100
Tellurium-129m (Te 129m)	10

Radioactive Material	Micro-curies
Tellurium-129 (Te 129)	100
Tellurium-131m (Te 131m)	10
Tellurium-132 (Te 132)	10
Terbium-160 (Tb 160)	10
Thallium-200 (Tl 200)	100
Thallium-201 (Tl 201)	100
Thallium-202 (Tl 202)	100
Thallium-204 (Tl 204)	10
Thulium-170 (Tm 170)	10
Thulium-171 (Tm 171)	10
Tin-113 (Sn 113)	10
Tin-125 (Sn 125)	10
Tungsten-181 (W 181)	10
Tungsten-185 (W 185)	10
Tungsten-187 (W 187)	100
Vanadium-48 (V 48)	10
Xenon-131m (Xe 131m)	1,000
Xenon-133 (Xe 133)	100
Xenon-135 (Xe 135)	100
Ytterbium-175 (Yb 175)	100
Yttrium-87 (Y 87)	10
Yttrium-88 (Y 88)	10
Yttrium-90 (Y 90)	10
Yttrium-91 (Y 91)	10
Yttrium-92 (Y 92)	100
Yttrium-93 (Y 93)	100
Zinc-65 (Zn 65)	10
Zinc-69m (Zn 69m)	100
Zinc-69 (Zn 69)	1,000
Zirconium-93 (Zr 93)	10
Zirconium-95 (Zr 95)	10
Zirconium-97 (Zr 97)	10
Any radioactive material not listed above other than alpha-emitting radioactive material	0.1
Any alpha emitting radioactive material not listed above other than transuranic radioactive material	0.01

SCHEDULE RHS 8-4: EXEMPT CONCENTRATIONS

Element (atomic number)	Isotope	Column I Gas Concentration $\mu\text{Ci/ml}^a$	Column II and Solid Concentration $\mu\text{Ci/ml}^b$
Antimony (51)	Sb-122		3×10^{-4}
	Sb-124		2×10^{-4}

Rule 0400-20-10-.38 Appendix—Schedules

Element number)	(atomic Isotope	Column I Gas Concentration $\mu\text{Ci/ml}^a$	Column II and Solid Concentration $\mu\text{Ci/ml}^b$
	Sb-125		1×10^{-3}
Argon (18)	Ar-37	1×10^{-3}	
	Ar-41	4×10^{-7}	
Arsenic (33)	As-73		5×10^{-3}
	As-74		5×10^{-4}
	As-76		2×10^{-4}
	As-77		8×10^{-4}
Barium (56)	Ba-131		2×10^{-3}
	Ba-140		3×10^{-4}
Beryllium (4)	Be-7		2×10^{-2}
Bismuth (83)	Bi-206		4×10^{-4}
Bromine (35)	Br-82	4×10^{-7}	3×10^{-3}
Cadmium (48)	Cd-109		2×10^{-3}
	Cd-115m		3×10^{-4}
	Cd-115		3×10^{-4}
Calcium (20)	Ca-45		9×10^{-5}
	Ca-47		5×10^{-4}
Carbon (6)	C-14	1×10^{-6}	8×10^{-3}
Cerium (58)	Ce-141		9×10^{-4}
	Ce-143		4×10^{-4}
	Ce-144		1×10^{-4}
Cesium (55)	Cs-131		2×10^{-2}
	Cs-134m		6×10^{-2}
	Cs-134		9×10^{-5}
Chlorine (17)	Cl-38	9×10^{-7}	4×10^{-3}
Chromium (24)	Cr-51		2×10^{-2}
Cobalt (27)	Co-57		5×10^{-3}
	Co-58		1×10^{-3}
	Co-60		5×10^{-4}
Copper (29)	Cu-64		3×10^{-3}
Dysprosium (66)	Dy-165		4×10^{-3}
	Dy-166		4×10^{-4}
Erbium (68)	Er-169		9×10^{-4}
	Er-171		1×10^{-3}
Europium (63)	Eu-152 (Tr = 9.2h)		6×10^{-4}
	Eu-155		2×10^{-3}
Fluorine(9)	F-18	2×10^{-6}	8×10^{-3}
Gadolinium (64)	Gd-153		2×10^{-3}
	Gd-159		8×10^{-4}
Gallium (31)	Ga-72		4×10^{-4}
Germanium (32)	Ge-71		2×10^{-2}
Gold (79)	Au-196		2×10^{-3}
	Au-198		5×10^{-4}
	Au-199		2×10^{-3}
Hafnium (72)	Hf-181		7×10^{-4}
Hydrogen (1)	H-3	5×10^{-6}	3×10^{-2}
Indium (49)	In-113m		1×10^{-2}
	In-114m		2×10^{-4}
Iodine (53)	I-126	3×10^{-9}	2×10^{-5}
	I-131	3×10^{-9}	2×10^{-5}
	I-132	8×10^{-8}	6×10^{-4}
	I-133	1×10^{-8}	7×10^{-5}
	I-134	2×10^{-7}	1×10^{-3}

Rule 0400-20-10-.38 Appendix—Schedules

Element number	(atomic Isotope	Column I Gas Concentration $\mu\text{Ci/ml}^a$	Column II and Solid Concentration $\mu\text{Ci/ml}^b$
Iridium (77)	Ir-190		2×10^{-3}
	Ir-192		4×10^{-4}
	Ir-194		3×10^{-4}
Iron (26)	Fe-55		8×10^{-3}
	Fe-59		6×10^{-4}
Krypton (36)	Kr-85m	1×10^{-6}	
	Kr-85	3×10^{-6}	
Lanthanum (57)	La-140		2×10^{-4}
Lead (82)	Pb-203		4×10^{-3}
Lutetium (71)	Lu-177		1×10^{-3}
Manganese (25)	Mn-52		3×10^{-4}
	Mn-54		1×10^{-3}
	Mn-56		1×10^{-3}
Mercury (80)	Hg-197m		2×10^{-3}
	Hg-197		3×10^{-3}
	Hg-203		2×10^{-4}
Molybdenum (42)	Mo-99		2×10^{-3}
Neodymium (60)	Nd-147		6×10^{-4}
	Nd-149		3×10^{-3}
Nickel (28)	Ni-65		1×10^{-3}
Niobium (41)	Nb-95		1×10^{-3}
	Nb-97		9×10^{-3}
Osmium (76)	Os-185		7×10^{-4}
	Os-191m		3×10^{-2}
	Os-191		2×10^{-3}
	Os-193		6×10^{-4}
Palladium (46)	Pd-103		3×10^{-3}
	Pd-109		9×10^{-4}
Phosphorus (15)	P-32		2×10^{-4}
Platinum (78)	Pt-191		1×10^{-3}
	Pt-193m		1×10^{-2}
	Pt-197m		1×10^{-2}
	Pt-197		1×10^{-3}
Polonium (84)	Po-210		7×10^{-6}
Potassium (19)	K-42		3×10^{-3}
Praseodymium (59)	Pr-142		3×10^{-4}
	Pr-143		5×10^{-4}
Promethium (61)	Pm-147		2×10^{-3}
	Pm-149		4×10^{-4}
Radium (88)	Ra-226		1×10^{-7}
	Ra-228		3×10^{-7}
Rhenium (75)	Re-183		6×10^{-3}
	Re-186		9×10^{-4}
	Re-188		6×10^{-4}
Rhodium (45)	Rh-103m		1×10^{-1}
	Rh-105		1×10^{-3}
Rubidium (37)	Rb-86		7×10^{-4}
Ruthenium (44)	Ru-97		4×10^{-3}
	Ru-103		8×10^{-4}
	Ru-105		1×10^{-3}
	Ru-106		1×10^{-4}
Samarium (62)	Sm-153		8×10^{-4}
Scandium (21)	Sc-46		4×10^{-4}
	Sc-47		9×10^{-4}

Rule 0400-20-10-.38 Appendix—Schedules

Element (atomic number)	(atomic Isotope	Column I Gas Concentration $\mu\text{Ci/ml}^a$	Column II and Solid Concentration $\mu\text{Ci/ml}^b$
	Sc-48		3×10^{-4}
Selenium (34)	Se-75		3×10^{-3}
Silicon (14)	Si-31		9×10^{-3}
Silver (47)	Ag-105		1×10^{-3}
	Ag-110m		3×10^{-4}
	Ag-111		4×10^{-4}
Sodium (11)	Na-24		2×10^{-3}
Strontium (38)	Sr-85		1×10^{-4}
	Sr-89		1×10^{-4}
	Sr-91		7×10^{-4}
	Sr-92		7×10^{-4}
Sulfur (16)	S-35	9×10^{-8}	6×10^{-4}
Tantalum (73)	Ta-182		4×10^{-4}
Technetium (43)	Tc-96m		1×10^{-1}
	Tc-96		1×10^{-3}
Tellurium (52)	Te-125m		2×10^{-3}
	Te-127m		6×10^{-4}
	Te-127		3×10^{-3}
	Te-129m		3×10^{-4}
	Te-131m		6×10^{-4}
	Te-132		3×10^{-4}
Terbium (65)	Tb-160		4×10^{-4}
Thallium (81)	Tl-200		4×10^{-3}
	Tl-201		3×10^{-3}
	Tl-202		1×10^{-3}
	Tl-204		1×10^{-3}
Thulium (69)	Tm-170		5×10^{-4}
	Tm-171		5×10^{-3}
Tin (50)	Sn-113		9×10^{-4}
	Sn-125		2×10^{-4}
Tungsten (74)	W-181		4×10^{-3}
	W-187		7×10^{-4}
Vanadium (23)	V-48		3×10^{-4}
Xenon (54)	Xe-131m	4×10^{-6}	
	Xe-133	3×10^{-6}	
	Xe-135	1×10^{-6}	
Ytterbium (70)	Yb-175		1×10^{-3}
Yttrium (39)	Y-90		2×10^{-4}
	Y-91m		3×10^{-2}
	Y-91		3×10^{-4}
	Y-92		6×10^{-4}
	Y-93		3×10^{-4}
	Zinc (30)	Zn-65	
	Zn-69m		7×10^{-4}
	Zn-69		2×10^{-2}
Zirconium (40)	Zr-95		6×10^{-4}
	Zr-97		2×10^{-4}
Beta and/or gamma emitting radioactive material not listed above with half-life less than 3 years.		1×10^{-10}	1×10^{-6}

^a Values are given in Column I only for those materials normally used as gases.

^b $\mu\text{Ci/gm}$ for solids.

Rule 0400-20-10-.38 Appendix—Schedules

NOTE 1: Many radioisotopes disintegrate into isotopes that are also radioactive. In expressing the concentrations in Schedule RHS 8–4 the activity stated is that of the parent isotope and takes into account the daughters.

NOTE 2: For purposes of Rule 0400-20-10-.04 where there is involved a combination of isotopes, the limit for the combination should be derived as follows: Determine for each isotope in the product the ratio between the concentration present in the product and the exempt concentration established in Schedule RHS 8–4 for the specific isotope when not in combination. The sum of such ratios may not exceed “1” (i.e., unity).

EXAMPLE:

$$\frac{\text{Concentration of Isotope A in Product}}{\text{Exempt concentration of Isotope A}} + \frac{\text{Concentration of Isotope B in Product}}{\text{Exempt concentration of Isotope B}} \leq 1$$

SCHEDULE RHS 8–5: Reserved.SCHEDULE 10-6: DETERMINATION OF A_1 AND A_2 .

- (1) Values of A_1 and A_2 for individual radionuclides, which are the bases for many activity limits elsewhere in these regulations, are given in Table A-1. The curie (Ci) values specified are obtained by converting from the terabecquerel (TBq) value. The terabecquerel values are the regulatory standard. The curie values are for information only and are not intended to be the regulatory standard. Where values of A_1 or A_2 are unlimited, it is for radiation control purposes only. For nuclear criticality safety, some materials are subject to controls placed on fissile material.
- (2)
 - (a) For individual radionuclides whose identities are known but that are not listed in Table A-1, the A_1 and A_2 values contained in Table A-3 may be used. Otherwise, the licensee shall obtain prior Division approval of the A_1 and A_2 values for radionuclides not listed in Table A-1, before shipping the material.
 - (b) For individual radionuclides whose identities are known, but which are not listed in Table A-2, the exempt material activity concentration and exempt consignment activity values contained in Table A-3 may be used. Otherwise, the licensee shall obtain prior Division approval of the exempt material activity concentration and exempt consignment activity values for radionuclides not listed in Table A-2, before shipping the material.
 - (c) The licensee shall submit requests for prior approval, described under subparagraphs (a) and (b) of this schedule, to the Division, in accordance with Rule 0400-20-04-.07.
- (3) In the calculations of A_1 and A_2 for a radionuclide not in Table A-1, a single radioactive decay chain, in which radionuclides are present in their naturally occurring proportions, and in which no daughter nuclide has a half-life either longer than 10 days or longer than that of the parent nuclide, shall be considered as a single radionuclide. The activity to be taken into account, and the A_1 or A_2 value to be applied, shall be those corresponding to the parent nuclide of that chain. In the case of radioactive decay chains in which any daughter nuclide has a half-life either longer than 10 days or greater than that of the parent nuclide, the parent and those daughter nuclides shall be considered as mixtures of different nuclides.
- (4) For mixtures of radionuclides whose identities and respective activities are known, the following conditions apply:

Rule 0400-20-10-.38 Appendix—Schedules

- (a) For special form radioactive material, the maximum quantity transported in a Type A package:

$$\sum_I \frac{B(i)}{A_1(i)} \text{ less than or equal to } 1$$

where B(i) is the activity of radionuclide I, and A₁(i) is the A₁ value for radionuclide I.

- (b) For normal form radioactive material, the maximum quantity transported in a Type A package:

$$\sum_I \frac{B(i)}{A_2(i)} \text{ less than or equal to } 1$$

where B(i) is the activity of radionuclide I, and A₂(i) is the A₂ value for radionuclide I.

- (c) Alternatively, an A₁ value for mixtures of special form material may be determined as follows:

$$A_1 \text{ for mixture} = \frac{1}{\sum_I \frac{f(i)}{A_1(i)}}$$

Where f(i) is the fraction of activity of nuclide I in the mixture and A₁(i) is the appropriate A₁ value for nuclide I.

- (d) An A₂ value for mixtures of normal form material may be determined as follows:

$$A_2 \text{ for mixture} = \frac{1}{\sum_I \frac{f(i)}{A_2(i)}}$$

Where f(i) is the fraction of activity of nuclide I in the mixture and A₂(i) is the appropriate A₂ value for nuclide I.

- (e) The exempt activity concentration for mixtures of nuclides may be determined as follows:

$$\text{Exempt activity concentration for mixture} = \frac{1}{\sum_I \frac{f(i)}{[A](i)}}$$

where f(i) is the fraction of activity concentration of radionuclide I in the mixture, and [A] is the activity concentration for exempt material containing radionuclide I.

- (f) The activity limit for an exempt consignment for mixtures of radionuclides may be determined as follows:

$$\text{Exempt consignment activity limit for mixture} = \frac{1}{\sum_I f(i)}$$

Rule 0400-20-10-.38 Appendix—Schedules

I A(i)

where $f(i)$ is the fraction of activity of radionuclide I in the mixture, and A is the activity limit for exempt consignments for radionuclide I .

- (5) When the identity of each radionuclide is known, but the individual activities of some of the radionuclides are not known, the radionuclides may be grouped. The lowest A_1 or A_2 value, as appropriate, for the radionuclides in each group may be used in applying the formulas in paragraph (4) of this schedule. Groups may be based on the total alpha activity and the total beta/gamma activity when these are known, using the lowest A_1 or A_2 values for the alpha emitters and beta/gamma emitters.

Table A-1— A_1 and A_2 VALUES FOR RADIONUCLIDES

Symbol of radionuclide	Element and atomic number	A_1 (TBq)	$A_1(\text{Ci})^b$	A_2 (TBq)	$A_2(\text{Ci})^b$	Specific activity	
						(TBq/g)	(Ci/g)
Ac-225 (a)	Actinium (89)	8.0×10^{-1}	2.2×10^1	6.0×10^{-3}	1.6×10^{-1}	2.1×10^3	5.8×10^4
Ac-227 (a)		9.0×10^{-1}	2.4×10^1	9.0×10^{-5}	2.4×10^{-3}	2.7	7.2×10^1
Ac-228		6.0×10^{-1}	1.6×10^1	5.0×10^{-1}	1.4×10^1	8.4×10^4	2.2×10^6
Ag-105	Silver (47)	2.0	5.4×10^1	2.0	5.4×10^1	1.1×10^3	3.0×10^4
Ag-108m (a)		7.0×10^{-1}	1.9×10^1	7.0×10^{-1}	1.9×10^1	9.7×10^{-1}	2.6×10^1
Ag-110m (a)		4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	1.8×10^2	4.7×10^3
Ag-111		2.0	5.4×10^1	6.0×10^{-1}	1.6×10^1	5.8×10^3	1.6×10^5
Al-26	Aluminum (13)	1.0×10^{-1}	2.7	1.0×10^{-1}	2.7	7.0×10^{-4}	1.9×10^{-2}
Am-241	Americium (95)	1.0×10^1	2.7×10^2	1.0×10^{-3}	2.7×10^{-2}	1.3×10^{-1}	3.4
Am-242m (a)		1.0×10^1	2.7×10^2	1.0×10^{-3}	2.7×10^{-2}	3.6×10^{-1}	1.0×10^1
Am-243 (a)		5.0	1.4×10^2	1.0×10^{-3}	2.7×10^{-2}	7.4×10^{-3}	2.0×10^{-1}
Ar-37	Argon (18)	4.0×10^1	1.1×10^3	4.0×10^1	1.1×10^3	3.7×10^3	9.9×10^4
Ar-39		4.0×10^1	1.1×10^3	2.0×10^1	5.4×10^2	1.3	3.4×10^1
Ar-41		3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	1.5×10^6	4.2×10^7
As-72	Arsenic (33)	3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	6.2×10^4	1.7×10^6
As-73		4.0×10^1	1.1×10^3	4.0×10^1	1.1×10^3	8.2×10^2	2.2×10^4
As-74		1.0	2.7×10^1	9.0×10^{-1}	2.4×10^1	3.7×10^3	9.9×10^4
As-76		3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	5.8×10^4	1.6×10^6
As-77		2.0×10^1	5.4×10^2	7.0×10^{-1}	1.9×10^1	3.9×10^4	1.0×10^6
At-211 (a)	Astatine (85)	2.0×10^1	5.4×10^2	5.0×10^{-1}	1.4×10^1	7.6×10^4	2.1×10^6
Au-193	Gold (79)	7.0	1.9×10^2	2.0	5.4×10^1	3.4×10^4	9.2×10^5
Au-194		1.0	2.7×10^1	1.0	2.7×10^1	1.5×10^4	4.1×10^5
Au-195		1.0×10^1	2.7×10^2	6.0	1.6×10^2	1.4×10^2	3.7×10^3
Au-198		1.0	2.7×10^1	6.0×10^{-1}	1.6×10^1	9.0×10^3	2.4×10^5
Au-199		1.0×10^1	2.7×10^2	6.0×10^{-1}	1.6×10^1	7.7×10^3	2.1×10^5
Ba-131 (a)	Barium (56)	2.0	5.4×10^1	2.0	5.4×10^1	3.1×10^3	8.4×10^4
Ba-133		3.0	8.1×10^1	3.0	8.1×10^1	9.4	2.6×10^2
Ba-133m		2.0×10^1	5.4×10^2	6.0×10^{-1}	1.6×10^1	2.2×10^4	6.1×10^5
Ba-140 (a)		5.0×10^{-1}	1.4×10^1	3.0×10^{-1}	8.1	2.7×10^3	7.3×10^4
Be-7	Beryllium (4)	2.0×10^1	5.4×10^2	2.0×10^1	5.4×10^2	1.3×10^4	3.5×10^5

Rule 0400-20-10-.38 Appendix—Schedules

Be-10		4.0×10^1	1.1×10^3	6.0×10^{-1}	1.6×10^1	8.3×10^{-4}	2.2×10^{-2}
Bi-205	Bismuth (83)	7.0×10^{-1}	1.9×10^1	7.0×10^{-1}	1.9×10^1	1.5×10^3	4.2×10^4
Bi-206		3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	3.8×10^3	1.0×10^5
Bi-207		7.0×10^{-1}	1.9×10^1	7.0×10^{-1}	1.9×10^1	1.9	5.2×10^1
Bi-210		1.0	2.7×10^1	6.0×10^{-1}	1.6×10^1	4.6×10^3	1.2×10^5
Bi-210m (a)		6.0×10^{-1}	1.6×10^1	2.0×10^{-2}	5.4×10^{-1}	2.1×10^{-5}	5.7×10^{-4}
Bi-212 (a)		7.0×10^{-1}	1.9×10^1	6.0×10^{-1}	1.6×10^1	5.4×10^5	1.5×10^7
Bk-247	Berkelium (97)	8.0	2.2×10^2	8.0×10^{-4}	2.2×10^{-2}	3.8×10^{-2}	1.0
Bk-249 (a)		4.0×10^1	1.1×10^3	3.0×10^{-1}	8.1	6.1×10^1	1.6×10^3
Br-76	Bromine (35)	4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	9.4×10^4	2.5×10^6
Br-77		3.0	8.1×10^1	3.0	8.1×10^1	2.6×10^4	7.1×10^5
Br-82		4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	4.0×10^4	1.1×10^6
C-11	Carbon (6)	1.0	2.7×10^1	6.0×10^{-1}	1.6×10^1	3.1×10^7	8.4×10^9
C-14		4.0×10^1	1.1×10^3	3.0	8.1×10^1	1.6×10^{-1}	4.5
Ca-41	Calcium (20)	Unlimited	Unlimited	Unlimited	Unlimited	3.1×10^{-3}	8.5×10^{-2}
Ca-45		4.0×10^1	1.1×10^3	1.0	2.7×10^1	6.6×10^2	1.8×10^4
Ca-47 (a)		3.0	8.1×10^1	3.0×10^{-1}	8.1	2.3×10^4	6.1×10^5
Cd-109	Cadmium (48)	3.0×10^1	8.1×10^2	2.0	5.4×10^1	9.6×10^1	2.6×10^3
Cd-113m		4.0×10^1	1.1×10^3	5.0×10^{-1}	1.4×10^1	8.3	2.2×10^2
Cd-115 (a)		3.0	8.1×10^1	4.0×10^{-1}	1.1×10^1	1.9×10^4	5.1×10^5
Cd-115m		5.0×10^{-1}	1.4×10^1	5.0×10^{-1}	1.4×10^1	9.4×10^2	2.5×10^4
Ce-139	Cerium (58)	7.0	1.9×10^2	2.0	5.4×10^1	2.5×10^2	6.8×10^3
Ce-141		2.0×10^1	5.4×10^2	6.0×10^{-1}	1.6×10^1	1.1×10^3	2.8×10^4
Ce-143		9.0×10^{-1}	2.4×10^1	6.0×10^{-1}	1.6×10^1	2.5×10^4	6.6×10^5
Ce-144 (a)		2.0×10^{-1}	5.4	2.0×10^{-1}	5.4	1.2×10^2	3.2×10^3
Cf-248	Californium (98)	4.0×10^1	1.1×10^3	6.0×10^{-3}	1.6×10^{-1}	5.8×10^1	1.6×10^3
Cf-249		3.0	8.1×10^1	8.0×10^{-4}	2.2×10^{-2}	1.5×10^{-1}	4.1
Cf-250		2.0×10^1	5.4×10^2	2.0×10^{-3}	5.4×10^{-2}	4.0	1.1×10^2
Cf-251		7.0	1.9×10^2	7.0×10^{-4}	1.9×10^{-2}	5.9×10^{-2}	1.6
Cf-252 (h)		5.0×10^{-2}	1.4	3.0×10^{-3}	8.1×10^{-2}	2.0×10^1	5.4×10^2
Cf-253 (a)		4.0×10^1	1.1×10^3	4.0×10^{-2}	1.1	1.1×10^3	2.9×10^4
Cf-254		1.0×10^{-3}	2.7×10^{-2}	1.0×10^{-3}	2.7×10^{-2}	3.1×10^2	8.5×10^3
Cl-36	Chlorine (17)	1.0×10^1	2.7×10^2	6.0×10^{-1}	1.6×10^1	1.2×10^{-3}	3.3×10^{-2}
Cl-38		2.0×10^{-1}	5.4	2.0×10^{-1}	5.4	4.9×10^6	1.3×10^8
Cm-240	Curium (96)	4.0×10^1	1.1×10^3	2.0×10^{-2}	5.4×10^{-1}	7.5×10^2	2.0×10^4
Cm-241		2.0	5.4×10^1	1.0	2.7×10^1	6.1×10^2	1.7×10^4
Cm-242		4.0×10^1	1.1×10^3	1.0×10^{-2}	2.7×10^{-1}	1.2×10^2	3.3×10^3
Cm-243		9.0	2.4×10^2	1.0×10^{-3}	2.7×10^{-2}	1.9×10^{-3}	5.2×10^1
Cm-244		2.0×10^1	5.4×10^2	2.0×10^{-3}	5.4×10^{-2}	3.0	8.1×10^1
Cm-245		9.0	2.4×10^2	9.0×10^{-4}	2.4×10^{-2}	6.4×10^{-3}	1.7×10^{-1}
Cm-246		9.0	2.4×10^2	9.0×10^{-4}	2.4×10^{-2}	1.1×10^{-2}	3.1×10^{-1}
Cm-247 (a)		3.0	8.1×10^1	1.0×10^{-3}	2.7×10^{-2}	3.4×10^{-6}	9.3×10^{-5}
Cm-248		2.0×10^{-2}	5.4×10^{-1}	3.0×10^{-4}	8.1×10^{-3}	1.6×10^{-4}	4.2×10^{-3}
Co-55	Cobalt (27)	5.0×10^{-1}	1.4×10^1	5.0×10^{-1}	1.4×10^1	1.1×10^5	3.1×10^6

Rule 0400-20-10-.38 Appendix—Schedules

Co-56		3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.1X10 ³	3.0X10 ⁴
Co-57		1.0X10 ¹	2.7X10 ²	1.0X10 ¹	2.7X10 ²	3.1X10 ²	8.4X10 ³
Co-58		1.0	2.7X10 ¹	1.0	2.7X10 ¹	1.2X10 ³	3.2X10 ⁴
Co-58m		4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	2.2X10 ⁵	5.9X10 ⁶
Co-60		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	4.2X10 ¹	1.1X10 ³
Cr-51	Chromium (24)	3.0X10 ¹	8.1X10 ²	3.0X10 ¹	8.1X10 ²	3.4X10 ³	9.2X10 ⁴
Cs-129	Cesium (55)	4.0	1.1X10 ²	4.0	1.1X10 ²	2.8X10 ⁴	7.6X10 ⁵
Cs-131		3.0X10 ¹	8.1X10 ²	3.0X10 ¹	8.1X10 ²	3.8X10 ³	1.0X10 ⁵
Cs-132		1.0	2.7X10 ¹	1.0	2.7X10 ¹	5.7X10 ³	1.5X10 ⁵
Cs-134		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	4.8X10 ¹	1.3X10 ³
Cs-134m		4.0X10 ¹	1.1X10 ³	6.0X10 ⁻¹	1.6X10 ¹	3.0X10 ⁵	8.0X10 ⁶
Cs-135		4.0X10 ¹	1.1X10 ³	1.0	2.7X10 ¹	4.3X10 ⁻⁵	1.2X10 ⁻³
Cs-136		5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	2.7X10 ³	7.3X10 ⁴
Cs-137 (a)		2.0	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.2	8.7X10 ¹
Cu-64	Copper (29)	6.0	1.6X10 ²	1.0	2.7X10 ¹	1.4X10 ⁵	3.9X10 ⁶
Cu-67		1.0X10 ¹	2.7X10 ²	7.0X10 ⁻¹	1.9X10 ¹	2.8X10 ⁴	7.6X10 ⁵
Dy-159	Dysprosium (66)	2.0X10 ¹	5.4X10 ²	2.0X10 ¹	5.4X10 ²	2.1X10 ²	5.7X10 ³
Dy-165		9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.0X10 ⁵	8.2X10 ⁶
Dy-166 (a)		9.0X10 ⁻¹	2.4X10 ¹	3.0X10 ⁻¹	8.1	8.6X10 ³	2.3X10 ⁵
Er-169	Erbium (68)	4.0X10 ¹	1.1X10 ³	1.0	2.7X10 ¹	3.1X10 ³	8.3X10 ⁴
Er-171		8.0X10 ⁻¹	2.2X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	9.0X10 ⁴	2.4X10 ⁶
Eu-147	Europium (63)	2.0	5.4X10 ¹	2.0	5.4X10 ¹	1.4X10 ³	3.7X10 ⁴
Eu-148		5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.0X10 ²	1.6X10 ⁴
Eu-149		2.0X10 ¹	5.4X10 ²	2.0X10 ¹	5.4X10 ²	3.5X10 ²	9.4X10 ³
Eu-150 (short lived)		2.0	5.4X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	6.1X10 ⁴	1.6X10 ⁶
Eu-150 (long lived)		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	6.1X10 ⁴	1.6X10 ⁶
Eu-152		1.0	2.7X10 ¹	1.0	2.7X10 ¹	6.5	1.8X10 ²
Eu-152m		8.0X10 ⁻¹	2.2X10 ¹	8.0X10 ⁻¹	2.2X10 ¹	8.2X10 ⁴	2.2X10 ⁶
Eu-154		9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	9.8	2.6X10 ²
Eu-155		2.0X10 ¹	5.4X10 ²	3.0	8.1X10 ¹	1.8X10 ¹	4.9X10 ²
Eu-156		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	2.0X10 ³	5.5X10 ⁴
F-18	Fluorine (9)	1.0	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.5X10 ⁶	9.5X10 ⁷
Fe-52 (a)	Iron (26)	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	2.7X10 ⁵	7.3X10 ⁶
Fe-55		4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	8.8X10 ¹	2.4X10 ³
Fe-59		9.0X10 ⁻¹	2.4X10 ¹	9.0X10 ⁻¹	2.4X10 ¹	1.8X10 ³	5.0X10 ⁴
Fe-60 (a)		4.0X10 ¹	1.1X10 ³	2.0X10 ⁻¹	5.4	7.4X10 ⁻⁴	2.0X10 ⁻²
Ga-67	Gallium (31)	7.0	1.9X10 ²	3.0	8.1X10 ¹	2.2X10 ⁴	6.0X10 ⁵
Ga-68		5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	1.5X10 ⁶	4.1X10 ⁷
Ga-72		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.1X10 ⁵	3.1X10 ⁶
Gd-146 (a)	Gadolinium (64)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.9X10 ²	1.9X10 ⁴
Gd-148		2.0X10 ¹	5.4X10 ²	2.0X10 ⁻³	5.4X10 ⁻²	1.2	3.2X10 ¹
Gd-153		1.0X10 ¹	2.7X10 ²	9.0	2.4X10 ²	1.3X10 ²	3.5X10 ³
Gd-159		3.0	8.1X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.9X10 ⁴	1.1X10 ⁶

Rule 0400-20-10-.38 Appendix—Schedules

Ge-68 (a)	Germanium (32)	5.0×10^{-1}	1.4×10^1	5.0×10^{-1}	1.4×10^1	2.6×10^2	7.1×10^3
Ge-71		4.0×10^1	1.1×10^3	4.0×10^1	1.1×10^3	5.8×10^3	1.6×10^5
Ge-77		3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	1.3×10^5	3.6×10^6
Hf-172 (a)	Hafnium (72)	6.0×10^{-1}	1.6×10^1	6.0×10^{-1}	1.6×10^1	4.1×10^1	1.1×10^3
Hf-175		3.0	8.1×10^1	3.0	8.1×10^1	3.9×10^2	1.1×10^4
Hf-181		2.0	5.4×10^1	5.0×10^{-1}	1.4×10^1	6.3×10^2	1.7×10^4
Hf-182		Unlimited	Unlimited	Unlimited	Unlimited	8.1×10^{-6}	2.2×10^{-4}
Hg-194 (a)	Mercury (80)	1.0	2.7×10^1	1.0	2.7×10^1	1.3×10^{-1}	3.5
Hg-195m (a)		3.0	8.1×10^1	7.0×10^{-1}	1.9×10^1	1.5×10^4	4.0×10^5
Hg-197		2.0×10^1	5.4×10^2	1.0×10^1	2.7×10^2	9.2×10^3	2.5×10^5
Hg-197m		1.0×10^1	2.7×10^2	4.0×10^{-1}	1.1×10^1	2.5×10^4	6.7×10^5
Hg-203		5.0	1.4×10^2	1.0	2.7×10^1	5.1×10^2	1.4×10^4
Ho-166	Holmium (67)	4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	2.6×10^4	7.0×10^5
Ho-166m		6.0×10^{-1}	1.6×10^1	5.0×10^{-1}	1.4×10^1	6.6×10^{-2}	1.8
I-123	Iodine (53)	6.0	1.6×10^2	3.0	8.1×10^1	7.1×10^4	1.9×10^6
I-124		1.0	2.7×10^1	1.0	2.7×10^1	9.3×10^3	2.5×10^5
I-125		2.0×10^1	5.4×10^2	3.0	8.1×10^1	6.4×10^2	1.7×10^4
I-126		2.0	5.4×10^1	1.0	2.7×10^1	2.9×10^3	8.0×10^4
I-129		Unlimited	Unlimited	Unlimited	Unlimited	6.5×10^{-6}	1.8×10^{-4}
I-131		3.0	8.1×10^1	7.0×10^{-1}	1.9×10^1	4.6×10^3	1.2×10^5
I-132		4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	3.8×10^5	1.0×10^7
I-133		7.0×10^{-1}	1.9×10^1	6.0×10^{-1}	1.6×10^1	4.2×10^4	1.1×10^6
I-134		3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	9.9×10^5	2.7×10^7
I-135 (a)		6.0×10^{-1}	1.6×10^1	6.0×10^{-1}	1.6×10^1	1.3×10^5	3.5×10^6
In-111	Indium (49)	3.0	8.1×10^1	3.0	8.1×10^1	1.5×10^4	4.2×10^5
In-113m		4.0	1.1×10^2	2.0	5.4×10^1	6.2×10^5	1.7×10^7
In-114m (a)		1.0×10^1	2.7×10^2	5.0×10^{-1}	1.4×10^1	8.6×10^2	2.3×10^4
In-115m		7.0	1.9×10^2	1.0	2.7×10^1	2.2×10^5	6.1×10^6
Ir-189 (a)	Iridium (77)	1.0×10^1	2.7×10^2	1.0×10^1	2.7×10^2	1.9×10^3	5.2×10^4
Ir-190		7.0×10^{-1}	1.9×10^1	7.0×10^{-1}	1.9×10^1	2.3×10^3	6.2×10^4
Ir-192 (c)		1.0	2.7×10^1	6.0×10^{-1}	1.6×10^1	3.4×10^2	9.2×10^3
Ir-194		3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	3.1×10^4	8.4×10^5
K-40	Potassium (19)	9.0×10^{-1}	2.4×10^1	9.0×10^{-1}	2.4×10^1	2.4×10^{-7}	6.4×10^{-6}
K-42		2.0×10^{-1}	5.4	2.0×10^{-1}	5.4	2.2×10^5	6.0×10^6
K-43		7.0×10^{-1}	1.9×10^1	6.0×10^{-1}	1.6×10^1	1.2×10^5	3.3×10^6
Kr-81	Krypton (36)	4.0×10^1	1.1×10^3	4.0×10^1	1.1×10^3	7.8×10^{-4}	2.1×10^{-2}
Kr-85		1.0×10^1	2.7×10^2	1.0×10^1	2.7×10^2	1.5×10^1	3.9×10^2
Kr-85m		8.0	2.2×10^2	3.0	8.1×10^1	3.0×10^5	8.2×10^6
Kr-87		2.0×10^{-1}	5.4	2.0×10^{-1}	5.4	1.0×10^6	2.8×10^7
La-137	Lanthanum (57)	3.0×10^1	8.1×10^2	6.0	1.6×10^2	1.6×10^{-3}	4.4×10^{-2}
La-140		4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	2.1×10^4	5.6×10^5
Lu-172	Lutetium (71)	6.0×10^{-1}	1.6×10^1	6.0×10^{-1}	1.6×10^1	4.2×10^3	1.1×10^5
Lu-173		8.0	2.2×10^2	8.0	2.2×10^2	5.6×10^1	1.5×10^3

Rule 0400-20-10-.38 Appendix—Schedules

Lu-174		9.0	2.4X10 ²	9.0	2.4X10 ²	2.3X10 ¹	6.2X10 ²
Lu-174m		2.0X10 ¹	5.4X10 ²	1.0X10 ¹	2.7X10 ²	2.0X10 ²	5.3X10 ³
Lu-177		3.0X10 ¹	8.1X10 ²	7.0X10 ⁻¹	1.9X10 ¹	4.1X10 ³	1.1X10 ⁵
Mg-28 (a)	Magnesium (12)	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	2.0X10 ⁵	5.4X10 ⁶
Mn-52	Manganese (25)	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.6X10 ⁴	4.4X10 ⁵
Mn-53		Unlimited	Unlimited	Unlimited	Unlimited	6.8X10 ⁻⁵	1.8X10 ⁻³
Mn-54		1.0	2.7X10 ¹	1.0	2.7X10 ¹	2.9X10 ²	7.7X10 ³
Mn-56		3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	8.0X10 ⁵	2.2X10 ⁷
Mo-93	Molybdenum (42)	4.0X10 ¹	1.1X10 ³	2.0X10 ¹	5.4X10 ²	4.1X10 ⁻²	1.1
Mo-99 (a) (i)		1.0	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.8X10 ⁴	4.8X10 ⁵
N-13	Nitrogen (7)	9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	5.4X10 ⁷	1.5X10 ⁹
Na-22	Sodium (11)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	2.3X10 ²	6.3X10 ³
Na-24		2.0X10 ⁻¹	5.4	2.0X10 ⁻¹	5.4	3.2X10 ⁵	8.7X10 ⁶
Nb-93m	Niobium (41)	4.0X10 ¹	1.1X10 ³	3.0X10 ¹	8.1X10 ²	8.8	2.4X10 ²
Nb-94		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	6.9X10 ⁻³	1.9X10 ⁻¹
Nb-95		1.0	2.7X10 ¹	1.0	2.7X10 ¹	1.5X10 ³	3.9X10 ⁴
Nb-97		9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	9.9X10 ⁵	2.7X10 ⁷
Nd-147	Neodymium (60)	6.0	1.6X10 ²	6.0X10 ⁻¹	1.6X10 ¹	3.0X10 ³	8.1X10 ⁴
Nd-149		6.0X10 ⁻¹	1.6X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	4.5X10 ⁵	1.2X10 ⁷
Ni-59	Nickel (28)	Unlimited	Unlimited	Unlimited	Unlimited	3.0X10 ⁻³	8.0X10 ⁻²
Ni-63		4.0X10 ¹	1.1X10 ³	3.0X10 ¹	8.1X10 ²	2.1	5.7X10 ¹
Ni-65		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	7.1X10 ⁵	1.9X10 ⁷
Np-235	Neptunium (93)	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	5.2X10 ¹	1.4X10 ³
Np-236 (short-lived)		2.0X10 ¹	5.4X10 ²	2.0	5.4X10 ¹	4.7X10 ⁻⁴	1.3X10 ⁻²
Np-236 (long-lived)		9.0X10 ⁰	2.4X10 ²	2.0X10 ⁻²	5.4X10 ⁻¹	4.7X10 ⁻⁴	1.3X10 ⁻²
Np-237		2.0X10 ¹	5.4X10 ²	2.0X10 ⁻³	5.4X10 ⁻²	2.6X10 ⁻⁵	7.1X10 ⁻⁴
Np-239		7.0	1.9X10 ²	4.0X10 ⁻¹	1.1X10 ¹	8.6X10 ³	2.3X10 ⁵
Os-185	Osmium (76)	1.0	2.7X10 ¹	1.0	2.7X10 ¹	2.8X10 ²	7.5X10 ³
Os-191		1.0X10 ¹	2.7X10 ²	2.0	5.4X10 ¹	1.6X10 ³	4.4X10 ⁴
Os-191m		4.0X10 ¹	1.1X10 ³	3.0X10 ¹	8.1X10 ²	4.6X10 ⁴	1.3X10 ⁶
Os-193		2.0	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.0X10 ⁴	5.3X10 ⁵
Os-194 (a)		3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.1X10 ¹	3.1X10 ²
P-32	Phosphorus (15)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	1.1X10 ⁴	2.9X10 ⁵
P-33		4.0X10 ¹	1.1X10 ³	1.0	2.7X10 ¹	5.8X10 ³	1.6X10 ⁵
Pa-230 (a)	Protactinium (91)	2.0	5.4X10 ¹	7.0X10 ⁻²	1.9	1.2X10 ³	3.3X10 ⁴
Pa-231		4.0	1.1X10 ²	4.0X10 ⁻⁴	1.1X10 ⁻²	1.7X10 ⁻³	4.7X10 ⁻²
Pa-233		5.0	1.4X10 ²	7.0X10 ⁻¹	1.9X10 ¹	7.7X10 ²	2.1X10 ⁴
Pb-201	Lead (82)	1.0	2.7X10 ¹	1.0	2.7X10 ¹	6.2X10 ⁴	1.7X10 ⁶
Pb-202		4.0X10 ¹	1.1X10 ³	2.0X10 ¹	5.4X10 ²	1.2X10 ⁻⁴	3.4X10 ⁻³
Pb-203		4.0	1.1X10 ²	3.0	8.1X10 ¹	1.1X10 ⁴	3.0X10 ⁵
Pb-205		Unlimited	Unlimited	Unlimited	Unlimited	4.5X10 ⁻⁶	1.2X10 ⁻⁴
Pb-210 (a)		1.0	2.7X10 ¹	5.0X10 ⁻²	1.4	2.8	7.6X10 ¹
Pb-212 (a)		7.0X10 ⁻¹	1.9X10 ¹	2.0X10 ⁻¹	5.4	5.1X10 ⁴	1.4X10 ⁶

Rule 0400-20-10-.38 Appendix—Schedules

Pd-103 (a)	Palladium (46)	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	2.8X10 ³	7.5X10 ⁴
Pd-107		Unlimited	Unlimited	Unlimited	Unlimited	1.9X10 ⁻⁵	5.1X10 ⁻⁴
Pd-109		2.0	5.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	7.9X10 ⁴	2.1X10 ⁶
Pm-143	Promethium (61)	3.0	8.1X10 ¹	3.0	8.1X10 ¹	1.3X10 ²	3.4X10 ³
Pm-144		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	9.2X10 ¹	2.5X10 ³
Pm-145		3.0X10 ¹	8.1X10 ²	1.0X10 ¹	2.7X10 ²	5.2	1.4X10 ²
Pm-147		4.0X10 ¹	1.1X10 ³	2.0	5.4X10 ¹	3.4X10 ¹	9.3X10 ²
Pm-148m (a)		8.0X10 ⁻¹	2.2X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	7.9X10 ²	2.1X10 ⁴
Pm-149		2.0	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.5X10 ⁴	4.0X10 ⁵
Pm-151		2.0	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.7X10 ⁴	7.3X10 ⁵
Po-210	Polonium (84)	4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	1.7X10 ²	4.5X10 ³
Pr-142	Praseodymium (59)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	4.3X10 ⁴	1.2X10 ⁶
Pr-143		3.0	8.1X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.5X10 ³	6.7X10 ⁴
Pt-188 (a)	Platinum (78)	1.0	2.7X10 ¹	8.0X10 ⁻¹	2.2X10 ¹	2.5X10 ³	6.8X10 ⁴
Pt-191		4.0	1.1X10 ²	3.0	8.1X10 ¹	8.7X10 ³	2.4X10 ⁵
Pt-193		4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	1.4	3.7X10 ¹
Pt-193m		4.0X10 ¹	1.1X10 ³	5.0X10 ⁻¹	1.4X10 ¹	5.8X10 ³	1.6X10 ⁵
Pt-195m		1.0X10 ¹	2.7X10 ²	5.0X10 ⁻¹	1.4X10 ¹	6.2X10 ³	1.7X10 ⁵
Pt-197		2.0X10 ¹	5.4X10 ²	6.0X10 ⁻¹	1.6X10 ¹	3.2X10 ⁴	8.7X10 ⁵
Pt-197m		1.0X10 ¹	2.7X10 ²	6.0X10 ⁻¹	1.6X10 ¹	3.7X10 ⁵	1.0X10 ⁷
Pu-236	Plutonium (94)	3.0X10 ¹	8.1X10 ²	3.0X10 ⁻³	8.1X10 ⁻²	2.0X10 ¹	5.3X10 ²
Pu-237		2.0X10 ¹	5.4X10 ²	2.0X10 ¹	5.4X10 ²	4.5X10 ²	1.2X10 ⁴
Pu-238		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	6.3X10 ⁻¹	1.7X10 ¹
Pu-239		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	2.3X10 ⁻³	6.2X10 ⁻²
Pu-240		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	8.4X10 ⁻³	2.3X10 ⁻¹
Pu-241 (a)		4.0X10 ¹	1.1X10 ³	6.0X10 ⁻²	1.6	3.8	1.0X10 ²
Pu-242		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	1.5X10 ⁻⁴	3.9X10 ⁻³
Pu-244 (a)		4.0X10 ⁻¹	1.1X10 ¹	1.0X10 ⁻³	2.7X10 ⁻²	6.7X10 ⁻⁷	1.8X10 ⁻⁵
Ra-223 (a)	Radium (88)	4.0X10 ⁻¹	1.1X10 ¹	7.0X10 ⁻³	1.9X10 ⁻¹	1.9X10 ³	5.1X10 ⁴
Ra-224 (a)		4.0X10 ⁻¹	1.1X10 ¹	2.0X10 ⁻²	5.4X10 ⁻¹	5.9X10 ³	1.6X10 ⁵
Ra-225 (a)		2.0X10 ⁻¹	5.4	4.0X10 ⁻³	1.1X10 ⁻¹	1.5X10 ³	3.9X10 ⁴
Ra-226 (a)		2.0X10 ⁻¹	5.4	3.0X10 ⁻³	8.1X10 ⁻²	3.7X10 ⁻²	1.0
Ra-228 (a)		6.0X10 ⁻¹	1.6X10 ¹	2.0X10 ⁻²	5.4X10 ⁻¹	1.0X10 ¹	2.7X10 ²
Rb-81	Rubidium (37)	2.0	5.4X10 ¹	8.0X10 ⁻¹	2.2X10 ¹	3.1X10 ⁵	8.4X10 ⁶
Rb-83 (a)		2.0	5.4X10 ¹	2.0	5.4X10 ¹	6.8X10 ²	1.8X10 ⁴
Rb-84		1.0	2.7X10 ¹	1.0	2.7X10 ¹	1.8X10 ³	4.7X10 ⁴
Rb-86		5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	3.0X10 ³	8.1X10 ⁴
Rb-87		Unlimited	Unlimited	Unlimited	Unlimited	3.2X10 ⁻⁹	8.6X10 ⁻⁸
Rb(nat)		Unlimited	Unlimited	Unlimited	Unlimited	6.7X10 ⁶	1.8X10 ⁸
Re-184	Rhenium (75)	1.0	2.7X10 ¹	1.0	2.7X10 ¹	6.9X10 ²	1.9X10 ⁴
Re-184m		3.0	8.1X10 ¹	1.0	2.7X10 ¹	1.6X10 ²	4.3X10 ³
Re-186		2.0	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	6.9X10 ³	1.9X10 ⁵
Re-187		Unlimited	Unlimited	Unlimited	Unlimited	1.4X10 ⁻⁹	3.8X10 ⁻⁸

Rule 0400-20-10-.38 Appendix—Schedules

Re-188		4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	3.6×10^4	9.8×10^5
Re-189 (a)		3.0	8.1×10^1	6.0×10^{-1}	1.6×10^1	2.5×10^4	6.8×10^5
Re(nat)		Unlimited	Unlimited	Unlimited	Unlimited	0.0	2.4×10^{-8}
Rh-99	Rhodium (45)	2.0	5.4×10^1	2.0	5.4×10^1	3.0×10^3	8.2×10^4
Rh-101		4.0	1.1×10^2	3.0	8.1×10^1	4.1×10^1	1.1×10^3
Rh-102		5.0×10^{-1}	1.4×10^1	5.0×10^{-1}	1.4×10^1	4.5×10^1	1.2×10^3
Rh-102m		2.0	5.4×10^1	2.0	5.4×10^1	2.3×10^2	6.2×10^3
Rh-103m		4.0×10^1	1.1×10^3	4.0×10^1	1.1×10^3	1.2×10^6	3.3×10^7
Rh-105		1.0×10^1	2.7×10^2	8.0×10^{-1}	2.2×10^1	3.1×10^4	8.4×10^5
Rn-222 (a)	Radon (86)	3.0×10^{-1}	8.1	4.0×10^{-3}	1.1×10^{-1}	5.7×10^3	1.5×10^5
Ru-97	Ruthenium (44)	5.0	1.4×10^2	5.0	1.4×10^2	1.7×10^4	4.6×10^5
Ru-103 (a)		2.0	5.4×10^1	2.0	5.4×10^1	1.2×10^3	3.2×10^4
Ru-105		1.0	2.7×10^1	6.0×10^{-1}	1.6×10^1	2.5×10^5	6.7×10^5
Ru-106 (a)		2.0×10^{-1}	5.4	2.0×10^{-1}	5.4	1.2×10^2	3.3×10^3
S-35	Sulphur (16)	4.0×10^1	1.1×10^3	3.0	8.1×10^1	1.6×10^3	4.3×10^4
Sb-122	Antimony (51)	4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	1.5×10^4	4.0×10^5
Sb-124		6.0×10^{-1}	1.6×10^1	6.0×10^{-1}	1.6×10^1	6.5×10^2	1.7×10^4
Sb-125		2.0	5.4×10^1	1.0	2.7×10^1	3.9×10^1	1.0×10^3
Sb-126		4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	3.1×10^3	8.4×10^4
Sc-44	Scandium (21)	5.0×10^{-1}	1.4×10^1	5.0×10^{-1}	1.4×10^1	6.7×10^5	1.8×10^7
Sc-46		5.0×10^{-1}	1.4×10^1	5.0×10^{-1}	1.4×10^1	1.3×10^3	3.4×10^4
Sc-47		1.0×10^1	2.7×10^2	7.0×10^{-1}	1.9×10^1	3.1×10^4	8.3×10^5
Sc-48		3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	5.5×10^4	1.5×10^6
Se-75	Selenium (34)	3.0	8.1×10^1	3.0	8.1×10^1	5.4×10^2	1.5×10^4
Se-79		4.0×10^1	1.1×10^3	2.0	5.4×10^1	2.6×10^{-3}	7.0×10^{-2}
Si-31	Silicon (14)	6.0×10^{-1}	1.6×10^1	6.0×10^{-1}	1.6×10^1	1.4×10^6	3.9×10^7
Si-32		4.0×10^1	1.1×10^3	5.0×10^{-1}	1.4×10^1	3.9	1.1×10^2
Sm-145	Samarium (62)	1.0×10^1	2.7×10^2	1.0×10^1	2.7×10^2	9.8×10^1	2.6×10^3
Sm-147		Unlimited	Unlimited	Unlimited	Unlimited	8.5×10^{-1}	2.3×10^{-8}
Sm-151		4.0×10^1	1.1×10^3	1.0×10^1	2.7×10^2	9.7×10^{-1}	2.6×10^1
Sm-153		9.0	2.4×10^2	6.0×10^{-1}	1.6×10^1	1.6×10^4	4.4×10^5
Sn-113 (a)	Tin (50)	4.0	1.1×10^2	2.0	5.4×10^1	3.7×10^2	1.0×10^4
Sn-117m		7.0	1.9×10^2	4.0×10^{-1}	1.1×10^1	3.0×10^3	8.2×10^4
Sn-119m		4.0×10^1	1.1×10^3	3.0×10^1	8.1×10^2	1.4×10^2	3.7×10^3
Sn-121m (a)		4.0×10^1	1.1×10^3	9.0×10^{-1}	2.4×10^1	2.0	5.4×10^1
Sn-123		8.0×10^{-1}	2.2×10^1	6.0×10^{-1}	1.6×10^1	3.0×10^2	8.2×10^3
Sn-125		4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	4.0×10^3	1.1×10^5
Sn-126 (a)		6.0×10^{-1}	1.6×10^1	4.0×10^{-1}	1.1×10^1	1.0×10^{-3}	2.8×10^{-2}
Sr-82 (a)	Strontium (38)	2.0×10^{-1}	5.4	2.0×10^{-1}	5.4	2.3×10^3	6.2×10^4
Sr-85		2.0	5.4×10^1	2.0	5.4×10^1	8.8×10^2	2.4×10^4
Sr-85m		5.0	1.4×10^2	5.0	1.4×10^2	1.2×10^6	3.3×10^7
Sr-87m		3.0	8.1×10^1	3.0	8.1×10^1	4.8×10^5	1.3×10^7
Sr-89		6.0×10^{-1}	1.6×10^1	6.0×10^{-1}	1.6×10^1	1.1×10^3	2.9×10^4

Rule 0400-20-10-.38 Appendix—Schedules

Sr-90 (a)		3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	5.1	1.4×10^2
Sr-91 (a)		3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	1.3×10^5	3.6×10^6
Sr-92 (a)		1.0	2.7×10^1	3.0×10^{-1}	8.1	4.7×10^5	1.3×10^7
T(H-3)	Tritium (1)	4.0×10^1	1.1×10^3	4.0×10^1	1.1×10^3	3.6×10^2	9.7×10^3
Ta-178 (long-lived)	Tantalum (73)	1.0	2.7×10^1	8.0×10^{-1}	2.2×10^1	4.2×10^6	1.1×10^8
Ta-179		3.0×10^1	8.1×10^2	3.0×10^1	8.1×10^2	4.1×10^1	1.1×10^3
Ta-182		9.0×10^{-1}	2.4×10^1	5.0×10^{-1}	1.4×10^1	2.3×10^2	6.2×10^3
Tb-157	Terbium (65)	4.0×10^1	1.1×10^3	4.0×10^1	1.1×10^3	5.6×10^{-1}	1.5×10^1
Tb-158		1.0	2.7×10^1	1.0	2.7×10^1	5.6×10^{-1}	1.5×10^1
Tb-160		1.0	2.7×10^1	6.0×10^{-1}	1.6×10^1	4.2×10^2	1.1×10^4
Tc-95m (a)	Technetium (43)	2.0	5.4×10^1	2.0	5.4×10^1	8.3×10^2	2.2×10^4
Tc-96		4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	1.2×10^4	3.2×10^5
Tc-96m (a)		4.0×10^{-1}	1.1×10^1	4.0×10^{-1}	1.1×10^1	1.4×10^6	3.8×10^7
Tc-97		Unlimited	Unlimited	Unlimited	Unlimited	5.2×10^{-5}	1.4×10^{-3}
Tc-97m		4.0×10^1	1.1×10^3	1.0	2.7×10^1	5.6×10^2	1.5×10^4
Tc-98		8.0×10^{-1}	2.2×10^1	7.0×10^{-1}	1.9×10^1	3.2×10^{-5}	8.7×10^{-4}
Tc-99		4.0×10^1	1.1×10^3	9.0×10^{-1}	2.4×10^1	6.3×10^{-4}	1.7×10^{-2}
Tc-99m		1.0×10^1	2.7×10^2	4.0	1.1×10^2	1.9×10^5	5.3×10^6
Te-121	Tellurium (52)	2.0	5.4×10^1	2.0	5.4×10^1	2.4×10^3	6.4×10^4
Te-121m		5.0	1.4×10^2	3.0	8.1×10^1	2.6×10^2	7.0×10^3
Te-123m		8.0	2.2×10^2	1.0	2.7×10^1	3.3×10^2	8.9×10^3
Te-125m		2.0×10^1	5.4×10^2	9.0×10^{-1}	2.4×10^1	6.7×10^2	1.8×10^4
Te-127		2.0×10^1	5.4×10^2	7.0×10^{-1}	1.9×10^1	9.8×10^4	2.6×10^6
Te-127m (a)		2.0×10^1	5.4×10^2	5.0×10^{-1}	1.4×10^1	3.5×10^2	9.4×10^3
Te-129		7.0×10^{-1}	1.9×10^1	6.0×10^{-1}	1.6×10^1	7.7×10^5	2.1×10^7
Te-129m (a)		8.0×10^{-1}	2.2×10^1	4.0×10^{-1}	1.1×10^1	1.1×10^3	3.0×10^4
Te-131m (a)		7.0×10^{-1}	1.9×10^1	5.0×10^{-1}	1.4×10^1	3.0×10^4	8.0×10^5
Te-132 (a)		5.0×10^{-1}	1.4×10^1	4.0×10^{-1}	1.1×10^1	1.1×10^4	3.0×10^5
Th-227	Thorium (90)	1.0×10^1	2.7×10^2	5.0×10^{-3}	1.4×10^{-1}	1.1×10^3	3.1×10^4
Th-228 (a)		5.0×10^{-1}	1.4×10^1	1.0×10^{-3}	2.7×10^{-2}	3.0×10^1	8.2×10^2
Th-229		5.0	1.4×10^2	5.0×10^{-4}	1.4×10^{-2}	7.9×10^{-3}	2.1×10^{-1}
Th-230		1.0×10^1	2.7×10^2	1.0×10^{-3}	2.7×10^{-2}	7.6×10^{-4}	2.1×10^{-2}
Th-231		4.0×10^1	1.1×10^3	2.0×10^{-2}	5.4×10^{-1}	2.0×10^4	5.3×10^5
Th-232		Unlimited	Unlimited	Unlimited	Unlimited	4.0×10^{-9}	1.1×10^{-7}
Th-234 (a)		3.0×10^{-1}	8.1	3.0×10^{-1}	8.1	8.6×10^2	2.3×10^4
Th(nat)		Unlimited	Unlimited	Unlimited	Unlimited	8.1×10^{-9}	2.2×10^{-7}
Ti-44 (a)	Titanium (22)	5.0×10^{-1}	1.4×10^1	4.0×10^{-1}	1.1×10^1	6.4	1.7×10^2
Tl-200	Thallium (81)	9.0×10^{-1}	2.4×10^1	9.0×10^{-1}	2.4×10^1	2.2×10^4	6.0×10^5
Tl-201		1.0×10^1	2.7×10^2	4.0	1.1×10^2	7.9×10^3	2.1×10^5
Tl-202		2.0	5.4×10^1	2.0	5.4×10^1	2.0×10^3	5.3×10^4
Tl-204		1.0×10^1	2.7×10^2	7.0×10^{-1}	1.9×10^1	1.7×10^1	4.6×10^2
Tm-167	Thulium (69)	7.0	1.9×10^2	8.0×10^{-1}	2.2×10^1	3.1×10^3	8.5×10^4
Tm-170		3.0	8.1×10^1	6.0×10^{-1}	1.6×10^1	2.2×10^2	6.0×10^3

Rule 0400-20-10-.38 Appendix—Schedules

Tm-171		4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³
U-230 (fast lung absorption) (a)(d)	Uranium (92)	4.0X10 ¹	1.1X10 ³	1.0X10 ⁻¹	2.7	1.0X10 ³	2.7X10 ⁴
U-230 (medium lung absorption) (a)(e)		4.0X10 ¹	1.1X10 ³	4.0X10 ⁻³	1.1X10 ⁻¹	1.0X10 ³	2.7X10 ⁴
U-230 (slow lung absorption) (a)(f)		3.0X10 ¹	8.1X10 ²	3.0X10 ⁻³	8.1X10 ⁻²	1.0X10 ³	2.7X10 ⁴
U-232 (fast lung absorption) (d)		4.0X10 ¹	1.1X10 ³	1.0X10 ⁻²	2.7X10 ⁻¹	8.3X10 ⁻¹	2.2X10 ¹
U-232 (medium lung absorption) (e)		4.0X10 ¹	1.1X10 ³	7.0X10 ⁻³	1.9X10 ⁻¹	8.3X10 ⁻¹	2.2X10 ¹
U-232 (slow lung absorption) (f)		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	8.3X10 ⁻¹	2.2X10 ¹
U-233 (fast lung absorption) (d)		4.0X10 ¹	1.1X10 ³	9.0X10 ⁻²	2.4	3.6X10 ⁻⁴	9.7X10 ⁻³
U-233 (medium lung absorption) (e)		4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	3.6X10 ⁻⁴	9.7X10 ⁻³
U-233 (slow lung absorption) (f)		4.0X10 ¹	1.1X10 ³	6.0X10 ⁻³	1.6X10 ⁻¹	3.6X10 ⁻⁴	9.7X10 ⁻³
U-234 (fast lung absorption) (d)		4.0X10 ¹	1.1X10 ³	9.0X10 ⁻²	2.4	2.3X10 ⁻⁴	6.2X10 ⁻³
U-234 (medium lung absorption) (e)		4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	2.3X10 ⁻⁴	6.2X10 ⁻³
U-234 (slow lung absorption) (f)		4.0X10 ¹	1.1X10 ³	6.0X10 ⁻³	1.6X10 ⁻¹	2.3X10 ⁻⁴	6.2X10 ⁻³
U-235 (all lung absorption types) (a),(d),(e),(f)		Unlimited	Unlimited	Unlimited	Unlimited	8.0X10 ⁻⁸	2.2X10 ⁻⁶
U-236 (fast lung absorption) (d)		Unlimited	Unlimited	Unlimited	Unlimited	2.4X10 ⁻⁶	6.5X10 ⁻⁵

Rule 0400-20-10-.38 Appendix—Schedules

U-236 (medium lung absorption) (e)		4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	2.4X10 ⁻⁶	6.5X10 ⁻⁵
U-236 (slow lung absorption) (f)		4.0X10 ¹	1.1X10 ³	6.0X10 ⁻³	1.6X10 ⁻¹	2.4X10 ⁻⁶	6.5X10 ⁻⁵
U-238 (all lung absorption types) (d),(e),(f)		Unlimited	Unlimited	Unlimited	Unlimited	1.2X10 ⁻⁸	3.4X10 ⁻⁷
U (nat)		Unlimited	Unlimited	Unlimited	Unlimited	2.6X10 ⁻⁸	7.1X10 ⁻⁷
U (enriched to 20% or less) (g)		Unlimited	Unlimited	Unlimited	Unlimited	See Table A-4	See Table A-4
U (dep)		Unlimited	Unlimited	Unlimited	Unlimited	See Table A-4	(See Table A-3)
V-48	Vanadium (23)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	6.3X10 ³	1.7X10 ⁵
V-49		4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	3.0X10 ²	8.1X10 ³
W-178 (a)	Tungsten (74)	9.0	2.4X10 ²	5.0	1.4X10 ²	1.3X10 ³	3.4X10 ⁴
W-181		3.0X10 ¹	8.1X10 ²	3.0X10 ¹	8.1X10 ²	2.2X10 ²	6.0X10 ³
W-185		4.0X10 ¹	1.1X10 ³	8.0X10 ⁻¹	2.2X10 ¹	3.5X10 ²	9.4X10 ³
W-187		2.0	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.6X10 ⁴	7.0X10 ⁵
W-188 (a)		4.0X10 ⁻¹	1.1X10 ¹	3.0X10 ⁻¹	8.1	3.7X10 ²	1.0X10 ⁴
Xe-122 (a)	Xenon (54)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	4.8X10 ⁴	1.3X10 ⁵
Xe-123		2.0	5.4X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	4.4X10 ⁵	1.2X10 ⁷
Xe-127		4.0	1.1X10 ²	2.0	5.4X10 ¹	1.0X10 ³	2.8X10 ⁴
Xe-131m		4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	3.1X10 ³	8.4X10 ⁴
Xe-133		2.0X10 ¹	5.4X10 ²	1.0X10 ¹	2.7X10 ²	6.9X10 ³	1.9X10 ⁵
Xe-135		3.0	8.1X10 ¹	2.0	5.4X10 ¹	9.5X10 ⁴	2.6X10 ⁶
Y-87 (a)	Yttrium (39)	1.0	2.7X10 ¹	1.0	2.7X10 ¹	1.7X10 ⁴	4.5X10 ⁵
Y-88		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	5.2X10 ²	1.4X10 ⁴
Y-90		3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	2.0X10 ⁴	5.4X10 ⁵
Y-91		6.0X10 ⁻¹	1.6X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	9.1X10 ²	2.5X10 ⁴
Y-91m		2.0	5.4X10 ¹	2.0	5.4X10 ¹	1.5X10 ⁶	4.2X10 ⁷
Y-92		2.0X10 ⁻¹	5.4	2.0X10 ⁻¹	5.4	3.6X10 ⁵	9.6X10 ⁶
Y-93		3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.2X10 ⁵	3.3X10 ⁶
Yb-169	Ytterbium (70)	4.0	1.1X10 ²	1.0	2.7X10 ¹	8.9X10 ²	2.4X10 ⁴
Yb-175		3.0X10 ¹	8.1X10 ²	9.0X10 ⁻¹	2.4X10 ¹	6.6X10 ³	1.8X10 ⁵
Zn-65	Zinc (30)	2.0	5.4X10 ¹	2.0	5.4X10 ¹	3.0X10 ²	8.2X10 ³
Zn-69		3.0	8.1X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.8X10 ⁶	4.9X10 ⁷
Zn-69m (a)		3.0	8.1X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.2X10 ⁵	3.3X10 ⁶
Zr-88	Zirconium (40)	3.0	8.1X10 ¹	3.0	8.1X10 ¹	6.6X10 ²	1.8X10 ⁴
Zr-93		Unlimited	Unlimited	Unlimited	Unlimited	9.3X10 ⁻⁵	2.5X10 ⁻³
Zr-95 (a)		2.0	5.4X10 ¹	8.0X10 ⁻¹	2.2X10 ¹	7.9X10 ²	2.1X10 ⁴
Zr-97 (a)		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	7.1X10 ⁴	1.9X10 ⁶

^a A₁ and/or A₂ values include contributions from daughter nuclides with half-lives less than 10 days.

Rule 0400-20-10-.38 Appendix—Schedules

^b The values of A₁ and A₂ in Curies (Ci) are approximate and for information only; the regulatory standard units are Terabecquerels (TBq), (see paragraph (1) of Schedule 10-6 –Determination of A₁ and A₂ of this rule.).

^c The quantity may be determined from a measurement of the rate of decay or a measurement of the radiation level at a prescribed distance from the source.

^d These values apply only to compounds of uranium that take the chemical form of UF₆, UO₂F₂ and UO₂(NO₃)₂ in both normal and accident conditions of transport.

^e These values apply only to compounds of uranium that take the chemical form of UO₃, UF₄, UCl₄ and hexavalent compounds in both normal and accident conditions of transport.

^f These values apply to all compounds of uranium other than those specified in notes (d) and (e) of this table.

^g These values apply to unirradiated uranium only.

^h A₁ = 0.1 TBq (2.7 Ci) and A₂ = 0.001 TBq (0.027 Ci) for Cf-252 for domestic use.

ⁱ A₂ = 0.74 TBq (20 Ci) for Mo-99 for domestic use.

Table A-2—EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Ac-225	Actinium (89)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Ac-227		1.0X10 ⁻¹	2.7X10 ⁻¹²	1.0X10 ³	2.7X10 ⁻⁸
Ac-228		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ag-105	Silver (47)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ag-108m (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ag-110m		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ag-111		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Al-26	Aluminum (13)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Am-241	Americium (95)	1.0	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Am-242m (b)		1.0	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Am-243 (b)		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Ar-37	Argon (18)	1.0X10 ⁶	2.7X10 ⁻⁵	1.0X10 ⁸	2.7X10 ⁻³
Ar-39		1.0X10 ⁷	2.7X10 ⁻⁴	1.0X10 ⁴	2.7X10 ⁻⁷
Ar-41		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁹	2.7X10 ⁻²
As-72	Arsenic (33)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
As-73		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
As-74		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
As-76		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
As-77		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
At-211	Astatine (85)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Au-193	Gold (79)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Au-194		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Au-195		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Au-198		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Au-199		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ba-131	Barium (56)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ba-133		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ba-133m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ba-140 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Be-7	Beryllium (4)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Be-10		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁶	2.7X10 ⁻⁵

Rule 0400-20-10-.38 Appendix—Schedules

Bi-205	Bismuth (83)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Bi-206		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Bi-207		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Bi-210		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Bi-210m		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Bi-212 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Bk-247	Berkelium (97)	1.0	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Bk-249		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Br-76	Bromine (35)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Br-77		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Br-82		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
C-11	Carbon (6)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
C-14		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Ca-41	Calcium (20)	1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁷	2.7X10 ⁻⁴
Ca-45		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Ca-47		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Cd-109	Cadmium (48)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁶	2.7X10 ⁻⁵
Cd-113m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Cd-115		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Cd-115m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Ce-139	Cerium (58)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ce-141		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Ce-143		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ce-144 (b)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Cf-248	Californium (98)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cf-249		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Cf-250		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cf-251		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Cf-252		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cf-253		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Cf-254		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Cl-36	Chlorine (17)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁶	2.7X10 ⁻⁵
Cl-38		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Cm-240	Curium (96)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Cm-241		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Cm-242		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Cm-243		1.0	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Cm-244		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cm-245		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Cm-246		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Cm-247		1.0	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Cm-248		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Co-55	Cobalt (27)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Co-56		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶

Rule 0400-20-10-.38 Appendix—Schedules

Co-57		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Co-58		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Co-58m		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Co-60		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Cr-51	Chromium (24)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Cs-129	Cesium (55)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Cs-131		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Cs-132		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Cs-134		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cs-134m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
Cs-135		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Cs-136		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Cs-137 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cu-64	Copper (29)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Cu-67		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Dy-159	Dysprosium (66)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Dy-165		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Dy-166		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Er-169	Erbium (68)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Er-171		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-147	Europium (63)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-148		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-149		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Eu-150 (short lived)		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-150 (long lived)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-152		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-152m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-154		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-155		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Eu-156		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
F-18	Fluorine (9)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Fe-52	Iron (26)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Fe-55		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁶	2.7X10 ⁻⁵
Fe-59		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Fe-60		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Ga-67	Gallium (31)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ga-68		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Ga-72		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Gd-146	Gadolinium (64)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Gd-148		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Gd-153		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Gd-159		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Ge-68	Germanium (32)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶

Rule 0400-20-10-.38 Appendix—Schedules

Ge-71		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁸	2.7X10 ⁻³
Ge-77		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Hf-172	Hafnium (72)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Hf-175		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Hf-181		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Hf-182		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Hg-194	Mercury (80)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Hg-195m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Hg-197		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Hg-197m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Hg-203		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Ho-166	Holmium (67)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
Ho-166m		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
I-123	Iodine (53)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
I-124		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
I-125		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
I-126		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
I-129		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
I-131		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
I-132		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
I-133		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
I-134		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
I-135		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
In-111	Indium (49)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
In-113m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
In-114m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
In-115m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ir-189	Iridium (77)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Ir-190		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ir-192		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Ir-194		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
K-40	Potassium (19)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
K-42		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
K-43		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Kr-81	Krypton (36)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Kr-85		1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁴	2.7X10 ⁻⁷
Kr-85m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ¹⁰	2.7X10 ⁻¹
Kr-87		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁹	2.7X10 ⁻²
La-137	Lanthanum (57)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
La-140		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Lu-172	Lutetium (71)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Lu-173		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Lu-174		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Lu-174m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴

Rule 0400-20-10-.38 Appendix—Schedules

Lu-177		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Mg-28	Magnesium (12)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Mn-52	Manganese (25)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Mn-53		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁹	2.7X10 ⁻²
Mn-54		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Mn-56		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Mo-93	Molybdenum (42)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁸	2.7X10 ⁻³
Mo-99		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
N-13	Nitrogen (7)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁹	2.7X10 ⁻²
Na-22	Sodium (11)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Na-24		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Nb-93m	Niobium (41)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Nb-94		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Nb-95		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Nb-97		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Nd-147	Neodymium (60)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Nd-149		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ni-59	Nickel (28)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁸	2.7X10 ⁻³
Ni-63		1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁸	2.7X10 ⁻³
Ni-65		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Np-235	Neptunium (93)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Np-236 (short-lived)		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Np-236 (long-lived)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Np-237 (b)		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Np-239		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Os-185	Osmium (76)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Os-191		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Os-191m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Os-193		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Os-194		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
P-32	Phosphorus (15)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
P-33		1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁸	2.7X10 ⁻³
Pa-230	Protactinium (91)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Pa-231		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Pa-233		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Pb-201	Lead (82)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Pb-202		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Pb-203		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Pb-205		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Pb-210 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Pb-212 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Pd-103	Palladium (46)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁸	2.7X10 ⁻³
Pd-107		1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁸	2.7X10 ⁻³

Rule 0400-20-10-.38 Appendix—Schedules

Pd-109		1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Pm-143	Promethium (61)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Pm-144		1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Pm-145		1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Pm-147		1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Pm-148m		1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Pm-149		1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Pm-151		1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Po-210	Polonium (84)	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Pr-142	Praseodymium (59)	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Pr-143		1.0×10^4	2.7×10^{-7}	1.0×10^6	2.7×10^{-5}
Pt-188	Platinum (78)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Pt-191		1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Pt-193		1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Pt-193m		1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Pt-195m		1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Pt-197		1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Pt-197m		1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Pu-236	Plutonium (94)	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Pu-237		1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Pu-238		1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Pu-239		1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Pu-240		1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Pu-241		1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Pu-242		1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Pu-244		1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Ra-223 (b)	Radium (88)	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Ra-224 (b)		1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Ra-225		1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Ra-226 (b)		1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Ra-228 (b)		1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Rb-81	Rubidium (37)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Rb-83		1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Rb-84		1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Rb-86		1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Rb-87		1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Rb(nat)		1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Re-184	Rhenium (75)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Re-184m		1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Re-186		1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Re-187		1.0×10^6	2.7×10^{-5}	1.0×10^9	2.7×10^{-2}
Re-188		1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Re-189		1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Re(nat)		1.0×10^6	2.7×10^{-5}	1.0×10^9	2.7×10^{-2}

Rule 0400-20-10-.38 Appendix—Schedules

Rh-99	Rhodium (45)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Rh-101		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Rh-102		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Rh-102m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Rh-103m		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁸	2.7X10 ⁻³
Rh-105		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Rn-222 (b)	Radon (86)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁸	2.7X10 ⁻³
Ru-97	Ruthenium (44)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Ru-103		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ru-105		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ru-106 (b)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
S-35	Sulphur (16)	1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁸	2.7X10 ⁻³
Sb-122	Antimony (51)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁴	2.7X10 ⁻⁷
Sb-124		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Sb-125		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Sb-126		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Sc-44	Scandium (21)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Sc-46		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Sc-47		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Sc-48		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Se-75	Selenium (34)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Se-79		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Si-31	Silicon (14)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Si-32		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Sm-145	Samarium (62)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Sm-147		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Sm-151		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁸	2.7X10 ⁻³
Sm-153		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Sn-113	Tin (50)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Sn-117m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Sn-119m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Sn-121m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Sn-123		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Sn-125		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Sn-126		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Sr-82	Strontium (38)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Sr-85		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Sr-85m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Sr-87m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Sr-89		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Sr-90 (b)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁴	2.7X10 ⁻⁷
Sr-91		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Sr-92		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
T(H-3)	Tritium (1)	1.0X10 ⁶	2.7X10 ⁻⁵	1.0X10 ⁹	2.7X10 ⁻²

Rule 0400-20-10-.38 Appendix—Schedules

Ta-178 (long-lived)	Tantalum (73)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ta-179		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Ta-182		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Tb-157	Terbium (65)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Tb-158		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Tb-160		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Tc-95m	Technetium (43)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Tc-96		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Tc-96m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Tc-97		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁸	2.7X10 ⁻³
Tc-97m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Tc-98		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Tc-99		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Tc-99m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Te-121	Tellurium (52)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Te-121m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Te-123m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Te-125m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Te-127		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Te-127m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Te-129		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Te-129m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Te-131m		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Te-132		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Th-227	Thorium (90)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Th-228 (b)		1.0	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Th-229 (b)		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Th-230		1.0	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Th-231		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Th-232		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Th-234 (b)		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
Th (nat) (b)		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Ti-44	Titanium (22)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Tl-200	Thallium (81)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Tl-201		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Tl-202		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Tl-204		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁴	2.7X10 ⁻⁷
Tm-167	Thulium (69)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Tm-170		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Tm-171		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁸	2.7X10 ⁻³
U-230 (fast lung absorption) (b),(d)	Uranium (92)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶

Rule 0400-20-10-.38 Appendix—Schedules

U-230 (medium lung absorption) (e)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-230 (slow lung absorption) (f)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-232 (fast lung absorption) (b),(d)		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
U-232 (medium lung absorption) (e)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-232 (slow lung absorption) (f)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-233 (fast lung absorption) (d)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-233 (medium lung absorption) (e)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
U-233 (slow lung absorption) (f)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
U-234 (fast lung absorption) (d)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-234 (medium lung absorption) (e)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
U-234 (slow lung absorption) (f)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
U-235 (all lung absorption types) (b),(d),(e),(f)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-236 (fast lung absorption) (d)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-236 (medium lung absorption) (e)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
U-236 (slow lung absorption) (f)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-238 (all lung absorption types) (b),(d),(e),(f)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U (nat) (b)		1.0	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸

Rule 0400-20-10-.38 Appendix—Schedules

U (enriched to 20% or less) (g)		1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
U (dep)		1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
V-48	Vanadium (23)	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
V-49		1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
W-178	Tungsten (74)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
W-181		1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
W-185		1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
W-187		1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
W-188		1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Xe-122	Xenon (54)	1.0×10^2	2.7×10^{-9}	1.0×10^9	2.7×10^{-2}
Xe-123		1.0×10^2	2.7×10^{-9}	1.0×10^9	2.7×10^{-2}
Xe-127		1.0×10^3	2.7×10^{-8}	1.0×10^5	2.7×10^{-6}
Xe-131m		1.0×10^4	2.7×10^{-7}	1.0×10^4	2.7×10^{-7}
Xe-133		1.0×10^3	2.7×10^{-8}	1.0×10^4	2.7×10^{-7}
Xe-135		1.0×10^3	2.7×10^{-8}	1.0×10^{10}	2.7×10^{-1}
Y-87	Yttrium (39)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Y-88		1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Y-90		1.0×10^3	2.7×10^{-8}	1.0×10^5	2.7×10^{-6}
Y-91		1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Y-91m		1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Y-92		1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Y-93		1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Yb-169	Ytterbium (70)	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Yb-175		1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Zn-65	Zinc (30)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Zn-69		1.0×10^4	2.7×10^{-7}	1.0×10^6	2.7×10^{-5}
Zn-69m		1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Zr-88	Zirconium (40)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Zr-93 (b)		1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Zr-95		1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Zr-97 (b)		1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}

^a [Reserved]

^b Parent nuclides and their progeny included in secular equilibrium are listed in the following:

- Sr-90
- Zr-93
- Zr-97
- Ru-106
- Cs-137
- Ce-134
- Ce-144
- Ba-140
- Bi-212
- Pb-210
- Pb-212
- Y-90
- Nb-93m
- Nb-97
- Rh-106
- Ba-137m
- La-134
- Pr-144
- La-140
- Tl-208 (0.36), Po-212 (0.64)
- Bi-210, Po-210
- Bi-212, Tl-208 (0.36), Po-212 (0.64)

Rule 0400-20-10-.38 Appendix—Schedules

Rn-220	Po-216
Rn-222	Po-218, Pb-214, Bi-214, Po-214
Ra-223	Rn-219, Po-215, Pb-211, Bi-211, Tl-207
Ra-224	Rn-220, Po-216, Pb-212, Bi-212, Tl-208(0.36), Po-212 (0.64)
Ra-226	Rn-222, Po-218, Pb-214, Bi-214, Po-214, Pb-210, Bi-210, Po-210
Ra-228	Ac-228
Th-226	Ra-222, Rn-218, Po-214
Th-228	Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0.36), Po-212 (0.64)
Th-229	Ra-225, Ac-225, Fr-221, At-217, Bi-213, Po-213, Pb-209
Th-nat	Ra-228, Ac-228, Th-228, Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0.36), Po-212 (0.64)
Th-234	Pa-234m
U-230	Th-226, Ra-222, Rn-218, Po-214
U-232	Th-228, Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0.36), Po-212 (0.64)
U-235	Th-231
U-238	Th-234, Pa-234m
U-nat	Th-234, Pa-234m, U-234, Th-230, Ra-226, Rn-222, Po-218, Pb-214, Bi-214, Po-214, Pb-210, Bi-210, Po-210
U-240	Np-240m
Np-237	Pa-233
Am-242m	Am-242
Am-243	Np-239

^c [Reserved]

^d These values apply only to compounds of uranium that take the chemical form of UF₆, UO₂F₂ and UO₂(NO₃)₂ in both normal and accident conditions of transport.

^e These values apply only to compounds of uranium that take the chemical form of UO₃, UF₄, UCl₄ and hexavalent compounds in both normal and accident conditions of transport.

^f These values apply to all compounds of uranium other than those specified in notes (d) and (e) of this table.

^g These values apply to unirradiated uranium only.

TABLE A-3—GENERAL VALUES FOR A₁ AND A₂

Contents	A ₁		A ₂		Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limits for exempt consignments (Bq)	Activity limits for exempt consignments (Ci)
	(TBq)	(Ci)	(TBq)	(Ci)				
Only beta or gamma emitting radionuclides are known to be present	1 x 10 ⁻¹	2.7 x 10 ⁰	2 x 10 ⁻²	5.4 x 10 ¹ ₁	1 x 10 ¹	2.7 x 10 ⁻¹⁰	1 x 10 ⁴	2.7 x 10 ⁻⁷
Only alpha emitting radionuclides are known to be present	2 x 10 ⁻¹	5.4 x 10 ⁰	9 x 10 ⁻⁵	2.4 x 10 ¹ ₃	1 x 10 ⁻¹	2.7 x 10 ⁻¹²	1 x 10 ³	2.7 x 10 ⁻⁸
No relevant data are available	1 x 10 ⁻³	2.7 x 10 ⁻²	9 x 10 ⁻⁵	2.4 x 10 ¹ ₃	1 x 10 ⁻¹	2.7 x 10 ⁻¹²	1 x 10 ³	2.7 x 10 ⁻⁸

Rule 0400-20-10-.38 Appendix—Schedules

TABLE A-4—ACTIVITY-MASS RELATIONSHIPS FOR URANIUM

Uranium Enrichment ¹ wt % U-235 present	Specific Activity	
	TBq/g	Ci/g
0.45	1.8×10^{-8}	5.0×10^{-7}
0.72	2.6×10^{-8}	7.1×10^{-7}
1	2.8×10^{-8}	7.6×10^{-7}
1.5	3.7×10^{-8}	1.0×10^{-6}
5	1.0×10^{-7}	2.7×10^{-6}
10	1.8×10^{-7}	4.8×10^{-6}
20	3.7×10^{-7}	1.0×10^{-5}
35	7.4×10^{-7}	2.0×10^{-5}
50	9.3×10^{-7}	2.5×10^{-5}
90	2.2×10^{-6}	5.8×10^{-5}
93	2.6×10^{-6}	7.0×10^{-5}
95	3.4×10^{-6}	9.1×10^{-5}

¹ The figures for uranium include representative values for the activity of the uranium-234 that is concentrated during the enrichment process.

Authority: T.C.A. §§ 68-202-101 et seq., 68-202-201 et seq., and 4-5-201 et seq. **Administrative History:** Original rule filed February 22, 2012; effective May 22, 2012. Amendment filed March 3, 2015; effective June 1, 2015.