



## GE Healthcare

**Bradley A. Ambs, R.Ph.**  
Radiation Safety Officer

12300 Hubbard Road  
Livonia, MI 48150  
USA

T 734-425-0425  
F 734-425-1556  
E Bradley.Ambs@ge.com

May 29, 2015

U.S. Nuclear Regulatory Commission - Region III  
Materials Licensing Section  
2443 Warrenville Road, Suite 210  
Lisle, IL 60532-4352

RE: NRC Material License No. 21-24828-01MD

To Whom It May Concern:

Please allow this letter to serve as notice that Medi-Physics, Inc., dba GE Healthcare wishes to amend the above referenced license as follows:

1. Please remove Laura A. Bohovic, R.Ph. as an Authorized Nuclear Pharmacist (ANP) for the GE Healthcare, Livonia, MI facility under license Condition 11(B). Ms. Bohovic will permanently discontinue performance of duties under the license and terminate her employment with GE Healthcare on May 29, 2015.

Should you have any additional questions or require further clarification, please contact me at (734) 425-0425.

Sincerely,

A handwritten signature in black ink, appearing to read 'Bradley A. Ambs'.

Bradley A. Ambs, R.Ph.  
GE Healthcare  
Radiation Safety Officer

RECEIVED JUN 02 2015

From: (734) 425-0425  
ERICA HOLDER  
GE HEALTHCARE  
12300 HUBBARD

Origin ID: DEOA



J151215022303uv

LIVONIA, MI 48150

Ship Date: 02JUN15  
ActWgt: 1.0 LB  
CAD: 5637049/INET3610

Delivery Address Bar Code



SHIP TO: (800) 522-3025  
REGION III - MATERIALS LICENSING BR  
U.S. NUCLEAR REGULATORY COMMISSION  
2443 WARRENVILLE RD  
STE 210  
LISLE, IL 60532

BILL SENDER


RECEIVED JUN 02 2015

Ref # Remove E Hussett from license  
Invoice #  
PO #  
Dept #


WED - 03 JUN AA  
STANDARD OVERNIGHT

TRK# 7737 3491 2982  
0201

60532  
IL-US  
ORD



NA ENLA



537J1/8A0E/EE4B

**After printing this label:**

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.