

LO-0615-15384

Enclosure 1:

"Seismic Methodology - Class I Structures," PM-0515-14084-NP, Rev. 0 nonproprietary version

NuScale Nonproprietary

Seismic Methodology– Class I Structures



Josh Parker, PE, Lead Civil/Structural Engineer Dr. Tamás Liszkai, PE, Reactor Module Design Supervisor

July 9, 2015

NUSCALE POWER

PM-0515-14084-NP Revision: 0

Acknowledgement & Disclaimer

This material is based upon work supported by the Department of Energy under Award Number DE-NE0000633.

This report was prepared as an account of work sponsored by an agency of the United States (U.S.) Government. Neither the U.S. Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.



Agenda

- Purpose of this meeting
- Background
- DCD Section 3.7
 - two seismic Category I structures—reactor building (RXB) and control building (CRB)
 - design parameters (3.7.1)
 - seismic analysis (3.7.2)
 - subsystem analysis and seismic monitoring system (3.7.3 and 3.7.4)
- DCD Section 3.8 update
 - containment (3.8.1, 3.8.2 and 3.8.3)
 - Category I structures and foundations (3.8.4 and 3.8.5)
- Appendix 3A—reactor module (which includes containment) is not a structure
- Other chapters and sections
- Conclusion

3

PM-0515-14084-NP Revision: 0

Purpose of this Meeting

- Inform the NRC about the NuScale seismic analysis scope of work and receive feedback
- Provide NRC with early discussion of information that will be included in DCD Sections 3.7.1 and 3.7.2
- Provide NRC with update of status of DCD Chapter 2.0 and Sections 3.2, 3.3, 3.4, 3.5, and 3.8
- Update NRC on current results of seismic analysis of reactor modules



Background—Design Team

NuScale Power Structural Team


- Susan Farnworth, PE, SE seismic and structures manager
- Dr. Tamás Liszkai, PE supervisor, reactor module design
- Josh Parker, PE reactor building lead
- Roy Williams radioactive waste building lead
- Craig Harwood, PE, SE control building lead
- Dr. Mohsin Khan ARES Corporation – seismic building analysis

NuScale Power Seismic Expert Panel

- Robert Bachman, PE, SE
- Dr. Robert Kennedy, PE
- Greg Hardy, PE (component experience, Simpson Gumpertz Heger)
- Dr. Andrew Whittaker (MCEER, University of Buffalo)
- Bill Schmidt, consultant



Background—Site Aerial View







6

Background—RXB Cross-Section


Reactor building houses reactor modules, spent fuel pool, and reactor pool








Background—RXB Overhead View



Background

Structural Design Process and Status





NuScale Seismic Design Approach

Seismic design parameters

- response spectra
- time histories
- soil profiles
- Seismic analysis
 - reactor building
 - in-structure response spectra and time histories
- Subsystem analysis, seismic monitoring system, and design of Category I structures
- Reactor module seismic analysis
- Other chapters and sections
- Summary

}} 3(a-c)

{{




}} ^{3(a-c)}

{{



{{

}} ^{3(a-c)}





}} ^{3(a-c)}

14 PM-0515-14084-NP Revision: 0

{{



}} 3(a-c)

{{



}} ^{3(a-c)}

16 PM-0515-14084-NP Revision: 0

{{



}} ^{3(a-c)}

17 PM-0515-14084-NP Revision: 0

{{



}} ^{3(a-c)}

{{



}} ^{3(a-c)}

ι

19 PM-0515-14084-NP Revision: 0

{{



NuScale Seismic Design Approach

Seismic design parameters

- response spectra
- time histories
- soil profiles
- Seismic analysis
 - reactor building
 - in-structure response spectra and time histories
- Subsystem analysis, seismic monitoring system, and design of Category I structures
- Reactor module seismic analysis
- Other chapters and sections
- Summary


}} ^{3(a-c)}

{{



}} 3(a-c)


{{





}} ^{3(a-c)}

{{






}} ^{3(a-c)}

24 PM-0515-14084-NP Revision: 0

{{



{{





NuScale Seismic Design Approach

Seismic design parameters

- response spectra
- time histories
- soil profiles
- Seismic analysis
 - reactor building
 - in-structure response spectra and time histories
- Subsystem analysis, seismic monitoring system, and design of Category I structures
- Reactor module seismic analysis
- Other chapters and sections
- Summary


}} ^{3(a-c)}

{{



28

{{







29 PM-0515-14084-NP Revision: 0

{{





PM-0515-14084-NP Revision: 0

30

{{




NuScale Seismic Design Approach

- Seismic design parameters
 - response spectra
 - time histories
 - soil profiles
- Seismic analysis
 - reactor building
 - in-structure response spectra and time histories
- Subsystem analysis, seismic monitoring system, and design of Category I structures
- Reactor module seismic analysis
- Other chapters and sections
- Summary



{{







33 PM-0515-14084-NP Revision: 0

{{



{{





{{




}} ^{3(a-c)}

36 PM-0515-14084-NP Revision: 0

{{

NUSCALE POWER

}} ^{3(a-c)}





}} ^{3(a-c)}

{{



}} ^{3(a-c)}

39 PM-0515-14084-NP Revision: 0

{{



NuScale Seismic Design Approach

- Seismic design parameters
 - response spectra
 - time histories
 - soil profiles
- Seismic analysis
 - reactor building
 - in-structure response spectra and time histories
- Subsystem analysis, seismic monitoring system, and design of Category I structures
- Reactor module seismic analysis
- Other chapters and sections
- Summary



Revision: 0

PM-0515-14084-NP

}} ^{3(a-c)}




}} ^{3(a-c)}

{{



}} ^{3(a-c)}





PM-0515-14084-NP Revision: 0

44





PM-0515-14084-NP Revision: 0

45

{{





PM-0515-14084-NP Revision: 0


46

{{






47






}} ^{3(a-c)}






}} ^{3(a-c)}

49





}} ^{3(a-c)}








51 PM-0515-14084-NP Revision: 0

{{










}} ^{3(a-c)}





}} ^{3(a-c)}







PM-0515-14084-NP Revision: 0

55

{{





56 PM-0515-14084-NP Revision: 0

{{



In-Structure Time History Approach

}} 3(a-c)

57 PM-0515-14084-NP Revision: 0

{{



NuScale Seismic Design Approach

- Seismic design parameters
 - response spectra
 - time histories
 - soil profiles
- Seismic analysis
 - reactor building
 - in-structure response spectra and time histories
- Subsystem analysis, seismic monitoring system, and design of Category I structures
- Reactor module seismic analysis
- Other chapters and sections
- Summary

PM-0515-14084-NP Revision: 0

Subsystem Analysis

}} ^{3(a-c)}

59 PM-0515-14084-NP Revision: 0

{{



Seismic Monitoring


{{



Design of Category I Structures

{{

}} ^{3(a-c)}





NuScale Seismic Design Approach

- Seismic design parameters
 - response spectra
 - time histories
 - soil profiles
- Seismic analysis
 - reactor building
 - in-structure response spectra and time histories
- Subsystem analysis, seismic monitoring system, and design of Category I structures
- Reactor module seismic analysis
- Other chapters and sections
- Summary

62

NuScale Power Module

}} ^{3(a-c)}

63 PM-0515-14084-NP Revision: 0

{{



RXM Seismic Support Configuration

{{


}} ^{3(a-c)}

64 PM-0515-14084-NP Revision: 0



Reactor Pressure Vessel Supports


}} ^{3(a-c)}





RXM Three Dimensional (3D) Model

}} ^{3(a-c)}





RXM 3D Model

{{




67 PM-0515-14084-NP Revision: 0




RXM 3D Model








RXM Beam Model






RXM Models Benchmark/Tuning





RXM Vertical Response

}} ^{3(a-c)}





RXM Vertical Model

}} ^{3(a-c)}

72 PM-0515-14084-NP Revision: 0


{{



Typical Vertical Model Results

}} ^{3(a-c)}

{{





Details of Results

}} ^{3(a-c)}

74 PM-0515-14084-NP Revision: 0

{{


Т



RXM Seismic Methodology

}} ^{3(a-c)}

{{





NuScale Seismic Design Approach

- Seismic design parameters
 - response spectra
 - time histories
 - soil profiles
- Seismic analysis
 - reactor building
 - in-structure response spectra and time histories
- Subsystem analysis, seismic monitoring system, and design of Category I structures
- Reactor module seismic analysis
- Other chapters and sections
- Summary

76

}} ^{3(a-c)}

{{




}} ^{3(a-c)}

. {{



}} ^{3(a-c)}

{{





}} ^{3(a-c)}

{{



}} ^{3(a-c)}

{{



NuScale Seismic Design Approach

- Seismic design parameters
 - response spectra
 - time histories
 - soil profiles
- Seismic analysis
 - reactor building
 - in-structure response spectra and time histories
- Subsystem analysis, seismic monitoring system, and Design of Category I structures
- Reactor module seismic analysis
- Other chapters and sections

• Summary



Summary

{{

.





Summary

{{

}} 3(a-c)

PM-0515-14084-NP Revision: 0

84



Summary

}}

}} ^{3(a-c)}

PM-0515-14084-NP Revision: 0

85




Conclusion

}} ^{3(a-c)}

86

{{






6650 SW Redwood Lane, Suite 210 Portland, OR 97224 503.715.2222

1100 NE Circle Blvd., Suite 200 Corvallis, OR 97330 541.360.0500

11333 Woodglen Ave., Suite 205 Rockville, MD 20852 301.770.0472

6060 Piedmont Row Drive South, Suite 600 Charlotte, NC 28287 704.526.3413

http://www.nuscalepower.com





Copyright 2015 by NuScale Power, LLC.

87 PM-0515-14084-NP Revision: 0