



~~OFFICIAL USE ONLY – SECURITY-RELATED INFORMATION~~

UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION II
245 PEACHTREE CENTER AVENUE NE, SUITE 1200
ATLANTA, GEORGIA 30303-1257

August 6, 2015

Mr. Ron Land
Sr. VP - Fuel and Site Manager
Areva NP, Inc.
2101 Horn Rapids Road
Richland, WA 99352-0130

SUBJECT: AREVA NP, INC. – NUCLEAR REGULATORY COMMISSION INSPECTION
REPORT 70-1257/2015-401 AND NOTICE OF VIOLATION

Dear Mr. Land:

This refers to the inspection conducted on March 16 – 17, 2015, and June 16 – 18, 2015, at your AREVA NP, Inc. site in Richland, WA. The purpose of the inspection was to determine whether activities authorized by your license were conducted safely and in accordance with Nuclear Regulatory Commission (NRC) regulatory requirements. The enclosed report presents the results of this inspection. In addition, we reviewed additional information related to the inspection and held an exit telephone call with Mr. L. Maas of your staff at the conclusion of the inspection on July 8, 2015.

This inspection examined activities conducted under your license as they relate to public health and safety, and the common defense and security, and to confirm compliance with the Commission's rules and regulations and with the conditions of your license. Within these areas, the inspection consisted of selected examination of procedures and representative records, observations of activities, and interviews with personnel.

Based on the results of this inspection, the NRC has determined that a Severity Level IV violation of NRC requirements occurred. The violation was evaluated in accordance with the NRC Enforcement Policy. The current Enforcement Policy is included on the NRC's Web site at (<http://www.nrc.gov/about-nrc/regulatory/enforcement/enforce-pol.html>). The violation is cited in the enclosed Notice of Violation (Notice) and the circumstances surrounding it are described in detail in the subject inspection report. The violation is being cited in the Notice because the violation was NRC-identified.

The NRC has concluded that information regarding: (1) the reason for the violation; (2) the corrective actions that have been taken and the results achieved; and (3) the date when full compliance was achieved is already adequately addressed on the docket in the subject inspection report. Therefore, you are not required to respond to this letter unless the description herein does not accurately reflect your corrective actions or your position. In that case, or if you choose to provide additional information, you should follow the instructions specified in the enclosed Notice.

The enclosures contains Sensitive Unclassified Non-Safeguards Information. Upon separation, this cover letter is DECONTROLLED.
--

~~OFFICIAL USE ONLY – SECURITY-RELATED INFORMATION~~

R. Land

2

In accordance with Title 10 of the *Code of Federal Regulations* (10 CFR) 2.390, "Public inspections, exemptions, requests for withholding," of the NRC's "Agency Rules of Practice and Procedure," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room, or from the Publicly Available Records (PARS) component of NRC's Agencywide Documents Access and Management System (ADAMS); accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

However, the material enclosed herewith contains Security-Related Information in accordance with 10 CFR 2.390(d)(1) and its disclosure to unauthorized individuals could present a security vulnerability. Therefore, the material in the enclosure will not be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. If Security Related Information is necessary to provide an acceptable response, please mark your entire response Security-Related Information in accordance with 10 CFR 2.390(d)(1) and follow the instructions for withholding in 10 CFR 2.390(b)(1). In accordance with 10 CFR 2.390(b)(1)(ii), the NRC is waiving the affidavit requirements for your response.

Should you have any questions concerning this report, please contact Mr. José M. Díaz-Vélez at 404-997-4736, or via e-mail to jose.diaz@nrc.gov.

Sincerely,

/RA/

Omar R. López-Santiago, Chief
Safety Branch
Division of Fuel Facility Inspection

Docket No. 70-1257
License No. SNM-1227

Enclosures:

1. ~~Notice of Violation (Security-Related Information)~~
2. ~~NRC Inspection Report 70-1257/2015-401~~
- w/Attachment: ~~Supplementary Information (Security-Related Information)~~

cc: (See page 3)

~~OFFICIAL USE ONLY - SECURITY-RELATED INFORMATION~~

R. Land

2

However, the material enclosed herewith contains Security-Related Information in accordance with 10 CFR 2.390(d)(1) and its disclosure to unauthorized individuals could present a security vulnerability. Therefore, the material in the enclosure will not be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. If Security Related Information is necessary to provide an acceptable response, please mark your entire response Security-Related Information in accordance with 10 CFR 2.390(d)(1) and follow the instructions for withholding in 10 CFR 2.390(b)(1). In accordance with 10 CFR 2.390(b)(1)(ii), the NRC is waiving the affidavit requirements for your response.

Should you have any questions concerning this report, please contact Jose Diaz at 404-997-4736, or via e-mail to jose.diaz@nrc.gov.

Sincerely,

/RA/

Omar R. López-Santiago, Chief
Safety Branch
Division of Fuel Facility Inspection

Docket No. 70-1257
License No. SNM-1227

Enclosures:

1. ~~Notice of Violation (Security-Related Information)~~
2. ~~NRC Inspection Report 70-1257/2015-401~~
- w/Attachment: ~~Supplementary Information (Security-Related Information)~~

cc: (See page 3)

DISTRIBUTION:

M. Crespo, RII
M. Díaz, NMSS
D. Ditto, NMSS
N. Baker, NMSS
T. Pham, NMSS
O. López-Santiago, RII
E. Michel, RII

☒ PUBLICLY AVAILABLE ☐ NON-PUBLICLY AVAILABLE ☐ SENSITIVE ☒ NON-SENSITIVE
ADAMS: ☒ Yes ACCESSION NUMBER: ML15218A420 ☒ SUNSI REVIEW COMPLETE ☒ FORM 665 ATTACHED

OFFICE	RII:DFFI						
SIGNATURE	/RA/						
NAME	OLopez						
DATE	8/6/2015	8/ /2015	8/ /2015	8/ /2015	8/ /2015	8/ /2015	8/ /2015
E-MAIL COPY?	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO

OFFICIAL RECORD COPY DOCUMENT NAME: G:\DFF\REPORTS\DRAFT INSPECTION REPORT FOLDER\AREVA - RICHLAND\2015 REPORTS\AREVA 2015-401 PUBLIC LETTER.DOCX

~~OFFICIAL USE ONLY - SECURITY-RELATED INFORMATION~~

R. Land

3

cc:

Timothy Tate, Manager
Environmental, Health, Safety & Licensing
Areva NP, Inc.
2101 Horn Rapids Road
Richland, Washington 99352

Loren J. Maas, Manager
Licensing and Compliance
Areva NP, Inc.
2101 Horn Rapids Road
Richland, Washington 99352

M. Wilbricht, MC&A Specialist, AREVA
Areva NP, Inc.
2101 Horn Rapids Road
Richland, Washington 99352

Calvin D. Manning, Manager
Nuclear Criticality Safety
Areva, Inc.
2101 Horn Rapids Road
Richland, Washington 99354

Don Petersen, Manager
Packaging and Transportation
AREVA, Transnuclear, Inc.
2101 Horn Rapids Road
Richland, WA 99354

David Jansen, Director
Office of Radiation Protection
Department of Health
PO Box 47827
Olympia, Washington 98504-7827
david.jansen@doh.wa.gov

Earl Fordham, Deputy Director
Office of Radiation Protection
Department of Health
309 Bradley Boulevard, Suite 201
Richland, Washington 99352