

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8802100466	DOC. DATE: 88/01/07	NOTARIZED: NO	DOCKET #
FACIL: 50-000 Generic Docket			05000000
50-269 Oconee Nuclear Station, Unit 1, Duke Power Co.			05000269
50-270 Oconee Nuclear Station, Unit 2, Duke Power Co.			05000270
50-287 Oconee Nuclear Station, Unit 3, Duke Power Co.			05000287
50-369 William B. McGuire Nuclear Station, Unit 1, Duke Powe			05000369
50-370 William B. McGuire Nuclear Station, Unit 2, Duke Powe			05000370
50-413 Catawba Nuclear Station, Unit 1, Duke Power Co.			05000413
50-414 Catawba Nuclear Station, Unit 2, Duke Power Co.			05000414

AUTH. NAME	AUTHOR AFFILIATION
TUCKER, H. B.	Duke Power Co.
RECIP. NAME	RECIPIENT AFFILIATION
KAHLE, J. B.	Region 2, Ofc of the Director

SUBJECT: Submits listed results of NRC confirmatory measurements program cross checks.

DISTRIBUTION CODE: IE06D COPIES RECEIVED: LTR 1 ENCL 0 SIZE: 2
 TITLE: Environ & Radiological (50 DKT)-Insp Rept/Notice of Violation Respons

NOTES: AEOD/Ornstein: 1cy.	05000269
AEOD/Ornstein: 1cy.	05000270
AEOD/Ornstein: 1cy.	05000287
LPDR 2cys AMDTS to FSAR. ASLB 1cy.	05000413
LPDR 2cys AMDTS to FSAR. ASLB 1cy.	05000414

	RECIPIENT ID CODE/NAME	COPIES LTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTR ENCL
	PD2-3 LA	1 0	PD2-3 PD	1 1
	PASTIS, H	1 1	HOOD, D	1 1
	JABBOUR, K	1 1		
INTERNAL:	ACRS	2 2	AEOD/DOA	1 1
	AEOD/DSP	1 1	NMSS/LLOB	1 1
	NMSS/SCOB	1 1	NRR/DLPQ/PEB	1 1
	NRR/DOEA/EAB	1 1	NRR/DREP/EPB	1 1
	NRR/DREP/RPB	2 2	NRR/PMAS/ILRB	1 1
	OGC/HDS2	1 1	<u>REG FILE</u> 02	1 1
	RES	1 1	RES/DRPS DIR	1 1
	RGN2 FILE 01	1 1	RGN2/DRSS/EPRPB	1 1
	RGN4 MURRAY, B	1 1		
EXTERNAL:	LPDR	3 3	NRC PDR	1 1
	NSIC	1 1		
NOTES:		4 4		

TOTAL NUMBER OF COPIES REQUIRED: LTR 33 ENCL 22

DUKE POWER COMPANY

P.O. BOX 33189
CHARLOTTE, N.C. 28242

HAL B. TUCKER
VICE PRESIDENT
NUCLEAR PRODUCTION

TELEPHONE
(704) 373-4531

January 7, 1988

U. S. Nuclear Regulatory Commission
Region II
101 Marietta Street, NW
Atlanta, Georgia 30323

Attention: J. B. Kahle

Subject: NRC Confirmatory Measurements Program
Oconee Nuclear Station
Docket Nos. 50-269, -270, -287
McGuire Nuclear Station
Docket Nos. 50-369, -370
Catawba Nuclear Station
Docket Nos. 50-413, -414


Dear Sir:

The results of the NRC Confirmatory Measurements Program cross checks are as follows:

<u>Station</u>	<u>Radionuclide</u>	<u>Conc. (uCi.ml)</u>	<u>=</u>	<u>Uncertainty</u>
Oconee:	H-3	2.00 E-05	+	0.1 E-05
	Sr-89	2.30 E-05	+	4.0 E-06
	Sr-90	3.00 E-06	+	1.0 E-07
	Fe-55	1.57 E-05	+	1.6 E-06
McGuire:	H-3	1.77 E-05	+	2.8 E-06
	Sr-89	2.50 E-05	+	9.0 E-06
	Sr-90	2.40 E-06	+	1.0 E-07
	Fe-55	1.18 E-05	+	1.2 E-06
Catawba:	H-3	3.13 E-05	+	2.0 E-06
	Sr-89	2.40 E-05	+	8.0 E-06
	Sr-90	3.10 E-06	+	1.0 E-07
	Fe-55	2.19 E-05	+	2.0 E-06

These results are submitted in accordance with your letter of October 1, 1987.

Very truly yours,



Hal B. Tucker

LTB/1204/sbn

8802100466 880107
PDR ADDCK 05000269
P PDR

1/0

B. Kahle
January 7, 1988
Page Two

xc: Mr. P. K. Van Doorn
NRC Resident Inspector
Catawba Nuclear Station

Document Control Desk
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555