

CALVERT CLIFFS NUCLEAR POWER PLANT, INC.

Technical Specification Bases,
Unit Nos. 1 and 2

TECHNICAL SPECIFICATIONS BASES
LIST OF EFFECTIVE PAGES

| | | | | | |
|-----------|---------|-----------|---------|------------|---------|
| LEP-1 | Rev. 55 | B 3.1.1-2 | Rev. 43 | B 3.1.8-1 | Rev. 2 |
| LEP-2 | Rev. 55 | B 3.1.1-3 | Rev. 43 | B 3.1.8-2 | Rev. 43 |
| LEP-3 | Rev. 55 | B 3.1.1-4 | Rev. 43 | B 3.1.8-3 | Rev. 43 |
| LEP-4 | Rev. 55 | B 3.1.1-5 | Rev. 27 | B 3.1.8-4 | Rev. 43 |
| LEP-5 | Rev. 55 | B 3.1.1-6 | Rev. 55 | B 3.1.8-5 | Rev. 55 |
| LOR-1 | Rev. 55 | B 3.1.1-7 | Rev. 55 | B 3.2.1-1 | Rev. 2 |
| LOR-2 | Rev. 55 | B 3.1.2-1 | Rev. 2 | B 3.2.1-2 | Rev. 43 |
| i | Rev. 54 | B 3.1.2-2 | Rev. 2 | B 3.2.1-3 | Rev. 43 |
| ii | Rev. 54 | B 3.1.2-3 | Rev. 2 | B 3.2.1-4 | Rev. 43 |
| iii | Rev. 54 | B 3.1.2-4 | Rev. 2 | B 3.2.1-5 | Rev. 43 |
| B 2.1.1-1 | Rev. 2 | B 3.1.2-5 | Rev. 2 | B 3.2.1-6 | Rev. 55 |
| B 2.1.1-2 | Rev. 2 | B 3.1.2-6 | Rev. 3 | B 3.2.2 | Deleted |
| B 2.1.1-3 | Rev. 43 | B 3.1.3-1 | Rev. 29 | B 3.2.3-1 | Rev. 2 |
| B 2.1.1-4 | Rev. 43 | B 3.1.3-2 | Rev. 43 | B 3.2.3-2 | Rev. 43 |
| B 2.1.2-1 | Rev. 2 | B 3.1.3-3 | Rev. 29 | B 3.2.3-3 | Rev. 43 |
| B 2.1.2-2 | Rev. 2 | B 3.1.3-4 | Rev. 29 | B 3.2.3-4 | Rev. 43 |
| B 2.1.2-3 | Rev. 2 | B 3.1.3-5 | Rev. 29 | B 3.2.3-5 | Rev. 55 |
| B 2.1.2-4 | Rev. 2 | B 3.1.4-1 | Rev. 2 | B 3.2.4-1 | Rev. 2 |
| B 3.0-1 | Rev. 55 | B 3.1.4-2 | Rev. 2 | B 3.2.4-2 | Rev. 43 |
| B 3.0-2 | Rev. 55 | B 3.1.4-3 | Rev. 2 | B 3.2.4-3 | Rev. 43 |
| B 3.0-3 | Rev. 55 | B 3.1.4-4 | Rev. 43 | B 3.2.4-4 | Rev. 43 |
| B 3.0-4 | Rev. 2 | B 3.1.4-5 | Rev. 43 | B 3.2.4-5 | Rev. 55 |
| B 3.0-5 | Rev. 26 | B 3.1.4-6 | Rev. 37 | B 3.2.5-1 | Rev. 2 |
| B 3.0-6 | Rev. 26 | B 3.1.4-7 | Rev. 55 | B 3.2.5-2 | Rev. 43 |
| B 3.0-7 | Rev. 26 | B 3.1.4-8 | Rev. 55 | B 3.2.5-3 | Rev. 43 |
| B 3.0-8 | Rev. 26 | B 3.1.4-9 | Rev. 55 | B 3.2.5-4 | Rev. 11 |
| B 3.0-9 | Rev. 55 | B 3.1.5-1 | Rev. 2 | B 3.2.5-5 | Rev. 55 |
| B 3.0-10 | Rev. 55 | B 3.1.5-2 | Rev. 38 | B 3.3.1-1 | Rev. 2 |
| B 3.0-11 | Rev. 55 | B 3.1.5-3 | Rev. 38 | B 3.3.1-2 | Rev. 2 |
| B 3.0-12 | Rev. 45 | B 3.1.5-4 | Rev. 38 | B 3.3.1-3 | Rev. 2 |
| B 3.0-13 | Rev. 55 | B 3.1.5-5 | Rev. 55 | B 3.3.1-4 | Rev. 2 |
| B 3.0-14 | Rev. 55 | B 3.1.6-1 | Rev. 43 | B 3.3.1-5 | Rev. 2 |
| B 3.0-15 | Rev. 55 | B 3.1.6-2 | Rev. 43 | B 3.3.1-6 | Rev. 12 |
| B 3.0-16 | Rev. 55 | B 3.1.6-3 | Rev. 43 | B 3.3.1-7 | Rev. 12 |
| B 3.0-17 | Rev. 55 | B 3.1.6-4 | Rev. 43 | B 3.3.1-8 | Rev. 12 |
| B 3.0-18 | Rev. 55 | B 3.1.6-5 | Rev. 43 | B 3.3.1-9 | Rev. 12 |
| B 3.0-19 | Rev. 55 | B 3.1.6-6 | Rev. 43 | B 3.3.1-10 | Rev. 12 |
| B 3.0-20 | Rev. 55 | B 3.1.6-7 | Rev. 55 | B 3.3.1-11 | Rev. 31 |
| B 3.0-21 | Rev. 55 | B 3.1.7-1 | Rev. 2 | B 3.3.1-12 | Rev. 31 |
| B 3.0-22 | Rev. 55 | B 3.1.7-2 | Rev. 2 | B 3.3.1-13 | Rev. 31 |
| B 3.0-23 | Rev. 55 | B 3.1.7-3 | Rev. 43 | B 3.3.1-14 | Rev. 31 |
| B 3.0-24 | Rev. 55 | B 3.1.7-4 | Rev. 43 | B 3.3.1-15 | Rev. 31 |
| B 3.1.1-1 | Rev. 2 | B 3.1.7-5 | Rev. 55 | B 3.3.1-16 | Rev. 31 |

TECHNICAL SPECIFICATIONS BASES
LIST OF EFFECTIVE PAGES

| | | | | | |
|------------|---------|------------|---------|-------------|---------|
| B 3.3.1-17 | Rev. 43 | B 3.3.4-2 | Rev. 2 | B 3.3.6-8 | Rev. 55 |
| B 3.3.1-18 | Rev. 34 | B 3.3.4-3 | Rev. 2 | B 3.3.7-1 | Rev. 19 |
| B 3.3.1-19 | Rev. 34 | B 3.3.4-4 | Rev. 2 | B 3.3.7-2 | Rev. 19 |
| B 3.3.1-20 | Rev. 34 | B 3.3.4-5 | Rev. 2 | B 3.3.7-3 | Rev. 29 |
| B 3.3.1-21 | Rev. 34 | B 3.3.4-6 | Rev. 2 | B 3.3.7-4 | Rev. 29 |
| B 3.3.1-22 | Rev. 34 | B 3.3.4-7 | Rev. 2 | B 3.3.7-5 | Rev. 55 |
| B 3.3.1-23 | Rev. 34 | B 3.3.4-8 | Rev. 2 | B 3.3.7-6 | Rev. 55 |
| B 3.3.1-24 | Rev. 34 | B 3.3.4-9 | Rev. 2 | B 3.3.7-7 | Rev. 55 |
| B 3.3.1-25 | Rev. 34 | B 3.3.4-10 | Rev. 2 | B 3.3.8-1 | Rev. 8 |
| B 3.3.1-26 | Rev. 34 | B 3.3.4-11 | Rev. 2 | B 3.3.8-2 | Rev. 2 |
| B 3.3.1-27 | Rev. 55 | B 3.3.4-12 | Rev. 2 | B 3.3.8-3 | Rev. 55 |
| B 3.3.1-28 | Rev. 55 | B 3.3.4-13 | Rev. 2 | B 3.3.8-4 | Rev. 55 |
| B 3.3.1-29 | Rev. 55 | B 3.3.4-14 | Rev. 2 | B 3.3.9-1 | Rev. 2 |
| B 3.3.1-30 | Rev. 55 | B 3.3.4-15 | Rev. 2 | B 3.3.9-2 | Rev. 2 |
| B 3.3.1-31 | Rev. 55 | B 3.3.4-16 | Rev. 2 | B 3.3.9-3 | Rev. 2 |
| B 3.3.1-32 | Rev. 55 | B 3.3.4-17 | Rev. 26 | B 3.3.9-4 | Rev. 2 |
| B 3.3.1-33 | Rev. 55 | B 3.3.4-18 | Rev. 26 | B 3.3.9-5 | Rev. 55 |
| B 3.3.1-34 | Rev. 55 | B 3.3.4-19 | Rev. 55 | B 3.3.9-6 | Rev. 55 |
| B 3.3.1-35 | Rev. 55 | B 3.3.4-20 | Rev. 55 | B 3.3.9-7 | Rev. 55 |
| B 3.3.2-1 | Rev. 2 | B 3.3.4-21 | Rev. 55 | B 3.3.10-1 | Rev. 2 |
| B 3.3.2-2 | Rev. 2 | B 3.3.4-22 | Rev. 55 | B 3.3.10-2 | Rev. 2 |
| B 3.3.2-3 | Rev. 31 | B 3.3.5-1 | Rev. 2 | B 3.3.10-3 | Rev. 14 |
| B 3.3.2-4 | Rev. 31 | B 3.3.5-2 | Rev. 2 | B 3.3.10-4 | Rev. 19 |
| B 3.3.2-5 | Rev. 31 | B 3.3.5-3 | Rev. 2 | B 3.3.10-5 | Rev. 19 |
| B 3.3.2-6 | Rev. 31 | B 3.3.5-4 | Rev. 2 | B 3.3.10-6 | Rev. 19 |
| B 3.3.2-7 | Rev. 55 | B 3.3.5-5 | Rev. 2 | B 3.3.10-7 | Rev. 19 |
| B 3.3.2-8 | Rev. 55 | B 3.3.5-6 | Rev. 2 | B 3.3.10-8 | Rev. 19 |
| B 3.3.2-9 | Rev. 55 | B 3.3.5-7 | Rev. 2 | B 3.3.10-9 | Rev. 19 |
| B 3.3.2-10 | Rev. 55 | B 3.3.5-8 | Rev. 2 | B 3.3.10-10 | Rev. 32 |
| B 3.3.3-1 | Rev. 2 | B 3.3.5-9 | Rev. 2 | B 3.3.10-11 | Rev. 32 |
| B 3.3.3-2 | Rev. 2 | B 3.3.5-10 | Rev. 2 | B 3.3.10-12 | Rev. 32 |
| B 3.3.3-3 | Rev. 2 | B 3.3.5-11 | Rev. 2 | B 3.3.10-13 | Rev. 32 |
| B 3.3.3-4 | Rev. 2 | B 3.3.5-12 | Rev. 2 | B 3.3.10-14 | Rev. 32 |
| B 3.3.3-5 | Rev. 2 | B 3.3.5-13 | Rev. 55 | B 3.3.10-15 | Rev. 55 |
| B 3.3.3-6 | Rev. 2 | B 3.3.5-14 | Rev. 55 | B 3.3.10-16 | Rev. 55 |
| B 3.3.3-7 | Rev. 2 | B 3.3.5-15 | Rev. 55 | B 3.3.11-1 | Rev. 2 |
| B 3.3.3-8 | Rev. 2 | B 3.3.6-1 | Rev. 36 | B 3.3.11-2 | Rev. 2 |
| B 3.3.3-9 | Rev. 2 | B 3.3.6-2 | Rev. 2 | B 3.3.11-3 | Rev. 26 |
| B 3.3.3-10 | Rev. 2 | B 3.3.6-3 | Rev. 2 | B 3.3.11-4 | Rev. 55 |
| B 3.3.3-11 | Rev. 55 | B 3.3.6-4 | Rev. 13 | B 3.3.11-5 | Rev. 55 |
| B 3.3.3-12 | Rev. 55 | B 3.3.6-5 | Rev. 2 | B 3.3.12-1 | Rev. 2 |
| B 3.3.3-13 | Rev. 55 | B 3.3.6-6 | Rev. 26 | B 3.3.12-2 | Rev. 19 |
| B 3.3.4-1 | Rev. 2 | B 3.3.6-7 | Rev. 55 | B 3.3.12-3 | Rev. 55 |

TECHNICAL SPECIFICATIONS BASES
LIST OF EFFECTIVE PAGES

| | | | | | |
|------------|---------|-------------|---------|------------|---------|
| B 3.3.12-4 | Rev. 55 | B 3.4.10-2 | Rev. 2 | B 3.4.16-3 | Rev. 55 |
| B 3.4.1-1 | Rev. 45 | B 3.4.10-3 | Rev. 2 | B 3.4.17-1 | Rev. 34 |
| B 3.4.1-2 | Rev. 45 | B 3.4.10-4 | Rev. 38 | B 3.4.17-2 | Rev. 55 |
| B 3.4.1-3 | Rev. 55 | B 3.4.11-1 | Rev. 12 | B 3.4.17-3 | Rev. 55 |
| B 3.4.1-4 | Rev. 55 | B 3.4.11-2 | Rev. 12 | B 3.4.18-1 | Rev. 28 |
| B 3.4.2-1 | Rev. 36 | B 3.4.11-3 | Rev. 26 | B 3.4.18-2 | Rev. 41 |
| B 3.4.2-2 | Rev. 2 | B 3.4.11-4 | Rev. 26 | B 3.4.18-3 | Rev. 49 |
| B 3.4.3-1 | Rev. 2 | B 3.4.11-5 | Rev. 26 | B 3.4.18-4 | Rev. 41 |
| B 3.4.3-2 | Rev. 2 | B 3.4.11-6 | Rev. 55 | B 3.4.18-5 | Rev. 49 |
| B 3.4.3-3 | Rev. 2 | B 3.4.11-7 | Rev. 55 | B 3.4.18-6 | Rev. 41 |
| B 3.4.3-4 | Rev. 2 | B 3.4.12-1 | Rev. 2 | B 3.4.18-7 | Rev. 49 |
| B 3.4.3-5 | Rev. 47 | B 3.4.12-2 | Rev. 2 | B 3.4.18-8 | Rev. 49 |
| B 3.4.3-6 | Rev. 2 | B 3.4.12-3 | Rev. 23 | B 3.5.1-1 | Rev. 2 |
| B 3.4.3-7 | Rev. 55 | B 3.4.12-4 | Rev. 23 | B 3.5.1-2 | Rev. 2 |
| B 3.4.3-8 | Rev. 55 | B 3.4.12-5 | Rev. 23 | B 3.5.1-3 | Rev. 43 |
| B 3.4.4-1 | Rev. 2 | B 3.4.12-6 | Rev. 23 | B 3.5.1-4 | Rev. 43 |
| B 3.4.4-2 | Rev. 28 | B 3.4.12-7 | Rev. 2 | B 3.5.1-5 | Rev. 43 |
| B 3.4.4-3 | Rev. 55 | B 3.4.12-8 | Rev. 46 | B 3.5.1-6 | Rev. 43 |
| B 3.4.5-1 | Rev. 2 | B 3.4.12-9 | Rev. 2 | B 3.5.1-7 | Rev. 55 |
| B 3.4.5-2 | Rev. 19 | B 3.4.12-10 | Rev. 2 | B 3.5.1-8 | Rev. 55 |
| B 3.4.5-3 | Rev. 28 | B 3.4.12-11 | Rev. 55 | B 3.5.2-1 | Rev. 15 |
| B 3.4.5-4 | Rev. 55 | B 3.4.12-12 | Rev. 55 | B 3.5.2-2 | Rev. 15 |
| B 3.4.6-1 | Rev. 19 | B 3.4.12-13 | Rev. 55 | B 3.5.2-3 | Rev. 15 |
| B 3.4.6-2 | Rev. 19 | B 3.4.13-1 | Rev. 2 | B 3.5.2-4 | Rev. 15 |
| B 3.4.6-3 | Rev. 28 | B 3.4.13-2 | Rev. 46 | B 3.5.2-5 | Rev. 15 |
| B 3.4.6-4 | Rev. 55 | B 3.4.13-3 | Rev. 46 | B 3.5.2-6 | Rev. 55 |
| B 3.4.6-5 | Rev. 55 | B 3.4.13-4 | Rev. 46 | B 3.5.2-7 | Rev. 55 |
| B 3.4.7-1 | Rev. 2 | B 3.4.13-5 | Rev. 55 | B 3.5.2-8 | Rev. 55 |
| B 3.4.7-2 | Rev. 19 | B 3.4.13-6 | Rev. 55 | B 3.5.2-9 | Rev. 55 |
| B 3.4.7-3 | Rev. 19 | B 3.4.14-1 | Rev. 44 | B 3.5.3-1 | Rev. 2 |
| B 3.4.7-4 | Rev. 42 | B 3.4.14-2 | Rev. 44 | B 3.5.3-2 | Rev. 2 |
| B 3.4.7-5 | Rev. 55 | B 3.4.14-3 | Rev. 44 | B 3.5.3-3 | Rev. 26 |
| B 3.4.7-6 | Rev. 55 | B 3.4.14-4 | Rev. 44 | B 3.5.4-1 | Rev. 2 |
| B 3.4.8-1 | Rev. 2 | B 3.4.14-5 | Rev. 44 | B 3.5.4-2 | Rev. 41 |
| B 3.4.8-2 | Rev. 42 | B 3.4.14-6 | Rev. 55 | B 3.5.4-3 | Rev. 2 |
| B 3.4.8-3 | Rev. 55 | B 3.4.14-7 | Rev. 55 | B 3.5.4-4 | Rev. 2 |
| B 3.4.9-1 | Rev. 2 | B 3.4.15-1 | Rev. 41 | B 3.5.4-5 | Rev. 55 |
| B 3.4.9-2 | Rev. 2 | B 3.4.15-2 | Rev. 41 | B 3.5.4-6 | Rev. 55 |
| B 3.4.9-3 | Rev. 2 | B 3.4.15-3 | Rev. 41 | B 3.5.5-1 | Rev. 37 |
| B 3.4.9-4 | Rev. 52 | B 3.4.15-4 | Rev. 55 | B 3.5.5-2 | Rev. 37 |
| B 3.4.9-5 | Rev. 55 | B 3.4.15-5 | Rev. 55 | B 3.5.5-3 | Rev. 37 |
| B 3.4.9-6 | Rev. 55 | B 3.4.16-1 | Rev. 2 | B 3.5.5-4 | Rev. 55 |
| B 3.4.10-1 | Rev. 2 | B 3.4.16-2 | Rev. 55 | B 3.5.5-5 | Rev. 55 |

TECHNICAL SPECIFICATIONS BASES
LIST OF EFFECTIVE PAGES

| | | | | | |
|------------|---------|-----------|---------|------------|---------|
| B 3.6.1-1 | Rev. 2 | B 3.7.1-1 | Rev. 2 | B 3.7.8-7 | Rev. 52 |
| B 3.6.1-2 | Rev. 41 | B 3.7.1-2 | Rev. 23 | B 3.7.8-8 | Rev. 52 |
| B 3.6.1-3 | Rev. 2 | B 3.7.1-3 | Rev. 23 | B 3.7.8-9 | Rev. 55 |
| B 3.6.1-4 | Rev. 41 | B 3.7.1-4 | Rev. 38 | B 3.7.8-10 | Rev. 55 |
| B 3.6.1-5 | Rev. 41 | B 3.7.1-5 | Rev. 38 | B 3.7.8-11 | Rev. 52 |
| B 3.6.2-1 | Rev. 2 | B 3.7.2-1 | Rev. 14 | B 3.7.9-1 | Rev. 2 |
| B 3.6.2-2 | Rev. 41 | B 3.7.2-2 | Rev. 14 | B 3.7.9-2 | Rev. 31 |
| B 3.6.2-3 | Rev. 2 | B 3.7.2-3 | Rev. 14 | B 3.7.9-3 | Rev. 55 |
| B 3.6.2-4 | Rev. 2 | B 3.7.2-4 | Rev. 14 | B 3.7.10 | Deleted |
| B 3.6.2-5 | Rev. 2 | B 3.7.2-5 | Rev. 38 | B 3.7.11-1 | Rev. 41 |
| B 3.6.2-6 | Rev. 2 | B 3.7.3-1 | Rev. 2 | B 3.7.11-2 | Rev. 41 |
| B 3.6.2-7 | Rev. 2 | B 3.7.3-2 | Rev. 2 | B 3.7.11-3 | Rev. 55 |
| B 3.6.2-8 | Rev. 55 | B 3.7.3-3 | Rev. 12 | B 3.7.12-1 | Rev. 52 |
| B 3.6.3-1 | Rev. 2 | B 3.7.3-4 | Rev. 26 | B 3.7.12-2 | Rev. 41 |
| B 3.6.3-2 | Rev. 32 | B 3.7.3-5 | Rev. 48 | B 3.7.12-3 | Rev. 52 |
| B 3.6.3-3 | Rev. 2 | B 3.7.3-6 | Rev. 48 | B 3.7.12-4 | Rev. 55 |
| B 3.6.3-4 | Rev. 2 | B 3.7.3-7 | Rev. 55 | B 3.7.12-5 | Rev. 55 |
| B 3.6.3-5 | Rev. 2 | B 3.7.3-8 | Rev. 55 | B 3.7.13-1 | Rev. 41 |
| B 3.6.3-6 | Rev. 2 | B 3.7.3-9 | Rev. 55 | B 3.7.13-2 | Rev. 55 |
| B 3.6.3-7 | Rev. 32 | B 3.7.4-1 | Rev. 41 | B 3.7.13-3 | Rev. 41 |
| B 3.6.3-8 | Rev. 55 | B 3.7.4-2 | Rev. 41 | B 3.7.14-1 | Rev. 41 |
| B 3.6.3-9 | Rev. 55 | B 3.7.4-3 | Rev. 41 | B 3.7.14-2 | Rev. 41 |
| B 3.6.3-10 | Rev. 55 | B 3.7.4-4 | Rev. 55 | B 3.7.14-3 | Rev. 55 |
| B 3.6.4-1 | Rev. 47 | B 3.7.5-1 | Rev. 53 | B 3.7.15-1 | Rev. 2 |
| B 3.6.4-2 | Rev. 47 | B 3.7.5-2 | Rev. 53 | B 3.7.15-2 | Rev. 13 |
| B 3.6.4-3 | Rev. 55 | B 3.7.5-3 | Rev. 53 | B 3.7.15-3 | Rev. 14 |
| B 3.6.5-1 | Rev. 2 | B 3.7.5-4 | Rev. 55 | B 3.7.15-4 | Rev. 38 |
| B 3.6.5-2 | Rev. 2 | B 3.7.5-5 | Rev. 55 | B 3.7.16-1 | Rev. 23 |
| B 3.6.5-3 | Rev. 55 | B 3.7.6-1 | Rev. 5 | B 3.7.16-2 | Rev. 55 |
| B 3.6.6-1 | Rev. 2 | B 3.7.6-2 | Rev. 41 | B 3.7.17-1 | Rev. 23 |
| B 3.6.6-2 | Rev. 2 | B 3.7.6-3 | Rev. 5 | B 3.7.17-2 | Rev. 23 |
| B 3.6.6-3 | Rev. 39 | B 3.7.6-4 | Rev. 55 | B 3.7.18-1 | Rev. 54 |
| B 3.6.6-4 | Rev. 15 | B 3.7.6-5 | Rev. 55 | B 3.7.18-2 | Rev. 54 |
| B 3.6.6-5 | Rev. 52 | B 3.7.7-1 | Rev. 5 | B 3.7.18-3 | Rev. 55 |
| B 3.6.6-6 | Rev. 52 | B 3.7.7-2 | Rev. 12 | B 3.8.1-1 | Rev. 5 |
| B 3.6.6-7 | Rev. 55 | B 3.7.7-3 | Rev. 2 | B 3.8.1-2 | Rev. 12 |
| B 3.6.6-8 | Rev. 55 | B 3.7.7-4 | Rev. 55 | B 3.8.1-3 | Rev. 2 |
| B 3.6.6-9 | Rev. 55 | B 3.7.8-1 | Rev. 42 | B 3.8.1-4 | Rev. 10 |
| B 3.6.7 | Deleted | B 3.7.8-2 | Rev. 42 | B 3.8.1-5 | Rev. 26 |
| B 3.6.8-1 | Rev. 41 | B 3.7.8-3 | Rev. 42 | B 3.8.1-6 | Rev. 26 |
| B 3.6.8-2 | Rev. 41 | B 3.7.8-4 | Rev. 42 | B 3.8.1-7 | Rev. 48 |
| B 3.6.8-3 | Rev. 52 | B 3.7.8-5 | Rev. 42 | B 3.8.1-8 | Rev. 48 |
| B 3.6.8-4 | Rev. 55 | B 3.7.8-6 | Rev. 42 | B 3.8.1-9 | Rev. 48 |

TECHNICAL SPECIFICATIONS BASES
LIST OF EFFECTIVE PAGES

| | | | | | |
|------------|---------|-----------|---------|------------|---------|
| B 3.8.1-10 | Rev. 48 | B 3.8.3-7 | Rev. 55 | B 3.8.9-6 | Rev. 48 |
| B 3.8.1-11 | Rev. 48 | B 3.8.3-8 | Rev. 55 | B 3.8.9-7 | Rev. 55 |
| B 3.8.1-12 | Rev. 48 | B 3.8.3-9 | Rev. 55 | B 3.8.9-8 | Rev. 48 |
| B 3.8.1-13 | Rev. 48 | B 3.8.4-1 | Rev. 48 | B 3.8.10-1 | Rev. 5 |
| B 3.8.1-14 | Rev. 48 | B 3.8.4-2 | Rev. 48 | B 3.8.10-2 | Rev. 5 |
| B 3.8.1-15 | Rev. 48 | B 3.8.4-3 | Rev. 48 | B 3.8.10-3 | Rev. 29 |
| B 3.8.1-16 | Rev. 48 | B 3.8.4-4 | Rev. 48 | B 3.8.10-4 | Rev. 55 |
| B 3.8.1-17 | Rev. 48 | B 3.8.4-5 | Rev. 55 | B 3.8.10-5 | Rev. 55 |
| B 3.8.1-18 | Rev. 48 | B 3.8.4-6 | Rev. 55 | B 3.9.1-1 | Rev. 11 |
| B 3.8.1-19 | Rev. 48 | B 3.8.4-7 | Rev. 55 | B 3.9.1-2 | Rev. 13 |
| B 3.8.1-20 | Rev. 48 | B 3.8.4-8 | Rev. 55 | B 3.9.1-3 | Rev. 29 |
| B 3.8.1-21 | Rev. 48 | B 3.8.4-9 | Rev. 55 | B 3.9.1-4 | Rev. 55 |
| B 3.8.1-22 | Rev. 55 | B 3.8.5-1 | Rev. 2 | B 3.9.2-1 | Rev. 32 |
| B 3.8.1-23 | Rev. 55 | B 3.8.5-2 | Rev. 29 | B 3.9.2-2 | Rev. 29 |
| B 3.8.1-24 | Rev. 55 | B 3.8.5-3 | Rev. 29 | B 3.9.2-3 | Rev. 55 |
| B 3.8.1-25 | Rev. 55 | B 3.8.5-4 | Rev. 2 | B 3.9.3-1 | Rev. 41 |
| B 3.8.1-26 | Rev. 55 | B 3.8.6-1 | Rev. 2 | B 3.9.3-2 | Rev. 41 |
| B 3.8.1-27 | Rev. 55 | B 3.8.6-2 | Rev. 2 | B 3.9.3-3 | Rev. 41 |
| B 3.8.1-28 | Rev. 55 | B 3.8.6-3 | Rev. 55 | B 3.9.3-4 | Rev. 41 |
| B 3.8.1-29 | Rev. 55 | B 3.8.6-4 | Rev. 55 | B 3.9.3-5 | Rev. 41 |
| B 3.8.1-30 | Rev. 55 | B 3.8.6-5 | Rev. 55 | B 3.9.3-6 | Rev. 55 |
| B 3.8.1-31 | Rev. 55 | B 3.8.6-6 | Rev. 55 | B 3.9.4-1 | Rev. 2 |
| B 3.8.1-32 | Rev. 55 | B 3.8.6-7 | Rev. 55 | B 3.9.4-2 | Rev. 43 |
| B 3.8.2-1 | Rev. 2 | B 3.8.7-1 | Rev. 2 | B 3.9.4-3 | Rev. 43 |
| B 3.8.2-2 | Rev. 2 | B 3.8.7-2 | Rev. 2 | B 3.9.4-4 | Rev. 43 |
| B 3.8.2-3 | Rev. 10 | B 3.8.7-3 | Rev. 55 | B 3.9.4-5 | Rev. 55 |
| B 3.8.2-4 | Rev. 5 | B 3.8.7-4 | Rev. 55 | B 3.9.5-1 | Rev. 2 |
| B 3.8.2-5 | Rev. 29 | B 3.8.8-1 | Rev. 2 | B 3.9.5-2 | Rev. 41 |
| B 3.8.2-6 | Rev. 19 | B 3.8.8-2 | Rev. 29 | B 3.9.5-3 | Rev. 41 |
| B 3.8.2-7 | Rev. 19 | B 3.8.8-3 | Rev. 29 | B 3.9.5-4 | Rev. 41 |
| B 3.8.3-1 | Rev. 47 | B 3.8.8-4 | Rev. 55 | B 3.9.5-5 | Rev. 55 |
| B 3.8.3-2 | Rev. 47 | B 3.8.9-1 | Rev. 5 | B 3.9.5-6 | Rev. 55 |
| B 3.8.3-3 | Rev. 49 | B 3.8.9-2 | Rev. 2 | B 3.9.6-1 | Rev. 41 |
| B 3.8.3-4 | Rev. 49 | B 3.8.9-3 | Rev. 2 | B 3.9.6-2 | Rev. 55 |
| B 3.8.3-5 | Rev. 2 | B 3.8.9-4 | Rev. 48 | | |
| B 3.8.3-6 | Rev. 2 | B 3.8.9-5 | Rev. 48 | | |

TECHNICAL SPECIFICATION BASES

LIST OF REVISIONS AND ISSUE DATES

| <u>Rev.</u> | <u>Date Issued</u> | <u>Date to NRC</u> |
|--------------------|---------------------------|---------------------------|
| 0 | | May 4, 1998 |
| 1 | August 28, 1998 | October 30, 1998 |
| 2 | August 28, 1998 | October 30, 1998 |
| 3 | October 28, 1998 | October 30, 1998 |
| 4 | March 16, 1999 | October 18, 1999 |
| 5 | October 18, 1999 | October 18, 1999 |
| 6 | April 14, 2000 | October 24, 2000 |
| 7 | May 18, 2000 | October 24, 2000 |
| 8 | June 29, 2000 | October 24, 2000 |
| 9 | October 24, 2000 | October 24, 2000 |
| 10 | February 1, 2001 | November 13, 2001 |
| 11 | March 22, 2001 | November 13, 2001 |
| 12 | November 13, 2001 | November 13, 2001 |
| 13 | September 5, 2002 | December 19, 2002 |
| 14 | May 14, 2003 | October 21, 2003 |
| 15 | January 9, 2004 | November 3, 2004 |
| 16 | March 31, 2004 | November 3, 2004 |
| 17 | April 16, 2004 | November 3, 2004 |
| 18 | May 5, 2004 | November 3, 2004 |
| 19 | June 4, 2004 | November 3, 2004 |
| 20 | July 1, 2004 | November 3, 2004 |
| 21 | August 11, 2004 | November 3, 2004 |
| 22 | October 13, 2004 | November 3, 2004 |
| 23 | February 25, 2005 | September 8, 2005 |
| 24 | August 4, 2005 | September 8, 2005 |
| 25 | November 3, 2005 | September 27, 2006 |
| 26 | January 30, 2006 | September 27, 2006 |
| 27 | February 16, 2006 | September 27, 2006 |
| 28 | April 3, 2006 | September 27, 2006 |
| 29 | November 20, 2006 | September 27, 2007 |
| 30 | March 30, 2007 | September 27, 2007 |
| 31 | June 27, 2007 | September 27, 2007 |
| 32 | September 5, 2007 | September 27, 2007 |
| 33 | November 26, 2007 | September 8, 2008 |
| 34 | April 9, 2008 | September 8, 2008 |
| 35 | May 9, 2008 | September 8, 2008 |
| 36 | January 8, 2009 | September 15, 2009 |
| 37 | March 6, 2009 | September 15, 2009 |

TECHNICAL SPECIFICATION BASES

LIST OF REVISIONS AND ISSUE DATES

| | | |
|----|--------------------|--------------------|
| 38 | November 24, 2009 | September 17, 2010 |
| 39 | April 27, 2010 | September 17, 2010 |
| 40 | November 17, 2010 | October 4, 2011 |
| 41 | January 11, 2011 | October 4, 2011 |
| 42 | January 31, 2011 | October 4, 2011 |
| 43 | February 23, 2011 | October 4, 2011 |
| 44 | October 19, 2011 | October 2, 2012 |
| 45 | February 29, 2012 | October 2, 2012 |
| 46 | October 18, 2012 | September 24, 2013 |
| 47 | September 26, 2013 | September 19, 2014 |
| 48 | April 1, 2014 | September 19, 2014 |
| 49 | December 16, 2014 | |
| 50 | February 10, 2015 | |
| 51 | February 13, 2015 | |
| 52 | February 20, 2015 | |
| 53 | June 24, 2015 | |
| 54 | August 11, 2015 | |
| 55 | August 26, 2015 | |

TABLE OF CONTENTS

| | | |
|----------|---|------------|
| B 2.0 | SAFETY LIMITS (SLs)..... | B 2.1.1-1 |
| B 2.1.1 | Reactor Core SLs..... | B 2.1.1-1 |
| B 2.1.2 | Reactor Coolant System (RCS) Pressure SL..... | B 2.1.2-1 |
| B 3.0 | LIMITING CONDITION FOR OPERATION (LCO) APPLICABILITY..... | B 3.0-1 |
| B 3.0 | SURVEILLANCE REQUIREMENT (SR) APPLICABILITY..... | B 3.0-18 |
| B 3.1 | REACTIVITY CONTROL SYSTEMS..... | B 3.1.1-1 |
| B 3.1.1 | SHUTDOWN MARGIN (SDM) | B 3.1.1-1 |
| B 3.1.2 | Reactivity Balance | B 3.1.2-1 |
| B 3.1.3 | Moderator Temperature Coefficient (MTC) | B 3.1.3-1 |
| B 3.1.4 | Control Element Assembly (CEA) Alignment..... | B 3.1.4-1 |
| B 3.1.5 | Shutdown Control Element Assembly (CEA) Insertion Limits | B 3.1.5-1 |
| B 3.1.6 | Regulating Control Element Assembly (CEA) Insertion Limits | B 3.1.6-1 |
| B 3.1.7 | Special Test Exception (STE)–SHUTDOWN MARGIN (SDM) | B 3.1.7-1 |
| B 3.1.8 | Special Test Exception (STE)–MODES 1 and 2 | B 3.1.8-1 |
| B 3.2 | POWER DISTRIBUTION LIMITS..... | B 3.2.1-1 |
| B 3.2.1 | Linear Heat Rate (LHR) | B 3.2.1-1 |
| B 3.2.2 | Deleted | |
| B 3.2.3 | Total Integrated Radial Peaking Factor (F_r^T) | B 3.2.3-1 |
| B 3.2.4 | AZIMUTHAL POWER TILT (T_q) | B 3.2.4-1 |
| B 3.2.5 | AXIAL SHAPE INDEX (ASI) | B 3.2.5-1 |
| B 3.3 | INSTRUMENTATION..... | B 3.3.1-1 |
| B 3.3.1 | Reactor Protective System (RPS) Instrumentation– Operating | B 3.3.1-1 |
| B 3.3.2 | Reactor Protective System (RPS) Instrumentation– Shutdown | B 3.3.2-1 |
| B 3.3.3 | Reactor Protective System (RPS) Logic and Trip Initiation | B 3.3.3-1 |
| B 3.3.4 | Engineered Safety Features Actuation System (ESFAS) Instrumentation | B 3.3.4-1 |
| B 3.3.5 | Engineered Safety Features Actuation System (ESFAS) Logic and Manual Actuation | B 3.3.5-1 |
| B 3.3.6 | Diesel Generator (DG)–Loss of Voltage Start (LOVS) | B 3.3.6-1 |
| B 3.3.7 | Containment Radiation Signal (CRS)..... | B 3.3.7-1 |
| B 3.3.8 | Control Room Recirculation Signal (CRRS)..... | B 3.3.8-1 |
| B 3.3.9 | Chemical and Volume Control System (CVCS) Isolation Signal | B 3.3.9-1 |
| B 3.3.10 | Post-Accident Monitoring (PAM) Instrumentation... | B 3.3.10-1 |

TABLE OF CONTENTS

| | | |
|----------|---|------------|
| B 3.3.11 | Remote Shutdown Instrumentation..... | B 3.3.11-1 |
| B 3.3.12 | Wide Range Logarithmic Neutron Flux Monitor Channels | B 3.3.12-1 |
| B 3.4 | REACTOR COOLANT SYSTEM (RCS)..... | B 3.4.1-1 |
| B 3.4.1 | RCS Pressure, Temperature, and Flow Departure from Nucleate Boiling (DNB) Limits | B 3.4.1-1 |
| B 3.4.2 | RCS Minimum Temperature for Criticality..... | B 3.4.2-1 |
| B 3.4.3 | RCS Pressure and Temperature (P/T) Limits..... | B 3.4.3-1 |
| B 3.4.4 | RCS Loops – MODES 1 and 2 | B 3.4.4-1 |
| B 3.4.5 | RCS Loops – MODE 3 | B 3.4.5-1 |
| B 3.4.6 | RCS Loops – MODE 4 | B 3.4.6-1 |
| B 3.4.7 | RCS Loops – MODE 5, Loops Filled | B 3.4.7-1 |
| B 3.4.8 | RCS Loops – MODE 5, Loops Not Filled | B 3.4.8-1 |
| B 3.4.9 | Pressurizer..... | B 3.4.9-1 |
| B 3.4.10 | Pressurizer Safety Valves..... | B 3.4.10-1 |
| B 3.4.11 | Pressurizer Power-Operated Relief Valves (PORVs) .. | B 3.4.11-1 |
| B 3.4.12 | Low Temperature Overpressure Protection (LTOP) System | B 3.4.12-1 |
| B 3.4.13 | RCS Operational LEAKAGE..... | B 3.4.13-1 |
| B 3.4.14 | RCS Leakage Detection Instrumentation..... | B 3.4.14-1 |
| B 3.4.15 | RCS Specific Activity..... | B 3.4.15-1 |
| B 3.4.16 | Special Test Exception (STE) RCS Loops - MODE 2.. | B 3.4.16-1 |
| B 3.4.17 | Special Test Exception (STE) RCS Loops - MODES 4 and 5 | B 3.4.17-1 |
| B 3.4.18 | Steam Generator (SG) Tube Integrity..... | B 3.4.18-1 |
| B 3.5 | EMERGENCY CORE COOLING SYSTEMS (ECCS)..... | B 3.5.1-1 |
| B 3.5.1 | Safety Injection Tanks (SITs)..... | B 3.5.1-1 |
| B 3.5.2 | ECCS – Operating | B 3.5.2-1 |
| B 3.5.3 | ECCS – Shutdown | B 3.5.3-1 |
| B 3.5.4 | Refueling Water Tank (RWT)..... | B 3.5.4-1 |
| B 3.5.5 | Sodium Tetraborate (STB) | B 3.5.5-1 |
| B 3.6 | CONTAINMENT SYSTEMS..... | B 3.6.1-1 |
| B 3.6.1 | Containment | B 3.6.1-1 |
| B 3.6.2 | Containment Air Locks | B 3.6.2-1 |
| B 3.6.3 | Containment Isolation Valves..... | B 3.6.3-1 |
| B 3.6.4 | Containment Pressure..... | B 3.6.4-1 |
| B 3.6.5 | Containment Air Temperature..... | B 3.6.5-1 |
| B 3.6.6 | Containment Spray and Cooling Systems..... | B 3.6.6-1 |
| B 3.6.7 | Deleted | |
| B 3.6.8 | Iodine Removal System (IRS)..... | B 3.6.8-1 |

TABLE OF CONTENTS

| | | |
|----------|---|------------|
| B 3.7 | PLANT SYSTEMS..... | B 3.7.1-1 |
| B 3.7.1 | Main Steam Safety Valves (MSSVs) | B 3.7.1-1 |
| B 3.7.2 | Main Steam Isolation Valves (MSIVs) | B 3.7.2-1 |
| B 3.7.3 | Auxiliary Feedwater (AFW) System..... | B 3.7.3-1 |
| B 3.7.4 | Condensate Storage Tank (CST) | B 3.7.4-1 |
| B 3.7.5 | Component Cooling (CC) System..... | B 3.7.5-1 |
| B 3.7.6 | Service Water (SRW) System..... | B 3.7.6-1 |
| B 3.7.7 | Saltwater (SW) System..... | B 3.7.7-1 |
| B 3.7.8 | Control Room Emergency Ventilation System (CREVS) | B 3.7.8-1 |
| B 3.7.9 | Control Room Emergency Temperature System (CRETS) | B 3.7.9-1 |
| B 3.7.10 | Deleted | |
| B 3.7.11 | Spent Fuel Pool Exhaust Ventilation System (SFPEVS) | B 3.7.11-1 |
| B 3.7.12 | Penetration Room Exhaust Ventilation System (PREVS) | B 3.7.12-1 |
| B 3.7.13 | Spent Fuel Pool (SFP) Water Level | B 3.7.13-1 |
| B 3.7.14 | Secondary Specific Activity | B 3.7.14-1 |
| B 3.7.15 | Main Feedwater Isolation Valves (MFIVs) | B 3.7.15-1 |
| B 3.7.16 | Spent Fuel Pool (SFP) Boron Concentration..... | B 3.7.16-1 |
| B 3.7.17 | Spent Fuel Pool (SFP) Storage..... | B 3.7.17-1 |
| B 3.7.18 | Atmospheric Dump Valves (ADVs) | B 3.7.18-1 |
| | | |
| B 3.8 | ELECTRICAL POWER SYSTEMS..... | B 3.8.1-1 |
| B 3.8.1 | AC Sources—Operating | B 3.8.1-1 |
| B 3.8.2 | AC Sources—Shutdown | B 3.8.2-1 |
| B 3.8.3 | Diesel Fuel Oil | B 3.8.3-1 |
| B 3.8.4 | DC Sources—Operating | B 3.8.4-1 |
| B 3.8.5 | DC Sources—Shutdown | B 3.8.5-1 |
| B 3.8.6 | Battery Cell Parameters | B 3.8.6-1 |
| B 3.8.7 | Inverters—Operating | B 3.8.7-1 |
| B 3.8.8 | Inverters—Shutdown | B 3.8.8-1 |
| B 3.8.9 | Distribution Systems—Operating | B 3.8.9-1 |
| B 3.8.10 | Distribution Systems—Shutdown | B 3.8.10-1 |
| | | |
| B 3.9 | REFUELING OPERATIONS..... | B 3.9.1-1 |
| B 3.9.1 | Boron Concentration..... | B 3.9.1-1 |
| B 3.9.2 | Nuclear Instrumentation..... | B 3.9.2-1 |
| B 3.9.3 | Containment Penetrations | B 3.9.3-1 |
| B 3.9.4 | Shutdown Cooling (SDC) and Coolant Circulation— High Water Level | B 3.9.4-1 |
| B 3.9.5 | Shutdown Cooling (SDC) and Coolant Circulation— Low Water Level | B 3.9.5-1 |
| B 3.9.6 | Refueling Pool Water Level | B 3.9.6-1 |