



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

September 21, 2015

NABORS COMPLETION AND
PRODUCTION SERVICES CO.
ATTN: DUSTIN JONES
1380 ROUTE 286 EAST
SUITE 121
INDIANA, PA 15701

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GL-718617-19)

Dear DUSTIN JONES,

This letter is to confirm that we have received your response to the registration package for GL-718617-19.

We have completed processing your annual registration of certain general licensed devices. Please note that no further action is required from you at this time. If you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, for additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your registration or your responsibilities as a General Licensee please call (301) 415-6004 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notification to:

Director, Office of Nuclear Material Safety and Safeguards
ATTN: GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Sincerely,
/RA/
Hector Rodriguez-Luccioni, PhD
Office of Nuclear Material Safety
and Safeguards
Division of Material Safety, State, Tribal
and Rulemaking Programs
Material Safety Licensing Branch

NABORS COMPLETION AND PRODUCTION SERVICES CO.
ATTN: DUSTIN JONES
1380 ROUTE 286 EAST
SUITE 121
INDIANA, PA 15701

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GL-718617-19)

Dear DUSTIN JONES,

This letter is to confirm that we have received your response to the registration package for GL-718617-19.

We have completed processing your annual registration of certain general licensed devices. Please note that no further action is required from you at this time. If you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, for additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your registration or your responsibilities as a General Licensee please call (301) 415-6004 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notification to:

Director, Office of Nuclear Material Safety and Safeguards
ATTN: GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Sincerely,
/RA/
Hector Rodriguez-Luccioni, PhD
Office of Nuclear Material Safety
and Safeguards
Division of Material Safety, State, Tribal
and Rulemaking Programs
Material Safety Licensing Branch

Distribution:
MSTR r/f

ML15257A516

Office	NMSS
Name	HRodriguez-Luccioni
Date	09/11/2015

OFFICIAL RECORD ONLY