



EBA Engineering
4813 Seton Drive
Baltimore, MD 21215

410.358.7171
410.358.7213
www.ebaengineering.com

September 17, 2015

Licensing Assistance Team
Division of Nuclear Materials Safety
U.S. Nuclear Regulatory Commission, Region 1
2100 Renaissance Boulevard, Suite 100
King of Prussia, PA 19406-27

New
(19-35269-01)

L35269
03038869

03121

Reference: Application for Materials License for
Use of Portable Moisture Density Gauges in Washington, DC

To whom it may concern:

Please accept this application for a Radioactive Materials License for the use of Troxler 3400 Series Moisture Density Gauges and Troxler Model 4640 Thin Layer Gauges in Washington, DC. EBA Engineering possesses a Maryland Radioactive Material License, No. MD-07-144-01 (expiration date: 05/31/2017) and currently has a Reciprocity Agreement with NRC in Washington, DC for the 2015 calendar year. We understand the additional requirements of this application and are committed to implementing and adhering to them. The management and employees of EBA Engineering are committed to radiological health and safety.

Should you have any comments, questions or concerns related to this manner, please do not hesitate to contact me at 410-504-6123 (O), 442-857-6475 (C), 410-358-7213 (fax) or joe.wallace@ebaengineering.com.

Sincerely,

EBA Engineering, Inc.

Joseph L. Wallace
Radiation Safety Officer
Senior Manager, CMI Division

Attachments: NRC Form 313, Appendix B and RSO Certificates

where commitment counts

REC'D IN LAT. 9/17/15

588714
NMSS/RGN1 MATERIALS-002



**APPLICATION FOR MATERIALS
LICENSE**

Estimated burden per response to comply with this mandatory collection request: 4.3 hours. Submittal of the application is necessary to determine that the applicant is qualified and that adequate procedures exist to protect the public health and safety. Send comments regarding burden estimate to the FOIA, Privacy and Information Collections Branch (1-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to Infocollections.Resource@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NE08 10202, (3150-0120), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW. *AMENDMENTS/RENEWALS THAT INCREASE THE SCOPE OF THE EXISTING LICENSE TO A NEW OR HIGHER FEE CATEGORY WILL REQUIRE A FEE.

<p>APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:</p> <p>OFFICE OF FEDERAL & STATE MATERIALS AND ENVIRONMENTAL MANAGEMENT PROGRAMS DIVISION OF MATERIALS SAFETY AND STATE AGREEMENTS U.S. NUCLEAR REGULATORY COMMISSION WASHINGTON, DC 20555-0001</p> <p>ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:</p> <p>IF YOU ARE LOCATED IN:</p> <p>ALABAMA, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, NORTH CAROLINA, PENNSYLVANIA, PUERTO RICO, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, VERMONT, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA,</p> <p>SEND APPLICATIONS TO:</p> <p>LICENSING ASSISTANCE TEAM DIVISION OF NUCLEAR MATERIALS SAFETY U.S. NUCLEAR REGULATORY COMMISSION, REGION I 2100 RENAISSANCE BOULEVARD, SUITE 100 KING OF PRUSSIA, PA 19406-2713</p>	<p>IF YOU ARE LOCATED IN:</p> <p>ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:</p> <p>MATERIALS LICENSING BRANCH U.S. NUCLEAR REGULATORY COMMISSION, REGION III 2443 WARRENVILLE ROAD, SUITE 210 LISLE, IL 60532-4352</p> <p>ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MISSISSIPPI, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING,</p> <p>SEND APPLICATIONS TO:</p> <p>NUCLEAR MATERIALS LICENSING BRANCH U.S. NUCLEAR REGULATORY COMMISSION, REGION IV 1600 E. LAMAR BOULEVARD ARIINGTON, TX 76011-4511</p>
---	---

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

<p>1 THIS IS AN APPLICATION FOR (Check appropriate item)</p> <p><input checked="" type="checkbox"/> A NEW LICENSE</p> <p><input type="checkbox"/> B AMENDMENT TO LICENSE NUMBER _____</p> <p><input type="checkbox"/> C RENEWAL OF LICENSE NUMBER _____</p>	<p>2 NAME AND MAILING ADDRESS OF APPLICANT (Include ZIP code)</p> <p>EBA Engineering, Inc. 4813 Seton Drive Baltimore, Maryland 21215</p>					
<p>3 ADDRESS WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED</p> <p>3365B V Street N.E. Washington, DC 20018</p> <p>and temporary job sites within NRC jurisdiction</p>	<p>4 NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION</p> <p>Joseph L. Wallace</p> <table border="1"> <tr> <td>BUSINESS TELEPHONE NUMBER</td> <td>BUSINESS CELLULAR TELEPHONE NUMBER</td> </tr> <tr> <td>(410) 504-6123</td> <td>(443) 857-6475</td> </tr> </table> <p>BUSINESS EMAIL ADDRESS</p> <p>joe.wallace@ebaengineering.com</p>		BUSINESS TELEPHONE NUMBER	BUSINESS CELLULAR TELEPHONE NUMBER	(410) 504-6123	(443) 857-6475
BUSINESS TELEPHONE NUMBER	BUSINESS CELLULAR TELEPHONE NUMBER					
(410) 504-6123	(443) 857-6475					

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

<p>5 RADIOACTIVE MATERIAL</p> <p>a Element and mass number, b chemical and/or physical form, and c maximum amount which will be possessed at any one time</p>	<p>6 PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED</p>
<p>8 TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS</p>	<p>7 INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE</p>
<p>10 RADIATION SAFETY PROGRAM</p>	<p>9 FACILITIES AND EQUIPMENT</p> <p>11 WASTE MANAGEMENT</p>

<p>12 LICENSE FEES (Fees required only for new applications, with few exceptions*) (See 10 CFR 170 and Section 170.31)</p>	<p>FEE CATEGORY 3P AMOUNT ENCLOSED \$ 2,600.00</p>
--	--

13 CERTIFICATION (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 37, 39 AND 40 AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

<p>CERTIFYING OFFICER - TYPED/PRINTED NAME AND TITLE</p> <p>Joseph L. Wallace, Senior Manager</p>	<p>SIGNATURE</p>	<p>DATE</p> <p>9-17-2015</p>
---	------------------	------------------------------

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
APPROVED BY			\$		
				DATE	

Items 5 and 6: Materials To Be Possessed and Proposed Uses

Yes	No	Radionuclide	Manufacturer or Distributor Model No.	Quantity	Use as Listed on SSD Registration Certificate	Specify Other Uses Not Listed on SSD Registration Certificate
✓		Cesium-137	Gauge manufacturer or distributor and model number of the gauge: Troxler Models 3411, 3430, 3440, 3450 and 4640	Specify activity per source and number of gauges requested 9 mCi 10 Gauges	Yes <input checked="" type="checkbox"/> Specific description of the gauge use:	<input checked="" type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use)
✓		Americium-241	Gauge manufacturer or distributor and model number of the gauge: Troxler Models 3411, 3430, 3440 and 3450	Specify activity per source and number of gauges requested 44 mCi 10 Gauges	Yes <input checked="" type="checkbox"/> Specific description of the gauge use:	<input checked="" type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use.)

Yes	No	Radionuclide	Manufacturer or Distributor Model No.	Quantity	Use as Listed on SSD Registration Certificate	Specify Other Uses Not Listed on SSD Registration Certificate
		Californium-252	Gauge manufacturer or distributor and model number of the gauge: _____	Specify activity per source and number of gauges requested. _____ _____ _____	Yes <input type="checkbox"/> Specific description of the gauge use: _____ _____ _____ _____ _____	<input checked="" type="checkbox"/> Not applicable _____ <input type="checkbox"/> Uses are: _____ (Submit safety analysis supporting safe use)
		Radium-226	Gauge manufacturer or distributor and model number of the gauge and number of gauges of each model that is being requested: _____ _____	Specify activity per source and number of gauges requested. _____ _____	Yes <input type="checkbox"/> Specific description of the gauge use: _____ _____	<input checked="" type="checkbox"/> Not applicable _____ <input type="checkbox"/> Uses are: _____ (Submit safety analysis supporting safe use.)
		Other Isotope (Specify):	Gauge manufacturer or distributor and model number of the gauge: _____ _____	Specify activity per source and number of gauges requested. _____ _____	Yes <input type="checkbox"/> Specific description of the gauge use: _____ _____	<input checked="" type="checkbox"/> Not applicable _____ <input type="checkbox"/> Uses are: _____ (Submit safety analysis supporting safe use.)
Is financial assurance required? If yes, submit evidence of financial assurance						

**Items 7 through 11: Training and Experience,
Facilities and Equipment, Radiation Safety Program,
and Waste Disposal**

Item No. and Title	Suggested Response	Yes	Alternative Procedures Attached
<p>7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE—RADIATION SAFETY OFFICER</p> <p>Name: <u>Joseph L. Wallace</u></p>	<p>Provide documentation of the training of the proposed RSO.</p>	<p>Submit applicable documentation.</p>	
<p>8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS</p>	<p>Before using licensed materials, authorized users will have successfully completed one of the training courses described in the "Criteria" part of the section titled "Training for Individuals Working in or Frequenting Restricted Areas" in NUREG-1556, Vol. 1, Rev. 2.</p>	<p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p>
<p>9. FACILITIES AND EQUIPMENT</p>	<p>No information needs to be submitted in response to this item; key issues are addressed under "Radiation Safety Program—Public Dose" and "Radiation Safety Program—Operating, Emergency, and Security Procedures" below.</p>	<p>Need Not Be Submitted with Application</p>	
<p>10.1 RADIATION SAFETY PROGRAM—AUDIT PROGRAM</p>	<p>The applicant is <i>not</i> required to, and should not, submit its audit program to the NRC for review during the licensing phase. The audit program will be reviewed during NRC inspections.</p>	<p>Need Not Be Submitted with Application</p>	
<p>10.2 RADIATION SAFETY PROGRAM—SURVEY INSTRUMENTS</p>	<p>We will either possess and use, or have access to and use, a radiation survey meter that meets the criteria in the section titled "Radiation Safety Program—Instruments" in NUREG-1556, Vol 1, Rev. 2, "Consolidated Guidance about Materials Licenses: Program-Specific Guidance about Portable Gauge Licenses," in the event of an incident.</p>	<p><input checked="" type="checkbox"/></p>	<p><input type="checkbox"/></p>

Item No. and Title	Suggested Response	Yes	Alternative Procedures Attached
10.3 RADIATION SAFETY PROGRAM—MATERIAL RECEIPT AND ACCOUNTABILITY	Physical inventories will be conducted at intervals not to exceed 6 months to account for all sealed sources and devices received and possessed under the license.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10.4 RADIATION SAFETY PROGRAM—OCCUPATIONAL DOSIMETRY	<p>We will maintain, for inspection by the NRC, documentation demonstrating that unmonitored individuals are not likely to receive, in one year, a radiation dose in excess of 10 percent of the allowable limits in 10 CFR Part 20.</p> <p style="text-align: center;">OR</p> <p>We will provide dosimetry processed and evaluated by an NVLAP-approved processor that is exchanged at a frequency recommended by the processor.</p>	<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/>
10.5 RADIATION SAFETY PROGRAM—PUBLIC DOSE	The applicant is <i>not</i> required to submit a response to the public dose section in a license application. This matter will be examined during an inspection.		Need Not Be Submitted with Application
10.6 RADIATION SAFETY PROGRAM—OPERATING, EMERGENCY, AND SECURITY PROCEDURES	<p>We will implement and maintain the operating and emergency procedures in Appendix G to NUREG-1556, Vol. 1, Rev. 2, "Consolidated Guidance about Materials Licenses: Program-Specific Guidance about Portable Gauge Licenses," and will develop, implement and maintain security procedures using information in Appendix G. Copies of these procedures will be provided to all gauge users and at each job site.</p> <p style="text-align: center;">OR</p> <p>Operating, emergency, and security procedures will be developed, implemented, and maintained and consistent with the criteria in the section titled "Radiation Safety Program—Operating, Emergency, and Security Procedures" in NUREG-1556, Vol. 1, Rev. 2, "Consolidated Guidance about Materials Licenses: Program-Specific Guidance about Portable Gauge Licenses."</p>	<input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>

Item No. and Title	Suggested Response	Yes	Alternative Procedures Attached
10.7 RADIATION SAFETY PROGRAM—LEAK TEST	Leak tests will be performed at intervals approved by the NRC or an Agreement State and specified in the SSD registration certificate. Leak tests will be performed by an organization licensed by the NRC or an Agreement State to provide leak testing services to other licensees or using a leak test kit supplied by an organization licensed by the NRC or an Agreement State to provide leak test kits to other licensees and according to the kit supplier's instructions.	<input checked="" type="checkbox"/>	<input type="checkbox"/> The information in Appendix I supporting a request to perform the collection of leak test samples and sample analysis is attached.
10.8 RADIATION SAFETY PROGRAM—MAINTENANCE	<p><i>Routine Cleaning and Lubrication</i> We will implement and maintain procedures for routine maintenance of our gauges according to each manufacturer's recommendations and instructions.</p> <p><i>Nonroutine Maintenance</i> We will send the gauge to the manufacturer or other person authorized by the NRC or an Agreement State to perform nonroutine maintenance or repair operations that require detaching the source or source rod from the gauge.</p>	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> The information listed in Appendix F supporting a request to perform nonroutine maintenance in house is attached.
10.9 RADIATION SAFETY PROGRAM—TRANSPORTATION	The applicant is <i>not</i> required to submit its response about transportation during the licensing process. This issue will be reviewed during inspection.		Need Not Be Submitted with Application
11. WASTE MANAGEMENT—GAUGE DISPOSAL AND TRANSFER	The applicant is <i>not</i> required to submit a response about waste management during the licensing process. However, the licensee should establish and include waste disposal procedures in its radiation safety program.		Need Not Be Submitted with Application



NETS

North East Technical Services, Inc.

Certifies that


Joseph L. Wallace, Jr.

Has successfully completed North East Technical Services, Inc. Radiation Safety Officer Training Course for Nuclear Gauges, in accordance with Nuclear Regulatory Commission and current US DOT regulations.

Training materials are maintained at:

North East Technical Services, Inc.
75 Aileron Court, Suite 4
Westminster, MD 21157

Date of Completion: September 19, 2007



Instructor: Douglas C. Sims


TECHNICAL
TRAINING SERVICES

HEREBY CERTIFIES THAT

JOSEPH L. WALLACE, JR.

HAS SUCCESSFULLY COMPLETED THE TECHNICAL TRAINING SERVICES COURSE FOR THE USE OF THE NUCLEAR MOISTURE/DENSITY TESTING GAUGE. LICENCE NOS. MD-07-101-01 - NRC-45-08890-02

Subjects included in this course were as follows: Radiological Safety - Principles and practices of radiation protection, leak testing procedures, measurement of radioactivity, biological effects of radiation, monitoring techniques and methods, accident, incident, storage and transportation procedures, and general safety precautions. Gauge operation, instrument theory, operation procedures, maintenance, field applications, and gauge calibration.



September 18, 1993

DATE

William D. Ochs

INSTRUCTOR

NUCLEAR GAUGE
TRAINING ONLINE



Nuclear Gauge Certification

This certifies that

Joseph L Wallace

has been trained and tested in accordance with the U.S. Department of Transportation and International Air Transport Association hazardous material requirements for general awareness/familiarization, function-specific, safety, and security awareness training as related to the transportation of nuclear gauges per 49 CFR 172 subpart H and IATA 1.5.2. This certificate expires three years from the training date shown below.

August 13, 2013

date

Training materials available from:
Nuclear Gauge Training Online
PO BOX 6044 Raleigh, NC 27626-6044
(866) 217-2658

Joseph L Wallace, RSO
V