

Appendix B: References

1. Letter SMT-2013-023 from SHINE Medical Technologies, Inc., "Part Two of the SHINE Medical Technologies, Inc. Application for Construction Permit," dated May 31, 2013, Agencywide Documents Access and Management System (ADAMS) Accession No. ML13172A361).
2. Letter SMT-2013-012 from SHINE Medical Technologies, Inc., "Part One of the SHINE Medical Technologies, Inc. Application for Construction Permit," dated March 26, 2013, ADAMS Accession No. ML13088A192.
3. Letter SMT-2013-033, from SHINE Medical Technologies, Inc., "Submittal of the SHINE Medical Technologies, Inc. Preliminary Emergency Plan," dated September 25, 2013, ADAMS Accession No. ML13269A378.
4. NUREG-1537, Part 1, "Guidelines for Preparing and Reviewing Applications for the Licensing of Non-Power Reactors, Format and Content," February 1996, ADAMS Accession No. ML042430055.
5. NUREG-1537, Part 2, "Guidelines for Preparing and Reviewing Applications for the Licensing of Non-Power Reactors, Standard Review Plan and Acceptance Criteria," February 1996, ADAMS Accession No. ML042430048.
6. "Final Interim Staff Guidance Augmenting NUREG-1537, Part 1, 'Guidelines for Preparing and Reviewing Applications for the Licensing of Non-Power Reactors: Format and Content,' for Licensing Radioisotope Production Facilities and Aqueous Homogeneous Reactors," October 17, 2012, ADAMS Accession No. ML12156A069.
7. "Final Interim Staff Guidance Augmenting NUREG-1537, Part 2, 'Guidelines for Preparing and Reviewing Applications for the Licensing of Non-Power Reactors: Standard Review Plan and Acceptance Criteria,' for Licensing Radioisotope Production Facilities and Aqueous Homogeneous Reactors," October 17, 2012, ADAMS Accession No. ML12156A075.
8. Letter from U.S. Nuclear Regulatory Commission (S. Lynch), to SHINE Medical Technologies, Inc. (R. Bynum), "Exemption from Certain Requirements of 10 CFR 2.101(a)(5), Regarding the Submission of a Construction Permit Application in Two Parts," dated March 20, 2013, ADAMS Accession No. ML13072B195.
9. Letter SMT-2013-010 from SHINE Medical Technologies, Inc., "Request for Exemption to Submit Application for Construction Permit in Two Parts," dated February 18, 2013, ADAMS Accession No. ML13051A007.
10. Letter from U.S. Nuclear Regulatory Commission (S. Lynch), to SHINE Medical Technologies, Inc. (R. Bynum), "Acceptance of Docketing of Part One of the Application for Construction Permit," dated June 25, 2013, ADAMS Accession No. ML13150A280.
11. Letter from U.S. Nuclear Regulatory Commission (S. Lynch), to SHINE Medical Technologies, Inc. (R. Bynum), "Status of the Acceptance Review of Part Two of the

- Application for Construction Permit,” dated August 28, 2013, ADAMS Accession No. ML13233A356.
12. Letter from U.S. Nuclear Regulatory Commission (S. Lynch), to SHINE Medical Technologies, Inc. (R. Bynum), “Acceptance for Docketing of Part Two of the Application for Construction Permit,” dated December 2, 2013, ADAMS Accession No. ML13316B387.
 13. SHINE Medical Technologies, Inc., “Preliminary Safety Analysis Report,” dated June 16, 2015, ADAMS Package Accession No. ML15175A274.
 14. Letter from U.S. Nuclear Regulatory Commission (A. Adams), to SHINE Medical Technologies, Inc. (R. Bynum), “Request for Additional Information Regarding Application for Construction Permit,” dated September 19, 2014, ADAMS Accession No. ML14195A159.
 15. Letter from U.S. Nuclear Regulatory Commission (D. Hardesty for A. Adams), to SHINE Medical Technologies, Inc. (R. Bynum), “Request for Additional Information Regarding Application for Construction Permit,” dated January 6, 2015, ADAMS Accession No. ML15005A407.
 16. Letter from U.S. Nuclear Regulatory Commission (A. Adams), to SHINE Medical Technologies, Inc. (R. Bynum), “Request for Additional Information Regarding Application for Construction Permit,” dated March 25, 2015, ADAMS Accession No. ML15055A116.
 17. Letter from U.S. Nuclear Regulatory Commission (S. Lynch), to SHINE Medical Technologies, Inc. (R. Bynum), “Request for Additional Information Regarding Application for Construction Permit,” dated April 15, 2015, ADAMS Accession No. ML15099A607.
 18. Letter from U.S. Nuclear Regulatory Commission (A. Adams), to SHINE Medical Technologies, Inc. (R. Bynum), “Request for Additional Information Regarding Application for Construction Permit,” dated September XX, 2015, MLXXXXXXXXXX.
 19. SHINE’s construction permit application, submitted June 16, 2015, is publicly available in ADAMS, Accession No. ML15175A274
 20. Letter SMT-2014-033 from SHINE Medical Technologies, Inc., “Application for Construction Permit, Response to Request for Additional Information,” dated October 15, 2014, ADAMS Package Accession No. ML14296A189.
 21. Letter SMT-2014-040 from SHINE Medical Technologies, Inc., “Application for Construction Permit, Response to Request for Additional Information,” dated December 3, 2014, ADAMS Package Accession No. ML14356A527.
 22. Letter SMT-2015-004 from SHINE Medical Technologies, Inc., “Application for Construction Permit, Response to Request for Additional Information,” dated February 6, 2015, ADAMS Package Accession No. ML15043A404.

23. Letter SMT-2015-008 from SHINE Medical Technologies, Inc., "Application for Construction Permit, Response to Request for Additional Information 11.1-9," dated March 23, 2015, ADAMS Package Accession No. ML15092A397.
24. Letter SMT-2015-012 from SHINE Medical Technologies, Inc., "Application for Construction Permit, Response to Request for Additional Information," dated April 10, 2015, ADAMS Package Accession No. ML15120A248.
25. Letter SMT-2015-014 from SHINE Medical Technologies, Inc., "Application for Construction Permit, Response to Request for Additional Information," dated May 1, 2015, ADAMS Package Accession No. ML15131A464.
26. Letter SMT-2015-018 from SHINE Medical Technologies, Inc., "Application for Construction Permit, Response to Request for Additional Information," dated May 14, 2015, ADAMS Package Accession No. ML15147A211.
27. Letter SMT-2015-020 from SHINE Medical Technologies, Inc., "Application for Construction Permit, Response to Request for Additional Information 13a2.2-5," dated May 20, 2015, ADAMS Package Accession No. ML15140A734.
28. Letter SMT-2015-033 from SHINE Medical Technologies, Inc., "Application for Construction Permit, Response to Request for Additional Information," dated June 19, 2015, ADAMS Package Accession No. ML15183A292.
29. Letter SMT-2015-036 from SHINE Medical Technologies, Inc., "Application for Construction Permit, Response to Request for Additional Information 6b.3-30," dated June 19, 2015, ADAMS Package Accession No. ML15222A231.
30. Letter SMT-2015-0XX from SHINE Medical Technologies, Inc., "Application for Construction Permit, Response to Request for Additional Information," dated August 7, 2015, ADAMS Package Accession No. MLXXXXXXXXXX.
31. Letter SMT-2013-034 from SHINE Medical Technologies, Inc., "Application for Construction Permit, Response to Environmental Requests for Additional Information," dated October 4, 2013, ADAMS Accession No. ML13303A887.
32. Clayton, E.D., "Neutron Source Multiplication Method," *Proceedings of the Workshop on Subcritical Reactivity Measurements*, 1985.
33. Nuclear Waste Policy Act of 1982, Public Law No. 97-425, 96 Stat. 2201, January 7, 1983.
34. National Fire Protection Association, "Standard for the Installation of Sprinkler Systems," NFPA 13, 2013 Edition, Quincy, MA.
35. SHINE Medical Technologies v. 0 - Chapter 03 - Figures 3.4-001 through 3.4-014, ADAMS Accession No. ML13172A291.
36. SHINE PSAR, Section 8a2.1.4, "SHINE Facility Loads Supported by SDG," references Table 8a2.1-2, "Standby Diesel Generator Load List," ADAMS Accession No. ML13172A270, page 8a2-6.

37. U.S. Nuclear Regulatory Commission Regulatory Guide 1.69, Revision 1, "Concrete Radiation Shields and Generic Shield Testing for Nuclear Power Plants," dated May 2009, ADAMS Accession No. ML090820425.
38. U.S. Department of Transportation, Federal Aviation Administration, "Flight Standards Information Management System (FSIMS)," Order 8900.1, September 13, 2007.
39. U.S. Nuclear Regulatory Commission, "Memorandum and Order, In the Matter of Private Fuel Storage L.L.C.," CLI-05-19, September 9, 2005, ADAMS Accession Number No. ML052520232.
40. U.S. Department of Energy, "Accident Analysis for Aircraft Crash into Hazardous Facilities," DOE-STD-3014-96, October 1996, Reaffirmed May 2006.
41. International Atomic Energy Agency, "Consideration of External Events in the Design of Nuclear Facilities other than Nuclear Power Plants, with Emphasis on Earthquakes," IAEA-TECDOC-1347, March 2003.
42. U.S. Nuclear Regulatory Commission, Regulatory Guide 1.78, Revision 1, "Evaluating the Habitability of a Nuclear Power Plant Control Room During a Postulated Hazardous Chemical Release," December 2001, ADAMS Accession No. ML013100014.
43. National Oceanic and Atmospheric Administration, ALOHA® (Areal Locations of Hazardous Atmospheres), Version 5.4.4, Technical Documentation, Technical Memorandum NOS OR&R 43, November 2013.
44. U.S. Nuclear Regulatory Commission, "Safety Evaluation Report for the American Centrifuge Plant in Piketon, Ohio," Docket No. 70-7004, NUREG-1851, September 2006.
45. SHINE Medical Technologies v. 0 - Chapter 02 - Figures 2.4-001 through 2.4-011, SHINE PSAR Figure 2.4-4, "Simplified Groundwater Table Contours Based on Measured Groundwater Elevations in Monitoring Wells," ADAMS Accession No. ML13172A288.
46. "Bedrock Geologic Map of Wisconsin," prepared by Mudrey et al., published in 1982, is available for download from the Wisconsin Geological and Natural History Survey's website (http://wgnhs.uwex.edu/pubs/download_m078paper/).
47. SHINE Medical Technologies v. 0 - Chapter 08 - Figure 8a2.2-001, SHINE PSAR, Section 8a2.2.1, "Class 1E UPSS," references SHINE PSAR Figure 8a2.2-1, "One-Line Diagram – Uninterruptible Electrical Power Supply System," ADAMS Accession No. ML13172A298.
48. U.S. Nuclear Regulatory Commission, Regulatory Guide 1.180, "Guidelines for Evaluating Electromagnetic and Radio-Frequency Interference in Safety Related Instrumentation and Control Systems", Revision 1, October 2003, ADAMS Accession No ML032740277.
49. National Fire Protection Association (NFPA) 70-2008, "National Electric Code"

50. IEEE Std. 384-2008, "IEEE Standard Criteria for Independence of Class 1E Equipment and Circuits."
51. IEEE Std. 1202, "IEEE Standard for Flame-Propagation Testing of Wire and Cable"
52. NUREG-0849, "Standard Review Plan for the Review and Evaluation of Emergency Plans for Research and Test Reactors," issued October 1983, ADAMS Accession No. ML062190191.
53. U.S. Nuclear Regulatory Commission, Regulatory Guide 2.6, "Emergency Planning for Research and Test Reactors," revised March 1983, ADAMS Accession No. ML003740234.
54. ANSI/ANS-15.16-2008, "Emergency Planning for Research Reactors," revised September 23, 2008.
55. ANSI/ANS 15.1-2007, "The Development of Technical Specifications for Research Reactors," Reaffirmed April 24, 2013.
56. U.S. Nuclear Regulatory Commission, Regulatory Guide 5.59, "Standard Format and Content for a Licensee Physical Security Plan for the Protection of Special Nuclear Material of Moderate or Low Strategic Significance," Revision 1, February 1983, ADAMS Accession No. ML003739253.
57. ANSI/ANS-15.8-1995, "Quality Assurance Program Requirements for Research Reactors."
58. U.S. Nuclear Regulatory Commission, Regulatory Guide 2.50, "Quality Assurance Program Requirements for Research and Test Reactors", Revision 1, June 2010, ML101650030.
59. U.S. Nuclear Regulatory Commission, NUREG-2183, "DRFC Environmental Impact Statement for the Construction Permit for the SHINE Medical Radioisotope Production Facility Draft Report for Comment," dated May 31, 2015, ADAMS Accession No. ML15127A241.
60. U.S. Nuclear Regulatory Commission, NUREG-1520, Revision 1, "Standard Review Plan for the Review of a License Application for a Fuel Cycle Facility," May 2010, ADAMS Accession No. ML101390110.
61. SHINE Medical Technologies v. 0 - Chapter 13 – "Accident Analysis," ADAMS Accession No. ML14356A465.
62. ANSI/ANS-8.1-1998 (Reaffirmed in 2007), "Nuclear Criticality Safety in Operations with Fissionable Materials Outside Reactors," American Nuclear Society, La Grange Park, Illinois, U.S.A.
63. ANSI/ANS-8.3-1997 (Reaffirmed in 2003), "Criticality Accident Alarm System" American Nuclear Society, La Grange Park, Illinois, U.S.A.

64. ANSI/ANS-8.7-1998 (Reaffirmed in 2007), "Nuclear Criticality Safety in the Storage of Fissile Materials," American Nuclear Society, La Grange Park, Illinois, U.S.A.
65. ANSI/ANS-8.10-1983 (Reaffirmed in 2005), "Criteria for Nuclear Criticality Safety Controls in Operations With Shielding and Confinement," American Nuclear Society, La Grange Park, Illinois, U.S.A.
66. ANSI/ANS-8.20-1991 (Reaffirmed in 2005), "Nuclear Criticality Safety Training," American Nuclear Society, La Grange Park, Illinois, U.S.A.
67. ANSI/ANS-8.21-1995 (Reaffirmed in 2001), "Use of Fixed Neutron Absorbers in Nuclear Facilities Outside Reactors," American Nuclear Society, La Grange Park, Illinois, U.S.A.
68. ANSI/ANS-8.23-2007, "Nuclear Criticality Accident Emergency Planning and Response," American Nuclear Society, La Grange Park, Illinois, U.S.A.
69. ANSI/ANS-8.24-2007 (Reaffirmed in 2012), "Validation of Neutron Transport Methods for Nuclear Criticality Safety Calculations," American Nuclear Society, La Grange Park, Illinois, U.S.A.
70. ANSI/ANS-8.26-2007, "Criticality Safety Engineer Training and Qualification Program," American Nuclear Society, La Grange Park, Illinois, U.S.A.
71. IEEE Std 379-2000, "IEEE Standard Application of the Single-Failure Criterion to Nuclear Power Generating Station Safety Systems," Institute of Electrical and Electronics Engineers, Piscataway, NJ, 2000.
72. U.S. Nuclear Regulatory Commission, Regulatory Guide 1.53, "Application of the Single-Failure Criterion to Safety Systems," ADAMS Accession No. ML033220006.
73. ASME N511, "Standard for In-Service Testing of Nuclear Air Treatment, Heating, Ventilating, and Air Conditioning Systems"
74. ASME AG-1-2009, "Code on Nuclear Air and Gas Treatment" (ASME 2009)
75. U.S. Nuclear Regulatory Commission, Regulatory Guide 3.71, Revision 2, "Nuclear Criticality Safety Standards for Fuels and Material Facilities," December 2010, ADAMS Accession No. ML103210345.
76. ANSI/ANS-8.19-2005, "Administrative Practices for Nuclear Criticality Safety," American Nuclear Society, La Grange Park, Illinois, U.S.A.
77. Nuclear Regulatory Commission, NUREG/CR-6698, "Guide for Validation of Nuclear Criticality Safety Computational Methodology," January 2001 ADAMS Accession No. ML050250061.
78. U.S. Nuclear Regulatory Commission, "Control of Heavy Loads at Nuclear Power Plants," NUREG-0612, July 1980, ADAMS Accession No. ML070250180.