

Facility:		LOC27 NRC Written Exam Outline					Date of Exam:		8/17/15								
Tier	Group	RO K/A Category Points										SRO-Only Points					
		K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	G *	Total	A2	G*	Total	
1. Emergency & Plant Evolutions	1	3	4	3				3	3			4	20	3	4	7	
	2	1	1	1				1	1			2	7	2	1	3	
	Tier Totals	4	5	4				4	4			6	27	5	5	10	
2. Plant Systems	1	3	2	2	3	2	2	2	2	3	3	2	26	3	2	5	
	2	1	1	2	1	1	1	1	1	1	1	1	12	0	1	3	
	Tier Totals	4	3	4	4	3	3	3	3	4	4	3	38	4	4	8	
3. Generic Knowledge & Abilities Categories				1		2		3		4		10	1	2	3	4	7
				2		2		3		3			2	2	1	2	

- Note:
- Ensure that at least two topics from every applicable K/A category are sampled within each tier of the RO and SRO-only outlines (i.e., except for one category in Tier 3 of the SRO-only outline, the "Tier Totals" in each K/A category shall not be less than two).
  - The point total for each group and tier in the proposed outline must match that specified in the table. The final point total for each group and tier may deviate by ±1 from that specified in the table based on NRC revisions. The final RO exam must total 75 points and the SRO-only exam must total 25 points.
  - Systems/evolutions within each group are identified on the associated outline; systems or evolutions that do not apply at the facility should be deleted and justified; operationally important, site-specific systems that are not included on the outline should be added. Refer to section D.1.b of ES-401, for guidance regarding elimination of inappropriate K/A statements.
  - Select topics from as many systems and evolutions as possible; sample every system or evolution in the group before selecting a second topic for any system or evolution.
  - Absent a plant specific priority, only those KAs having an importance rating (IR) of 2.5 or higher shall be selected. Use the RO and SRO ratings for the RO and SRO-only portions, respectively.
  - Select SRO topics for Tiers 1 and 2 from the shaded systems and K/A categories.
  - \* The generic (G) K/As in Tiers 1 and 2 shall be selected from Section 2 of the K/A Catalog, but the topics must be relevant to the applicable evolution or system. Refer to Section D.1.b of ES-401 for the applicable K/A's
  - On the following pages, enter the K/A numbers, a brief description of each topic, the topics' importance ratings (IR) for the applicable license level, and the point totals (#) for each system and category. Enter the group and tier totals for each category in the table above. If fuel handling equipment is sampled in other than Category A2 or G\* on the SRO-only exam, enter it on the left side of Column A2 for Tier 2, Group 2 (Note #1 does not apply). Use duplicate pages for RO and SRO-only exams.
  - For Tier 3, select topics from Section 2 of the K/A Catalog, and enter the K/A numbers, descriptions, IRs, and point totals (#) on Form ES-401-3. Limit SRO selections to K/As that are linked to 10CFR55.43

LOC27 NRC Written Exam Outline  
Written Examination Outline  
Emergency and Abnormal Plant Evolutions – Tier 1 Group 1

EAPE # / Name Safety Function	K1	K2	K3	A1	A2	G	K/A Topic(s)	Imp.	Q#
295006 SCRAM / 1					X		AA2.05 - Ability to determine and/or interpret the following as they apply to SCRAM: Whether a reactor SCRAM has occurred	4.6	76
295005 Main Turbine Generator Trip / 3					X		AA2.04 - Ability to determine and/or interpret the following as they apply to MAIN TURBINE GENERATOR TRIP: Reactor pressure	3.8	77
295028 High Drywell Temperature / 5					X		EA2.03 - Ability to determine and/or interpret the following as they apply to HIGH DRYWELL TEMPERATURE: Reactor water level	3.9	78
295038 High Off-site Release Rate / 9						X	2.4.11 - Emergency Procedures / Plan: Knowledge of abnormal condition procedures.	4.2	79
700000 Generator Voltage and Electric Grid Disturbances						X	2.2.25 - Equipment Control: Knowledge of the bases in Technical Specifications for limiting conditions for operations and safety limits.	4.2	80
295001 Partial or Complete Loss of Forced Core Flow Circulation / 1 & 4						X	2.4.9 - Knowledge of low power/shutdown implications in accident (e.g., loss of coolant accident or loss of residual heat removal) mitigation strategies.	4.2	81
295004 Partial or Complete Loss of DC Power / 6						X	2.2.44 - Equipment Control: Ability to interpret control room indications to verify the status and operation of a system, and understand how operator actions and directives affect plant and system conditions.	4.4	82
295006 SCRAM / 1	X						AK1.01 - Knowledge of the operational implications of the following concepts as they apply to SCRAM: Decay heat generation and removal	3.7	39
295021 Loss of Shutdown Cooling / 4	X						AK1.01 - Knowledge of the operational implications of the following concepts as they apply to LOSS OF SHUTDOWN COOLING: Decay heat	3.6	40
295004 Partial or Complete Loss of DC Power / 6	X						AK1.03 - Knowledge of the operational implications of the following concepts as they apply to PARTIAL OR COMPLETE LOSS OF D.C. POWER: Electrical bus divisional separation	2.9	41
295037 SCRAM Conditions Present and Reactor Power Above APRM Downscale or Unknown / 1		X					EK2.03 - Knowledge of the interrelations between SCRAM CONDITION PRESENT AND REACTOR POWER ABOVE APRM DOWNSCALE OR UNKNOWN and the following: ARI/RPT/ATWS: Plant-Specific	4.1	42
295030 Low Suppression Pool Water Level / 5		X					EK2.02 - Knowledge of the interrelations between LOW SUPPRESSION POOL WATER LEVEL and the following: RCIC: Plant-Specific	3.7	43
700000 Generator Voltage and Electric Grid Disturbances		X					AK2.06 - Knowledge of the interrelations between GENERATOR VOLTAGE AND ELECTRIC GRID DISTURBANCES and the following: Reactor power.	3.9	44
295016 Control Room Abandonment / 7			X				AK3.01 - Knowledge of the reasons for the following responses as they apply to CONTROL ROOM ABANDONMENT: Reactor SCRAM	4.1	45

**LOC27 NRC Written Exam Outline**  
**Written Examination Outline**  
**Emergency and Abnormal Plant Evolutions – Tier 1 Group 1**

EAPE # / Name Safety Function	K1	K2	K3	A1	A2	G	K/A Topic(s)	Imp.	Q#
600000 Plant Fire On-site / 8			X				AK3.04 - Knowledge of the reasons for the following responses as they apply to PLANT FIRE ON SITE: Actions contained in the abnormal procedure for plant fire on site	2.8	46
295038 High Off-site Release Rate / 9			X				EK3.02 - Knowledge of the reasons for the following responses as they apply to HIGH OFF-SITE RELEASE RATE: System isolations	3.9	47
295025 High Reactor Pressure / 3				X			EA1.01 - Ability to operate and/or monitor the following as they apply to HIGH REACTOR PRESSURE: Main steam line drains	2.9	48
295023 Refueling Accidents / 8				X			AA1.03 - Ability to operate and/or monitor the following as they apply to REFUELING ACCIDENTS: Fuel handling equipment	3.3	49
295005 Main Turbine Generator Trip / 3				X			AA1.01 - Ability to operate and/or monitor the following as they apply to MAIN TURBINE GENERATOR TRIP: Recirculation system: Plant-Specific	3.1	50
295031 Reactor Low Water Level / 2					X		EA2.02 - Ability to determine and/or interpret the following as they apply to REACTOR LOW WATER LEVEL: Reactor power	4.0	51
295018 Partial or Complete Loss of CCW / 8					X		AA2.03 - Ability to determine and/or interpret the following as they apply to PARTIAL OR COMPLETE LOSS OF COMPONENT COOLING WATER: Cause for partial or complete loss	3.2	52
295019 Partial or Complete Loss of Instrument Air / 8					X		AA2.02 - Ability to determine and/or interpret the following as they apply to PARTIAL OR COMPLETE LOSS OF INSTRUMENT AIR: Status of safety-related instrument air system loads (see AK2.1 - AK2.19)	3.6	53
295003 Partial or Complete Loss of AC / 6						X	2.4.1 - Emergency Procedures / Plan: Knowledge of EOP entry conditions and immediate action steps.	4.6	54
295001 Partial or Complete Loss of Forced Core Flow Circulation / 1 & 4						X	2.1.32 - Conduct of Operations: Ability to explain and apply all system limits and precautions.	3.8	55
295026 Suppression Pool High Water Temp. / 5						X	2.4.20 - Emergency Procedures / Plan: Knowledge of operational implications of EOP warnings, cautions, and notes.	3.8	56
295028 High Drywell Temperature / 5		X					EK2.04 - Knowledge of the interrelations between HIGH DRYWELL TEMPERATURE and the following: Drywell ventilation	3.6	57
295024 High Drywell Pressure / 5						X	2.1.23 - Ability to perform specific system and integrated plant procedures during all modes of plant operation.	4.3	58
K/A Category Totals:	3	4	3	3	3/3	4/4	Group Point Total:	20/7	

LOC27 NRC Written Exam Outline  
Written Examination Outline  
Emergency and Abnormal Plant Evolutions – Tier 1 Group 2

EAPE # / Name Safety Function	K1	K2	K3	A1	A2	G	K/A Topic(s)	Imp.	Q#
295029 High Suppression Pool Water Level / 5					X		EA2.01 - Ability to determine and/or interpret the following as they apply to HIGH SUPPRESSION POOL WATER LEVEL: Suppression pool water level	3.9	83
295007 High Reactor Pressure / 3						X	2.4.35 - Emergency Procedures / Plan: Knowledge of local auxiliary operator tasks during emergency and the resultant operational effects.	4.0	84
295014 Inadvertent Reactivity Addition / 1					X		AA2.05 - Ability to determine and/or interpret the following as they apply to INADVERTENT REACTIVITY ADDITION: Violation of safety limits	4.6	85
295017 High Off-site Release Rate / 9	X						AK1.02 - Knowledge of the operational implications of the following concepts as they apply to HIGH OFF-SITE RELEASE RATE: Protection of the general public	3.8	59
295034 Secondary Containment Ventilation High Radiation / 9		X					EK2.03 - Knowledge of the interrelations between SECONDARY CONTAINMENT VENTILATION HIGH RADIATION and the following: SBTG/FRVS: Plant-Specific	4.3	60
295009 Low Reactor Water Level / 2			X				AK3.02 - Knowledge of the reasons for the following responses as they apply to LOW REACTOR WATER LEVEL: Reactor feedpump runout flow control: Plant-Specific	2.7	61
295015 Incomplete SCRAM / 1				X			AA1.01 - Ability to operate and/or monitor the following as they apply to INCOMPLETE SCRAM: CRD hydraulics	3.8	62
295029 High Suppression Pool Water Level / 5					X		EA2.02 - Ability to determine and/or interpret the following as they apply to HIGH SUPPRESSION POOL WATER LEVEL: Reactor pressure	3.5	63
295036 Secondary Containment High Sump/Area Water Level / 5						X	2.4.21 - Emergency Procedures / Plan: Knowledge of the parameters and logic used to assess the status of safety functions, such as reactivity control, core cooling and heat removal, reactor coolant system integrity, containment conditions, radioactivity release control, etc.	4.0	64
295010 High Drywell Pressure / 5						X	2.2.22 - Equipment Control: Knowledge of limiting conditions for operations and safety limits.	4.0	65
K/A Category Totals:	1	1	1	1	1/2	2/1	Group Point Total:		7/3

LOC27 NRC Written Exam Outline  
 Written Examination Outline  
 Plant Systems – Tier 2 Group 1

System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	G	Imp	Q#
-----------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---	-----	----

215004 Source Range Monitor								X				A2.02 - Ability to (a) predict the impacts of the following on the SOURCE RANGE MONITOR (SRM) SYSTEM; and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those abnormal conditions or operations: SRM inop condition	3.7	86
400000 Component Cooling Water								X				A2.03 - Ability to (a) predict the impacts of the following on the CCWS and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those abnormal operation: High/low CCW temperature	3.0	87
239002 SRVs											X	2.2.42 - Equipment Control: Ability to recognize system parameters that are entry-level conditions for Technical Specifications.	4.6	88
218000 ADS											X	2.2.12 - Equipment Control: Knowledge of surveillance procedures.	4.1	89
215005 APRM / LPRM								X				A2.06 - Ability to (a) predict the impacts of the following on the AVERAGE POWER RANGE MONITOR/LOCAL POWER RANGE MONITOR SYSTEM; and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those abnormal conditions Recirculation flow channels upscale	3.5	90
239002 SRVs	X											K1.05 - Knowledge of the physical connections and/or cause- effect relationships between RELIEF/SAFETY VALVES and the following: Plant air systems: Plant-Specific	3.1	1
215003 IRM	X											K1.01 - Knowledge of the physical connections and/or cause- effect relationships between INTERMEDIATE RANGE MONITOR (IRM) SYSTEM and the following: RPS	3.9	2
203000 RHR/LPCI: Injection Mode		X										K2.02 - Knowledge of electrical power supplies to the following: Valves	2.5	3
400000 Component Cooling Water		X										K2.01 - Knowledge of electrical power supplies to the following: CCW pumps	2.9	4
209001 LPCS			X									K3.03 - Knowledge of the effect that a loss or malfunction of the LOW PRESSURE CORE SPRAY SYSTEM will have on following: Emergency generators	2.9	5

LOC27 NRC Written Exam Outline  
 Written Examination Outline  
 Plant Systems – Tier 2 Group 1

System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A2	A 3	A 4	G	Imp	Q#
211000 SLC			X									3.0	6
215005 APRM / LPRM				X								2.7	7
215004 Source Range Monitor				X								3.7	8
212000 RPS					X							3.3	9
264000 EDGs					X							3.4	10
218000 ADS						X						3.9	11
263000 DC Electrical Distribution						X						3.2	12
217000 RCIC							X					3.3	13
205000 Shutdown Cooling							X					2.8	14

LOC27 NRC Written Exam Outline  
 Written Examination Outline  
 Plant Systems – Tier 2 Group 1

System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	G	Imp	Q#
259002 Reactor Water Level Control								X				3.6	15
223002 PCIS/Nuclear Steam Supply Shutoff								X				2.7	16
262001 AC Electrical Distribution									X			3.2	17
261000 SGTS									X			3.2	18
206000 HPCI										X		4.1	19
300000 Instrument Air										X		2.6	20
262002 UPS (AC/DC)											X	3.8	21
215004 Source Range Monitor											X	4.6	22
400000 Component Cooling Water											X	3.1	23
264000 EDGs									X			3.0	24
262002 UPS (AC/DC)	X											2.5	25

LOC27 NRC Written Exam Outline  
 Written Examination Outline  
 Plant Systems – Tier 2 Group 1

System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A2	A 3	A 4	G		Imp	Q#	
259002 Reactor Water Level Control				X									K4.14 - Knowledge of REACTOR WATER LEVEL CONTROL SYSTEM design feature(s) and/or interlocks which provide for the following: Selection of various instruments to provide reactor water level input	3.4	26
K/A Category Totals:	3	2	2	3	2	2	2	2/3	3	3	2/2		Group Point Total:	26/5	



LOC27 NRC Written Exam Outline  
 Written Examination Outline  
 Plant Systems – Tier 2 Group 2

System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A 2	A 3	A 4	G	Imp.	Q #
-----------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---	------	-----

201001 CRD Hydraulic								X				A2.08 - Ability to (a) predict the impacts of the following on the CRD HYDRAULIC SYSTEM; and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of abnormal conditions or operations: Inadequate system flow	2.8	91
230000 RHR/LPCI: Torus/Pool Spray Mode											X	2.2.40 - Equipment Control: Ability to apply technical specifications for a system.	4.7	92
290002 Reactor Vessel Internals											X	2.1.30 - Conduct of Operations: Ability to locate and operate components, including local controls.	4.0	93
290002 Reactor Vessel Internals	X											K1.04 - Knowledge of the physical connections and/or cause- effect relationships between REACTOR VESSEL INTERNALS and the following: HPCI: Plant-Specific	3.4	27
233000 Fuel Pool Cooling/Cleanup		X										K2.02 - Knowledge of electrical power supplies to the following: RHR pumps	2.8	28
201003 Control Rod and Drive Mechanism			X									K3.03 - Knowledge of the effect that a loss or malfunction of the CONTROL ROD AND DRIVE MECHANISM will have on following: Shutdown margin	3.2	29
215001 Traversing In-core Probe				X								K4.01 - Knowledge of TRAVERSING IN-CORE PROBE design feature(s) and/or interlocks which provide for the following: Primary containment isolation: Mark-I&II(Not-BWR1)	3.4	30
286000 Fire Protection					X							K5.04 - Knowledge of the operational implications of the following concepts as they apply to FIRE PROTECTION SYSTEM: Valve operation	2.9	31
215002 RBM						X						K6.05 - Knowledge of the effect that a loss or malfunction of the following will have on the ROD BLOCK MONITOR SYSTEM: LPRM detectors: BWR-3,4,5	2.8	32
201002 RMCS							X					A1.01 - Ability to predict and/or monitor changes in parameters associated with operating the REACTOR MANUAL CONTROL SYSTEM controls including: CRD drive water flow	2.8	33
268000 Radwaste								X				A2.01 - Ability to (a) predict the impacts of the following on the RADWASTE; and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those abnormal conditions or operations: System rupture	2.9	34

LOC27 NRC Written Exam Outline  
 Written Examination Outline  
 Plant Systems – Tier 2 Group 2

System # / Name	K 1	K 2	K 3	K 4	K 5	K 6	A 1	A2	A 3	A 4	G	Imp.	Q #
290001 Secondary CTMT									X			3.5	35
245000 Main Turbine Gen. / Aux.										X		2.6	36
201001 CRD Hydraulic											X	3.6	37
288000 Plant Ventilation			X									3.1	38
K/A Category Totals:	1	1	2	1	1	1	1	1/1	1	1	1/2	Group Point Total: 12/3	

Facility:		LOC27 NRC Written Exam Outline		Date:		8/17/15	
Category	K/A #	Topic	RO		SRO-Only		
			IR	Q#	IR	Q#	
1. Conduct of Operations	2.1.13	Knowledge of facility requirements for controlling vital / controlled access.			3.2	94	
	2.1.43	Ability to use procedures to determine the effects on reactivity of plant changes, such as RCS temperature, secondary plant, fuel depletion, etc.			4.3	98	
	2.1.4	Knowledge of individual licensed operator responsibilities related to shift staffing, such as medical requirements, "no-solo" operation, maintenance of active license status, 10CFR55, etc.	3.3	66			
	2.1.7	Ability to evaluate plant performance and make operational judgements based on operating characteristics, reactor behavior, and instrument interpretation.	4.4	67			
		Subtotal		2		2	
2. Equipment Control	2.2.7	Knowledge of the process for conducting special or infrequent tests.			3.6	95	
	2.2.18	Knowledge of the process for managing maintenance activities during shutdown operations, such as risk assessments, work prioritization, etc.			3.9	100	
	2.2.13	Knowledge of tagging and clearance procedures.	4.1	68			
	2.2.3	(multi-unit license) Knowledge of the design, procedural, and operational differences between units.	3.8	69			
	Subtotal		2		2		
3. Radiation Control	2.3.5	Ability to use radiation monitoring systems, such as fixed radiation monitors and alarms, portable survey instruments, personnel monitoring equipment, etc.			2.9	96	

	2.3.13	Knowledge of Radiological Safety Procedures pertaining to licensed operator duties, such as response to radiation monitor alarms, containment entry requirements, fuel handling responsibilities, access to locked high radiation areas, aligning filters, etc.	3.4	70			
	2.3.4	Knowledge of radiation exposure limits under normal or emergency conditions.	3.2	71			
	2.3.5	Ability to use radiation monitoring systems, such as fixed radiation monitors and alarms, portable survey instruments, personell monitoring equipment, etc.	2.9	72			
	Subtotal			3		1	
4. Emergency Procedures / Plan	2.4.4	Ability to recognize abnormal indications for system operating parameters which are entry-level conditions for emergency and abnormal operating procedures.			4.7	97	
	2.4.26	Knowledge of facility protection requirements, including fire brigade and portable fire fighting equipment usage.			3.6	99	
	2.4.3	Ability to identify post-accident instrumentation.	3.7	73			
	2.4.18	Knowledge of the specific bases for EOPs.	3.3	74			
	2.4.37	Knowledge of the lines of authority during implementation of the emergency plan.	3.0	75			
	Subtotal				3		2
	Tier 3 Point Total				10		7

Tier / Group	Randomly Selected K/A	Reason for Rejection
2 / 1	<p>Question 9</p> <p>212000 RPS</p> <p>K5.01 - Knowledge of the operational implications of the following concepts as they apply to REACTOR PROTECTION SYSTEM: Fuel thermal time constant</p>	<p>An operationally relevant question could not be developed for the randomly selected K/A.</p> <p>Randomly re-selected K/A 212000 RPS K5.02 - Knowledge of the operational implications of the following concepts as they apply to REACTOR PROTECTION SYSTEM: Specific logic arrangements.</p>
2 / 1	<p>Question 21</p> <p>262002 UPS (AC/DC)</p> <p>2.4.50 - Emergency Procedures / Plan: Ability to verify system alarm setpoints and operate controls identified in the alarm response manual.</p>	<p>An acceptable question could not be developed for the randomly selected K/A without testing minutia.</p> <p>Randomly re-selected K/A 262002 UPS (AC/DC) 2.4.8 - Emergency Procedures / Plan: Knowledge of how abnormal operating procedures are used in conjunction with EOPs.</p>
2 / 1	<p>Question 22</p> <p>215004 Source Range Monitor</p> <p>2.4.18 - Emergency Procedures / Plan: Knowledge of the specific bases for EOPs.</p>	<p>There are no bases in EOPs related specifically to the SRMs that support developing an acceptable question.</p> <p>Randomly re-selected K/A 215004 Source Range Monitor 2.4.49 - Ability to perform without reference to procedures those actions that require immediate operation of system components and controls.</p>
2 / 1	<p>Question 23</p> <p>400000 Component Cooling Water</p> <p>A2.03 - Ability to (a) predict the impacts of the following on the CCWS and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those abnormal operation: High/low CCW temperature</p>	<p>The randomly selected K/A is the exact same K/A as for Question 87. Re-selecting to limit overlap.</p> <p>Randomly re-selected K/A 400000 Component Cooling Water A4.01 - Ability to manually operate and / or monitor in the control room: CCW indications and control.</p>

<p>2 / 1</p>	<p>Question 24 264000 EDGs A3.05 - Ability to monitor automatic operations of the EMERGENCY GENERATORS (DIESEL/JET) including: Load shedding and sequencing</p>	<p>The randomly selected K/A overlaps with the K/A for question 10.  Randomly re-selected K/A 264000 EDGs A3.01 - Ability to monitor automatic operations of the EMERGENCY GENERATORS (DIESEL/JET) including: Automatic starting of compressor and emergency generator.</p>
<p>2 / 1</p>	<p>Question 25 262002 UPS (AC/DC) A1.02 - Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs</p>	<p>The facility does not have motor-generators sets associated with system 262002 UPS (AC/DC).  Randomly re-selected K/A 262002 UPS (AC/DC) K1.13 - Knowledge of the physical connections and/or cause-effect relationships between UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) and the following: Recirculation pump speed control: Plant-Specific</p>
<p>2 / 2</p>	<p>Question 29 201003 Control Rod and Drive Mechanism K3.02 - Knowledge of the effect that a loss or malfunction of the CONTROL ROD AND DRIVE MECHANISM will have on following: Flux shaping</p>	<p>An acceptable question could not be developed for the randomly selected K/A without testing GFE knowledge.  Randomly re-selected K/A 201003 Control Rod and Drive Mechanism K3.03 - Knowledge of the effect that a loss or malfunction of the CONTROL ROD AND DRIVE MECHANISM will have on following: Shutdown margin.</p>
<p>2 / 2</p>	<p>Question 31 286000 Fire Protection K5.03 - Knowledge of the operational implications of the following concepts as they apply to FIRE PROTECTION SYSTEM : Effect of water spray on electrical components</p>	<p>An acceptable question could not be developed at the license level for the randomly selected K/A.  Randomly re-selected K/A 286000 Fire Protection K5.04 - Knowledge of the operational implications of the following concepts as they apply to FIRE PROTECTION SYSTEM: Valve operation.</p>

1 / 1	<p>Question 80</p> <p>700000 Generator Voltage and Electric Grid Disturbances 2.2.39 - Equipment Control: Knowledge of less than one hour technical specification action statements for systems.</p>	<p>An acceptable SRO level question cannot be developed for the randomly selected generic K/A because less than one hour Technical Specifications are required RO knowledge.</p> <p>Randomly re-selected K/A 700000 Generator Voltage and Electric Grid Disturbances 2.2.25 - Equipment Control: Knowledge of the bases in Technical Specifications for limiting conditions for operations and safety limits.</p>
1 / 1	<p>Question 39</p> <p>295006 SCRAM</p> <p>AK1.02 - Knowledge of the operational implications of the following concepts as they apply to SCRAM: Shutdown margin</p>	<p>A question cannot be developed for the randomly selected K/A without overlapping Question 76.</p> <p>Randomly re-selected K/A 295006 SCRAM AK1.01 - Knowledge of the operational implications of the following concepts as they apply to SCRAM: Decay heat generation and removal.</p>
1 / 1	<p>Question 58</p> <p>295024 High Drywell Pressure</p> <p>2.4.50 - Emergency Procedures / Plan: Ability to verify system alarm setpoints and operate controls identified in the alarm response manual</p>	<p>A question cannot be developed for the randomly selected combination of emergency plant evolution and generic K/A without testing minutia.</p> <p>Randomly re-selected K/A 295024 High Drywell Pressure 2.1.23 - Ability to perform specific system and integrated plant procedures during all modes of plant operation.</p>
1 / 2	<p>Question 59</p> <p>295017 High Off-site Release Rate</p> <p>AK1.03 - Knowledge of the operational implications of the following concepts as they apply to HIGH OFF-SITE RELEASE RATE: Meteorological effects on off-site release</p>	<p>An operationally oriented question cannot be developed at the appropriate license level for the randomly selected K/A.</p> <p>Randomly re-selected K/A 295017 High Off-site Release Rate AK1.02 - Knowledge of the operational implications of the following concepts as they apply to HIGH OFF-SITE RELEASE RATE: Protection of the general public.</p>

1 / 2	<p>Question 61</p> <p>295009 Low Reactor Water Level</p> <p>AK3.01 - Knowledge of the reasons for the following responses as they apply to LOW REACTOR WATER LEVEL: Recirculation pump run back: Plant-Specific</p>	<p>A discriminating question cannot be developed for the randomly selected K/A without overlapping concepts tested in Question 50.</p> <p>Randomly re-selected K/A 295009 Low Reactor Water Level AK3.02 - Knowledge of the reasons for the following responses as they apply to LOW REACTOR WATER LEVEL: Reactor feedpump runout flow control: Plant-Specific.</p>
1 / 2	<p>Question 65</p> <p>295010 High Drywell Pressure</p> <p>2.2.36 - Equipment Control: Ability to analyze the effect of maintenance activities, such as degraded power sources, on the status of limiting conditions for operations</p>	<p>An acceptable question cannot be developed at the appropriate license level for the given abnormal plant evolution with the randomly selected generic K/A.</p> <p>Randomly re-selected K/A 295010 High Drywell Pressure 2.2.22 - Knowledge of limiting conditions for operations and safety limits.</p>
3	<p>Question 68</p> <p>2.2.7 - Equipment Control: Knowledge of the process for conducting special or infrequent tests.</p>	<p>The randomly selected K/A is oversampled (also selected for Question 95).</p> <p>Randomly re-selected K/A 2.2.13 - Knowledge of tagging and clearance procedures.</p>
1 / 1	<p>Question 81</p> <p>295001 Partial or Complete Loss of Forced Core Flow Circulation</p> <p>2.2.3 - Equipment Control: (multi-unit license) Knowledge of the design, procedural, and operational differences between units.</p>	<p>An acceptable question cannot be developed for the given abnormal plant evolution with the randomly selected generic K/A due to a lack of difference between the Units for this topic.</p> <p>Randomly re-selected K/A 295001 Partial or Complete Loss of Forced Core Flow Circulation 2.4.9 - Knowledge of low power/shutdown implications in accident (e.g., loss of coolant accident or loss of residual heat removal) mitigation strategies.</p>



2 / 1	Question 22 215004 Source Range Monitor 2.4.49 - Emergency Procedures / Plan: Ability to perform without reference to procedures those actions that require immediate operation of system components and controls.	A question cannot be developed for the randomly selected K/A due to lack of immediate actions associated with the SRMs.  Randomly re-selected K/A 215004 Source Range Monitor 2.1.20 – Conduct of Operations: Ability to interpret and execute procedure steps.
3	Question 66 2.1.18 - Ability to make accurate, clear and concise logs, records, status boards, and reports.	A discriminating question cannot be developed for the randomly selected K/A at the license level.  Randomly re-selected K/A 2.1.4 - Knowledge of individual licensed operator responsibilities related to shift staffing, such as medical requirements, "no-solo" operation, maintenance of active license status, 10CFR55, etc.

Facility: <u>Susquehanna, LLC</u>		Date of Examination: <u>8/17/2015</u>
Examination Level: RO <input checked="" type="checkbox"/> SRO <input type="checkbox"/>		Operating Test Number: <u>U01916</u>
Administrative Topic (See Note)	Type Code*	Describe activity to be performed
Conduct of Operations C001	R,N	Cooldown Rate Calculation (00.GO.1178.101) General K/A – 2.1.7 RO 4.4 SRO 4.7
Conduct of Operations C002	R,D	Review Failed ST and Determine Required Action (51.SO.1944.151) General K/A – 2.2.12 RO 3.7 SRO 4.1
Equipment Control EC	R,D	Blocking and Tagging (00.AD.3274.202) General K/A – 2.2.41 RO 3.5 SRO 3.9
Radiation Control		
Emergency Plan EP	S,D	Emergency Plan Communications (00.EP.1135.001) General K/A – 2.4.39 RO 3.9
NOTE: All items (five total) are required for SROs. RO applicants require only 4 items unless they are retaking only the administrative topics (which would require all five items).		
* Type Codes & Criteria: (C)ontrol room, (S)imulator, or Class(R)oom (D)irect from bank ( $\leq 3$ for ROs; $\leq 4$ for SROs & RO retakes) (N)ew or (M)odified from bank ( $\geq 1$ ) (P)revious 2 exams ( $\leq 1$ ; randomly selected)		

Facility: <u>Susquehanna, LLC</u>		Date of Examination: <u>8/17/2015</u>
Examination Level: RO <input type="checkbox"/> SRO <input checked="" type="checkbox"/>		Operating Test Number: <u>U01916</u>
Administrative Topic (See Note)	Type Code*	Describe activity to be performed
Conduct of Operations C001	R,D	Determine NRC Notification Requirements (00.AD.1032.001) General K/A – 2.81.18 SRO 3.8
Conduct of Operations C002	R,D	Review failed ST and determine required actions (51.SO.1944.151) General K/A - 2.2.12 RO 3.7 SRO 4.1
Equipment Control EC	R,D	Blocking and Tagging (00.AD.3274.201) General K/A – 2.2.41 RO 3.5 SRO 3.9
Radiation Control RC	R,D	Calculate and Approve Emergency Exposure (00.EP.1132.185) General K/A – 2.3.4 SRO 3.7
Emergency Plan EP	S,N	Make EAL Classification (00.EP.1132.180) General K/A – 2.4.41 SRO 4.6
<p><b>NOTE:</b> All items (five total) are required for SROs. RO applicants require only 4 items unless they are retaking only the administrative topics (which would require all five items).</p>		
<p>* Type Codes &amp; Criteria:</p> <ul style="list-style-type: none"> <li>(C)ontrol room, (S)imulator, or Class(R)oom</li> <li>(D)irect from bank (≤ 3 for ROs; ≤ 4 for SROs &amp; RO retakes)</li> <li>(N)ew or (M)odified from bank (≥ 1)</li> <li>(P)revious 2 exams (≤ 1; randomly selected)</li> </ul>		

Facility: <u>Susquehanna, LLC</u>		Date of Examination: <u>8/17/2015</u>
Exam Level: RO <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>		Operating Test Number: <u>U01916</u>
Control Room Systems:* 8 for RO; 7 for SRO-I; 2 or 3 for SRO-U		
System / JPM Title	Type Code*	Safety Function
a. Respond to Control Rod Drift In During Performance of Rod Exercise Test (55.ON.1998.151)	A,D,P,S	1
b. Quick Recovery of the Condensate System, Respond to a Loss of TBCCW (44.OP.4652.151)	A,N,S	2
c. Quarterly Turbine Valve Cycling (93.SO.2467.101)	D,S	3
d. Core Spray System Shutdown (51.OP.1933.101)	D,S	4
e. Shutdown Cooling Temperature Control (49.ON.1869.151)	A,D,EN,L,S	5
f. Swap RBCCW Pumps, Respond to Loss of RBCCW (14.OP.1335.150)	A,N,S	8
g. Restore Offgas System IAW ON-143-001 (72.ON.1786.151)	A,P,S	9
h. APRM Gain Adjust (78.OP.3677.101)	D,S	7
In-Plant Systems* (3 for RO); (3 for SRO-I); (3 or 2 for SRO-U)		
i. Venting Scram Air Header During ATWS (00.EO.1996.202) (Unit 2)	D,R	1
j. Maintaining RCIC Suction Source During SBO (50.EO.2567.003) (Unit 2)	D,E,R	2
k. Manual Emergency Shutdown of Diesel Generator 'A' (24.OP.1443.051)	D,E	6
* All RO and SRO-I control room (and in-plant) systems must be different and serve different safety functions; all five SRO-U systems must serve different safety functions; in-plant systems and functions may overlap those tested in the control room.		
*Type Codes	Criteria for RO / SRO-I / SRO-U	
(A)lternate path	4-6 / 4-6 / 2-3	
(C)ontrol room		
(D)irect from bank	≤ 9 / ≤ 8 / ≤ 4	
(E)mergency or abnormal in-plant	≥ 1 / ≥ 1 / ≥ 1	
(EN)gineered safety feature	≥ 1 / ≥ 1 / ≥ 1(control room system)	
(L)ow-Power / Shutdown	≥ 1 / ≥ 1 / ≥ 1	
(N)ew or (M)odified from bank including 1(A)	≥ 2 / ≥ 2 / ≥ 1	
(P)revious 2 exams	≤ 3 / ≤ 3 / ≤ 2 (randomly selected)	
(R)CA	≥ 1 / ≥ 1 / ≥ 1	
(S)imulator		

Facility: <u>Susquehanna, LLC</u>		Date of Examination: <u>8/17/2015</u>
Exam Level: RO <input type="checkbox"/> SRO-I <input checked="" type="checkbox"/> SRO-U <input type="checkbox"/>		Operating Test Number: <u>U01916</u>
Control Room Systems:* 8 for RO; 7 for SRO-I; 2 or 3 for SRO-U		
System / JPM Title	Type Code*	Safety Function
a. Respond to Control Rod Drift In During Performance of Rod Exercise Test (55.ON.1998.151)	A,D,P,S	1
b. Quick Recovery of the Condensate System, Respond to a Loss of TBCCW (44.OP.4652.151)	A, N,S	2
c. Quarterly Turbine Valve Cycling (93.SO.2467.101)	D,S	3
d. Core Spray System Shutdown (51.OP.1933.101)	D,S	4
e. Shutdown Cooling Temperature Control (49.ON.1869.151)	A,D,EN,L,S	5
f. Swap RBCCW Pumps, Respond to Loss of RBCCW (14.OP.1335.150)	A,N,S	8
g.		
h. APRM Gain Adjust (78.OP.3677.101)	D,S	7
In-Plant Systems* (3 for RO); (3 for SRO-I); (3 or 2 for SRO-U)		
i. Venting Scram Air Header During ATWS (00.EO.1996.202) (Unit 2)	D,R	1
j. Maintaining RCIC Suction Source During SBO (50.EO.2567.003) (Unit 2)	D,E,R	2
k. Manual Emergency Shutdown of Diesel Generator 'A' (24.OP.1443.051)	D,E	6
* All RO and SRO-I control room (and in-plant) systems must be different and serve different safety functions; all five SRO-U systems must serve different safety functions; in-plant systems and functions may overlap those tested in the control room.		
*Type Codes	Criteria for RO / SRO-I / SRO-U	
(A)lternate path	4-6 / 4-6 / 2-3	
(C)ontrol room		
(D)irect from bank	≤ 9 / ≤ 8 / ≤ 4	
(E)mergency or abnormal in-plant	≥ 1 / ≥ 1 / ≥ 1	
(EN)gineered safety feature	≥ 1 / ≥ 1 / ≥ 1(control room system)	
(L)ow-Power / Shutdown	≥ 1 / ≥ 1 / ≥ 1	
(N)ew or (M)odified from bank including 1(A)	≥ 2 / ≥ 2 / ≥ 1	
(P)revious 2 exams	≤ 3 / ≤ 3 / ≤ 2 (randomly selected)	
(R)CA	≥ 1 / ≥ 1 / ≥ 1	
(S)imulator		

Facility: Susquehanna, LLC Date of Examination: 8/17/2015  
 Exam Level: RO  SRO-I  SRO-U  Operating Test Number: U01916

Control Room Systems: \* 8 for RO; 7 for SRO-I; 2 or 3 for SRO-U

System / JPM Title	Type Code*	Safety Function
a.		
b. Quick Recovery of the Condensate System, Respond to a Loss of TBCCW (44.OP.4652.151)	A,N,S	2
c.		
d.		
e. Shutdown Cooling Temperature Control (49.ON.1869.151)	A,D,EN,L,S	5
f. Swap RBCCW Pumps, Respond to Loss of RBCCW (14.OP.1335.150)	A,N,S	8
g.		
h.		

In-Plant Systems \* (3 for RO); (3 for SRO-I); (3 or 2 for SRO-U)

i. Venting Scram Air Header During ATWS (00.EO.1996.202) (Unit 2)	D,R	1
j.		
k. Manual Emergency Shutdown of Diesel Generator 'A' (24.OP.1443.051)	D,E	6

\* All RO and SRO-I control room (and in-plant) systems must be different and serve different safety functions; all five SRO-U systems must serve different safety functions; in-plant systems and functions may overlap those tested in the control room.

*Type Codes	Criteria for RO / SRO-I / SRO-U
(A)lternate path	4-6 / 4-6 / 2-3
(C)ontrol room	
(D)irect from bank	≤ 9 / ≤ 8 / ≤ 4
(E)mergency or abnormal in-plant	≥ 1 / ≥ 1 / ≥ 1
(EN)gineered safety feature	≥ 1 / ≥ 1 / ≥ 1 (control room system)
(L)ow-Power / Shutdown	≥ 1 / ≥ 1 / ≥ 1
(N)ew or (M)odified from bank including 1(A)	≥ 2 / ≥ 2 / ≥ 1
(P)revious 2 exams	≤ 3 / ≤ 3 / ≤ 2 (randomly selected)
(R)CA	≥ 1 / ≥ 1 / ≥ 1
(S)imulator	

Facility:	<u>SSES Units 1 and 2</u>	Scenario No.:	<u>2</u>	Op-Test No.:	<u>U01916</u>
Examiners:	_____	Operators:	_____	_____	_____
Initial Conditions	<u>IC-12 Reactor Approach to Run, Mode Switch in Startup</u>				
Turnover	<ul style="list-style-type: none"> <li>• A Reactor Startup is in progress following a refueling outage.</li> <li>• The Reactor Mode Switch is in Startup.</li> <li>• Reactor power is approximately 3% with the IRMs on Range 9.</li> <li>• Reactor Pressure is 940 psig with 1/2 bypass valve open.</li> <li>• GO-100-002 is complete through step 5.59.2</li> <li>• Main condenser back pressure has lowered to allow placing Off Gas in service.</li> <li>• The Off Gas system is prepared for placing SJAE in-service.</li> <li>• The directions to the shift are to: <ul style="list-style-type: none"> <li>- Place Off Gas in service and secure the Mechanical Vacuum Pump</li> <li>- Continue the reactor startup.</li> </ul> </li> </ul>				
Event No.	Malf. No.	Event Type*	Event Description		
1	N/A	N SRO,BOP	Place Off Gas in Service		
2	N/A	R SRO,ATC	Raise Reactor Power by Withdrawing Control Rods		
3	mfRD155007 mfRD155006	C TS SRO,ATC	Uncoupled Control Rod		
4	mfRWMIOM ALF mfJM156004	I TS SRO,ATC	Rod Worth Minimizer Failure		
5	DEL mfRD155006	C SRO,ATC	Control Rod Drop		
6	mfRR179003	C SRO,BOP	Fuel Failure		
7	cmfAV04_ XV147	M All	SDIV Vent and Drain Valves Fail to Close		

8	mfCU161007 cmfMV06_ HV144F001 cmfMV06_ HV144F004	I All	Reactor Water Cleanup Pipe Break Without Auto Isolation
9	cmfMV09_ HV144F001 cmfMV09_ HV144F004	C SRO,BOP	Reactor Water Cleanup Isolation Valves Fail to Close
*(N)ormal, (R)eactivity, (I)nstrument, (C)omponent, (M)ajor			
Target Quantitative Attributes (Per Scenario; See Section D.5.d)		Scenario Events	Actual Attributes
1. Malfunctions after EOP entry (1–2)		6,8,9	3
2. Abnormal events (2–4)		3,4	2
3. Major transients (1–2)		7	1
4. EOPs entered/requiring substantive actions (1–2)		Secondary Containment Control	1
5. EOP contingencies requiring substantive actions (0–2)		Emergency Depressurization	1
6. Critical tasks (2–3)  CT-1 Recognize a failure to scram condition and initiate a manual scram within 60 seconds.  CT-2 Perform Emergency Depressurization when Two Secondary Containment areas exceed maximum safe radiation levels with a Primary System discharging into Secondary Containment.			2



Facility:	<b>SSES Units 1 and 2</b>	Scenario No.:	<b>3</b>	Op-Test No.:	<b>U01916</b>
Examiners:	_____	Operators:	_____	_____	_____
Initial Conditions	<b>Unit 1 approximately 23% power during shutdown, BOL</b>				
Turnover	<ul style="list-style-type: none"> <li>• A Reactor Shutdown is in progress in preparation for a turbine outage.</li> <li>• Reactor power is approximately 23%.</li> <li>• GO-100-004 is complete through step 5.2.1</li> <li>• RBCCW Pump "A" is OOS and is not available.</li> <li>• The directions to the shift are to: <ul style="list-style-type: none"> <li>- Reduce reactor power to 20%</li> <li>- Transfer the auxiliary busses to the startup transformer</li> </ul> </li> </ul>				

Event No.	Malf. No.	Event Type*	Event Description
1	N/A	R SRO,ATC	Lower Reactor Power by Inserting Control Rods
2	N/A	N SRO,BOP	Transfer Auxiliary Busses
3	cmfTD04_PD TC321N004	I TS SRO,BOP	Narrow Range Instrument Failure
4	mfDS003007 cmfBR03_ 1A10204	C TS All	Loss of Auxiliary Bus 11B
5	mfMC143001	C ALL	Loss of Vacuum
6	mfRP158007 cmfRL01_ 63X114	M All	ATWS due to RPS and ARI Failing to Actuate
7	mfSL153001	C SRO,BOP	SBLC Fails to Inject
8	mfRD155002	C SRO,BOP	CRD Pump Trip and Flow Control Valve Failure

\*(N)ormal, (R)eactivity, (I)nstrument, (C)omponent, (M)ajor

Target Quantitative Attributes (Per Scenario; See Section D.5.d)	Scenario Events	Actual Attributes
1. Malfunctions after EOP entry (1-2)	7,8	2
2. Abnormal events (2-4)	3,4,5,	3
3. Major transients (1-2)	6	1
4. EOPs entered/requiring substantive actions (1-2)	RPV Control	1
5. EOP contingencies requiring substantive actions (0-2)	Level/Power Control	1
6. Critical tasks (2-3) <b>CT-1</b> <b>Lowers RPV level to &lt; -60" but &gt; -179"</b> <b>CT-2</b> <b>Inserts control rods IAW EO-000-113 Sht. 2</b>		2

Facility:	<b>SSES Units 1 and 2</b>	Scenario No.:	<b>4</b>	Op-Test No.:	<b>U01916</b>
Examiners:	_____	Operators:	_____	_____	_____
Initial Conditions	<b>Unit 1 approximately 97% power MOL</b>				
Turnover	<b>Reactor power 97% following rod exercising.  SRV P is leaking. Tailpipe temperature is approximately 235°F.  Unit 2 is at rated power.</b>				
	<b>Directions to the shift is to raise power to 100% using recirculation flow.</b>				

Event No.	Malf. No.	Event Type*	Event Description
1	N/A	R SRO,ATC	Raise Reactor Power with Recirc Flow
2	mfNM17800 7A	I TS SRO,ATC	APRM Fails Upscale
3	mfHP15200 4	C TS SRO,BOP	Inadvertent HPCI Initiation
4	N/A	N SRO,BOP	Shutdown HPCI and Place in a Standby Lineup
5	cmfEB01_1 A201	C ALL	Electrical Fault on ESS Bus 1A (1A201)
6	mfMS18300 8	M ALL	Main Steam Leak into Turbine Building
7	cmfAV06_H V141F028D cmfAV06_H V141F022D	I SRO,BOP	MSIVs Fail to Automatically Close
8	mfDS00300 7 mfDS00300 8	M ALL	Loss of Offsite Power
9	mfDG02400 8C mfDG02400 1B(D)	C SRO,BOP	EDG C Fails to Start, EDGs B and D Fail to Auto-Start

10	mfRC15000 1 diHS15012 CB	C ALL	HPCI and RCIC Fail to Auto-Initiate and Initiation Pushbuttons Fail to ARM
*(N)ormal, (R)eactivity, (I)nstrument, (C)omponent, (M)ajor			
Target Quantitative Attributes (Per Scenario; See Section D.5.d)		Scenario Events	Actual Attributes
1. Malfunctions after EOP entry (1–2)		7,9,10	3
2. Abnormal events (2–4)		3,5	2
3. Major transients (1–2)		6,8	2
4. EOPs entered/requiring substantive actions (1–2)		RPV Control	1
5. EOP contingencies requiring substantive actions (0–2)		-	0
6. Critical tasks (2–3)  CT-1      Manually isolate a Main Steam Line break.  CT-2      Restore power to an ESS Bus by manually starting an emergency diesel generator.			2