

VIRGINIA ELECTRIC AND POWER COMPANY
RICHMOND, VIRGINIA 23261

October 1, 2015

U.S. Nuclear Regulatory Commission
Attention: Document Control Desk
Washington, D.C. 20555-0001

Serial No.: 15-491
NL&OS/MAE: R2
Docket Nos.: 72-2/16
License Nos.: SNM-2501/2507

VIRGINIA ELECTRIC AND POWER COMPANY
NORTH ANNA POWER STATION ISFSI
SURRY POWER STATION ISFSI
TEMPORARY MODIFICATION OF INTERIM COMPENSATORY MEASURES
FOR ORDER EA-02-104

On October 16, 2002, the NRC issued Orders EA-02-104 (the Orders) that modified the specific licenses for North Anna and Surry Power Stations' Independent Spent Fuel Storage Installations (ISFSIs). These Orders required compliance with the specified interim safeguards and security compensatory measures. Virginia Electric and Power Company (Dominion) initially responded to the October 16, 2002 Order in letters dated November 1, 2002 (Serial Nos. 02-646 and 02-647 for North Anna and Surry Power Stations, respectively).

As part of preparations for the arrival of Hurricane Joaquin, we have assessed our compliance strategy for the Orders and determined that due to presently predicted weather conditions and the concern for security personnel safety, Dominion may need to temporarily modify our implementation of those interim compensatory measures (ICMs) C.1.b, C.3.a(1), and C.3.d. Alternate security measures will be initiated when possible based on weather limitations and personnel safety concerns. The temporary modification of ICM implementation was discussed with the NRC staff in a telephone conversation October 1, 2015.

Dominion specifically requests a one-time temporary modification of the implementation of our response to the identified ICMs. This one-time temporary modification will be used as necessary to address the effects of weather and for a period of time corresponding to abnormally high wind conditions and rain due to the passing of Hurricane Joaquin. This request is necessary to protect security personnel from hazards associated with the weather conditions during the hurricane. Any suspension of security measures due to this weather-related situation will be reported and documented in accordance with the provisions of 10 CFR 73.71.

S001A
NM5526
NM55

If you have any questions, please contact Ms. Margaret A. Earle at (804) 273-2768.

Sincerely,



Gianna C. Clark
Vice President – Nuclear Support Services

Commitments made by this letter: None

cc: U. S. Nuclear Regulatory Commission, Region II
Attn.: Regional Administrator
245 Peachtree Center Ave., NE, Suite 1200
Atlanta, Georgia 30303-1257

Director, Division of Spent Fuel Storage and Transportation
Office of Nuclear Material Safety and Safeguards
U. S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Mr. J. N. Nguyen
NRC Senior Project Manager
U. S. Nuclear Regulatory Commission
Mail Stop T4 B34
Two White Flint North
11545 Rockville Pike
Rockville, MD 20852-2738

Ms. K. R. Cotton
NRC Project Manager Surry
U. S. Nuclear Regulatory Commission
Mail Stop O8 G-9A
One White Flint North
11555 Rockville Pike
Rockville, MD 20852-2738

Dr. V. Sreenivas
NRC Project Manager North Anna
U. S. Nuclear Regulatory Commission
Mail Stop O8 G-9A
One White Flint North
11555 Rockville Pike
Rockville, MD 20852-2738

NRC Senior Resident Inspector
North Anna Power Station

NRC Senior Resident Inspector
Surry Power Station