-							
NRC FORM 374				PAGE	<u>1</u> OF	4	PAGES
0.5.1							
Pursuant to the Atomic Energy Act of 1954, as ame Federal Regulations, Chapter I, Parts 30, 31, 32, 33 made by the licensee, a license is hereby issued au special nuclear material designated below; to use si such material to persons authorized to receive it in a contain the conditions specified in Section 183 or regulations, and orders of the Nuclear Regulatory of	3, 34, 35, 36, 39, 40, uthorizing the licens uch material for the accordance with the f the Atomic Energ	eorganization Act of 1 and 70, and in reliance ee to receive, acquire purpose(s) and at the regulations of the app y Act of 1954, as am	e on sta e, posses place(s) plicable l nended,	tements and ss, and trans) designated Part(s). This and is subj	representat fer byprodu below; to de license sha ect to all ap	ions he ct, sou liver or Il be de oplicabl	eretofore rce, and transfer emed to
Licensee							
1. EBA Engineering, Inc.	. 5. [3. License numb	ber 19	-35269-01			
	EART	EGU,					
2. 4813 Seton Drive	LEARA	4. Expiration dat	te Sep	tember 30	, 2025		
Baltimore, Maryland 21215		5. Docket No. 03	30-388	369			
S.		Reference No	o. 5	4			
6. Byproduct, source, and/or special 7. nuclear material	 Chemical and/or physical form 8. Maximum amount that I possess at any one time license 						
A. Cesium 137	Sealed Source Model CDCWS Products Labo HEG-137)		s n ti is	00 millicurio ingle sour naximum a he certifica ssued by to egulatory of Agreement	ce to exce activity sp ate of regi he U.S. N Commissi	eed th ecified stratic uclea	d in on Ir
B. Americium 241	. Sealed Sources (QSA Global B. Model AMNV.997; Isotope Products Laboratories Models Am1.N02, 3021, 3027)			40 millicui single sour naximum a he certifica ssued by the egulatory of Agreement	ce to exce activity sp ate of regi he U.S. N Commissi	eed th ecified stratic uclea	ne d in on Ir
9. Authorized use:							
A. and B. In Troxler Electronic Labor measuring physical prope			4640	portable g	auging de	vices	s for

NRC	FORM	374A	PAGE 2 OF 4 PAGES		
			License Number 19-35269-01		
	MATERIALS LICENSE SUPPLEMENTARY SHEET		Docket or Reference Number 030-38869		
		CONDITIONS	8		
10. Licensed material may be used or stored at the licensee's facilities located at 3365B V Stre Washington, District of Columbia, and may be used at temporary job sites of the licensee a the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction fo the use of licensed material, including areas of exclusive Federal jurisdiction within Agreen					
	cont site in Ag	e jurisdiction status of a Federal facility within an Ag act the Federal agency controlling the job site in que is an area of exclusive Federal jurisdiction. Authoriz greement States not under exclusive Federal jurisdi latory agency.	estion to determine whether the proposed job zation for use of radioactive materials at job sites		
11.	Licensed material shall be used by, or under the supervision of, individuals who have received the training described in the application dated September 17, 2015, and have been designated, in writing, by the Radiation Safety Officer. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed material by the individual.				
12.	The	Radiation Safety Officer for this license is Joseph L	. Wallace.		
13.	Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.				
14.	A.	Sealed sources shall be tested for leakage and/or months or at the intervals specified in the certifica Regulatory Commission under 10 CFR 32.210 or State.	te of registration issued by the U.S. Nuclear		
	B.	In the absence of a certificate from a transferor in the intervals specified in the certificate of registrat Commission under 10 CFR 32.210 or under equiv the transfer, a sealed source received from anoth and the test results received.	ion issued by the U.S. Nuclear Regulatory valent regulations of an Agreement State, prior to		
	C.	Sealed sources need not be tested if they are in s they are removed from storage for use or transfer within the required leak test interval, they shall be shall be stored for a period of more than 10 years contamination.	red to another person and have not been tested tested before use or transfer. No sealed source		

NRC	FORM 3	74A	PAGE 3 OF 4 PAGES	
			License Number 19-35269-01	
		MATERIALS LICENSE SUPPLEMENTARY SHEET	Docket or Reference Number 030-38869	
	D.	The leak test shall be capable of detecting the pre radioactive material on the test sample. If the test (185 becquerels) or more of removable contamina Regulatory Commission in accordance with 10 CF immediately from service and decontaminated, rep Commission regulations.	reveals the presence of 0.005 microcurie ation, a report shall be filed with the U.S. Nuclear R 30.50(c)(2), and the source shall be removed paired, or disposed of in accordance with	
	E.	Tests for leakage and/or contamination, limited to by the licensee or by other persons specifically lice Commission or an Agreement State to perform su- perform the analysis; analysis of leak test samples licensed by U.S. Nuclear Regulatory Commission	ensed by the U.S. Nuclear Regulatory ch services. The licensee is not authorized to s must be performed by persons specifically	
	F.	Records of leak test result <mark>s shall</mark> be kept in units of years.	of microcuries and shall be maintained for	
15.	The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.			
16.	Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.			
17.	from	cleaning, maintenance, or repair of the gauges that the gauge shall be performed only by the manufact J.S. Nuclear Regulatory Commission or an Agreeme	urer or by other persons specifically licensed by	
18.		licensee is authorized to transport licensed material FR Part 71, "Packaging and Transportation of Radio		

NRC	FORM 374A		PAGE 4 OF 4 PAGES			
			License Number 19-35269-01			
	MATERIALS LICENSE SUPPLEMENTARY SHEET		Docket or Reference Number 030-38869			
19.	accordance with the statements, representa any enclosures, listed below. The U.S. Nucl unless the statements, representations, and correspondence are more restrictive than the A. Application dated September 17, 2015	tions, an lear Reg proced e regula (ML15	• •			