

**Advisory Committee on Reactor Safeguards
Meeting of the AP1000 Subcommittee on the
Lee SCOLA Review**

October 21-22, 2015

- Draft Agenda -

ACRS Contact: Peter Wen (301) 415-2832 Peter.Wen@nrc.gov

October 21, 2015

Item	Topic	Presenter(s)	Time
1	Opening Remarks and Objectives	Harold B. Ray, ACRS	0830 – 0835
2	Staff Opening Remarks	NRO	0835 - 0840
3	Chap. 1 - Intro/Overview	NRO/Duke	0840 – 0900
4	Chap. 2.1- Geography and Demography Chap. 2.2 - Offsite Hazards; Toxic Chemical Hazards Chap. 2.3- Meteorology Chap. 2.4 - Hydrologic Engineering	Duke	0900 - 0950
	Break		0950 -1010
5	Same as Item 4 * [The staff's Chap. 2.3 presenters go first.]	NRO	1010 -1200
	Lunch Break		1200 - 1300
6	Chap. 2.5 - Geology, Seismology, and Geotechnical Engineering	Duke/NRO	1300 - 1500
	Break		1500 - 1520
7	Chap. 3.7 - Seismic Design DEP 3.8-1, Lee Passive Earth Pressures	Duke/NRO	1520 -1650
8	Committee Discussion	Harold B. Ray, ACRS	1650 - 1700
	Adjourn		1700

October 22, 2015

Item	Topic	Presenter(s)	Time
1	Opening Remarks and Objectives	Harold B. Ray, ACRS	0830 – 0835
2	Chap. 6.4 – Habitability Systems (Chlorine gas release) Chap. 8.2.A - Site-Specific ITAAC for Offsite Power Systems Chap. 8.3 – Onsite Power Systems (DEP 8.3-1, Class 1E Voltage Regulating Transformer Current Limiting Features)	Duke	0835 -0930
3	Same as Item 2	NRO	0930 - 1030
	BREAK		1030 - 1050
4	Chap. 9 - Auxiliary Systems	Duke/NRO	1050 - 1120
5	Chap. 12.3 – Radiation Protection Design Features (Liquid Waste Piping Integrity monitoring and guarded HPDE discharge pipe)	Duke/NRO	1120 - 1200
	Lunch Break		1200-1300
6	Chap. 13.3 – Emergency Planning (EOF locations) DEP 3.11-1, "Envir. Zone" Number for Spent Fuel Pool Level Inst.	Duke/NRO	1300 - 1400
7	Chap. 20 – Requirements Resulting from Fukushima Near Term Task Force Recommendations	Duke/NRO	1400 - 1500
	Break		1500 - 1520
8	Follow-up Items		1520 - 1540
9	Committee Discussion	Harold B. Ray, ACRS	1540 - 1600
	Adjourn		1600

Notes:

- During the meeting, 301-415-7360 should be used to contact anyone in the ACRS Office.
- Presentation time should not exceed 50 percent of the total time allocated for a given item. The remaining 50 percent of the time is reserved for discussion.
- Thirty five (35) hard copies (2 B&W slides per page) of each presentation or handout should be provided to the Designated Federal Official 30 minutes before the meeting. Fifteen (15) full-page colored copies for the ACRS members and the court reporter.
- One (1) electronic copy of each presentation should be emailed to the Designated Federal Official 1 day before the meeting. If an electronic copy cannot be provided within this timeframe, presenters should provide the Designated Federal Official with a CD containing each presentation at least 30 minutes before the meeting.