

OCNGS UFSAR

CHAPTER 15 - ACCIDENT ANALYSIS

TABLE OF CONTENTS

<u>SECTION</u>	<u>TITLE</u>
15.0	<u>GENERAL INTRODUCTION</u>
15.0.1	Analytical Objective
15.0.2	Approach to Safety Analysis
15.0.2.1	Abnormal Operational Transients
15.0.2.2	Design Basis Accidents
15.0.3	Reload Licensing Methods
15.1	<u>INCREASE IN HEAT REMOVAL BY THE SECONDARY SYSTEM</u>
15.1.1	Decrease in Feedwater Temperature
15.1.1.1	Identification of Causes and Frequency Classification
15.1.1.2	Event Description
15.1.1.3	Assumptions and Initial Conditions
15.1.1.4	Results of Analysis
15.1.2	Feedwater Controller Failure
15.1.2.1	Identification of Causes and Frequency Classification
15.1.2.2	Event Description
15.1.2.3	Assumptions and Initial Conditions
15.1.2.4	Results of Analysis
15.1.3	Increase in Steam Flow
15.1.3.1	Identification of Causes and Frequency Classification
15.1.3.2	Event Description
15.1.3.3	Assumptions and Initial Conditions
15.1.3.4	Results of Analysis
15.1.4	Inadvertent Opening of a Steam Generator Relief/Safety Valve
15.1.5	Steam System Piping Failures Outside Containment
15.1.5.1	Identification of Causes and Frequency Classification
15.1.5.2	Event Description
15.1.5.3	Assumptions and Initial Conditions
15.1.5.4	Results of Analysis
15.1.5.5	Radiological Consequences
15.2	<u>DECREASE IN HEAT REMOVAL BY THE SECONDARY SYSTEM</u>
15.2.1	Steam Pressure Regulator Failure
15.2.2	Loss of External Load
15.2.2.1	Identification of Causes and Frequency Classification
15.2.2.2	Event Description
15.2.2.3	Assumptions and Initial Conditions

OCNGS UFSAR

TABLE OF CONTENTS (cont'd)

15.2.2.4	Results of Analysis
15.2.3	Turbine Trip (Stop Valve Closure)
15.2.3.1	Identification of Causes and Frequency Classification
15.2.3.2	Event Description
15.2.3.3	Assumptions and Initial Conditions
15.2.3.4	Results of Analysis
15.2.4	Inadvertent Closure of Main Steam Isolation Valves
15.2.4.1	Identification of Causes and Frequency Classification
15.2.4.2	Event Description
15.2.4.3	Assumptions and Initial Conditions
15.2.4.4	Results of Analysis
15.2.5	Loss of Condenser Vacuum
15.2.6	Loss of All AC Power/Loss of Auxiliary Power
15.2.6.1	Loss of All AC Power
15.2.6.2	Loss of Auxiliary Power
15.2.6.2.1	Identification of Causes and Frequency Classification
15.2.6.2.2	Event Description - Assumptions
15.2.6.2.3	Results of Analysis
15.2.7	Loss of Normal Feedwater Flow
15.2.7.1	Identification of Causes and Frequency Classification
15.2.7.2	Event Description
15.2.7.3	Assumptions and Initial Conditions
15.2.7.4	Results of Analysis
15.2.8	Feedwater Pipe Break
15.2.9	Loss of Stator Cooling
15.2.9.1	Identification of Causes and Frequency Classification
15.2.9.2	Event Description
15.2.9.3	Assumptions and Initial Conditions
15.9.2.4	Results of Evaluation
15.3	<u>DECREASE IN REACTOR COOLANT SYSTEM FLOW RATE</u>
15.3.1	Single and Multiple Recirculation Pump Trips
15.3.1.1	Identification and Causes and Frequency Classification
15.3.1.2	Event Description
15.3.1.3	Assumptions and Initial Conditions
15.3.1.4	Results of Analysis
15.3.2	Recirculation Flow Controller Malfunctions (Flow Decrease)

OCNGS UFSAR

TABLE OF CONTENTS (cont'd)

15.3.2.1	Identification of Causes and Frequency Classification
15.3.2.2	Assumptions and Initial Conditions
15.3.2.3	Results of Analysis
15.3.3	Recirculation Pump Stall (Shaft Seizure)
15.3.3.1	Identification of Causes and Frequency Classification
15.3.3.2	Event Description
15.3.3.3	Assumptions and Initial Conditions
15.3.3.4	Results of Analysis
15.3.4	Recirculation Pump Shaft Break
15.4	<u>REACTIVITY AND POWER DISTRIBUTION ANOMALIES</u>
15.4.1	Uncontrolled Control Rod Withdrawal at Startup/Low Power
15.4.1.1	Identification of Causes
15.4.1.2	Event Description
15.4.1.3	Assumptions and Initial Conditions
15.4.1.4	Results of Analysis
15.4.2	Uncontrolled Control Rod Withdrawal at Power
15.4.2.1	Identification of Causes and Frequency Classification
15.4.2.2	Event Description
15.4.2.3	Assumptions and Initial Conditions
15.4.2.4	Results of Analysis
15.4.3	Control Rod Maloperation (System Malfunction or Operator Error)
15.4.4	Startup of an Inactive Loop at an Incorrect Temperature
15.4.4.1	Identification of Causes and Frequency Classification
15.4.4.2	Event Description
15.4.4.3	Assumptions and Initial Conditions
15.4.4.4	Results of Analysis
15.4.5	Flow Controller Malfunction (Increase in Core Flow)
15.4.5.1	Identification of Causes and Frequency Classification
15.4.5.2	Event Description
15.4.5.3	Assumptions and Initial Conditions
15.4.5.4	Results of Analysis
15.4.6	Chemical and Volume Control System Malfunctions (PWR)
15.4.7	Inadvertent Loading and Operation of a Fuel Assembly in an Improper Position
15.4.7.1	Identification of Causes and Frequency Classification
15.4.7.2	Event Description
15.4.7.3	Assumptions and Initial Conditions
15.4.7.4	Results of Analysis
15.4.8	Spectrum of Rod Ejection Accidents (PWR)

OCNGS UFSAR

TABLE OF CONTENTS (cont'd)

15.4.9	Control Rod Drop Analysis
15.4.9.1	Identification of Causes and Frequency Classification
15.4.9.2	Event Description
15.4.9.3	Assumptions and Initial Conditions
15.4.9.3.1	Model Parameter and Sensitivities
15.4.9.3.2	Basic Conditions for Bounding Analysis
15.4.9.3.3	Analytical Methods
15.4.9.4	Results of Analysis
15.4.9.4.1	Effect of Fuel Densification
15.4.9.4.2	Results and Consequences
15.5	<u>INCREASE IN REACTOR COOLANT INVENTORY</u>
15.5.1	Inadvertent Operation of ECCS During Power Operation
15.5.2	Chemical and Volume Control System Malfunction that Increases Reactor Coolant Inventory
15.5.3	Other BWR Transients (Including Items 2.1 through 2.6, and Item 1.2)
15.6	<u>DECREASE IN REACTOR COOLANT INVENTORY</u>
15.6.1	Inadvertent Opening of a Safety or Relief Valve
15.6.1.1	Identification of Causes and Frequency Classification
15.6.1.2	Event Description
15.6.1.3	Results of Analysis
15.6.2	Break in an Instrument Line or Other Lines from Reactor Coolant Pressure Boundary that Penetrates Containment
15.6.3	Steam Generator Tube Failure
15.6.4	Steam Line Failures Outside of Containment
15.6.5	Loss-of-Coolant Accidents Resulting from the Spectrum of Postulated Piping Breaks within the Reactor Coolant Pressure Boundary
15.6.5.1	Identification of Causes and Frequency Classification
15.6.5.2	Event Description
15.6.5.3	Input to Analysis
15.6.5.3.1	LAMB Analysis
15.6.5.3.2	SCAT Analysis
15.6.5.3.3	SAFER/CORECOOL/GESTR-LOCA Analysis
15.6.5.4	LOCA Evaluation Methods and Models
15.6.5.4.1	BWR/2 Generic Analysis
15.6.5.4.2	Oyster Creek Specific Analysis
15.6.5.5	Break Spectrum Evaluation
15.6.5.5.1	Fuel Exposure Considerations

OCNGS UFSAR

TABLE OF CONTENTS (cont'd)

15.6.5.5.2	Recirculation Line Breaks
15.6.5.5.3	Non-Recirculation Line Breaks
15.6.5.6	Three or Four Loop Operation
15.6.5.6.1	Reduced Core Flow Operation (ELLLA)
15.6.5.6.2	Increased Core Flow (ICF)
15.6.5.6.3	Feedwater Temperature Reduction (FWTR)
15.6.5.7	Technical Specification MAPLHGR Limits
15.6.5.8	Radiological Consequences
15.6.6	A Number of BWR Transients (Including Items 1.7, 2.8 and 1.3)
15.6.6.1	Loss of Normal Feedwater Flow
15.6.6.2	Feedwater Piping Break
15.6.6.3	Increase in Steam Flow (Pressure Regulator Malfunction)
15.7	<u>RADIOACTIVE RELEASE FROM A SUBSYSTEM OR COMPONENT</u>
15.7.1	Waste Gas System Rupture Accident
15.7.1.1	Analytical Objective
15.7.1.2	Assumptions and Initial Conditions
15.7.1.3	Results of Analysis
15.7.2	Radioactive Liquid Waste System Leak or Failure
15.7.3	Postulated Radioactive Releases Due to Liquid Tank Failure
15.7.4	Design Basis Fuel Handling Accidents in the Containments
15.7.4.1	Identification of Causes and Frequency Classification
15.7.4.2	Effect of Fuel Densification
15.7.4.3	Methods, Assumptions and Conditions
15.7.4.4	Results and Consequences
15.7.4.5	Radiological Consequences
15.7.5	Spent Fuel Cask Drop Accident
15.8	<u>ANTICIPATED TRANSIENTS WITHOUT SCRAM (ATWS)</u>
15.8.1	Alternate Rod Injection (ARI) System
15.8.2	Standby Liquid Control System (SLCS)
15.8.3	Recirculation Pump Trip (RPT)
15.9	<u>STATION BLACKOUT</u>
15.10	<u>REFERENCES</u>

OCNGS UFSAR

LIST OF TABLES (cont'd)

TABLE NO. TITLE

CHAPTER 15 - ACCIDENT ANALYSIS

LIST OF TABLES

TABLE NO. TITLE

15.1-1	Main Steam Line Break Accident Evaluation Parameters
15.4-1	Deleted
15.4-2	Rod Drop Accident Evaluation Parameters
15.6-1	Operational and ECCS Parameters
15.6-2	Single-Failure Evaluation for Oyster Creek
15.6-3	Analysis Assumptions for Oyster Creek Calculations
15.6-3A	Summary of Recirculation Line Break Results - Nominal Evaluation
15.6-3B	Summary of Recirculation Line Break Results - Appendix K Evaluation
15.6-3C	Summary of Recirculation Line Break Results - Nominal Evaluation
15.6-3D	OCGS Appendix K Large and Small Break Results for GE11 Fuel
15.6-4	Deleted
15.6-4A	Four-Loop MAPLHGR Multipliers for P8x8R and GE8x8EB Fuel Types
15.6-5	Loss of Coolant Accident Evaluation Parameters
15.6-5A	Deleted
15.6-5B	Deleted
15.6-5C	Deleted
15.6-5D	Deleted
15.6-5E	Deleted
15.6-5F	Deleted
15.6-5G	Deleted
15.6-6	(Deleted in Rev. 4)

OCNGS UFSAR

LIST OF TABLES (cont'd)

<u>TABLE NO.</u>	<u>TITLE</u>
15.7-1	Dose Summary for Waste Gas System Rupture Accident
15.7-2	Fuel handling Accident Evaluation Parameters
15A-1-1	Dose Computational Methods-Wind Direction Persistence (One Sector - 22-1/20)
15A-1-2	Dose Computational Methods-Diffusion Constants Used
15A-1-3	Dose Computational Methods – Deposition Velocities
15A-1-4	Dose Computational Methods - Unit Integrated Air Concentration
15A-1-5	Dose Computational Methods – Integrated Air Concentration - Ground Source
15A-1-6	Radiobiological Factors for Halogens
15A-1-7	Radiobiological Factors for Volatile Solid Radioisotopes
15A-1-8	Radiological Factors Dose Computational Methods Nonvolatile Solid Radioisotopes

OCNGS UFSAR

CHAPTER 15 - ACCIDENT ANALYSIS

LIST OF FIGURES

<u>FIGURE NO.</u>	<u>TITLE</u>
15.1-1	EOC Scram Reactivity
15.1-2	Deleted
15.1-3	Deleted
15.1-4	Pressure Regulator Malfunction
15.2-1	Deleted
15.2-2	Deleted
15.2-3	Deleted
15.2-4	Deleted
15.2-5	Deleted
15.2-6	Deleted
15.2-7	Deleted
15.2-7A	Deleted
15.2-8	Changes in Vessel Pressure – Loss of Feedwater
15.2-9	Changes in Vessel Water Level – Loss of Feedwater
15.3-1	Trip of One Recirculation Pump – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-2	Trip of One Recirculation Pump – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-3	Trip of One Recirculation Pump – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-4	Trip of Five Recirculation Pumps – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-5	Trip of Five Recirculation Pumps – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-6	Trip of Five Recirculation Pumps – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-7	Flow Controller Malfunction (Zero Flow Demand) - Type VB (8 x 8) Exxon Nuclear Fuel

OCNGS UFSAR

LIST OF FIGURES (cont'd)

<u>FIGURE NO.</u>	<u>TITLE</u>
15.3-8	Flow Controller Malfunction (Zero Flow Demand) - Type VB (8 x 8) Exxon Nuclear Fuel
15.3-9	Flow Controller Malfunction (Zero Flow Demand) - Type VB (8 x 8) Exxon Nuclear Fuel
15.3-10	Recirculation Pump Stall – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-11	Recirculation Pump Stall - Type VB (8 x 8) Exxon Nuclear Fuel
15.3-12	Recirculation Pump Stall - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-1	Deleted
15.4-2	Idle Loop Startup from 1930 MWt - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-3	Idle Loop Startup from 1680 MWt - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-4	Idle Loop Startup from 1235 MWt - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-5	Flow Controller Malfunction (Maximum Flow Demand from 1025 MWt) - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-6	Flow Controller Malfunction (Maximum Flow Demand from 1025 MWt) - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-7	Flow Controller Malfunction (Maximum Flow Demand from 1025 MWt) - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-8	Accident Reactivity Shape Functions at 20°C
15.4-9	Accident Reactivity Shape Functions at 286°C
15.4-10	Doppler Reactivity Coefficient vs Average Fuel Temperature as a Function of Exposure and Moderator Condition
15.4-11	Scram Reactivity Function for Cold Startup
15.4-12	Scram Reactivity Function for Hot Startup
15.6-1	Inadvertent Opening of Relief Valve – System Response - 1930 MWt - Plot 1
15.6-2	Inadvertent Opening of Relief Valve – System Response - 1930 MWt - Plot 2
15.6-3	Nominal and (Appendix K) LOCA Recirculation Line Break Spectrum Comparison

OCNGS UFSAR

LIST OF FIGURES (cont'd)

<u>FIGURE NO.</u>	<u>TITLE</u>
15.6-4	DBA DSCG (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-5	1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-6	DBA DSCG (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature
15.6-7	1.0 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-8	1.0 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-9	1.0 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature
15.6-10	0.1 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-11	0.1 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-12	0.1 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature
15.6-13	DBA DSCG - High Exposure (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-14	DBA DSCG - High Exposure (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-15	DBA DSCG - High Exposure (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature
15.6-16	DBA DSCG - High Exposure (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Oxide Thickness
15.6-17	Core Spray Line (Nominal) 1 ADS Valve Failure, 1 CS + ADS Available Water Level in Channel
15.6-18	Core Spray Line (Nominal) 1 ADS Valve Failure, 1 CS + ADS Available Reactor Vessel Pressure
15.6-19	Core Spray Line (Nominal) 1 ADS Valve Failure, 1 CS + ADS Available Peak Cladding Temperature

OCNGS UFSAR

LIST OF FIGURES (cont'd)

<u>FIGURE NO.</u>	<u>TITLE</u>
15.6-20	Steam Line Inside Containment (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-21	Steam Line Inside Containment (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-22	Steam Line Inside Containment (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature
15.6-23	Feedwater Line (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-24	Feedwater Line (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-25	Feedwater Line (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature

OCNGS UFSAR

CHAPTER 15 - ACCIDENT ANALYSIS

TABLE OF CONTENTS

<u>SECTION</u>	<u>TITLE</u>
15.0	<u>GENERAL INTRODUCTION</u>
15.0.1	Analytical Objective
15.0.2	Approach to Safety Analysis
15.0.2.1	Abnormal Operational Transients
15.0.2.2	Design Basis Accidents
15.0.3	Reload Licensing Methods
15.1	<u>INCREASE IN HEAT REMOVAL BY THE SECONDARY SYSTEM</u>
15.1.1	Decrease in Feedwater Temperature
15.1.1.1	Identification of Causes and Frequency Classification
15.1.1.2	Event Description
15.1.1.3	Assumptions and Initial Conditions
15.1.1.4	Results of Analysis
15.1.2	Feedwater Controller Failure
15.1.2.1	Identification of Causes and Frequency Classification
15.1.2.2	Event Description
15.1.2.3	Assumptions and Initial Conditions
15.1.2.4	Results of Analysis
15.1.3	Increase in Steam Flow
15.1.3.1	Identification of Causes and Frequency Classification
15.1.3.2	Event Description
15.1.3.3	Assumptions and Initial Conditions
15.1.3.4	Results of Analysis
15.1.4	Inadvertent Opening of a Steam Generator Relief/Safety Valve
15.1.5	Steam System Piping Failures Outside Containment
15.1.5.1	Identification of Causes and Frequency Classification
15.1.5.2	Event Description
15.1.5.3	Assumptions and Initial Conditions
15.1.5.4	Results of Analysis
15.1.5.5	Radiological Consequences
15.2	<u>DECREASE IN HEAT REMOVAL BY THE SECONDARY SYSTEM</u>
15.2.1	Steam Pressure Regulator Failure
15.2.2	Loss of External Load
15.2.2.1	Identification of Causes and Frequency Classification
15.2.2.2	Event Description
15.2.2.3	Assumptions and Initial Conditions

OCNGS UFSAR

TABLE OF CONTENTS (cont'd)

15.2.2.4	Results of Analysis
15.2.3	Turbine Trip (Stop Valve Closure)
15.2.3.1	Identification of Causes and Frequency Classification
15.2.3.2	Event Description
15.2.3.3	Assumptions and Initial Conditions
15.2.3.4	Results of Analysis
15.2.4	Inadvertent Closure of Main Steam Isolation Valves
15.2.4.1	Identification of Causes and Frequency Classification
15.2.4.2	Event Description
15.2.4.3	Assumptions and Initial Conditions
15.2.4.4	Results of Analysis
15.2.5	Loss of Condenser Vacuum
15.2.6	Loss of All AC Power/Loss of Auxiliary Power
15.2.6.1	Loss of All AC Power
15.2.6.2	Loss of Auxiliary Power
15.2.6.2.1	Identification of Causes and Frequency Classification
15.2.6.2.2	Event Description - Assumptions
15.2.6.2.3	Results of Analysis
15.2.7	Loss of Normal Feedwater Flow
15.2.7.1	Identification of Causes and Frequency Classification
15.2.7.2	Event Description
15.2.7.3	Assumptions and Initial Conditions
15.2.7.4	Results of Analysis
15.2.8	Feedwater Pipe Break
15.2.9	Loss of Stator Cooling
15.2.9.1	Identification of Causes and Frequency Classification
15.2.9.2	Event Description
15.2.9.3	Assumptions and Initial Conditions
15.9.2.4	Results of Evaluation
15.3	<u>DECREASE IN REACTOR COOLANT SYSTEM FLOW RATE</u>
15.3.1	Single and Multiple Recirculation Pump Trips
15.3.1.1	Identification and Causes and Frequency Classification
15.3.1.2	Event Description
15.3.1.3	Assumptions and Initial Conditions
15.3.1.4	Results of Analysis
15.3.2	Recirculation Flow Controller Malfunctions (Flow Decrease)

OCNGS UFSAR

TABLE OF CONTENTS (cont'd)

15.3.2.1	Identification of Causes and Frequency Classification
15.3.2.2	Assumptions and Initial Conditions
15.3.2.3	Results of Analysis
15.3.3	Recirculation Pump Stall (Shaft Seizure)
15.3.3.1	Identification of Causes and Frequency Classification
15.3.3.2	Event Description
15.3.3.3	Assumptions and Initial Conditions
15.3.3.4	Results of Analysis
15.3.4	Recirculation Pump Shaft Break
15.4	<u>REACTIVITY AND POWER DISTRIBUTION ANOMALIES</u>
15.4.1	Uncontrolled Control Rod Withdrawal at Startup/Low Power
15.4.1.1	Identification of Causes
15.4.1.2	Event Description
15.4.1.3	Assumptions and Initial Conditions
15.4.1.4	Results of Analysis
15.4.2	Uncontrolled Control Rod Withdrawal at Power
15.4.2.1	Identification of Causes and Frequency Classification
15.4.2.2	Event Description
15.4.2.3	Assumptions and Initial Conditions
15.4.2.4	Results of Analysis
15.4.3	Control Rod Maloperation (System Malfunction or Operator Error)
15.4.4	Startup of an Inactive Loop at an Incorrect Temperature
15.4.4.1	Identification of Causes and Frequency Classification
15.4.4.2	Event Description
15.4.4.3	Assumptions and Initial Conditions
15.4.4.4	Results of Analysis
15.4.5	Flow Controller Malfunction (Increase in Core Flow)
15.4.5.1	Identification of Causes and Frequency Classification
15.4.5.2	Event Description
15.4.5.3	Assumptions and Initial Conditions
15.4.5.4	Results of Analysis
15.4.6	Chemical and Volume Control System Malfunctions (PWR)
15.4.7	Inadvertent Loading and Operation of a Fuel Assembly in an Improper Position
15.4.7.1	Identification of Causes and Frequency Classification
15.4.7.2	Event Description
15.4.7.3	Assumptions and Initial Conditions
15.4.7.4	Results of Analysis
15.4.8	Spectrum of Rod Ejection Accidents (PWR)

OCNGS UFSAR

TABLE OF CONTENTS (cont'd)

15.4.9	Control Rod Drop Analysis
15.4.9.1	Identification of Causes and Frequency Classification
15.4.9.2	Event Description
15.4.9.3	Assumptions and Initial Conditions
15.4.9.3.1	Model Parameter and Sensitivities
15.4.9.3.2	Basic Conditions for Bounding Analysis
15.4.9.3.3	Analytical Methods
15.4.9.4	Results of Analysis
15.4.9.4.1	Effect of Fuel Densification
15.4.9.4.2	Results and Consequences
15.5	<u>INCREASE IN REACTOR COOLANT INVENTORY</u>
15.5.1	Inadvertent Operation of ECCS During Power Operation
15.5.2	Chemical and Volume Control System Malfunction that Increases Reactor Coolant Inventory
15.5.3	Other BWR Transients (Including Items 2.1 through 2.6, and Item 1.2)
15.6	<u>DECREASE IN REACTOR COOLANT INVENTORY</u>
15.6.1	Inadvertent Opening of a Safety or Relief Valve
15.6.1.1	Identification of Causes and Frequency Classification
15.6.1.2	Event Description
15.6.1.3	Results of Analysis
15.6.2	Break in an Instrument Line or Other Lines from Reactor Coolant Pressure Boundary that Penetrates Containment
15.6.3	Steam Generator Tube Failure
15.6.4	Steam Line Failures Outside of Containment
15.6.5	Loss-of-Coolant Accidents Resulting from the Spectrum of Postulated Piping Breaks within the Reactor Coolant Pressure Boundary
15.6.5.1	Identification of Causes and Frequency Classification
15.6.5.2	Event Description
15.6.5.3	Input to Analysis
15.6.5.3.1	LAMB Analysis
15.6.5.3.2	SCAT Analysis
15.6.5.3.3	SAFER/CORECOOL/GESTR-LOCA Analysis
15.6.5.4	LOCA Evaluation Methods and Models
15.6.5.4.1	BWR/2 Generic Analysis
15.6.5.4.2	Oyster Creek Specific Analysis
15.6.5.5	Break Spectrum Evaluation
15.6.5.5.1	Fuel Exposure Considerations

OCNGS UFSAR

TABLE OF CONTENTS (cont'd)

15.6.5.5.2	Recirculation Line Breaks
15.6.5.5.3	Non-Recirculation Line Breaks
15.6.5.6	Three or Four Loop Operation
15.6.5.6.1	Reduced Core Flow Operation (ELLLA)
15.6.5.6.2	Increased Core Flow (ICF)
15.6.5.6.3	Feedwater Temperature Reduction (FWTR)
15.6.5.7	Technical Specification MAPLHGR Limits
15.6.5.8	Radiological Consequences
15.6.6	A Number of BWR Transients (Including Items 1.7, 2.8 and 1.3)
15.6.6.1	Loss of Normal Feedwater Flow
15.6.6.2	Feedwater Piping Break
15.6.6.3	Increase in Steam Flow (Pressure Regulator Malfunction)
15.7	<u>RADIOACTIVE RELEASE FROM A SUBSYSTEM OR COMPONENT</u>
15.7.1	Waste Gas System Rupture Accident
15.7.1.1	Analytical Objective
15.7.1.2	Assumptions and Initial Conditions
15.7.1.3	Results of Analysis
15.7.2	Radioactive Liquid Waste System Leak or Failure
15.7.3	Postulated Radioactive Releases Due to Liquid Tank Failure
15.7.4	Design Basis Fuel Handling Accidents in the Containments
15.7.4.1	Identification of Causes and Frequency Classification
15.7.4.2	Effect of Fuel Densification
15.7.4.3	Methods, Assumptions and Conditions
15.7.4.4	Results and Consequences
15.7.4.5	Radiological Consequences
15.7.5	Spent Fuel Cask Drop Accident
15.8	<u>ANTICIPATED TRANSIENTS WITHOUT SCRAM (ATWS)</u>
15.8.1	Alternate Rod Injection (ARI) System
15.8.2	Standby Liquid Control System (SLCS)
15.8.3	Recirculation Pump Trip (RPT)
15.9	<u>STATION BLACKOUT</u>
15.10	<u>REFERENCES</u>

OCNGS UFSAR

LIST OF TABLES (cont'd)

TABLE NO. TITLE

CHAPTER 15 - ACCIDENT ANALYSIS

LIST OF TABLES

TABLE NO. TITLE

15.1-1	Main Steam Line Break Accident Evaluation Parameters
15.4-1	Deleted
15.4-2	Rod Drop Accident Evaluation Parameters
15.6-1	Operational and ECCS Parameters
15.6-2	Single-Failure Evaluation for Oyster Creek
15.6-3	Analysis Assumptions for Oyster Creek Calculations
15.6-3A	Summary of Recirculation Line Break Results - Nominal Evaluation
15.6-3B	Summary of Recirculation Line Break Results - Appendix K Evaluation
15.6-3C	Summary of Recirculation Line Break Results - Nominal Evaluation
15.6-3D	OCGS Appendix K Large and Small Break Results for GE11 Fuel
15.6-4	Deleted
15.6-4A	Four-Loop MAPLHGR Multipliers for P8x8R and GE8x8EB Fuel Types
15.6-5	Loss of Coolant Accident Evaluation Parameters
15.6-5A	Deleted
15.6-5B	Deleted
15.6-5C	Deleted
15.6-5D	Deleted
15.6-5E	Deleted
15.6-5F	Deleted
15.6-5G	Deleted
15.6-6	(Deleted in Rev. 4)

OCNGS UFSAR

LIST OF TABLES (cont'd)

<u>TABLE NO.</u>	<u>TITLE</u>
15.7-1	Dose Summary for Waste Gas System Rupture Accident
15.7-2	Fuel handling Accident Evaluation Parameters
15A-1-1	Dose Computational Methods-Wind Direction Persistence (One Sector - 22-1/20)
15A-1-2	Dose Computational Methods-Diffusion Constants Used
15A-1-3	Dose Computational Methods – Deposition Velocities
15A-1-4	Dose Computational Methods - Unit Integrated Air Concentration
15A-1-5	Dose Computational Methods – Integrated Air Concentration - Ground Source
15A-1-6	Radiobiological Factors for Halogens
15A-1-7	Radiobiological Factors for Volatile Solid Radioisotopes
15A-1-8	Radiological Factors Dose Computational Methods Nonvolatile Solid Radioisotopes

OCNGS UFSAR

CHAPTER 15 - ACCIDENT ANALYSIS

LIST OF FIGURES

<u>FIGURE NO.</u>	<u>TITLE</u>
15.1-1	EOC Scram Reactivity
15.1-2	Deleted
15.1-3	Deleted
15.1-4	Pressure Regulator Malfunction
15.2-1	Deleted
15.2-2	Deleted
15.2-3	Deleted
15.2-4	Deleted
15.2-5	Deleted
15.2-6	Deleted
15.2-7	Deleted
15.2-7A	Deleted
15.2-8	Changes in Vessel Pressure – Loss of Feedwater
15.2-9	Changes in Vessel Water Level – Loss of Feedwater
15.3-1	Trip of One Recirculation Pump – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-2	Trip of One Recirculation Pump – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-3	Trip of One Recirculation Pump – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-4	Trip of Five Recirculation Pumps – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-5	Trip of Five Recirculation Pumps – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-6	Trip of Five Recirculation Pumps – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-7	Flow Controller Malfunction (Zero Flow Demand) - Type VB (8 x 8) Exxon Nuclear Fuel

OCNGS UFSAR

LIST OF FIGURES (cont'd)

<u>FIGURE NO.</u>	<u>TITLE</u>
15.3-8	Flow Controller Malfunction (Zero Flow Demand) - Type VB (8 x 8) Exxon Nuclear Fuel
15.3-9	Flow Controller Malfunction (Zero Flow Demand) - Type VB (8 x 8) Exxon Nuclear Fuel
15.3-10	Recirculation Pump Stall – Type VB (8 x 8) Exxon Nuclear Fuel
15.3-11	Recirculation Pump Stall - Type VB (8 x 8) Exxon Nuclear Fuel
15.3-12	Recirculation Pump Stall - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-1	Deleted
15.4-2	Idle Loop Startup from 1930 MWt - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-3	Idle Loop Startup from 1680 MWt - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-4	Idle Loop Startup from 1235 MWt - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-5	Flow Controller Malfunction (Maximum Flow Demand from 1025 MWt) - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-6	Flow Controller Malfunction (Maximum Flow Demand from 1025 MWt) - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-7	Flow Controller Malfunction (Maximum Flow Demand from 1025 MWt) - Type VB (8 x 8) Exxon Nuclear Fuel
15.4-8	Accident Reactivity Shape Functions at 20°C
15.4-9	Accident Reactivity Shape Functions at 286°C
15.4-10	Doppler Reactivity Coefficient vs Average Fuel Temperature as a Function of Exposure and Moderator Condition
15.4-11	Scram Reactivity Function for Cold Startup
15.4-12	Scram Reactivity Function for Hot Startup
15.6-1	Inadvertent Opening of Relief Valve – System Response - 1930 MWt - Plot 1
15.6-2	Inadvertent Opening of Relief Valve – System Response - 1930 MWt - Plot 2
15.6-3	Nominal and (Appendix K) LOCA Recirculation Line Break Spectrum Comparison

OCNGS UFSAR

LIST OF FIGURES (cont'd)

<u>FIGURE NO.</u>	<u>TITLE</u>
15.6-4	DBA DSCG (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-5	1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-6	DBA DSCG (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature
15.6-7	1.0 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-8	1.0 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-9	1.0 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature
15.6-10	0.1 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-11	0.1 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-12	0.1 Ft ² DSCG (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature
15.6-13	DBA DSCG - High Exposure (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-14	DBA DSCG - High Exposure (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-15	DBA DSCG - High Exposure (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature
15.6-16	DBA DSCG - High Exposure (Appendix K) 1 ADS Valve Failure, 2 CS + ADS Available Oxide Thickness
15.6-17	Core Spray Line (Nominal) 1 ADS Valve Failure, 1 CS + ADS Available Water Level in Channel
15.6-18	Core Spray Line (Nominal) 1 ADS Valve Failure, 1 CS + ADS Available Reactor Vessel Pressure
15.6-19	Core Spray Line (Nominal) 1 ADS Valve Failure, 1 CS + ADS Available Peak Cladding Temperature

OCNGS UFSAR

LIST OF FIGURES (cont'd)

<u>FIGURE NO.</u>	<u>TITLE</u>
15.6-20	Steam Line Inside Containment (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-21	Steam Line Inside Containment (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-22	Steam Line Inside Containment (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature
15.6-23	Feedwater Line (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Water Level in Channel
15.6-24	Feedwater Line (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Reactor Vessel Pressure
15.6-25	Feedwater Line (Nominal) 1 ADS Valve Failure, 2 CS + ADS Available Peak Cladding Temperature