Figures

Figure 1.1-1 ESBWR Standard Plant General Site Plan 1-12
Figure 1.1-2 Safety System Configuration (not to scale) 1-13
Figure 1.1-3a Reactor System Heat Balance at 100% Power (SI Units) 1-14
Figure 1.1-3b Reactor System Heat Balance at 100% Power (English Units) 1-15
Figure 1.2-1 Nuclear Island Plan at Elevation - 11500 1-97
Figure 1.2-2 Nuclear Island Plan at Elevation - 6400 1-98
Figure 1.2-3 Nuclear Island Plan at Elevation - 1000 1-99
Figure 1.2-4 Nuclear Island Plan at Elevation 4650 1-100
Figure 1.2-5 Nuclear Island Plan at Elevation 9060 1-101
Figure 1.2-6 Nuclear Island Plan at Elevation 13570 1-102
Figure 1.2-7 Nuclear Island Plan at Elevation 17500 1-103
Figure 1.2-8 Nuclear Island Plan at Elevation 27000 1-104
Figure 1.2-9 Nuclear Island Plan at Elevation 34000 1-105
Figure 1.2-10 Nuclear Island Plan at Elevation A-A 1-106
Figure 1.2-11 Nuclear Island Plan at Elevation B-B 1-107
Figure 1.2-12 Turbine Building Plan at Elevation - 1400 1-108
Figure 1.2-13 Turbine Building Plan at Elevation 4650 1-109
Figure 1.2-14 Turbine Building Plan at Elevation 12000 1-110
Figure 1.2-15 Turbine Building Plan at Elevation 20000 1-111
Figure 1.2-16 Turbine Building Plan at Elevation 28000 1-112
Figure 1.2-17 Turbine Building Plan at Elevation 35000 1-113
Figure 1.2-18 Turbine Building Plan at Elevation Various 1-114
Figure 1.2-19 Turbine Building Elevation Section A-A 1-115
Figure 1.2-20 Turbine Building Elevation Section B-B 1-116
Figure 1.2-21 Radwaste Building Plan At Elevation –9350 1-117
Figure 1.2-22 Radwaste Building Plan At Elevation –2350 1-118
Figure 1.2-23 Radwaste Building Plan At Elevation 4650 1-119
Figure 1.2-24 Radwaste Building Plan At Elevation 10650 1-120

Figures

Figure 1.2-25 Radwaste Building Plan At Elevation Section A-A and Section B-B 1-121
Figure 1.2-26 Electrical Building Plan at Elevation 4650 1-122
Figure 1.2-27 Electrical Building Plan at Elevation 9800 1-123
Figure 1.2-28 (Deleted) 1-124
Figure 1.2-29 Electrical Building Plan at Elevation 18000 1-125
Figure 1.2-30 (Deleted) 1-126
Figure 1.2-31 Electrical Building Plan at Elevation 27000 1-127
Figure 1.2-32 Electrical Building Plan at Elevation Various 1-128
Figure 1.2-33 Electrical Building Elevation Section A-A 1-129
Figure 1.5-1 Evolution of the GE/GEH BWR 1-161
Figure 1.5-2 Evolution of the BWR Reactor Design 1-162
Figure 1.5-3 Comparison of BWR Containments 1-163
Figure 1.7-1 P&ID Symbols for Valves and Valve Actuators 1-194
Figure 1.7-2 P&ID Symbols for Instruments 1-195
Figure 1.7-3 Miscellaneous P&ID Symbols 1-196
Figure 1.7-4 P&ID Symbols for Piping, Instrument and Electrical Lines and Line Continuations 1-197
Figure 2.0-1. ESBWR Horizontal SSE Design Ground Spectra at Foundation Level(1) 2-49
Figure 2.0-2. ESBWR Vertical SSE Design Ground Response Spectra at Foundation Level(1) 2-50
Figure 2.0-201 Horizontal and Vertical RB/FB Enhanced SCOR FIRS and CSDRS [5 Percent Damping] (FIRS are developed in Subsection 3.7.1) 2-51
Figure 2.0-202 Horizontal and Vertical CB Enhanced SCOR FIRS and CSDRS [5 Percent Damping] (FIRS are developed in Subsection 3.7.1) 2-52
Figure 2.0-203 Horizontal and Vertical FWSC FIRS and 1.35 Times the CSDRS [5 Percent Damping] (FIRS are developed in Subsection 3.7.1) 2-53
Figure 2.1-201 Site Location and Vicinity Within 80 km (50 Mi) 2-93
Figure 2.1-202 Site Location and Vicinity Within 12 km (7.5 Mi) 2-94
Figure 2.1-203 Fermi Property Boundary 2-95
Figure 2.1-204 Fermi 3 Site Plan 2-96

Figures

Figure 2.1-205 U.S. Counties/ CA Counties wholly or partly within 80-km (50-mi) Radius of Fermi 3 (latitude: 41º 57' 39" N, longitude: 83º 15' 43" W) 2-97

Figure 2.1-206 Segment Resident Population Distribution 0-16 km (10 mi) (Segmented Concentric Circles) from Fermi 3, 2000 2-98

Figure 2.1-207 Regional Segment Population Distribution 0-80 km (50 mi) (Segmented Concentric Circles) from Fermi 3, 2000 2-99

Figure 2.1-208 Census Block Points within Monroe County, MI 2-100

Figure 2.1-209 Census Block Points within Each Segment 2-101

Figure 2.1-210 Resident and Transient Regional Segment Population Distribution, 0-16 km (10 mi) (Segmented Concentric Circles) from Fermi 3, 2000 2-102

Figure 2.1-211 Resident and Transient Regional Segment Population Distribution 0-80 km (50 mi) (Segmented Concentric Circles) from Fermi 3, 2000 2-103

Figure 2.1-212 Example Sectional Population Growth Rate Calculation 2-104

Figure 2.1-213 Industrial Facilities, Parks and Other Facilities within the LPZ (3 mi) and 5 mi of Fermi 3 2-105

Figure 2.2-201 Industries and Transportation Routes Within 8 Km (5 Mi) 2-134

Figure 2.2-202 Nearby Airports and Aviation Routes 2-135

Figure 2.3-201 Climatological Observing Stations near the Fermi Site 2-441

Figure 2.3-202 Total Reports of Severe Hail for the Five-County Area (1955-2007) 2-442

Figure 2.3-203 Total Hail Reports for the Five-County Area (1955-2007) 2-443

Figure 2.3-204 Detroit Metropolitan Airport Annual Precipitation Rose (2003-2007) 2-444

Figure 2.3-205 Detroit Metropolitan Airport January Precipitation Rose (2003-2007) 2-445

Figure 2.3-206 Detroit Metropolitan Airport February Precipitation Rose (2003-2007) 2-446

Figure 2.3-207 Detroit Metropolitan Airport March Precipitation Rose (2003-2007) 2-447

Figure 2.3-208 Detroit Metropolitan Airport April Precipitation Rose (2003-2007) 2-448

Figure 2.3-209 Detroit Metropolitan Airport May Precipitation Rose (2003-2007) 2-449

Figure 2.3-210 Detroit Metropolitan Airport June Precipitation Rose (2003-2007) 2-450

Figures

Figure 2.3-211 Detroit Metropolitan Airport July Precipitation Rose (2003-2007) 2-451
Figure 2.3-212 Detroit Metropolitan Airport August Precipitation Rose (2003-2007) 2-452
Figure 2.3-213 Detroit Metropolitan Airport September Precipitation Rose (2003-2007) 2-453
Figure 2.3-214 Detroit Metropolitan Airport October Precipitation Rose (2003-2007) 2-454
Figure 2.3-215 Detroit Metropolitan Airport November Precipitation Rose (2003-2007) ... 2-455
Figure 2.3-216 Detroit Metropolitan Airport December Precipitation Rose (2003-2007) ... 2-456
Figure 2.3-217 Detroit Metropolitan Airport Annual Wind Rose (2003-2007) 2-457
Figure 2.3-218 Detroit Metropolitan Airport January Wind Rose (2003-2007) 2-458
Figure 2.3-219 Detroit Metropolitan Airport February Wind Rose (2003-2007) 2-459
Figure 2.3-220 Detroit Metropolitan Airport March Wind Rose (2003-2007) 2-460
Figure 2.3-221 Detroit Metropolitan Airport April Wind Rose (2003-2007) 2-461
Figure 2.3-222 Detroit Metropolitan Airport May Wind Rose (2003-2007) 2-462
Figure 2.3-223 Detroit Metropolitan Airport June Wind Rose (2003-2007) 2-463
Figure 2.3-224 Detroit Metropolitan Airport July Wind Rose (2003-2007) 2-464
Figure 2.3-225 Detroit Metropolitan Airport August Wind Rose (2003-2007) 2-465
Figure 2.3-226 Detroit Metropolitan Airport September Wind Rose (2003-2007) 2-466
Figure 2.3-227 Detroit Metropolitan Airport October Wind Rose (2003-2007) 2-467
Figure 2.3-228 Detroit Metropolitan Airport November Wind Rose (2003-2007) 2-468
Figure 2.3-229 Detroit Metropolitan Airport December Wind Rose (2003-2007) 2-469
Figure 2.3-230 Fermi Site 10-m Annual Wind Rose (2003-2007) 2-470
Figure 2.3-231 Fermi Site 10-m January Wind Rose (2003-2007) 2-471
Figure 2.3-232 Fermi Site 10-m February Wind Rose (2003-2007) 2-472
Figure 2.3-233 Fermi Site 10-m March Wind Rose (2003-2007) 2-473
Figure 2.3-234 Fermi Site 10-m April Wind Rose (2003-2007) 2-474
Figure 2.3-235 Fermi Site 10-m May Wind Rose (2003-2007) 2-475
Figure 2.3-236 Fermi Site 10-m June Wind Rose (2003-2007) 2-476
Figure 2.3-237 Fermi Site 10-m July Wind Rose (2003-2007) 2-477

Figures

Figure 2.3-238 Fermi Site 10-m August Wind Rose (2003-2007) 2-478
Figure 2.3-239 Fermi Site 10-m September Wind Rose (2003-2007) 2-479
Figure 2.3-240 Fermi Site 10-m October Wind Rose (2003-2007) 2-480
Figure 2.3-241 Fermi Site 10-m November Wind Rose (2003-2007) 2-481
Figure 2.3-242 Fermi Site 10-m December Wind Rose (2003-2007) 2-482
Figure 2.3-243 Fermi Site 60-m Annual Wind Rose (2003-2007) 2-483
Figure 2.3-244 Fermi Site 60-m January Wind Rose (2003-2007) 2-484
Figure 2.3-245 Fermi Site 60-m February Wind Rose (2003-2007) 2-485
Figure 2.3-246 Fermi Site 60-m March Wind Rose (2003-2007) 2-486
Figure 2.3-247 Fermi Site 60-m April Wind Rose (2003-2007) 2-487
Figure 2.3-248 Fermi Site 60-m May Wind Rose (2003-2007) 2-488
Figure 2.3-249 Fermi Site 60-m June Wind Rose (2003-2007) 2-489
Figure 2.3-250 Fermi Site 60-m July Wind Rose (2003-2007) 2-490
Figure 2.3-251 Fermi Site 60-m August Wind Rose (2003-2007) 2-491
Figure 2.3-252 Fermi Site 60-m September Wind Rose (2003-2007) 2-492
Figure 2.3-253 Fermi Site 60-m October Wind Rose (2003-2007) 2-493
Figure 2.3-254 Fermi Site 60-m November Wind Rose (2003-2007) 2-494
Figure 2.3-255 Fermi Site 60-m December Wind Rose (2003-2007) 2-495
Figure 2.3-256 Topographic Features within 5 Miles of the Fermi Site 2-496
Figure 2.3-257 Topographic Features within 50 Miles of the Fermi Site 2-497
Figure 2.3-258 Terrain Elevation Profiles Within 5 Miles of the Fermi Site 2-498
Figure 2.3-259 Terrain Elevation Profiles Within 50 Miles of the Fermi Site 2-500
Figure 2.3-260 Process Flow Diagram of the Fermi Onsite Meteorological Monitoring Program 2-502
Figure 2.3-261 Hourly Dry Bulb Temperature from Detroit Metropolitan Airport During June 24-26, 1988 2-503
Figure 2.3-262 Hourly Dry Bulb Temperature from Detroit Metropolitan Airport During January 20-22,1984 2-504

Figures

Figure 2.3-263 Hourly Dry Bulb and Wet Bulb Temperature from Detroit Metropolitan Airport During July 11-17, 1995 2-505

Figure 2.4-201 Central, Eastern and Western Basin Areas of Lake Erie 2-655

Figure 2.4-202 Bathymetry of Lake Erie and Lake Saint Clair 2-656

Figure 2.4-203 Major Tributaries of Lake Erie 2-657

Figure 2.4-204 The Great Lakes Region 2-658

Figure 2.4-205 Site Location and Vicinity Within 12 Km (7.5 Mi) 2-659

Figure 2.4-206 Hydrology of the Great Lakes Water System 2-660

Figure 2.4-207 Total Water Withdrawals by Sector in Michigan (MGD) 2000-2004 2-661

Figure 2.4-208 Swan Creek and Stony Creek Watershed Basins 2-662

Figure 2.4-209 Topographic Map for 12 km Vicinity around the Fermi Property (Base map: USGS 1:100,000 Scale Metric Topographic Map Series) 2-663

Figure 2.4-210 Topographic Map Showing Fermi Property Boundary (Base map: USGS 1:24,000 7.5 Minute Topographic Series) 2-664

Figure 2.4-211 Fermi 3 Site Plan 2-665

Figure 2.4-212 Lake Erie Extreme Water Levels (1970-2007) NAVD 88 2-666

Figure 2.4-213 Fermi 3 Site PMP Duration-Intensity Curve 2-667

Figure 2.4-214 Existing Sub-Basin Drainage Areas 2-668

Figure 2.4-215 Final Grade Drainage Areas 2-669

Figure 2.4-216 NRCS Dimensional Unit Hydrograph Q Results for One Square Mi PMF of Fermi 3 2-670

Figure 2.4-217 Final Grade Drainage Areas Assuming Clogged Underground Storm Drains and Culverts 2-671

Figure 2.4-218 Swan Creek Cross-Sections 2-672

Figure 2.4-219 Hydrograph Results 2-673

Figure 2.4-220 Alternative II - Swan Creek Profile from Station 0+00.00 to 111+39.77 2-674

Figure 2.4-221 Alternative II - Swan Creek Profile at Station 5+30.7749 (East Side of Fermi Site) 2-675

Figures

Figure 2.4-222 Alternative II - Swan Creek Profile at Station 19+36.913 (West Side of Fermi Site) 2-676

Figure 2.4-223 Profile of Swan Creek for Alternative I from Station 0+00.00 to 111+39.77 2-677

Figure 2.4-224 Alternative I - Swan Creek Profile at Station 5+30.7749 (East Side of Fermi Site) 2-678

Figure 2.4-225 Alternative I - Swan Creek Profile at Station 19+36.913 (West Side of Fermi Site) 2-679

Figure 2.4-226 Profile of Swan Creek for Alternative III from Station 0+00.00 to 111+39.77 2-680

Figure 2.4-227 Alternative III - Swan Creek Profile at Station 5+30.7749 (East Side of Fermi Site) 2-681

Figure 2.4-228 Alternative III - Swan Creek Profile at Station 19+36.913 (West Side of Fermi Site) 2-682

Figure 2.4-229 Water Level Gauging Stations in Lake Erie 2-683

Figure 2.4-230 Wave Run-up and Overtopping on Impermeable Structures (Example) 2-684

Figure 2.4-231 Site Map 2-685

Figure 2.4-232 Regional Aquifer System 2-686

Figure 2.4-233 Conceptual Cross-Section of Regional Aquifer System 2-687

Figure 2.4-234 Sole Source Aquifers 2-688

Figure 2.4-235 Quarries of Monroe County, Michigan 2-689

Figure 2.4-236 All Wells Within 2 Mi 2-690

Figure 2.4-237 All Wells Within 5 Mi 2-691

Figure 2.4-238 All Wells Within 25 Mi 2-692

Figure 2.4-239 Simulated Pre-Development Water Levels in Bedrock Aquifer 2-693

Figure 2.4-240 1993 Bedrock Aquifer Potentiometric Surface in Monroe County, MI 2-694

Figure 2.4-241 2008 Bedrock Aquifer Potentiometric Surface in Monroe County, MI 2-695

Figure 2.4-242 Overburden Water Table Map 06/29/2007 2-696

Figure 2.4-243 Overburden Water Table Map 09/28/2007-09/29/2007 2-697

Figure 2.4-244 Overburden Water Table Map 12/29/2007 2-698

Figures

Figure 2.4-245 Overburden Water Table Map 03/21/2008 2-699
Figure 2.4-246 Bass Islands Aquifer Potentiometric Surface Map 06/29/2007 2-700
Figure 2.4-247 Bass Islands Aquifer Potentiometric Surface Map 09/28/2007-09/29/2007 2-701
Figure 2.4-248 Bass Islands Aquifer Potentiometric Surface Map 12/29/2007 2-702
Figure 2.4-249 Bass Islands Aquifer Potentiometric Surface Map 03/29/2008 2-703
Figure 2.4-250 Fermi 3 Paired Hydrographs 2-704
Figure 2.4-251 Monroe County Water Level Hydrographs 2-705
Figure 2.4-252 Fermi 3 Overburden Hydraulic Conductivity 2-706
Figure 2.4-253 Fermi 3 Bedrock Hydraulic Conductivity 2-707
Figure 2.4-254 Groundwater Model Grid Refinement 2-708
Figure 2.4-255 Dewatering Bass Islands Group: Drawdown Contours - Reinforced Diaphragm Concrete Wall With Grouted Base Combination 2-709
Figure 2.4-256 Dewatering Bass Islands Group: Drawdown Contours – Grout Curtain/Freeze Wall Combination with a Grouted Base 2-710
Figure 2.4-257 Effective Monitoring Intervals For Bedrock Wells At The Fermi Site 2-711
Figure 2.4-258 Watershed Boundary 2-712
Figure 2.4-259 PMP Hyetograph 2-713
Figure 2.4-260 Results of the Snowmelt Analysis - Total Depth of Rain and Snowmelt Available for Runoff 2-714
Figure 2.4-261 Summary of HEC-HMS Results 2-715
Figure 2.4-262 Water Surface Elevation at Plant 2-716
Figure 2.4-263 Still Water Elevations 2-717
Figure 2.4-264 Wave Height and Bathymetry – Fermi Site 2-718
Figure 2.4-265 Wave Run-Up (Vertical exaggeration is approximately 5 to 1) 2-719
Figure 2.4-266 Conceptual Model for Groundwater Transport Analysis 2-720
Figure 2.5.1-201 Fermi 3 Site Region and Site Vicinity Planametric Maps 2-842
Figure 2.5.1-202 Fermi 3 Site Regional Physiographic Map 2-843

Figures

Figure 2.5.1-203 Fermi 3 Site Region Map of Tectonic Structures 2-844
Figure 2.5.1-204 Geologic Map of the Fermi 3 Site Region 2-845
Figure 2.5.1-205 Quaternary Geology Map of the Fermi 3 Site Region 2-846
Figure 2.5.1-206 Basement Crustal Provinces in the Fermi 3 Site Region 2-847
Figure 2.5.1-207 Regional Seismicity and tectonic Features in the Fermi 3 Site Region 2-848
Figure 2.5.1-208 Paleozoic Basins and Arches in the Fermi 3 Site Region 2-851
Figure 2.5.1-209 Geologic Timescale 2-852
Figure 2.5.1-210 Map and Schematic History of Penokean Orogeny 2-853
Figure 2.5.1-211 Hypothetical Model for the Nature and Continuity of Structures of the Midcontinent Rift System 2-854
Figure 2.5.1-212 Schematic History of the Grenville Orogeny 2-855
Figure 2.5.1-213 Map Showing Locations of Seismic Lines 2-856
Figure 2.5.1-214 Late Wisconsin Glacial Lobes, Sublobes, and Inferred Ice Flow Pathways 2-857
Figure 2.5.1-215 Wisconsinan Stadial Interstadial Terminology 2-858
Figure 2.5.1-216 Summary Diagram of Lake Levels, Outlets, Inflows, Phases, and “Age” vs. Radiocarbon Age for the Northern Huron Basin 2-859
Figure 2.5.1-217 Stratigraphic Column for Michigan 2-860
Figure 2.5.1-218 Geologogmic Cross-Section of the (320 km [200 mi] Radius) Site Region 2-861
Figure 2.5.1-219 World Stress Map Showing Maximum Horizontal Stress Trajectory in the Fermi 3 Site Region 2-862
Figure 2.5.1-220 Bouguer Gravity Map of the Fermi 3 Site Region 2-863
Figure 2.5.1-221 Magnetic Anomaly Map of the Fermi 3 Site Region 2-864
Figure 2.5.1-222 Interpretation of COCORP Lines OH-1 and OH-2 2-865
Figure 2.5.1-223 Summary of Displacement History of Bowling Green Fault 2-866
Figure 2.5.1-224 Photograph and Cross-Section of an Exposure of the Bowling Green Fault in Waterville Quarry 2-867
Figure 2.5.1-225 Structure Contour Maps Showing the Howell Anticline and the Lucas-Monroe Monocline 2-868

Figures

Figure 2.5.1-226 Geologic Cross-Section of Howell Anticline 2-869
Figure 2.5.1-227 Landslide Hazard Map for the Fermi 3 Site Region 2-870
Figure 2.5.1-228 Engineering Aspects of Karst Map for the Fermi 3 Site Region 2-871
Figure 2.5.1-229 Topography of the Fermi 3 Site Location 2-872
Figure 2.5.1-230 Geologic Map of the Fermi 3 Site Vicinity 2-873
Figure 2.5.1-231 Geologic Map Showing Quaternary Features of the Fermi 3 Site Vicinity 2-874
Figure 2.5.1-232 Map Showing Quaternary Features of the Erie Basin 2-875
Figure 2.5.1-233 Chart Showing the Lake Phases and Levels and Ice Margin Positions for the Quaternary 2-876
Figure 2.5.1-234 Maps Showing Late Wisconsinan Ice Margins and Proglacial Lake Shorelines (~18 ka to 5ka) 2-877
Figure 2.5.1-235 Site Exploration Plan 2-878
Figure 2.5.1-236 Enlargement of Site Exploration Plan 2-879
Figure 2.5.1-237 Geologic Cross Section A-A 2-880
Figure 2.5.1-238 Geologic Cross Section B-B 2-881
Figure 2.5.1-239 Geologic Cross Section C-C 2-882
Figure 2.5.1-240 Geologic Cross Section D-D 2-883
Figure 2.5.1-241 Geologic Map of the Fermi 3 Site Area 2-884
Figure 2.5.1-242 Natural Gamma Log of Fermi 3 Boring RB-C8 2-885
Figure 2.5.1-243 Photograph of Erosion Surface in Salina Unit F, Fermi 3 Boring CB-C2 2-886
Figure 2.5.1-244 Quaternary Geologic Map of the Site Area 2-887
Figure 2.5.1-245 Map Showing Soils of the Fermi 3 Site Location 2-888
Figure 2.5.1-246 Tectonic Structures in the Fermi 3 Site Vicinity 2-889
Figure 2.5.1-247 Structure Contour Maps from Monroe County, Michigan 2-890
Figure 2.5.1-248 Structural Contour Maps Showing Bedrock Elevation of the Ordovician Trenton Group and the Silurian Bass Islands Formation 2-891
Figure 2.5.1-249 Structural Contour Map on the Top of the Bass Islands Group, Oolitic Dolomite Marker Horizon 2-892

Figures

Figure 2.5.1-250 Fermi 3 Site Vicinity Physiographic Map 2-893

Figure 2.5.1-251 Plot of Elevation Versus Distance of Raised and Uptilted Shorelines of the Whittlesey and Subsequent Lake Phases 2-894

Figure 2.5.1-252 Lakes Whittlesey and Saginaw, and the Port Huron Stade Ice Barriers 2-895

Figure 2.5.1-253 GPS Motions 2-896

Figure 2.5.1-254 GPS Horizontal Velocities with Motion of Rigid North America Removed 2-897

Figure 2.5.1-255 Composite Cross Sections of Strandlines in Northern Ohio 2-898

Figure 2.5.1-256 Paleo-shorelines and Structural Features in the Vicinity of Fermi 3 Site 2-899

Figure 2.5.1-257 Topographic Profile AA¢ Relative to Published Elevations of Mapped Paleo-shoreline Features 2-900

Figure 2.5.1-258 Denniston Quarry: Quaternary Excavations, Soil Profile Locations and Mapped Soil Units 2-901

Figure 2.5.1-259 Denniston Quarry: Soil Profile SP-1 in Quaternary Excavation QE-1 2-902

Figure 2.5.1-260 Denniston Quarry: Stratigraphy Exposed in Quaternary QE-2 2-903

Figure 2.5.1-261 Denniston Quarry: Quaternary Excavation QE-3 and Soil Profiles SP-2 and SP-3 2-904

Figure 2.5.1-262 Denniston Quarry: North Wall of Quaternary Excavation QE-3 2-905

Figure 2.5.1-263 Index Map of Western Lake Erie Showing Names of Geographic Features 2-906

Figure 2.5.1-264 Index Map of Eastern Lake Erie Showing Names of Geographic Features 2-907

Figure 2.5.1-265 Map Showing Locations of the Oil and Gas Wells Near the Sumpter and New Boston Pool Possible Faults 2-908

Figure 2.5.1-266 Earthquake and Inferred Fault Planes in the Ashtabula, Ohio, Area 2-909

Figure 2.5.1-267 Plot Showing Elevations of Bedrock Surfaces Based on Oil Wells across the Sumpter Pool and New Boston Pool Possible Faults 2-910

Figure 2.5.2-201 Earthquake Catalog for the CEUS SSC Model 2-996

Figure 2.5.2-202 Location of Earthquakes within 320 km (200 mi) of the Fermi 3 Site 2-997

Figures

Figure 2.5.2-203 Location of Earthquakes within 80 km (50 mi) of the Fermi 3 Site..... 2-998

Figure 2.5.2-204 Master Logic Tree for the CEUS SSC Model..... 2-999

Figure 2.5.2-205 Logic Tree for the Mmax Zones Branch of the Master Logic Tree for the CEUS SSC Model..... 2-1000

Figure 2.5.2-206 Location of the MESE and NMESE Mmax Zones for the “Narrow” Interpretation for the CEUS SSC Model 2-1001

Figure 2.5.2-207 Location of the MESE and NMESE Mmax Zones for the “Wide” Interpretation for the CEUS SSC Model 2-1002

Figure 2.5.2-208 Logic Tree for the Seismotectonic Zones Branch of the Master Logic Tree for the CEUS SSC Model 2-1003

Figure 2.5.2-209 Seismotectonic Zones Where the Rough Creek Graben Is Not Part of the Reelfoot Rift (RR) and the Narrow Paleozoic Extended Zone (PEZ-N)..... 2-1004

Figure 2.5.2-210 Seismotectonic Zones Where the Rough Creek Graben Is Part of the Reelfoot Rift (RR-RCG) and the Narrow Paleozoic Extended Zone (PEZ-N)..... 2-1005

Figure 2.5.2-211 Seismotectonic Zones Where the Rough Creek Graben Is Not Part of the Reelfoot Rift (RR) and the Wide Paleozoic Extended Crust (PEZ-W) 2-1006

Figure 2.5.2-212 Seismotectonic Zones Where the Rough Creek Graben Is Part of the Reelfoot Rift (RR-RCG) and the Wide Paleozoic Extended Crust (PEZ-W) 2-1007

Figure 2.5.2-213 Location of RLME Sources Characterized in the CEUS SSC Model..... 2-1008

Figure 2.5.2-214 Map Showing the RLME Sources and Seismicity from the CEUS SSC Earthquake Catalog..... 2-1009

Figure 2.5.2-215 Logic Tree for the New Madrid Faults RLME..... 2-1010

Figure 2.5.2-216 Simplified Tectonic Map Showing the Distribution of Principal Basement Faults, Rifts, and Sutures in the Midcontinent 2-1011

Figure 2.5.2-217 Maps Showing Major Basement Structural Features Relative to (a) Regional Magnetic Anomalies and (b) Regional Gravity Anomalies..... 2-1012

Figure 2.5.2-218 Seismicity Zones and Largest Observed Earthquakes in the MIDC Zone..... 2-1013

Figure 2.5.2-219 Correlation of Interpreted Transitional Crust with the East Coast Magnetic Anomaly (ECMA)..... 2-1014

Figures

Figure 2.5.2-220 Mesozoic Basins Within the ECC-AM Seismotectonic Zone 2-1015

Figure 2.5.2-221 Seismicity Within the ECC-AM and AHEX Seismotectonic Zones 2-1016

Figure 2.5.2-222 Seismicity and Largest Earthquakes in the GMH Seismotectonic Zone. 2-1017

Figure 2.5.2-223 Map of Paleoearthquake Energy Centers and Paleoliquefaction Features in the IBEB Seismotectonic Zone 2-1018

Figure 2.5.2-224 Historical Seismicity and Largest Historical Earthquakes in the IBEB Seismotectonic Zone 2-1019

Figure 2.5.2-225 Seismicity of the NAP Seismotectonic Zone..... 2-1020

Figure 2.5.2-226 Seismicity and Tectonic Features of the PEZ Seismotectonic Zone 2-1021

Figure 2.5.2-227 Map of Seismicity and Geomorphic Features and Faults in the Reelfoot Rift Seismotectonic Zone..... 2-1022

Figure 2.5.2-228 Significant Earthquakes and Paleoseismology of the SLR Seismotectonic Zone 2-1023

Figure 2.5.2-229 Geomorphic and Near-Surface Tectonic Features in the New Madrid Region and Locations of NMFS RLME Fault Sources..... 2-1024

Figure 2.5.2-230 Seismicity, Subsurface Structural Features, Paleoearthquake Energy Centers, and Postulated Neotectonic Deformation in the Wabash Valley Region of Southern Illinois and Southern Indiana..... 2-1025

Figure 2.5.2-231 Seismicity and Tectonic Features of the Charlevoix RLME 2-1026

Figure 2.5.2-232 Postulated Faults and Tectonic Features in the Charleston Region with Charleston RLME Source Zones..... 2-1027

Figure 2.5.2-233 Earthquake Catalog for CEUS SSC Model with Location of Earthquakes with E[M] Greater than 4.3 from 2009 to 2012..... 2-1028

Figure 2.5.2-234 Mmax Distributions for Source Zone NMESE-W Based on NUREG-2115 Inputs and Updated Inputs..... 2-1029

Figure 2.5.2-235 Mmax Distributions for Source Zone ECC-AM Based on NUREG-2115 Inputs and Updated Inputs..... 2-1030

Figure 2.5.2-236 Mmax Distributions for Source Zones MIDC-A and MIDC-B Based on NUREG-2115 Inputs and Updated Inputs..... 2-1031

Figure 2.5.2-237 Mmax Distributions for Source Zones MIDC-C and MIDC-D Based on NUREG-2115 Inputs and Updated Inputs..... 2-1032

Figures

Figure 2.5.2-238 Ground Motion Characterization Logic Tree Used in the PSHA for the Fermi 3 Site 2-1033

Figure 2.5.2-239a Comparison of Median Ground Motion Model Used in the PSHA with Recently Published Models - Cluster 1 2-1034

Figure 2.5.2-239b Comparison of Median Ground Motion Model Used in the PSHA with Recently Published Models - Cluster 2 2-1035

Figure 2.5.2-239c Comparison of Median Ground Motion Models Used in the PSHA with Recently Published - Cluster 3 2-1036

Figure 2.5.2-240 Contribution of Individual RLME Sources to the Mean Hazard for 1 Hz Spectral Acceleration at the Fermi 3 Site 2-1037

Figure 2.5.2-241 Contribution of Individual RLME Source to the Mean Hazard for 10 Hz Spectral Acceleration at the Fermi 3 Site 2-1038

Figure 2.5.2-242 Generic CEUS Hard Rock Hazard Results for 0.5 Hz Spectral Accelerations for the Fermi 3 Site 2-1039

Figure 2.5.2-243 Generic CEUS Hard Rock Hazard Results for 1.0 Hz Spectral Accelerations for the Fermi 3 Site 2-1040

Figure 2.5.2-244 Generic CEUS Hard Rock Hazard Results for 2.5 Hz Spectral Accelerations for the Fermi 3 Site 2-1041

Figure 2.5.2-245 Generic CEUS Hard Rock Hazard Results for 5 Hz Spectral Accelerations for the Fermi 3 Site 2-1042

Figure 2.5.2-246 Generic CEUS Hard Rock Hazard Results for 10 Hz Spectral Accelerations for the Fermi 3 Site 2-1043

Figure 2.5.2-247 Generic CEUS Hard Rock Hazard Results for 25 Hz Spectral Accelerations for the Fermi 3 Site 2-1044

Figure 2.5.2-248 Generic CEUS Hard Rock Hazard Results for Peak Ground Acceleration (100 Hz Spectral Accelerations) for the Fermi 3 Site 2-1045

Figure 2.5.2-249 Contribution of CEUS SSC Model Sources to the Total Mean Hazard for 0.5 Hz Spectral Acceleration 2-1046

Figure 2.5.2-250 Contribution of CEUS SSC Model Sources to the Total Mean Hazard for 1 Hz Spectral Acceleration 2-1047

Figure 2.5.2-251 Contribution of CEUS SSC Model Sources to the Total Mean Hazard for 2.5 Hz Spectral Acceleration 2-1048

Figure 2.5.2-252 Contribution of CEUS SSC Model Sources to the Total Mean Hazard for 5 Hz Spectral Acceleration 2-1049

Figures

Figure 2.5.2-253 Contribution of CEUS SSC Model Sources to the Total Mean Hazard for 10 Hz Spectral Acceleration 2-1050

Figure 2.5.2-254 Contribution of CEUS SSC Model Sources to the Total Mean Hazard for 25 Hz Spectral Acceleration 2-1051

Figure 2.5.2-255 Contribution of CEUS SSC Model Sources to the Total Mean Hazard for Peak Ground Acceleration (100 Hz Spectral Acceleration) .. 2-1052

Figure 2.5.2-256 Uniform Hazard Response Spectra for the Fermi 3 Site and Generic Hard Rock Conditions Based on the CEUS SSC Model 2-1053

Figure 2.5.2-257 Deaggregation of Mean 10^{-3} Hazard 2-1054

Figure 2.5.2-258 Deaggregation of Mean 10^{-4} Hazard 2-1055

Figure 2.5.2-259 Deaggregation of Mean 10^{-5} Hazard 2-1056

Figure 2.5.2-260 Deaggregation of Mean 10^{-6} Hazard 2-1057

Figure 2.5.2-261 Extension of Response Spectra to 0.1 Hz 2-1058

Figure 2.5.2-262 Mean 10^{-3} UHRS, RE, and DE Spectra 2-1059

Figure 2.5.2-263 Mean 10^{-4} UHRS, RE, and DE Spectra 2-1060

Figure 2.5.2-264 Mean 10^{-5} UHRS, RE, and DE Spectra 2-1061

Figure 2.5.2-265 Mean 10^{-6} UHRS, RE, and DE Spectra 2-1062

Figure 2.5.2-266 Shear Wave Velocity Data for Boring TB-C5 2-1063

Figure 2.5.2-267 Shear Wave Velocity Data for Boring RB-C8 2-1064

Figure 2.5.2-268 Shear Wave Velocity Data for Boring CB-C3 2-1065

Figure 2.5.2-269 Shear Wave Velocity Data for Boring RB-C4 2-1066

Figure 2.5.2-270 Geometric Mean Velocity Profile for Fermi 3 Site GMRS Profile 2-1067

Figure 2.5.2-271 Estimation of Scattering κ 2-1068

Figure 2.5.2-272 Randomized Shear-Wave-Velocity Profiles 1 to 30 2-1069

Figure 2.5.2-273 Randomized Shear-Wave-Velocity Profiles 31 to 60 2-1070

Figure 2.5.2-274 Statistics of Randomized Shear Wave Velocity Profiles 2-1071

Figure 2.5.2-275 Example Response Spectra of Time Histories Used for Site Response Analyses 2-1072

Figure 2.5.2-276 Site Response Logic Tree 2-1073

Figures

Figure 2.5.2-277 Sensitivity of GMRS Profile Mean Site Amplification to Damping Assigned to Rock Layers at 10^{-4} Level of Exceedance 2-1074

Figure 2.5.2-278 Sensitivity of GMRS Profile Mean Site Amplification to Deaggregation Earthquake Motions at 10^{-4} Level of Exceedance 2-1075

Figure 2.5.2-279 GMRS Amplification Functions for the Fermi 3 Site..... 2-1076

Figure 2.5.2-280 Statistics of the Effective Strain for the GMRS Profile and 10^{-4} Motions 2-1077

Figure 2.5.2-281 Statistics of the Effective Strain for the GMRS Profile and 10^{-5} motions 2-1078

Figure 2.5.2-282 Development of the 10^{-4} Surface UHRS for the GMRS Profile 2-1079

Figure 2.5.2-283 UHRS for the GMRS Elevation 2-1080

Figure 2.5.2-284 Development of Horizontal GMRS for the Fermi 3 Site 2-1081

Figure 2.5.2-285 Vertical-to-Horizontal Spectral Ratios for Generic CEUS Hard Rock 2-1082

Figure 2.5.2-286 Fermi 3 GMRS (5 Percent Damping) with Comparison to CSDRS 2-1083

Figure 2.5.3-201 Map Showing Mapped Structures and Seismicity in the Site Vicinity..... 2-1095

Figure 2.5.3-202 Map Showing Field Reconnaissance Sites, Quarries, and Aerial Reconnaissance Route..... 2-1096

Figure 2.5.3-203 Interpreted Hillshade Model (10-m DEM) Showing Lineaments in the Site Vicinity 2-1097

Figure 2.5.3-204 Uninterpreted Hillshade Model (10-m DEM) of the Site Vicinity 2-1098

Figure 2.5.3-205 Interpreted 1955 1:20,000-scale Aerial Photograph Mosaic Showing Lineaments in the Site Area..... 2-1099

Figure 2.5.3-206 Uninterpreted 1955 1:20,000-scale Aerial Photograph Mosaic of the Site Area 2-1100

Figure 2.5.3-207 2006 2-m resolution Color Infrared Photograph Showing Interpreted Lineaments in the Site Area..... 2-1101

Figure 2.5.3-208 Uninterpreted 2006 2-m resolution Color Infrared Photograph of Site Area 2-1102

Figure 2.5.3-209 Uninterpreted 2006 2-m resolution Color Infrared Photograph of the Site Location 2-1103

Figure 2.5.3-210 Colored Contour Interval (0.5-m Increments) Map Highlighting Surfaces Associated with the Arkona Lake Level (Elevation 212 - 216 m)..... 2-1104

Figures

Figure 2.5.3-211 Topographic Profiles 1, 2, 3, and 5 Across the Sumpter Pool Possible Fault 2-1105

Figure 2.5.3-212 Topographic Profiles 4, 6, and 7 Across the Boston Pool Possible Fault 2-1106

Figure 2.5.3-213 Colored Contour Interval (0.5-m Increments) Map Highlighting Surfaces Associated with the Lake Grassmere Lake Level (Elevation 195 m) 2-1107

Figure 2.5.3-214 Topographic Profiles 8. 9, and 10 across the New Boston Pool and Sumpter Pool Possible Faults 2-1108

Figure 2.5.4-201 Excavation Site Plan 2-1208

Figure 2.5.4-202 Excavation Cross Section D-D' 2-1209

Figure 2.5.4-203 Excavation Cross Section C-C' 2-1210

Figure 2.5.4-204 Excavation Cross Section B-B' 2-1211

Figure 2.5.4-205 Comparison of measured Vs and Vp with RQD for Boring TB-C5 2-1212

Figure 2.5.4-206 Comparison of measured Vs and Vp with RQD for Boring RB-C8 2-1213

Figure 2.5.4-207 Comparison of measured Vs and Vp with RQD for Boring CB-C3 2-1214

Figure 2.5.4-208 Comparison of measured Vs and Vp with RQD for Boring RB-C4 2-1215

Figure 2.5.4-209 Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole TB-C5 2-1216

Figure 2.5.4-210 Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole RB-C8 2-1217

Figure 2.5.4-211 Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole CB-C3 2-1218

Figure 2.5.4-212 Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole RB-C4 2-1219

Figure 2.5.4-213 Influence of shale or claystone content within Salina Group Unit F on measured seismic wave velocities in Boring TB-C5 2-1220

Figure 2.5.4-214 Influence of shale or claystone content within Salina Group Unit F on measured seismic wave velocities in Boring CB-C3 2-1221

Figure 2.5.4-215 Compression wave velocity measurements using both P-S and Downhole methods in Borings TB-C5, RB-C8, CB-C3, and RB-C4 2-1222

Figure 2.5.4-216 Shear wave velocity measurements using both P-S and Downhole Methods in Borings TB-C5, RB-C8, CB-C3, and RB-C4 2-1223

Figures

Figure 2.5.4-217 Comparison of measured shear and compression wave velocity profile using P-S suspension method in Boring RB-C6 with measured N-values within overburden 2-1224

Figure 2.5.4-218 Comparison of measured shear and compression wave velocity profile using P-S suspension method in Boring RB-C6 with gravel content within overburden 2-1225

Figure 2.5.4-219 Measured shear wave velocity profile using SASW method in the overburden near Borings RB-C4, RW-C1, MW-381 and MW-393 2-1226

Figure 2.5.4-220 Measured shear and compression wave velocity profiles using P-S Suspension method in Boring TB-C5 2-1228

Figure 2.5.4-221 Measured shear and compression wave velocity profiles using P-S Suspension and Downhole Seismic methods in Boring RB-C8 2-1229

Figure 2.5.4-222 Measured shear and compression wave velocity profiles using P-S Suspension and Downhole Seismic methods in Boring CB-C3 2-1230

Figure 2.5.4-223 Measured shear and compression wave velocity profiles using P-S Suspension and Downhole Seismic methods in Boring RB-C4 2-1231

Figure 2.5.4-224 Measured shear and compression wave velocity profiles in the overburden using P-S Suspension Logger in Boring RB-C6 2-1232

Figure 2.5.4-225 Measured shear and compression wave velocity profiles in the overburden using SASW method near Borings RB-C4 and RW-C1 2-1233

Figure 2.5.4-226 Selected Shear Modulus Reduction and Damping Curves for Glacial Till 2-1234

Figure 2.5.4-227 Total vertical displacement at end of excavation stage (Rebound due to Excavation) 2-1235

Figure 2.5.4-228 Net Settlement at Base of Seismic Category I at End of Loading Stage 2-1236

Figure 2.5.4-229 Lateral Earth Pressure on Reactor Building Walls 2-1237

Figure 2.5.4-230 Lateral Earth Pressure on Control Building Walls 2-1238

Figure 2A-1 Potential Radiological Sources and Receptors for the ESBWR Control Room 2-1251

Figure 3.2-1 Quality Group and Seismic Category Classification Applicable to Power Conversion System 3-99

Figures

Figure 3.2-2 Quality Group and Seismic Category Classification Applicable to Feedwater System 3-100

Figure 3.5-1 Missile Velocity and Displacement Characteristics Resulting from Saturated Steam and Water Blowdowns (7.2 MPa (1044 psia) Stagnation Pressure) 3-126

Figure 3.5-2 ESBWR Standard Plant Low-Trajectory Turbine Missile Strike Zone 3-127

Figure 3.6-1 Jet Characteristics 3-167

Figure 3.6-2 Typical Pipe Whip Restraint Configuration 3-168

Figure 3.6-3 Typical Terminal End Break at Containment Penetration 3-169

Figure 3.7.1-201 Shear Wave Velocity Profiles for Site Response Analysis: Intermediate Range, Lower Range, and Upper Range Values 3-233

Figure 3.7.1-202 Shear Wave Velocity Profiles for Site Response Analysis: FWSC Shear Wave Velocity Profile 3-234

Figure 3.7.1-203 Modulus Reduction and Damping Relationships Used for the Engineered Granular Backfill Material 3-235

Figure 3.7.1-204 Randomized Shear Wave Velocity Profiles 1-30 for the Intermediate Range Site Response Analysis Profile 3-236

Figure 3.7.1-205 Randomized Shear Wave Velocity Profiles 31-60 for the Intermediate Range Site Response Analysis Profile 3-237

Figure 3.7.1-206 Statistics of Randomized Shear Wave Velocity Profiles for the Intermediate Range Site Response Analysis Profile 3-238

Figure 3.7.1-207 Randomized Shear Modulus Reduction and Damping Relationships Used for LR Engineered Granular Backfill Material 3-239

Figure 3.7.1-208 Randomized Shear Modulus Reduction and Damping Relationships Used for IR Engineered Granular Backfill Material 3-240

Figure 3.7.1-209 Randomized Shear Modulus Reduction and Damping Relationships Used for UR Engineered Granular Backfill Material 3-241

Figure 3.7.1-210 Site Response Logic Tree for Full Soil Column Profile 3-242

Figure 3.7.1-211 PBSRS Amplification Functions for the Fermi 3 Site 3-243

Figure 3.7.1-212 RB/FB SCOR FIRS Amplification Functions for the Fermi 3 Site 3-244

Figure 3.7.1-213 CB SCOR FIRS Amplification Functions for the Fermi 3 Site 3-245

Figures

Figure 3.7.1-214 Example of FWSC 2D/1D Response Spectral Ratios for Fill Concrete Based on the 10^{-4} and 10^{-5} Exccedance Levels of Input Ground Motion 3-246

Figure 3.7.1-215 FWSC 2D/1D Response Spectral Ratios for Fill Concrete 3-247

Figure 3.7.1-216 FWSC FIRS Amplification Functions for the Fermi 3 Site 3-248

Figure 3.7.1-217 Development of 10^{-4} Surface UHRS at the Finished Ground Level Grade for the Full Soil Column Profile 3-249

Figure 3.7.1-218 Development of 10^{-4} SCOR UHRS at the RB/FB Foundation Level for the Full Soil Column Profile 3-250

Figure 3.7.1-219 Development of the Horizontal PBSRS for the Fermi 3 Site 3-251

Figure 3.7.1-220 Vertical to Horizontal Spectral ratios Developed for the Fermi 3 Site Full Soil Column Profile 3-252

Figure 3.7.1-221 Horizontal and Vertical Fermi 3 PBSRS at Finished Ground Level Grade (5 Percent Damping) 3-253

Figure 3.7.1-222 Deterministic Shear Wave Velocity Profiles for the Full Soil Column with Engineered Granular Backfill Above the Top of the Bass Islands Group Bedrock 3-254

Figure 3.7.1-223 Deterministic Shear Wave Velocity Profiles for the Soil Column without Engineered Granular Backfill Above the Top of the Bass Islands Group Bedrock 3-255

Figure 3.7.1-224 Fermi 3 RB/FB SCOR FIRS (5 Percent Damping) 3-256

Figure 3.7.1-225 Fermi 3 CB SCOR FIRS (5 Percent Damping) 3-257

Figure 3.7.1-226 Fermi 3 Horizontal RB/FB SCOR FIRS and Initially Enhanced SCOR FIRS with the NUREG/CR-0098 Median Rock Spectral Shape, Enveloping NUREG/CR-6728 CEUS Spectral Shape, and RG 1.60 Spectral Shape, all Scaled to a Minimum PGA of 0.1 g (5 Percent Damping) 3-258

Figure 3.7.1-227 Fermi 3 Horizontal CB SCOR FIRS and Initially Enhanced SCOR FIRS with the NUREG/CR-0098 Median Rock Spectral Shape, Enveloping NUREG/CR-6728 CEUS Spectral Shape, and RG 1.60 Spectral Shape, all Scaled to a Minimum PGA of 0.1 g (5 Percent Damping) 3-259

Figure 3.7.1-228 Fermi 3 Horizontal and Vertical RB/FB SCOR FIRS and Enhanced RB/FB SCOR FIRS (5 Percent Damping) 3-260

Figures

Figure 3.7.1-229 Fermi 3 Horizontal CB SCOR FIRS and Enhanced CB SCOR FIRS (5 Percent Damping) 3-261

Figure 3.7.1-230 Comparison of the Envelope of the Response Spectra of Computed Horizontal Component Surface Motions for Deterministic Profiles with Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock Using the RB/FB Enhanced SCOR FIRS Input Motions with the Horizontal PBSRS 3-262

Figure 3.7.1-231 Comparison of the Envelope of the Response Spectra of Computed Horizontal Component Surface Motions for Deterministic Profiles with Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock Using the CB Enhanced SCOR FIRS Input Motions with the Horizontal PBSRS 3-263

Figure 3.7.1-232 Comparison of the Envelope of the Response Spectra of Computed Horizontal Component Surface Motions for Deterministic Profiles without Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock Using the RB/FB Enhanced SCOR FIRS Input Motions with the Horizontal GMRS 3-264

Figure 3.7.1-233 Comparison of the Envelope of the Response Spectra of Computed Horizontal Component Surface Motions for Deterministic Profiles without Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock Using the CB Enhanced SCOR FIRS Input Motions with the Horizontal GMRS 3-265

Figure 3.7.1-234 Comparison of the Envelope of the Response Spectra of Computed Vertical Component Surface Motions for Deterministic Profiles With Engineered Granular Backfill Above the top of the Bass Islands Group Bedrock Using the RB/FB Enhanced SCOR FIRS Input Motions with the Vertical PBSRS 3-266

Figure 3.7.1-235 Comparison of the Envelope of the Response Spectra of Computed Vertical Component Surface Motions for Deterministic Profiles With Engineered Granular Backfill Above the top of the Bass Islands Group Bedrock Using the CB Enhanced SCOR FIRS Input Motions with the Vertical PBSRS 3-267

Figure 3.7.1-236 Comparison of the Envelope of the Response Spectra of Computed Vertical Component Surface Motions for Deterministic Profiles without Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock Using the RB/FB Enhanced SCOR FIRS Input Motions with the Vertical GMRS 3-268

Figures

Figure 3.7.1-237 Comparison of the Envelope of the Response Spectra of Computed Vertical Component Surface Motions for Deterministic Profiles without Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock Using the CB Enhanced SCOR FIRS Input Motions with the Vertical GMRS 3-269

Figure 3.7.1-238 Fermi 3 FWSC FIRS (5 Percent Damping) 3-270

Figure 3.7.1-239 Response Spectrum for Spectrally Matched Horizontal (H1) Component for the Fermi 3 RB/FB Enhanced SCOR FIRS 3-271

Figure 3.7.1-240 Response Spectrum for Spectrally Matched Horizontal (H2) Component for the Fermi 3 RB/FB Enhanced SCOR FIRS 3-272

Figure 3.7.1-241 Response Spectrum for Spectrally Matched Vertical (V) Component for the Fermi 3 RB/FB Enhanced SCOR FIRS 3-273

Figure 3.7.1-242 Response Spectrum for Spectrally Matched Horizontal (H1) Component for the Fermi 3 CB Enhanced SCOR FIRS 3-274

Figure 3.7.1-243 Response Spectrum for Spectrally Matched Horizontal (H2) Component for the Fermi 3 CB Enhanced SCOR FIRS 3-275

Figure 3.7.1-244 Response Spectrum for Spectrally Matched Vertical (V) Component for the Fermi 3 CB Enhanced SCOR FIRS 3-276

Figure 3.7.1-245 Acceleration, Velocity, and Displacement Time Histories for the Spectrally Matched Horizontal (H1) Component Compatible with the Fermi 3 RB/FB Enhanced SCOR FIRS 3-277

Figure 3.7.1-246 Acceleration, Velocity, and Displacement Time Histories for the Spectrally Matched Horizontal (H2) Component Compatible with the Fermi 3 RB/FB Enhanced SCOR FIRS 3-278

Figure 3.7.1-247 Acceleration, Velocity, and Displacement Time Histories for the Spectrally Matched Vertical (V) Component Compatible with the Fermi 3 RB/FB Enhanced SCOR FIRS 3-279

Figure 3.7.1-248 Acceleration, Velocity, and Displacement Time Histories for the Spectrally Matched Horizontal (H1) Component Compatible with the Fermi 3 CB Enhanced SCOR FIRS 3-280

Figure 3.7.1-249 Acceleration, Velocity, and Displacement Time Histories for the Spectrally Matched Horizontal (H2) Component Compatible with the Fermi 3 CB Enhanced SCOR FIRS 3-281

Figure 3.7.1-250 Acceleration, Velocity, and Displacement Time Histories for the Spectrally Matched Vertical (V) Component Compatible with the Fermi 3 CB Enhanced SCOR FIRS 3-282

Figures

Figure 3.7.1-251 Normalized Arias Intensity and Estimates of Equivalent Stationary Duration for Calculating the PSD for the Spectrally Matched Horizontal (H1 and H2) Components Compatible with the Fermi 3 RB/FB Enhanced SCOR FIRS 3-283

Figure 3.7.1-252 PSD Computed for the RB/FB H1 Component Spectrally Matched Time History (Enhanced SCOR FIRS) Using Full Duration Time Histories and Time Histories Windowed to an Equivalent Stationary Duration, T_D 3-284

Figure 3.7.1-253 PSD Computed for the RB/FB H2 Component Spectrally Matched Time History (Enhanced SCOR FIRS) Using Full Duration Time Histories and Time Histories Windowed to an Equivalent Stationary Duration, T_D 3-285

Figure 3.7.1-254 PSD Computed for the CB H1 Component Spectrally Matched Time History (Enhanced SCOR FIRS) Using Full Duration Time Histories and Time Histories Windowed to an Equivalent Stationary Duration, T_D 3-286

Figure 3.7.1-255 PSD Computed for the CB H2 Component Spectrally Matched Time History (Enhanced SCOR FIRS) Using Full Duration Time Histories and Time Histories Windowed to an Equivalent Stationary Duration, T_D 3-287

Figure 3.7.1-256 Power Spectra and Cumulative Power Plots for the Horizontal In-Column Acceleration Time Histories (H1 and H2) Compatible with the BE Deterministic Profile without Engineered Granular Backfill above the Top of the Bass Islands Group Bedrock 3-288

Figure 3.7-1 Horizontal SSE Design Spectra, Generic Site 3-336

Figure 3.7-2 Vertical SSE Design Spectra, Generic Site 3-337

Figure 3.7-3 Horizontal, H1 Component Time History, Generic Site 3-338

Figure 3.7-4 Horizontal, H2 Component Time History, Generic Site 3-339

Figure 3.7-5 Vertical, Component Time History, Generic Site 3-340

Figure 3.7-6 2% Damped Response Spectra, H1 Component, Generic Site 3-341

Figure 3.7-7 3% Damped Response Spectra, H1 Component, Generic Site 3-342

Figure 3.7-8 4% Damped Response Spectra, H1 Component, Generic Site 3-343

Figure 3.7-9 5% Damped Response Spectra, H1 Component, Generic Site 3-344

Figure 3.7-10 7% Damped Response Spectra, H1 Component, Generic Site 3-345

Figure 3.7-11 2% Damped Response Spectra, H2 Component, Generic Site 3-346

Figures

Figure 3.7-12 3% Damped Response Spectra, H2 Component, Generic Site 3-347
Figure 3.7-13 4% Damped Response Spectra, H2 Component, Generic Site 3-348
Figure 3.7-14 5% Damped Response Spectra, H2 Component, Generic Site 3-349
Figure 3.7-15 7% Damped Response Spectra, H2 Component, Generic Site 3-350
Figure 3.7-16 2% Damped Response Spectra, Vertical Component, Generic Site 3-351
Figure 3.7-17 3% Damped Response Spectra, Vertical Component, Generic Site 3-352
Figure 3.7-18 4% Damped Response Spectra, Vertical Component, Generic Site 3-353
Figure 3.7-19 5% Damped Response Spectra, Vertical Component, Generic Site 3-354
Figure 3.7-20 7% Damped Response Spectra, Vertical Component, Generic Site 3-355
Figure 3.7-21 Power Spectral Density Function, H1 Component, Generic Site 3-356
Figure 3.7-22 Power Spectral Density Function, H2 Component, Generic Site 3-357
Figure 3.7-23 Power Spectral Density Function, Vertical Component, Generic Site 3-358
Figure 3.7-24 North Anna ESP Horizontal H1 Target Spectrum at ESBWR CB Base 3-359
Figure 3.7-25 North Anna ESP Horizontal H1 Time Histories at ESBWR CB Base 3-360
Figure 3.7-26 North Anna ESP Horizontal H2 Target Spectrum at ESBWR CB Base 3-361
Figure 3.7-27 North Anna ESP Horizontal H2 Time Histories at ESBWR CB Base 3-362
Figure 3.7-28 North Anna ESP Vertical Target Spectrum at ESBWR CB Base 3-363
Figure 3.7-29 North Anna ESP Vertical Time Histories at ESBWR CB Base 3-364
Figure 3.7-30 North Anna ESP Horizontal H1 Target Spectrum at ESBWR RB/FB Base 3-365
Figure 3.7-31 North Anna ESP Horizontal H1 Time Histories at ESBWR RB/FB Base 3-366
Figure 3.7-32 North Anna ESP Horizontal H2 Target Spectrum at ESBWR RB/FB Base 3-367
Figure 3.7-33 North Anna ESP Horizontal H2 Time Histories at ESBWR RB/FB Base 3-368
Figure 3.7-34 North Anna ESP Vertical Target Spectrum at ESBWR RB/FB Base 3-369

Figures

Figure 3.7-35 North Anna ESP Vertical Time Histories at ESBWR RB/FB Base 3-370

Figure 3.7-36 Not used 3-371

Figure 3.7-37 Alternative Damping Values for Response Spectra Analysis of ASME B&PV Code, Section III, Division 1 Class 1, 2, and 3, and ASME B31.1 Piping Systems 3-372

Figure 3.7-38. Single Envelope Spectrum Match - H1 Component 3-373

Figure 3.7-39. Single Envelope Spectrum Match - H2 Component 3-374

Figure 3.7-40. Single Envelope Spectrum Match - Vertical Component 3-375

Figure 3.7-41. Single Envelope Time Histories - H1 Component 3-376

Figure 3.7-42. Single Envelope Time Histories - H2 Component 3-377

Figure 3.7-43. Single Envelope Time Histories - Vertical Component 3-378

Figure 3.7.2-201 SASSI2010 Plate Element for RB/FB Basemat (RBFB1) 3-394

Figure 3.7.2-202 SASSI2010 Plate Elements for RB/FB Exterior Walls (RBFB1) 3-395

Figure 3.7.2-203 Overview of SASSI2010 SSI RB/FB Model (RBFB1) 3-396

Figure 3.7.2-203a SASSI2010 Plate Element for RB/FB Basemat (RBFB2) 3-397

Figure 3.7.2-203b SASSI2010 Plate Element for RB/FB Exterior Walls (RBFB2) 3-398

Figure 3.7.2-203c Overview of SASSI2010 SSI RB/FB Model (RBFB2) 3-399

Figure 3.7.2-204 SASSI2010 Plate Elements for CB Basemat (CB1) 3-400

Figure 3.7.2-205 SASSI2010 Plate Elements for CB Exterior Walls (CB1) 3-401

Figure 3.7.2-206 Overview of CB SASSI2010 SSI Model (CB1) 3-402

Figure 3.7.2-206a SASSI2010 Plate Element for CB Basemat (CB2) 3-403

Figure 3.7.2-206b SASSI2010 Plate Element for CB Exterior Walls (CB2) 3-404

Figure 3.7.2-206c Overview of SASSI2010 SSI CB Model (CB2) 3-405

Figure 3.7.2-207a Comparison of Floor Response Spectra - RB/FB Refueling Floor in X-Direction 3-406

Figure 3.7.2-207b Comparison of Floor Response Spectra - RCCV Top Slab in X-Direction 3-407

Figure 3.7.2-207c Comparison of Floor Response Spectra - Vent Wall Top in X-Direction 3-408

Figures

Figure 3.7.2-207d Comparison of Floor Response Spectra - RSW Top in X-Direction 3-409

Figure 3.7.2-207e Comparison of Floor Response Spectra - RPV Top in X-Direction 3-410

Figure 3.7.2-207f Comparison of Floor Response Spectra - RB/FB Basemat in X-Direction 3-411

Figure 3.7.2-208a Comparison of Floor Response Spectra - RB/FB Refueling Floor in Y-Direction 3-412

Figure 3.7.2-208b Comparison of Floor Response Spectra - RCCV Top Slab in Y-Direction 3-413

Figure 3.7.2-208c Comparison of Floor Response Spectra - Vent Wall Top in Y-Direction 3-414

Figure 3.7.2-208d Comparison of Floor Response Spectra - RSW Top in Y-Direction 3-415

Figure 3.7.2-208e Comparison of Floor Response Spectra - RPV Top in Y-Direction 3-416

Figure 3.7.2-208f Comparison of Floor Response Spectra - RB/FB Basemat in Y-Direction 3-417

Figure 3.7.2-209a Comparison of Floor Response Spectra - RB/FB Refueling Floor in Z-Direction 3-418

Figure 3.7.2-209b Comparison of Floor Response Spectra - RCCV Top Slab in Z-Direction 3-419

Figure 3.7.2-209c Comparison of Floor Response Spectra - Vent Wall Top in Z-Direction 3-420

Figure 3.7.2-209d Comparison of Floor Response Spectra - RSW Top in Z-Direction..... 3-421

Figure 3.7.2-209e Comparison of Floor Response Spectra - RPV Top in Z-Direction..... 3-422

Figure 3.7.2-209f Comparison of Floor Response Spectra - RB/FB Basemat in Z-Direction 3-423

Figure 3.7.2-210a Comparison of Floor Response Spectra - CB Top in X-Direction..... 3-424

Figure 3.7.2-210b Comparison of Floor Response Spectra - CB Basemat in X-Direction 3-425

Figure 3.7.2-211a Comparison of Floor Response Spectra - CB Top in Y-Direction..... 3-426

Figure 3.7.2-211b Comparison of Floor Response Spectra - CB Basemat in Y-Direction 3-427

Figure 3.7.2-212a Comparison of Floor Response Spectra - CB Top in Z-Direction..... 3-428

Figures

Figure 3.7.2-212b Comparison of Floor Response Spectra - CB Basemat in Z-Direction 3-429
Figure 3.8-1. Configuration of Concrete Containment 3-507
Figure 3.8-2 Schematic of Reinforcements in RCCV Wall Around Equipment Hatch/Personnel Airlock Opening 3-508
Figure 3.8-3 Typical Internal Containment Plate Support with Embedment Integral with Containment Liner 3-509
Figure 3.8-4 Typical External Containment Plate Support with Embedment 3-510
Figure 3.8-5 Quencher Anchorage 3-511
Figure 3.8-6 RCCV Wall High-Energy Penetration 3-512
Figure 3.8-7 Typical RCCV Top Slab Penetration and PCCS Passages 3-513
Figure 3.8-8 RCCV Low-Energy Penetration 3-514
Figure 3.8-9 RCCV Multiple Penetration 3-514
Figure 3.8-10 RCCV Electrical Penetration 3-515
Figure 3.8-11 RCCV Spare Penetration 3-515
Figure 3.8-12 (Deleted) 3-516
Figure 3.8.4-201a SSI Lateral Soil Pressure RB/FB 3-520
Figure 3.8.4-201b SSI Lateral Soil Pressure RB/FB 3-521
Figure 3.8.4-201c SSI Lateral Soil Pressure RB/FB 3-522
Figure 3.8.4-201d SSI Lateral Soil Pressure RB/FB 3-523
Figure 3.8.4-201e SSI Lateral Soil Pressure RB/FB 3-524
Figure 3.8.4-201f SSI Lateral Soil Pressure RB/FB 3-525
Figure 3.8.4-201g SSI Lateral Soil Pressure RB/FB 3-526
Figure 3.8.4-201h SSI Lateral Soil Pressure RB/FB 3-527
Figure 3.8.4-202a SSI Lateral Soil Pressure CB 3-528
Figure 3.8.4-202b SSI Lateral Soil Pressure CB 3-529
Figure 3.8.4-202c SSI Lateral Soil Pressure CB 3-530
Figure 3.8.4-202d SSI Lateral Soil Pressure CB 3-531
Figure 3.8.4-203a SSSI Lateral Soil Pressure CB 3-532

Figures

Figure 3.8.4-203b SSSI Lateral Soil Pressure CB 3-533
Figure 3.9-1 Stress-Strain Curve for Blowout Restraints 3-650
Figure 3.9-2 Minimum Floodable Volume 3-651
Figure 3.9-3 Recirculation Flow Path 3-652
Figure 3.9-4 Fuel Support Pieces 3-653
Figure 3.9-5 Pressure Nodes for Depressurization Analysis 3-654
Figure 3.9-6 Flow Chart for Determining Test Data Frequency and Amplitude 3-655
Figure 3.9-7 ESBWR Reactor Assembly Showing Reactor Internal Components 3-656
Figure 3.9-8 Typical Shroud, Chimney, and Top Guide Assembly 3-657
Figure 3.9-9 Typical Core Plate to Shroud Connection 3-658
Figure 3.9-10 Typical In-core Guide Tube Lateral Support Connection to Support Ring 3-659
Figure 3.9-11 Typical Inter-Connection Between In-core Guide Tube Lateral Supports. 3-660
Figure 3.9-12 Typical Connection Between In-Core Guide Tube and Core Plate 3-661
Figure 3A.5-1. Method for Frequency-Independent Soil Properties 3-716
Figure 3A.7-1. *RB/FB Stick Model* 3-741
Figure 3A.7-2. *RCCV Stick Model* 3-742
Figure 3A.7-3. *Pedestal Stick Model* 3-743
Figure 3A.7-4. *RB/FB Complex Seismic Model* 3-744
Figure 3A.7-5. *Control Building Stick Model* 3-745
Figure 3A.7-6. *Control Building Seismic Model* 3-746
Figure 3A.7-7. *FWSC Seismic Model* 3-747
Figure 3A.7-8. *SASSI2000 Plate Elements for RB/FB Basemat* 3-748
Figure 3A.7-9. *SASSI2000 Plate Elements for RB/FB Exterior Walls* 3-749
Figure 3A.7-10. *Overview of RB/FB SASSI2000 Model* 3-750
Figure 3A.7-11. *SASSI2000 Plate Elements for CB Basemat* 3-751
Figure 3A.7-12. *SASSI2000 Plate Elements for CB Exterior Walls* 3-752
Figure 3A.7-13. *Overview of CB SASSI2000 Model* 3-753

Figures

Figure 3A.7-14. *SASSI2000 Plate Elements for FWSC Basemat* 3-754
Figure 3A.7-15. Overview of FWSC SASSI2000 Model 3-755
Figure 3A.8.1-1a FRS (Effect of Soil Stiffness) – RB/FB Refueling Floor X 3-782
Figure 3A.8.1-1b FRS (Effect of Soil Stiffness) – RCCV Top Slab X 3-782
Figure 3A.8.1-1c FRS (Effect of Soil Stiffness) – Vent Wall Top X 3-783
Figure 3A.8.1-1d FRS (Effect of Soil Stiffness) – RSW Top X 3-783
Figure 3A.8.1-1e FRS (Effect of Soil Stiffness) – RPV Top X 3-784
Figure 3A.8.1-1f FRS (Effect of Soil Stiffness) – RB/FB Basemat X 3-784
Figure 3A.8.1-1g FRS (Effect of Soil Stiffness) – CB Top X 3-785
Figure 3A.8.1-1h FRS (Effect of Soil Stiffness) – CB Basemat X 3-785
Figure 3A.8.1-2a FRS (Effect of Soil Stiffness) – RB/FB Refueling Floor Y 3-786
Figure 3A.8.1-2b FRS (Effect of Soil Stiffness) – RCCV Top Slab Y 3-786
Figure 3A.8.1-2c FRS (Effect of Soil Stiffness) – Vent Wall Top Y 3-787
Figure 3A.8.1-2d FRS (Effect of Soil Stiffness) – RSW Top Y 3-787
Figure 3A.8.1-2e FRS (Effect of Soil Stiffness) – RPV Top Y 3-788
Figure 3A.8.1-2f FRS (Effect of Soil Stiffness) – RB/FB Basemat Y 3-788
Figure 3A.8.1-2g FRS (Effect of Soil Stiffness) – CB Top Y 3-789
Figure 3A.8.1-2h FRS (Effect of Soil Stiffness) – CB Basemat Y 3-789
Figure 3A.8.1-3a FRS (Effect of Soil Stiffness) – RB/FB Refueling Floor Z 3-790
Figure 3A.8.1-3b FRS (Effect of Soil Stiffness) – RCCV Top Slab Z 3-790
Figure 3A.8.1-3c FRS (Effect of Soil Stiffness) – Vent Wall Top Z 3-791
Figure 3A.8.1-3d FRS (Effect of Soil Stiffness) – RSW Top Z 3-791
Figure 3A.8.1-3e FRS (Effect of Soil Stiffness) – RPV Top Z 3-792
Figure 3A.8.1-3f FRS (Effect of Soil Stiffness) – RB/FB Basemat Z 3-792
Figure 3A.8.1-3g FRS (Effect of Soil Stiffness) – CB Top Z 3-793
Figure 3A.8.1-3h FRS (Effect of Soil Stiffness) – CB Basemat Z 3-793
Figure 3A.8.1-4a FRS (Effect of Soil Stiffness) – FWS Wall Top X 3-794
Figure 3A.8.1-4b FRS (Effect of Soil Stiffness) – FWS Basemat X 3-794

Figures

Figure 3A.8.1-4c FRS (Effect of Soil Stiffness) – FPE Top X 3-795
Figure 3A.8.1-4d FRS (Effect of Soil Stiffness) – FPE Basemat X 3-795
Figure 3A.8.1-5a FRS (Effect of Soil Stiffness) – FWS Wall Top Y 3-796
Figure 3A.8.1-5b FRS (Effect of Soil Stiffness) – FWS Basemat Y 3-796
Figure 3A.8.1-5c FRS (Effect of Soil Stiffness) – FPE Top Y 3-797
Figure 3A.8.1-5d FRS (Effect of Soil Stiffness) – FPE Basemat Y 3-797
Figure 3A.8.1-6a FRS (Effect of Soil Stiffness) – FWS Wall Top Z 3-798
Figure 3A.8.1-6b FRS (Effect of Soil Stiffness) – FWS Basemat Z 3-798
Figure 3A.8.1-6c FRS (Effect of Soil Stiffness) – FPE Top Z 3-799
Figure 3A.8.1-6d FRS (Effect of Soil Stiffness) – FPE Basemat Z 3-799
Figure 3A.8.2-1a FRS (Effect of Single Envelope Ground Motion) – RB/FB Refueling Floor X 3-800
Figure 3A.8.2-1b FRS (Effect of Single Envelope Ground Motion) – RCCV Top Slab X 3-800
Figure 3A.8.2-1c FRS (Effect of Single Envelope Ground Motion) – Vent Wall Top X 3-801
Figure 3A.8.2-1d FRS (Effect of Single Envelope Ground Motion) – RSW Top X 3-801
Figure 3A.8.2-1e FRS (Effect of Single Envelope Ground Motion) – RPV Top X 3-802
Figure 3A.8.2-1f FRS (Effect of Single Envelope Ground Motion) – RB/FB Basemat X 3-802
Figure 3A.8.2-1g FRS (Effect of Single Envelope Ground Motion) – CB Top X 3-803
Figure 3A.8.2-1h FRS (Effect of Single Envelope Ground Motion) – CB Basemat X 3-803
Figure 3A.8.2-2a FRS (Effect of Single Envelope Ground Motion) – RB/FB Refueling Floor Y 3-804
Figure 3A.8.2-2b FRS (Effect of Single Envelope Ground Motion) – RCCV Top Slab Y 3-804
Figure 3A.8.2-2c FRS (Effect of Single Envelope Ground Motion) – Vent Wall Top Y 3-805
Figure 3A.8.2-2d FRS (Effect of Single Envelope Ground Motion) – RSW Top Y 3-805
Figure 3A.8.2-2e FRS (Effect of Single Envelope Ground Motion) – RPV Top Y 3-806

Figures

Figure 3A.8.2-2f FRS (Effect of Single Envelope Ground Motion) – RB/FB Basemat Y 3-806

Figure 3A.8.2-2g FRS (Effect of Single Envelope Ground Motion) – CB Top Y 3-807

Figure 3A.8.2-2h FRS (Effect of Single Envelope Ground Motion) – CB Basemat Y 3-807

Figure 3A.8.2-3a FRS (Effect of Single Envelope Ground Motion) – RB/FB Refueling Floor Z 3-808

Figure 3A.8.2-3b FRS (Effect of Single Envelope Ground Motion) – RCCV Top Slab Z 3-808

Figure 3A.8.2-3c FRS (Effect of Single Envelope Ground Motion) – Vent Wall Top Z 3-809

Figure 3A.8.2-3d FRS (Effect of Single Envelope Ground Motion) – RSW Top Z 3-809

Figure 3A.8.2-3e FRS (Effect of Single Envelope Ground Motion) – RPV Top Z 3-810

Figure 3A.8.2-3f FRS (Effect of Single Envelope Ground Motion) – RB/FB Basemat Z 3-810

Figure 3A.8.2-3g FRS (Effect of Single Envelope Ground Motion) – CB Top Z 3-811

Figure 3A.8.2-3h FRS (Effect of Single Envelope Ground Motion) – CB Basemat Z 3-811

Figure 3A.8.3-1a FRS (Effect of Updated Design of RSW and VW) – RB/FB Refueling Floor X 3-812

Figure 3A.8.3-1b FRS (Effect of Updated Design of RSW and VW) – RCCV Top Slab X 3-812

Figure 3A.8.3-1c FRS (Effect of Updated Design of RSW and VW) – Vent Wall Top X 3-813

Figure 3A.8.3-1d FRS (Effect of Updated Design of RSW and VW) – RSW Top X 3-813

Figure 3A.8.3-1e FRS (Effect of Updated Design of RSW and VW) – RPV Top X 3-814

Figure 3A.8.3-1f FRS (Effect of Updated Design of RSW and VW) – RB/FB Basemat X 3-814

Figure 3A.8.3-2a FRS (Effect of Updated Design of RSW and VW) – RB/FB Refueling Floor Y 3-815

Figure 3A.8.3-2b FRS (Effect of Updated Design of RSW and VW) – RCCV Top Slab Y 3-815

Figure 3A.8.3-2c FRS (Effect of Updated Design of RSW and VW) – Vent Wall Top Y 3-816

Figures

Figure 3A.8.3-2d FRS (Effect of Updated Design of RSW and VW) – RSW Top Y 3-816

Figure 3A.8.3-2e FRS (Effect of Updated Design of RSW and VW) – RPV Top Y 3-817

Figure 3A.8.3-2f FRS (Effect of Updated Design of RSW and VW) – RB/FB Basemat Y 3-817

Figure 3A.8.3-3a FRS (Effect of Updated Design of RSW and VW) – RB/FB Refueling Floor Z 3-818

Figure 3A.8.3-3b FRS (Effect of Updated Design of RSW and VW) – RCCV Top Slab Z 3-818

Figure 3A.8.3-3c FRS (Effect of Updated Design of RSW and VW) – Vent Wall Top Z 3-819

Figure 3A.8.3-3d FRS (Effect of Updated Design of RSW and VW) – RSW Top Z 3-819

Figure 3A.8.3-3e FRS (Effect of Updated Design of RSW and VW) – RPV Top Z 3-820

Figure 3A.8.3-3f FRS (Effect of Updated Design of RSW and VW) – RB/FB Basemat Z 3-820

Figure 3A.8.4-1a FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RB/FB Refueling Floor X 3-821

Figure 3A.8.4-1b FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RCCV Top Slab X 3-821

Figure 3A.8.4-1c FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – Vent Wall Top X 3-822

Figure 3A.8.4-1d FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RSW Top X 3-822

Figure 3A.8.4-1e FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RPV Top X 3-823

Figure 3A.8.4-1f FRS (Effect of Infill 50% Concrete Stiffness of VW and D/F) - RB/FB Basemat 3-823

Figure 3A.8.4-2a FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RB/FB Refueling Floor Y 3-824

Figure 3A.8.4-2b FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RCCV Top Slab Y 3-824

Figure 3A.8.4-2c FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – Vent Wall Top Y 3-825

Figures

Figure 3A.8.4-2d FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RSW Top Y 3-825

Figure 3A.8.4-2e FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RPV Top Y 3-826

Figure 3A.8.4-2f FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RB/FB Basemat Y 3-826

Figure 3A.8.4-3a FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RB/FB Refueling Floor Z 3-827

Figure 3A.8.4-3b FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RCCV Top Slab Z 3-827

Figure 3A.8.4-3c FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – Vent Wall Top Z 3-828

Figure 3A.8.4-3d FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RSW Top Z 3-828

Figure 3A.8.4-3e FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RPV Top Z 3-829

Figure 3A.8.4-3f FRS (Effect of 50% Infill Concrete Stiffness of VW and D/F) – RB/FB Basemat Z 3-829

Figure 3A.8.4-4a FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RB/FB Refueling Floor X 3-830

Figure 3A.8.4-4b FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RCCV Top Slab X 3-830

Figure 3A.8.4-4c FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – Vent Wall Top X 3-831

Figure 3A.8.4-4d FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RSW Top X 3-831

Figure 3A.8.4-4e FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RSW Top X 3-832

Figure 3A.8.4-4f FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RB/FB Basemat X 3-832

Figure 3A.8.4-5a FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RB/FB Refueling Floor Y 3-833

Figure 3A.8.4-5b FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RCCV Top Slab Y 3-833

Figures

Figure 3A.8.4-5c FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – Vent Wall Top Y 3-834

Figure 3A.8.4-5d FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RSW Top Y 3-834

Figure 3A.8.4-5e FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RPV Top Y 3-835

Figure 3A.8.4-5f FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RB/FB Basemat Y 3-835

Figure 3A.8.4-6a FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RB/FB Refueling Floor Z 3-836

Figure 3A.8.4-6b FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RCCV Top Slab Z 3-836

Figure 3A.8.4-6c FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – Vent Wall Top Z 3-837

Figure 3A.8.4-6d FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RSW Top Z 3-837

Figure 3A.8.4-6e FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RPV Top Z 3-838

Figure 3A.8.4-6f FRS (Effect of 100% Infill Concrete Stiffness of VW and D/F) – RB/FB Basemat Z 3-838

Figure 3A.8.5-1a FRS (Effect of LOCA Flooding) – RB/FB Refueling Floor X 3-839

Figure 3A.8.5-1b FRS (Effect of LOCA Flooding) – RCCV Top Slab X 3-839

Figure 3A.8.5-1c FRS (Effect of LOCA Flooding) – Vent Wall Top X 3-840

Figure 3A.8.5-1d FRS (Effect of LOCA Flooding) – RSW Top X 3-840

Figure 3A.8.5-1e FRS (Effect of LOCA Flooding) – RPV Top X 3-841

Figure 3A.8.5-1f FRS (Effect of LOCA Flooding) – RB/FB Basemat X 3-841

Figure 3A.8.5-2a FRS (Effect of LOCA Flooding) – RB/FB Refueling Floor Y 3-842

Figure 3A.8.5-2b FRS (Effect of LOCA Flooding) – RCCV Top Slab Y 3-842

Figure 3A.8.5-2c FRS (Effect of LOCA Flooding) – Vent Wall Top Y 3-843

Figure 3A.8.5-2d FRS (Effect of LOCA Flooding) – RSW Top Y 3-843

Figure 3A.8.5-2e FRS (Effect of LOCA Flooding) – RPV Top Y 3-844

Figure 3A.8.5-2f FRS (Effect of LOCA Flooding) – RB/FB Basemat Y 3-844

Figures

Figure 3A.8.5-3a FRS (Effect of LOCA Flooding) – RB/FB Refueling Floor Z 3-845
Figure 3A.8.5-3b FRS (Effect of LOCA Flooding) – RCCV Top Slab Z 3-845
Figure 3A.8.5-3c FRS (Effect of LOCA Flooding) – Vent Wall Top Z 3-846
Figure 3A.8.5-3d FRS (Effect of LOCA Flooding) – RSW Top Z 3-846
Figure 3A.8.5-3e FRS (Effect of LOCA Flooding) – RPV Top Z 3-847
Figure 3A.8.5-3f FRS (Effect of LOCA Flooding) – RB/FB Basemat Z 3-847
Figure 3A.8.6-1a FRS (Effect of Layered Sites) – RB/FB Refueling Floor X 3-848
Figure 3A.8.6-1b FRS (Effect of Layered Sites) – RCCV Top Slab X 3-848
Figure 3A.8.6-1c FRS (Effect of Layered Sites) – Vent Wall Top X 3-849
Figure 3A.8.6-1d FRS (Effect of Layered Sites) – RSW Top X 3-849
Figure 3A.8.6-1e FRS (Effect of Layered Sites) – RPV Top X 3-850
Figure 3A.8.6-1f FRS (Effect of Layered Sites) – RB/FB Basemat X 3-850
Figure 3A.8.6-1g FRS (Effect of Layered Sites) – CB Top X 3-851
Figure 3A.8.6-1h FRS (Effect of Layered Sites) – CB Basemat X 3-851
Figure 3A.8.6-1i FRS (Effect of Layered Sites) – FWS Wall Top X 3-852
Figure 3A.8.6-1j FRS (Effect of Layered Sites) – FWS Basemat X 3-852
Figure 3A.8.6-1k FRS (Effect of Layered Sites) – FPE Top X 3-853
Figure 3A.8.6-1l FRS (Effect of Layered Sites) – FPE Basemat X 3-853
Figure 3A.8.6-2a FRS (Effect of Layered Sites) – RB/FB Refueling Floor Y 3-854
Figure 3A.8.6-2b FRS (Effect of Layered Sites) – RCCV Top Slab Y 3-854
Figure 3A.8.6-2c FRS (Effect of Layered Sites) – Vent Wall Top Y 3-855
Figure 3A.8.6-2d FRS (Effect of Layered Sites) – RSW Top Y 3-855
Figure 3A.8.6-2e FRS (Effect of Layered Sites) – RPV Top Y 3-856
Figure 3A.8.6-2f FRS (Effect of Layered Sites) – RB/FB Basemat Y 3-856
Figure 3A.8.6-2g FRS (Effect of Layered Sites) – CB Top Y 3-857
Figure 3A.8.6-2h FRS (Effect of Layered Sites) – CB Basemat Y 3-857
Figure 3A.8.6-2i FRS (Effect of Layered Sites) – FWS Wall Top Y 3-858

Figures

Figure 3A.8.6-2j FRS (Effect of Layered Sites) – FWS Basemat Y 3-858
Figure 3A.8.6-2k FRS (Effect of Layered Sites) – FPE Top Y 3-859
Figure 3A.8.6-2l FRS (Effect of Layered Sites) – FPE Basemat Y 3-859
Figure 3A.8.6-3a FRS (Effect of Layered Sites) – RB/FB Refueling Floor Z 3-860
Figure 3A.8.6-3b FRS (Effect of Layered Sites) – RCCV Top Slab Z 3-860
Figure 3A.8.6-3c FRS (Effect of Layered Sites) – Vent Wall Top Z 3-861
Figure 3A.8.6-3d FRS (Effect of Layered Sites) – RSW Top Z 3-861
Figure 3A.8.6-3e FRS (Effect of Layered Sites) – RPV Top Z 3-862
Figure 3A.8.6-3f FRS (Effect of Layered Sites) – RB/FB Basemat Z 3-862
Figure 3A.8.6-3g FRS (Effect of Layered Sites) – CB Top Z 3-863
Figure 3A.8.6-3h FRS (Effect of Layered Sites) – CB Basemat Z 3-863
Figure 3A.8.6-3i FRS (Effect of Layered Sites) – FWS Wall Top Z 3-864
Figure 3A.8.6-3j FRS (Effect of Layered Sites) – FWS Basemat Z 3-864
Figure 3A.8.6-3k FRS (Effect of Layered Sites) – FPE Top Z 3-865
Figure 3A.8.6-3l FRS (Effect of Layered Sites) – FPE Basemat Z 3-865
Figure 3A.8.7-1a FRS (Effect of Embedment) – RB/FB Refueling Floor X 3-866
Figure 3A.8.7-1b FRS (Effect of Embedment) – RCCV Top Slab X 3-866
Figure 3A.8.7-1c FRS (Effect of Embedment) – Vent Wall Top X 3-867
Figure 3A.8.7-1d FRS (Effect of Embedment) – RSW Top X 3-867
Figure 3A.8.7-1e FRS (Effect of Embedment) – RPV Top X 3-868
Figure 3A.8.7-1f FRS (Effect of Embedment) – RB/FB Basemat X 3-868
Figure 3A.8.7-1g FRS (Effect of Embedment) – CB Top X 3-869
Figure 3A.8.7-1h FRS (Effect of Embedment) – CB Basemat X 3-869
Figure 3A.8.7-1i FRS (Effect of Embedment) – FWS Wall Top X 3-870
Figure 3A.8.7-1j FRS (Effect of Embedment) – FWS Basemat X 3-870
Figure 3A.8.7-1k FRS (Effect of Embedment) – FPE Top X 3-871
Figure 3A.8.7-1l FRS (Effect of Embedment) – FPE Basemat X 3-871

Figures

Figure 3A.8.7-2a FRS (Effect of Embedment) – RB/FB Refueling Floor Y 3-872
Figure 3A.8.7-2b FRS (Effect of Embedment) – RCCV Top Slab Y 3-872
Figure 3A.8.7-2c FRS (Effect of Embedment) – Vent Wall Top Y 3-873
Figure 3A.8.7-2d FRS (Effect of Embedment) – RSW Top Y 3-873
Figure 3A.8.7-2e FRS (Effect of Embedment) – RPV Top Y 3-874
Figure 3A.8.7-2f FRS (Effect of Embedment) – RB/FB Basemat Y 3-874
Figure 3A.8.7-2g FRS (Effect of Embedment) – CB Top Y 3-875
Figure 3A.8.7-2h FRS (Effect of Embedment) – CB Basemat Y 3-875
Figure 3A.8.7-2i FRS (Effect of Embedment) – FWS Wall Top Y 3-876
Figure 3A.8.7-2j FRS (Effect of Embedment) – FWS Basemat Y 3-876
Figure 3A.8.7-2k FRS (Effect of Embedment) – FPE Top Y 3-877
Figure 3A.8.7-2l FRS (Effect of Embedment) – FPE Basemat Y 3-877
Figure 3A.8.7-3a FRS (Effect of Embedment) – RB/FB Refueling Floor Z 3-878
Figure 3A.8.7-3b FRS (Effect of Embedment) – RCCV Top Slab Z 3-878
Figure 3A.8.7-3c FRS (Effect of Embedment) – Vent Wall Top Z 3-879
Figure 3A.8.7-3d FRS (Effect of Embedment) – RSW Top Z 3-879
Figure 3A.8.7-3e FRS (Effect of Embedment) – RPV Top Z 3-880
Figure 3A.8.7-3f FRS (Effect of Embedment) – RB/FB Basemat Z 3-880
Figure 3A.8.7-3g FRS (Effect of Embedment) – CB Top Z 3-881
Figure 3A.8.7-3h FRS (Effect of Embedment) – CB Basemat Z 3-881
Figure 3A.8.7-3i FRS (Effect of Embedment) – FWS Wall Top Z 3-882
Figure 3A.8.7-3j FRS (Effect of Embedment) – FWS Basemat Z 3-882
Figure 3A.8.7-3k FRS (Effect of Embedment) – FPE Top Z 3-883
Figure 3A.8.7-3l FRS (Effect of Embedment) – FPE Basemat Z 3-883
Figure 3A.8.8-1 Lateral Soil Pressure – RB/FB R1 and F3 Wall 3-884
Figure 3A.8.8-2 Lateral Soil Pressure – RB/FB RA and RG Wall 3-885
Figure 3A.8.8-3 Lateral Soil Pressure - CB C1 and C5 Wall 3-886
Figure 3A.8.8-4 Lateral Soil Pressure - CB CA and CD Wall 3-887

Figures

Figure 3A.8.9-1a FRS (Effect of Concrete Cracking) – RB/FB Refueling Floor X 3-888
Figure 3A.8.9-1b FRS (Effect of Concrete Cracking) – RCCV Top Slab X 3-888
Figure 3A.8.9-1c FRS (Effect of Concrete Cracking) – Vent Wall Top X 3-889
Figure 3A.8.9-1d FRS (Effect of Concrete Cracking) – RSW Top X 3-889
Figure 3A.8.9-1e FRS (Effect of Concrete Cracking) – RPV Top X 3-890
Figure 3A.8.9-1f FRS (Effect of Concrete Cracking) – RB/FB Basemat X 3-890
Figure 3A.8.9-1g FRS (Effect of Concrete Cracking) – CB Top X 3-891
Figure 3A.8.9-1h FRS (Effect of Concrete Cracking) – CB Basemat X 3-891
Figure 3A.8.9-1i FRS (Effect of Concrete Cracking) – FWS Wall Top X 3-892
Figure 3A.8.9-1j FRS (Effect of Concrete Cracking) – FWS Basemat X 3-892
Figure 3A.8.9-1k FRS (Effect of Concrete Cracking) – FPE Top X 3-893
Figure 3A.8.9-1l FRS (Effect of Concrete Cracking) – FPE Basemat X 3-893
Figure 3A.8.9-2a FRS (Effect of Concrete Cracking) – RB/FB Refueling Floor Y 3-894
Figure 3A.8.9-2b FRS (Effect of Concrete Cracking) – RCCV Top Slab Y 3-894
Figure 3A.8.9-2c FRS (Effect of Concrete Cracking) – Vent Wall Top Y 3-895
Figure 3A.8.9-2d FRS (Effect of Concrete Cracking) – RSW Top Y 3-895
Figure 3A.8.9-2e FRS (Effect of Concrete Cracking) – RPV Top Y 3-896
Figure 3A.8.9-2f FRS (Effect of Concrete Cracking) – RB/FB Basemat Y 3-896
Figure 3A.8.9-2g FRS (Effect of Concrete Cracking) – CB Top Y 3-897
Figure 3A.8.9-2h FRS (Effect of Concrete Cracking) – CB Basemat Y 3-897
Figure 3A.8.9-2i FRS (Effect of Concrete Cracking) – FWS Wall Top Y 3-898
Figure 3A.8.9-2j FRS (Effect of Concrete Cracking) – FWS Basemat Y 3-898
Figure 3A.8.9-2k FRS (Effect of Concrete Cracking) – FPE Top Y 3-899
Figure 3A.8.9-2l FRS (Effect of Concrete Cracking) – FPE Basemat Y 3-899
Figure 3A.8.11-1 FRS (Effect of Structure-Structure Interaction) – CB Top X 3-900
Figure 3A.8.11-2 FRS (Effect of Structure-Structure Interaction) – CB Basemat X 3-900
Figure 3A.8.11-3 FRS (Effect of Structure-Structure Interaction) – CB Top Y 3-901
Figure 3A.8.11-4 FRS (Effect of Structure-Structure Interaction) – CB Basemat Y 3-901

Figures

Figure 3A.8.11-5 FRS (Effect of Structure-Structure Interaction) – CB Top Z 3-902
Figure 3A.8.11-6 FRS (Effect of Structure-Structure Interaction) – CB Basemat Z 3-902
Figure 3A.8.11-7 FRS (Effect of Structure-Structure Interaction) – CB Top X 3-903
Figure 3A.8.11-8 FRS (Effect of Structure-Structure Interaction) – CB Basemat X 3-903
Figure 3A.8.11-9 FRS (Effect of Structure-Structure Interaction) – CB Top Y 3-904
Figure 3A.8.11-10 FRS (Effect of Structure-Structure Interaction) – CB Basemat Y 3-904
Figure 3A.8.11-11 FRS (Effect of Structure-Structure Interaction) – CB Top Z 3-905
Figure 3A.8.11-12 FRS (Effect of Structure-Structure Interaction) – CB Basemat Z 3-905
Figure 3A.8.11-13 FRS (Effect of Structure-Structure Interaction) – FWS Wall Top X 3-906
Figure 3A.8.11-14 FRS (Effect of Structure-Structure Interaction) – FWS Basemat X 3-906
Figure 3A.8.11-15 FRS (Effect of Structure-Structure Interaction) – FPE Top X 3-907
Figure 3A.8.11-16 FRS (Effect of Structure-Structure Interaction) – FPE Basemat X 3-907
Figure 3A.8.11-17 FRS (Effect of Structure-Structure Interaction) – FWS Wall Top Y 3-908
Figure 3A.8.11-18 FRS (Effect of Structure-Structure Interaction) – FWS Basemat Y 3-908
Figure 3A.8.11-19 FRS (Effect of Structure-Structure Interaction) – FPE Top Y 3-909
Figure 3A.8.11-20 FRS (Effect of Structure-Structure Interaction) – FPE Basemat Y 3-909
Figure 3A.8.11-21 FRS (Effect of Structure-Structure Interaction) – FWS Wall Top Z 3-910
Figure 3A.8.11-22 FRS (Effect of Structure-Structure Interaction) – FWS Basemat Z 3-910
Figure 3A.8.11-23 FRS (Effect of Structure-Structure Interaction) – FPE Top Z 3-911
Figure 3A.8.11-24 FRS (Effect of Structure-Structure Interaction) – FPE Basemat Z 3-911
Figure 3A.9-1a. *Enveloping Floor Response Spectra - RB/FB Refueling Floor X* 3-937
Figure *3A.9-1b.* Enveloping Floor Response Spectra - RCCV Top Slab X 3-937
Figure *3A.9-1c.* *Enveloping Floor Response Spectra – Vent Wall Top X* 3-938
Figure 3A.9-1d. Enveloping Floor Response Spectra - RSW Top X 3-938
Figure *3A.9-1e.* *Enveloping Floor Response Spectra – RPV Top X* 3-939
Figure 3A.9-1f. Enveloping Floor Response Spectra - RB/FB Basement X 3-939
Figure *3A.9-1g.* *Enveloping Floor Response Spectra – CB Top X* 3-940
Figure 3A.9-1h. Enveloping Floor Response Spectra - CB Basement X 3-940

Figures

Figure *3A.9-1i.* *Enveloping Floor Response Spectra – FWS Wall Top X* 3-941
Figure 3A.9-1j. Enveloping Floor Response Spectra - FWS Basement X 3-941
Figure 3A.9-1k. *Enveloping Floor Response Spectra - FPE Top X* 3-942
Figure 3A.9-1l. Enveloping Floor Response Spectra - FPE Basement X 3-942
Figure 3A.9-2a. *Enveloping Floor Response Spectra – RB/FB Refueling Floor Y* 3-943
Figure *3A.9-2b.* *Enveloping Floor Response Spectra – RCCV Top Slab Y* 3-943
Figure *3A.9-2c.* *Enveloping Floor Response Spectra – Vent Wall Top Y* 3-944
Figure *3A.9-2d.* *Enveloping Floor Response Spectra – RSW Top Y* 3-944
Figure *3A.9-2e.* *Enveloping Floor Response Spectra – RPV Top Y* 3-945
Figure *3A.9-2f.* *Enveloping Floor Response Spectra – RB/FB Basemat Y* 3-945
Figure *3A.9-2g.* *Enveloping Floor Response Spectra – CB Top Y* 3-946
Figure *3A.9-2h.* *Enveloping Floor Response Spectra – CB Basemat Y* 3-946
Figure *3A.9-2i.* *Enveloping Floor Response Spectra – FWS Wall Top Y* 3-947
Figure *3A.9-2j.* *Enveloping Floor Response Spectra – FWS Basemat Y* 3-947
Figure *3A.9-2k.* *Enveloping Floor Response Spectra – FPE Top Y* 3-948
Figure 3A.9-2l. *Enveloping Floor Response Spectra – FPE Basemat Y* 3-948
Figure 3A.9-3a. *Enveloping Floor Response Spectra – RB/FB Refueling Floor Z* 3-949
Figure 3A.9.3b *Enveloping Floor Response Spectra – RCCV Top Slab Z* 3-949
Figure *3A.9-3c.* *Enveloping Floor Response Spectra – Vent Wall Top Z* 3-950
Figure *3A.9-3d.* *Enveloping Floor Response Spectra – RSW Top Z* 3-950
Figure *3A.9-3e.* *Enveloping Floor Response Spectra – RPV Top Z* 3-951
Figure *3A.9-3f.* *Enveloping Floor Response Spectra – RB/FB Basemat Z* 3-951
Figure *3A.9-3g.* *Enveloping Floor Response Spectra – CB Top Z* 3-952
Figure *3A.9-3h.* *Enveloping Floor Response Spectra – CB Basemat Z* 3-952
Figure *3A.9-3i.* *Enveloping Floor Response Spectra – FWS Wall Top Z* 3-953
Figure *3A.9-3j.* *Enveloping Floor Response Spectra – FWS Basemat Z* 3-953
Figure *3A.9-3k.* *Enveloping Floor Response Spectra – FPE Top Z* 3-954

Figures

Figure 3A.9-3l. *Enveloping Floor Response Spectra – FPE Basemat Z* 3-954

Figure 3F-1. *Beam Model for Annulus Pressurization Load* 3-988

Figure 3F-2. *RB/FB 3D Shell Model* 3-989

Figure 3F-3. *RB/FB 3D Shell Model (0°-180° Direction)* 3-990

Figure 3F-4. *RB/FB 3D Shell Model (90°-270° Direction)* 3-991

Figure 3F-5. *Floor Response Spectra - Annulus Pressurization Envelope, Node Family: 701, Vertical* 3-992

Figure 3F-6. *Floor Response Spectra-Annulus Pressurization Envelope, Node Family: 706, Vertical* 3-993

Figure 3F-7. *Floor Response Spectra-Annulus Pressurization Envelope, Node Family: 208, Vertical* 3-994

Figure 3F-8. *Floor Response Spectra—Annulus Pressurization Envelope, Node Family: 701, Horizontal* 3-995

Figure 3F-9. *Floor Response Spectra—Annulus Pressurization Envelope, Node Family: 706, Horizontal* 3-996

Figure 3F-10. *Floor Response Spectra—Annulus Pressurization Envelope, Node Family: 208, Horizontal* 3-997

Figure 3F-11. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 1104, Z-direction (Vertical)* 3-998

Figure 3F-12. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 1254, Z-direction (Vertical)* 3-999

Figure 3F-13. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 1119, Z-direction (Vertical)* 3-1000

Figure 3F-14. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 18P1, Z-direction (Vertical)* 3-1001

Figure 3F-15. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 1104, X-direction (0°-180°)* 3-1002

Figure 3F-16. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 1254, X-direction (0°-180°)* 3-1003

Figure 3F-17. *Floor Response Spectra —SRV Discharge Envelope, Node Family: 1119, X-direction (0°-180°)* 3-1004

Figure 3F-18. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 18P1, X-direction (0°-180°)* 3-1005

Figures

Figure 3F-19. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 1104, Y-direction (90°-270°)* 3-1006

Figure 3F-20. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 1254, Y-direction (90°-270°)* 3-1007

Figure 3F-21. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 1119, Y-direction (90º-270º)* 3-1008

Figure 3F-22. *Floor Response Spectra—SRV Discharge Envelope, Node Family: 18P1, Y-direction (90°-270°)* 3-1009

Figure 3F-23. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 1104, Z-direction (Vertical)* 3-1010

Figure 3F-24. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 1254, Z-direction (Vertical)* 3-1011

Figure 3F-25. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 1119, Z-direction (Vertical)* 3-1012

Figure 3F-26. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 18P1, Z-direction (Vertical)* 3-1013

Figure 3F-27. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 1104, X-direction (0°-180°)* 3-1014

Figure 3F-28. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 1254, X-direction (0°-180°)* 3-1015

Figure 3F-29. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 1119, X-direction (0°-180°)* 3-1016

Figure 3F-30. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 18P1, X-direction (0°-180°)* 3-1017

Figure 3F-31. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 1104, Y-direction (90°-270°)* 3-1018

Figure 3F-32. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 1254, Y-direction (90°-270°)* 3-1019

Figure 3F-33. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 1119, Y-direction (90°-270°)* 3-1020

Figure 3F-34. *Floor Response Spectra—Chugging & CO Envelope, Node Family: 18P1, Y-direction (90°-270°)* 3-1021

Figure 3G.1-1. *RB and FB Concrete Outline Plan at EL -11500* 3-1147

Figure 3G.1-2. RB and FB Concrete Outline Plan at EL 4650 3-1148

Figure 3G.1-3. RB and FB Concrete Outline Plan at EL 17500 3-1149

Figures

Figure 3G.1-4. *RB and FB Concrete Outline Plan at EL 27000* 3-1150
Figure 3G.1-5. RB Concrete Outline Plan at EL 34000 3-1151
Figure 3G.1-6. RB and FB Concrete Outline N-S Section 3-1152
Figure 3G.1-7. *RB and FB Concrete Outline E-W Section* 3-1153
Figure 3G.1-8. *Finite Element Model of RB/FB (Isometric View)* 3-1154
Figure 3G.1-9. Finite Element Model of RB/FB (Foundation Mat) 3-1155
Figure 3G.1-10. *Finite Element Model of RB/FB (RCCV Wall)* 3-1156
Figure 3G.1-11. *Finite Element Model of RB/FB (RPV Pedestal)* 3-1157
Figure 3G.1-12. Finite Element Model of RB/FB (Top Slab) 3-1158
Figure 3G.1-13. Finite Element Model of RB/FB (Suppression Pool Slab) 3-1159
Figure 3G.1-14. Finite Element Model of RB/FB (External Wall: North Side) 3-1160
Figure 3G.1-15. Finite Element Model of RB/FB (External Wall: East Side) 3-1161
Figure 3G.1-16. Finite Element Model of RB/FB (Internal Wall on R7/F1 Column Line) 3-1162
Figure 3G.1-17. Finite Element Model of RB/FB (RCCV Internals) 3-1163
Figure 3G.1-18. *Finite Element Model of RB/FB (RCCV Liner)* 3-1164
Figure 3G.1-19. Soil Pressure at Rest 3-1165
Figure 3G.1-20. Sections Where Thermal Loads Are Defined 3-1166
Figure 3G.1-21. *Condensation Oscillation (CO) Pressure Loads* 3-1167
Figure 3G.1-22. *Chugging (CHUG) Pressure Loads* 3-1168
Figure 3G.1-23. SRV Pressure Loads 3-1169
Figure 3G.1-24. Design Seismic Shears and Moments for RB and FB Walls 3-1170
Figure 3G.1-25. Design Seismic Shears and Moments for RCCV 3-1171
Figure 3G.1-26. Design Seismic Shears and Moments for RPV Pedestal and Vent Wall 3-1172
Figure 3G.1-27. Seismic Lateral Soil Pressure 3-1173
Figure 3G.1-28. Sections Considered for Analysis 3-1174
Figure 3G.1-29. Force and Moment in Shell Element 3-1175

Figures

Figure 3G.1-30. *Section Deformation for Dead Load* 3-1176
Figure 3G.1-31. *Section Deformation for Drywell Unit Pressure (1 MPa)* 3-1177
Figure 3G.1-32. *Section Deformation for Wetwell Unit Pressure (1 MPa)* 3-1178
Figure 3G.1-33. *Section Deformation for Thermal Load (Normal Operation: Winter)* 3-1179
Figure 3G.1-34. *Section Deformation for Thermal Load (LOCA After 6 min.: Winter)* 3-1180
Figure 3G.1-35. *Section Deformation for Thermal Load (LOCA After 72 hr.: Winter)* 3-1181
Figure 3G.1-36. *Section Deformation for Seismic Load (Horizontal: North to South)* 3-1182
Figure 3G.1-37. *Section Deformation for Seismic Load (Horizontal: East to West)* 3-1183
Figure 3G.1-38. *Section Deformation for Seismic Load (Vertical: Upward)* 3-1184
Figure 3G.1-39. *Flow Chart for Structural Analysis and Design* 3-1185
Figure 3G.1-40. *Reinforcing Steel of Foundation Mat: Plan* 3-1186
Figure 3G.1-41. *Reinforcing Steel of Foundation Mat: Section A-A* 3-1187
Figure 3G.1-42. *Reinforcing Steel of RCCV Wall* 3-1188
Figure 3G.1-43. *Reinforcing Steel of Suppression Pool Slab* 3-1189
Figure 3G.1-44. *Reinforcing Steel of Top Slab* 3-1190
Figure 3G.1-45. *Reinforcing Steel of RPV Pedestal* 3-1191
Figure 3G.1-46. *Reinforcing Steel of IC/PCCS Pool Girder* 3-1192
Figure 3G.1-47. *List of RB Wall and Slab Reinforcement* 3-1193
Figure 3G.1-48. *Liner Anchor* 3-1194
Figure 3G.1-49. *Liner Plate Plans* 3-1195
Figure 3G.1-50. *Liner Plate Development Elevation* 3-1196
Figure 3G.1-51. *Drywell Head* 3-1197
Figure 3G.1-52. *Equipment Hatch* 3-1198
Figure 3G.1-53. *Wetwell Hatch* 3-1199
Figure 3G.1-54. *Personnel Airlock* 3-1200
Figure 3G.1-55. *Diaphragm Floor* 3-1201
Figure 3G.1-56. *Diaphragm Floor Slab Anchor* 3-1202
Figure 3G.1-57. *RPV Support Bracket & Vent Wall* 3-1203

Figures

Figure 3G.1-58. *Reactor Shield Wall* 3-1204

Figure 3G.1-59. *GDCS Pool* 3-1205

Figure 3G.1-60. *Comparison of Basemat Deformation without Tension Springs (NS Direction SSE)* 3-1206

Figure 3G.1-61. *Comparison of Basemat Deformation without Tension Springs (EW Direction SSE)* 3-1207

Figure 3G.1-62. *Comparison of Basemat Sectional Moments (S to N SSE)* 3-1208

Figure 3G.1-63. *Comparison of Basemat Sectional Moments (W to E SSE)* 3-1209

Figure 3G.1-64. *Comparison of Basemat Sectional Moments (E to W SSE)* 3-1210

Figure 3G.1-65. *Deleted* 3-1211

Figure 3G.1-66. *Detail Local Finite Element Model of RCCV Wall Around Upper Drywell Personnel Airlock Opening* 3-1212

Figure 3G.1-67. *Additional Reinforcements in RCCV Wall Around Upper Drywell Personnel Airlock Opening (Inside Face)* 3-1213

Figure 3G.1-68. *Additional Reinforcements in RCCV Wall Around Upper Drywell Personnel Airlock Opening (Outside Face)* 3-1214

Figure 3G.1-69. *Reinforcements in RCCV Wall Around Upper Drywell Personal Airlock Opening (Section)* 3-1215

Figure 3G.1-70. *Reinforcements in RCCV Wall Around Upper Drywell Personnel Airlock Opening (Plan)* 3-1216

Figure 3G.1-71a. *(Deleted)* 3-1217

Figure 3G.1-71b. *(Deleted)* 3-1218

Figure 3G.1-72. *(Deleted)* 3-1219

Figure 3G.2-1. *CB Concrete Outline Plan at EL -7400 and Foundation Reinforcement* 3-1259

Figure 3G.2-2. *CB Concrete Outline Plant EL –2000/4650 and Section Details* 3-1260

Figure 3G.2-3. *CB Concrete Outline Plan at EL 9060/13800, Section and Section Detail* 3-1261

Figure 3G.2-4. *Finite Element Model of CB (Isometric View)* 3-1262

Figure 3G.2-5. *Finite Element Model of CB (Foundation Mat)* 3-1263

Figure 3G.2-6. *Finite Element Model of CB (External Wall: South Side)* 3-1264

Figures

Figure 3G.2-7. *Finite Element Model of CB (External Wall: East Side)* 3-1265
Figure 3G.2-8. *Finite Element Model of CB (Floor Slab: EL -2000)* 3-1266
Figure 3G.2-9. *Finite Element Model of CB (Floor Slab: EL 4650)* 3-1267
Figure 3G.2-10. *Finite Element Model of CB (Floor Slab: EL 9060)* 3-1268
Figure 3G.2-11. *Finite Element Model of CB (Roof: EL 13800)* 3-1269
Figure 3G.2-12. *Soil Pressure at Rest* 3-1270
Figure 3G.2-13. *Sections Where Thermal Loads Are Defined* 3-1271
Figure 3G.2-14. *Design Seismic Shears and Moments for CB* 3-1272
Figure 3G.2-15. *Seismic Lateral Soil Pressure* 3-1273
Figure 3G.2-16. *Force and Moment in Shell Element* 3-1274
Figure 3G.2-17. *Deleted* 3-1275
Figure 3G.3-1. *Sections Where Thermal Loads Are Defined* 3-1299
Figure 3G.3-2. *Section Considered for Analysis* 3-1300
Figure 3G.3-3. *Force and Moment in Shell Element* 3-1301
Figure 3G.3-4. *Reinforcing Steel of Spent Fuel Pool* 3-1302
Figure 3G.3-5. *List of FB Wall and Slab Reinforcement* 3-1303
Figure 3G.4-1. *FWSC Concrete Outline and Typical Rebar Arrangement* 3-1333
Figure 3G.4-2. *Finite Element Model of FWSC (Isometric View)* 3-1334
Figure 3G.4-3a. *Finite Element Model of FWSC (Foundation Mat)* 3-1335
Figure 3G.4-3b. *Finite Element Model of FWSC (Center Shear Key and South Shear Key of Basemat)* 3-1336
Figure 3G.4-4. *Finite Element Model of FWSC (South FWS Wall)* 3-1337
Figure 3G.4-5. *Finite Element Model of FWSC (FPE Wall: East and South)* 3-1338
Figure 3G.4-6. *Finite Element Model of FWSC (FPE Roof Slab, South FWS Roof Slab)* 3-1339
Figure 3G.4-7. *Sections Where Thermal Loads Are Defined* 3-1340
Figure 3G.4-8. *Design Seismic Shears and Moments for FWSC (FWS)* 3-1341
Figure 3G.4-9. *Design Seismic Shears and Moments for FWSC (FPE)* 3-1342

Figures

Figure 3G.4-10. Force and Moment in Shell Element 3-1343

Figure 3G.4-11. *(Deleted)* 3-1344

Figure 3G.5-1. *DW Design Temperature Curve (ENV) vs. RACG Short-Term Bounding Temperature Curve* 3-1389

Figure 3G.5-2. *DW Design Temperature Curve (ENV) vs. TRACG Medium-Term Bounding Temperature Curve* 3-1389

Figure 3G.5-3. *DW Design Temperature Curve (ENV) vs. TRACG Long-Term Bounding Temperature Curve* 3-1390

Figure 3G.5-4. *DW Integrated Design Temperature Curve vs. TRACG Short-Term Bounding Temperature Curve* 3-1390

Figure 3G.5-5. *DW Integrated Design Temperature Curve vs.TRACG Medium-Term Bounding Temperature Curve* 3-1391

Figure 3G.5-6. *DW Integrated Design Temperature Curve vs. TRACG Long-Term Bounding Temperature Curve* 3-1391

Figure 3G.5-7. *WW Design Temperature Curve (ENV) vs. TRACG Short-Term Bounding Temperature Curve* 3-1392

Figure 3G.5-8. *WW Design Temperature Curve (ENV) vs. TRACG Medium-Term Bounding Temperature Curve* 3-1392

Figure 3G.5-9. *WW Design Temperature Curve (ENV) vs. TRACG Long-Term Bounding Temperature Curve* 3-1393

Figure 3G.5-10. *WW Integrated Design Temperature Curve vs. TRACG Short-Term Bounding Temperature Curve* 3-1393

Figure 3G.5-11. *WW Integrated Design Temperature Curve vs.TRACG Medium-Term Bounding Temperature Curve* 3-1394

Figure 3G.5-12. *WW Integrated Design Temperature Curve vs. TRACG Long-Term Bounding Temperature Curve* 3-1394

Figure 3G.5-13. *Temperature Distributions in RB Upper Pools* 3-1395

Figure 3G.5-14. *RB Upper Pools - Slab Sections for Heat Transfer Calculation* 3-1396

Figure 3G.5-15. *RB Upper Pools - Wall Sections for Heat Transfer Calculation* 3-1397

Figure 3G.5-16. *Finite Element Model Around RB Upper Pools* 3-1397

Figure 3G.5-17. *RB Upper Pools - Elements Selected for Evaluation (Top Slab)* 3-1398

Figure 3G.5-18. *RB Upper Pools - Elements Selected for Evaluation (Floor Slab at EL27000)* 3-1399

Figures

Figure 3G.5-19. *RB Upper Pools - Elements Selected for Evaluation (Pool Girder)* 3-1400

Figure 3G.5-20. *RB Upper Pools - Elements Selected for Evaluation (IC/PCCS Pool Wall in NS Direction)* 3-1400

Figure 3G.6-1. *RB Concrete Outline Plan at EL –11500* 3-1415

Figure 3G.6-2. *RB Concrete Outline Plan at EL –6400* 3-1416

Figure 3G.6-3. *RB Concrete Outline Plan at EL –1000* 3-1417

Figure 3G.6-4. *RB Concrete Outline Plan at EL 4650* 3-1418

Figure 3G.6-5. *RB Concrete Outline Plan at EL 9060* 3-1419

Figure 3G.6-6. *RB Concrete Outline Plan at EL 13570* 3-1420

Figure 3G.6-7. *RB Concrete Outline Plan at EL 17500* 3-1421

Figure 3G.6-8. *RB Concrete Outline Plan at EL 27000* 3-1422

Figure 3G.6-9. *RB Concrete Outline Plan at EL 34000* 3-1423

Figure 3G.6-10. *RB Concrete Outline N-S Section* 3-1424

Figure 3G.6-11. *RB Concrete Outline E-W Section* 3-1425

Figure 3G.6-12. *CB Concrete Outline Plan at EL –7400* 3-1426

Figure 3G.6-13. *CB Concrete Outline Plan at EL –2000* 3-1427

Figure 3G.6-14. *CB Concrete Outline Plan at EL 4650* 3-1428

Figure 3G.6-15. *CB Concrete Outline Plan at EL 9060* 3-1429

Figure 3G.6-16. *CB Concrete Outline E-W Section* 3-1430

Figure 3G.6-17. *FB Concrete Outline Plan at EL –11500* 3-1431

Figure 3G.6-18. *FB Concrete Outline Plan at EL –6400* 3-1432

Figure 3G.6-19. *FB Concrete Outline Plan at EL –1000* 3-1433

Figure 3G.6-20. *FB Concrete Outline Plan at EL 4650* 3-1434

Figure 3G.6-21. *FB Concrete Outline Plan at EL 22500* 3-1435

Figure 3G.6-22. *FB Concrete Outline N-S Section* 3-1436

Figure 3H-1. Control Room Habitability Area 3-1465

Figure 3H-2. Control Room Habitability Area Transient Analysis Heat up Profile – 0% Exceedance Maximum Temperature Case 3-1466

Figures

Figure 3H-3. Control Room Habitability Area Transient Analysis Relative Humidity Profile– 0% Exceedance Maximum Temperature Case 3-1466

Figure 3J-1 Simplified Piping Models 3-1478

Figure 3J-2 Representation of Pipe With Both Ends Supported With a Longitudinal Break 3-1479

Figure 3L-1 Typical Chimney Assembly 3-1522

Figure 3L-2 Typical Steam Dryer Assembly 3-1523

Figure 4.1-1 Fuel Bundle, Neutron Sources, Neutron Detectors and Control Rod Arrangement 4-7

Figure 4.2-1 Axial Power Distributions (Full Length Fuel Rod) 4-22

Figure 4.2-2 Fuel Assembly 4-23

Figure 4.2-3 Typical Control Rod Assembly 4-24

Figure 4.2-4 Typical ESBWR Control Rod Configuration 4-25

Figure 4.3-1 Deleted) 4-40

Figure 4.3-2 (Deleted) 4-40

Figure 4.3-3 (Deleted) 4-40

Figure 4.3-4 (Deleted) 4-40

Figure 4.3-5 (Deleted) 4-40

Figure 4.4-1 Typical ESBWR Core Power – Feedwater Temperature Operating Domain/Map 4-65

Figure 4.6-1 Fine Motion Control Rod Drive Schematic 4-107

Figure 4.6-2 Fine Motion Control Rod Drive Unit (Cutaway) 4-108

Figure 4.6-3 Continuous Full-in Indicating Device 4-109

Figure 4.6-4 Control Rod Separation Detection 4-110

Figure 4.6-5 Control Rod to Control Rod Drive Coupling 4-111

Figure 4.6-6 FMCRD Electro-Mechanical Brake 4-112

Figure 4.6-7 Internal CRD Blowout Support Schematic 4-113

Figure 4.6-8 Control Rod Drive System Simplified Process and Instrumentation Diagram 4-114

Figures

Figure 4.6-9 Control Rod Drive System Process Flow Diagram (Sheet 1 of 2) 4-115
Figure 4.6-9 Control Rod Drive System Process Flow Diagram (Sheet 2 of 2) 4-116
Figure 4.6-10 FMCRD Anti-Rotation Devices 4-117
Figure 4A-1a (Deleted) 4-120
Figure 4A-1b (Deleted) 4-120
Figure 4A-1c (Deleted) 4-120
Figure 4A-1d (Deleted) 4-120
Figure 4A-1e (Deleted) 4-120
Figure 4A-2a (Deleted) 4-120
Figure 4A-2b (Deleted) 4-120
Figure 4A-2c (Deleted) 4-120
Figure 4A-2d (Deleted) 4-120
Figure 4A-2e (Deleted) 4-120
Figure 4A-3a (Deleted) 4-120
Figure 4A-3b (Deleted) 4-120
Figure 4A-3c (Deleted) 4-120
Figure 4A-3d (Deleted) 4-120
Figure 4A-3e (Deleted) 4-120
Figure 4A-4a (Deleted) 4-120
Figure 4A-4b (Deleted) 4-120
Figure 4A-4c (Deleted) 4-120
Figure 4A-4d (Deleted) 4-120
Figure 4A-4e (Deleted) 4-120
Figure 4A-5a (Deleted) 4-120
Figure 4A-5b (Deleted) 4-120
Figure 4A-5c (Deleted) 4-120
Figure 4A-5d (Deleted) 4-120

Figures

Figure 4A-5e (Deleted) 4-120
Figure 4A-6a (Deleted) 4-120
Figure 4A-6b (Deleted) 4-120
Figure 4A-6c (Deleted) 4-120
Figure 4A-6d (Deleted) 4-120
Figure 4A-6e (Deleted) 4-120
Figure 4A-7a (Deleted) 4-120
Figure 4A-7b (Deleted) 4-120
Figure 4A-7c (Deleted) 4-120
Figure 4A-7d (Deleted) 4-120
Figure 4A-7e (Deleted) 4-120
Figure 4A-8a (Deleted) 4-121
Figure 4A-8b (Deleted) 4-121
Figure 4A-8c (Deleted) 4-121
Figure 4A-8d (Deleted) 4-121
Figure 4A-8e (Deleted) 4-121
Figure 4A-9a (Deleted) 4-121
Figure 4A-9b (Deleted) 4-121
Figure 4A-9c (Deleted) 4-121
Figure 4A-9d (Deleted) 4-121
Figure 4A-9e (Deleted) 4-121
Figure 4A-10a (Deleted) 4-121
Figure 4A-10b (Deleted) 4-121
Figure 4A-10c (Deleted) 4-121
Figure 4A-10d (Deleted) 4-121
Figure 4A-10e (Deleted) 4-121
Figure 4A-11a (Deleted) 4-121

Figures

Figure 4A-11b (Deleted) 4-121
Figure 4A-11c (Deleted) 4-121
Figure 4A-11d (Deleted) 4-121
Figure 4A-11e (Deleted) 4-121
Figure 4A-12a (Deleted) 4-121
Figure 4A-12b (Deleted) 4-121
Figure 4A-12c (Deleted) 4-121
Figure 4A-12d (Deleted) 4-121
Figure 4A-12e (Deleted) 4-121
Figure 4A-13a (Deleted) 4-121
Figure 4A-13b (Deleted) 4-121
Figure 4A-13c (Deleted) 4-121
Figure 4A-13d (Deleted) 4-121
Figure 4A-13e (Deleted) 4-121
Figure 4A-14a (Deleted) 4-121
Figure 4A-14b (Deleted) 4-121
Figure 4A-14c (Deleted) 4-121
Figure 4A-14d (Deleted) 4-121
Figure 4A-14e (Deleted) 4-121
Figure 4A-15a (Deleted) 4-122
Figure 4A-15b (Deleted) 4-122
Figure 4A-15c (Deleted) 4-122
Figure 4A-15d (Deleted) 4-122
Figure 4A-15e (Deleted) 4-122
Figure 4A-16a (Deleted) 4-122
Figure 4A-16b (Deleted) 4-122
Figure 4A-16c (Deleted) 4-122

Figures

Figure 4A-16d (Deleted) 4-122
Figure 4A-16e (Deleted) 4-122
Figure 4A-17a (Deleted) 4-122
Figure 4A-17b (Deleted) 4-122
Figure 4A-17c (Deleted) 4-122
Figure 4A-17d (Deleted) 4-122
Figure 4A-17e (Deleted) 4-122
Figure 4A-18a (Deleted) 4-122
Figure 4A-18b (Deleted) 4-122
Figure 4A-18c (Deleted) 4-122
Figure 4A-18d (Deleted) 4-122
Figure 4A-18e (Deleted) 4-122
Figure 4A-19 (Deleted) 4-122
Figure 4D-1 Qualitative Two-Dimensional Stability Map for ESBWR 4-159
Figure 4D-2 Three-Dimensional Stability Map for ESBWR 4-160
Figure 4D-3 Core Average Axial Power Shape at Different Exposures 4-161
Figure 4D-4 (Deleted) 4-162
Figure 4D-5 Stability in Expanded Operating Map 4-163
Figure 4D-6 Generalized Stability Map showing Type 1 and Type 2 Instability 4-164
Figure 4D-7 Indications of Periodic Behavior During Dodewaard Startup 4-165
Figure 4D-8 Thermal – Hydraulic Conditions during Startup 4-166
Figure 4D-9 Enthalpy Profiles for Different Heatup Rates 4-167
Figure 4D-10 ESBWR Startup Trajectory 4-168
Figure 4D-11 TRACG Startup Simulation: Reactor Power Trajectories 4-169
Figure 4D-12 TRACG Startup Simulation: Pressure Response 4-170
Figure 4D-13 TRACG Startup Simulation – Core Inlet Subcooling 4-171
Figure 4D-14 TRACG Startup Simulation – Core Inlet Flow 4-172

Figures

Figure 4D-15 Separator Void Fraction (50 MWt heatup) 4-173
Figure 4D-16 Separator Void Fraction (85 MWt heatup) 4-174
Figure 4D-17 Separator Void Fraction (125 MWt heatup) 4-175
Figure 4D-18 Hot Bundle Void Fraction (50 MWt heatup) 4-176
Figure 4D-19 Hot Bundle Void Fraction (85 MWt heatup) 4-177
Figure 4D-20 Hot Bundle Void Fraction (125 MWt heatup) 4-178
Figure 4D-21 Hot Bundle Exit Flow 4-179
Figure 4D-22 Peripheral Bundle Exit Flow 4-180
Figure 4D-23 Hot Bundle CPR 4-181
Figure 4D-24 Peripheral Bundle CPR 4-182
Figure 4D-25 ESBWR Control Rod Groups for Startup Simulation 4-183
Figure 4D-26 Withdrawal Fraction for all Control Rods 4-184
Figure 4D-27 Reactor Power 4-185
Figure 4D-28 Steam Dome Pressure 4-186
Figure 4D-29 Core Inlet Subcooling 4-187
Figure 4D-30 Core Inlet Flow 4-188
Figure 4D-31 Hot Bundle Void Fraction 4-189
Figure 4D-32 ESBWR Backup Stability Protection Boundary 4-190
Figure 5.1-1 Coolant Volumes 5-4
Figure 5.1-2 Nuclear Boiler System Schematic 5-5
Figure 5.1-3 Isolation Condenser System Schematic 5-6
Figure 5.1-4 Reactor Water Cleanup/Shutdown Cooling System Schematic 5-7
Figure 5.2-1 Safety Relief Valve Schematic Elevation 5-67
Figure 5.2-2 Safety Relief Valves, Safety Valves, and Depressurization Valves on Steamlines Diagram 5-68
Figure 5.2-3 Safety Relief Valve Discharge Line Quencher Arrangement 5-69
Figure 5.3-1 Minimum Temperatures Required Versus Reactor Pressure for Hydrotest-Core Not Critical (Representative Curve for the ESBWR) 5-97

Figures

Figure 5.3-2 Minimum Temperatures Required Versus Reactor Pressure for Normal Startup and Shutdown (Representative Curve for the ESBWR) 5-98
Figure 5.3-3 Reactor Pressure Vessel System Key Features 5-99
Figure 5.4-1 Main Steamline Nozzle and Flow Restrictor 5-155
Figure 5.4-2 (Deleted) 5-156
Figure 5.4-3 Layout of Main Steam and Feedwater Lines 5-157
Figure 5.4-4a Schematic of the Isolation Condenser 5-158
Figure 5.4-4b Isolation Condenser System Simplified Process Diagram 5-159
Figure 5.4-4c ICS Simplified Process Diagram – Operating Mode Parameters 5-160
Figure 5.4-5 NBS Depressurization Valve 5-161
Figure 6.2-1a Containment System 6-194
Figure 6.2-2 IC/PCCS Pools Configuration 6-195
Figure 6.2-3 GDS Pools Configuration 6-196
Figure 6.2-4 (Deleted) 6-197
Figure 6.2-5 Horizontal Vent System Configuration 6-198
Figure 6.2-6 TRACG Nodalization of the ESBWR RPV 6-199
Figure 6.2-7 TRACG Nodalization of the ESBWR Containment 6-200
Figure 6.2-8 TRACG Nodalization of the ESBWR Main Steam Lines and DPVs 6-201
Figure 6.2-8a TRACG Nodalization of the ESBWR Isolation Condenser System 6-202
Figure 6.2-8b TRACG Nodalization of the ESBWR Feedwater Line System 6-203
Figure 6.2-8c ESBWR End-of-Cycle Core Average Decay Heat 6-204
Figure 6.2-9a1 Feedwater Line Break (Nominal Case) - Containment Pressures (72 hrs) 6-205
Figure 6.2-9a2 Feedwater Line Break (Nominal Case) - Containment Pressures (500 s) 6-206
Figure 6.2-9a3 Feedwater Line Break (Nominal Case) – Containment Pressures (2000 s) 6-207
Figure 6.2-9b1 Feedwater Line Break (Nominal Case) - Containment Temperatures (72 hrs) 6-208

Figures

Figure 6.2-9b2 Feedwater Line Break (Nominal Case) - Containment Temperatures (500 s) 6-209

Figure 6.2-9b3 Feedwater Line Break (Nominal Case) - Containment Temperatures (2000 s) 6-210

Figure 6.2-9c1 Feedwater Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (72 hrs) 6-211

Figure 6.2-9c2 Feedwater Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (500 s) 6-212

Figure 6.2-9c3 Feedwater Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (2000 s) 6-213

Figure 6.2-9d1 Feedwater Line Break (Nominal Case) - Drywell and GDCS Airspace Pressures (72 hrs) 6-214

Figure 6.2-9d2 Feedwater Line Break (Nominal Case) - Drywell and GDCS Airspace Pressures (500 s) 6-215

Figure 6.2-9d3 Feedwater Line Break (Nominal Case) - Drywell and GDCS Airspace Pressures (2000 s) 6-216

Figure 6.2-9e1 Vessel Wall Heat Slab Temperature (FWL) (72 hrs) 6-217

Figure 6.2-9e2 Vessel Wall Heat Slab Temperature (FWL) (2000 s) 6-218

Figure 6.2-10a1 Main Steam Line Break (Nominal Case) - Containment Pressures (72 hrs) 6-219

Figure 6.2-10a2 Main Steam Line Break (Nominal Case) - Containment Pressures (500 s) 6-220

Figure 6.2-10a3 Main Steam Line Break (Nominal Case) - Containment Pressures (2000 s) 6-221

Figure 6.2-10b1 Main Steam Line Break (Nominal Case) - Containment Temperatures (72 hrs) 6-222

Figure 6.2-10b2 Main Steam Line Break (Nominal Case) - Containment Temperatures (500 s) 6-223

Figure 6.2-10b3 Main Steam Line Break (Nominal Case) - Containment Temperatures (2000 s) 6-224

Figure 6.2-10c1 Main Steam Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (72 hrs) 6-225

Figure 6.2-10c2 Main Steam Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (500 s) 6-226

Figures

Figure 6.2-10c3 Main Steam Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (2000 s) 6-227

Figure 6.2-10d1 Main Steam Line Break (Nominal Case) - Drywell and GDCS Noncondensable Gas Pressures (72 hrs) 6-228

Figure 6.2-10d2 Main Steam Line Break (Nominal Case) - Drywell and GDCS Noncondesables Gas Pressures (500 s) 6-229

Figure 6.2-10d3 Main Steam Line Break (Nominal Case) - Drywell and GDCS Noncondensable Gas Pressures (2000 s) 6-230

Figure 6.2-10e1 Vessel Wall Heat Slab Temperature (MSL) (72 hrs) 6-231

Figure 6.2-10e2 Vessel Wall Heat Slab Temperature (MSL) (2000 s) 6-232

Figure 6.2-11a1 GDCS Line Break (Nominal Case) - Containment Pressures (72 hrs) 6-233

Figure 6.2-11a2 GDCS Line Break (Nominal Case) - Containment Pressures (500 s) 6-234

Figure 6.2-11a3 GDCS Line Break (Nominal Case) - Containment Pressures (2000 s) 6-235

Figure 6.2-11b1 GDCS Line Break (Nominal Case) - Containment Temperatures (72 hrs) 6-236

Figure 6.2-11b2 GDCS Line Break (Nominal Case) - Containment Temperatures (500 s) 6-237

Figure 6.2-11b3 GDCS Line Break (Nominal Case) - Containment Temperatures (2000 s) 6-238

Figure 6.2-11c1 GDCS Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (72 hrs) 6-239

Figure 6.2-11c2 GDCS Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (500 s) 6-240

Figure 6.2-11c3 GDCS Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (2000 s) 6-241

Figure 6.2-11d1 GDCS Line Break (Nominal Case) - Drywell and GDCS Noncondensable Gas Pressures (72 hrs) 6-242

Figure 6.2-11d2 GDCS Line Break (Nominal Case) - Drywell and GDCS Noncondensable Gas Pressures (500 s) 6-243

Figure 6.2-11d3 GDCS Line Break (Nominal Case) - Drywell and GDCS Noncondensable Gas Pressures (2000 s) 6-244

Figure 6.2-12a1 Bottom Drain Line Break (Nominal case) - Containment Pressures (72 hrs) 6-245

Figures

Figure 6.2-12a2 Bottom Drain Line Break (Nominal Case) - Containment Pressures (500 s) 6-246

Figure 6.2-12a3 Bottom Drain Line Break (Nominal Case) - Containment Pressures (2000 s) 6-247

Figure 6.2-12b1 Bottom Drain Line Break (Nominal Case) - Containment Temperatures (72 hrs) 6-248

Figure 6.2-12b2 Bottom Drain Line Break (Nominal Case) - Containment Temperatures (500 s) 6-249

Figure 6.2-12b3 Bottom Drain Line Break (Nominal Case) - Containment Temperatures (2000 s) 6-250

Figure 6.2-12c1 Bottom Drain Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (72 hrs) 6-251

Figure 6.2-12c2 Bottom Drain Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (500 s) 6-252

Figure 6.2-12c3 Bottom Drain Line Break (Nominal Case) - PCCS Heat Removal versus Decay Heat (2000 s) 6-253

Figure 6.2-12d1 Bottom Drain Line Break (Nominal Case) - Drywell and GDCS Noncondensable Pressures (72 hrs) 6-254

Figure 6.2-12d2 Bottom Drain Line Break (Nominal Case) - Drywell and GDCS Noncondensable Pressures (500 s) 6-255

Figure 6.2-12d3 Bottom Drain Line Break (Nominal Case) - Drywell and GDCS Noncondensable Pressures (2000 s) 6-256

Figure 6.2-13a1 Feedwater Line Break, 1 DPV Failure (Bounding Case) - Containment Pressures (72 hrs) 6-257

Figure 6.2-13a2 Feedwater Line Break, 1 DPV Failure (Bounding Case) - Containment Pressures (500 s) 6-258

Figure 6.2-13a3 Feedwater Line Break, 1 DPV Failure (Bounding Case) - Containment Pressures (2000 s) 6-259

Figure 6.2-13b1 Feedwater Line Break, 1 DPV Failure (Bounding Case) - Containment Temperatures (72 hrs) 6-260

Figure 6.2-13b2 Feedwater Line Break, 1 DPV Failure (Bounding Case) - Containment Temperatures (500 s) 6-261

Figure 6.2-13b3 Feedwater Line Break, 1 DPV Failure (Bounding Case) - Containment Temperatures (2000 s) 6-262

Figures

Figure 6.2-13c1 Feedwater Line Break, 1 DPV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (72 hrs) 6-263

Figure 6.2-13c2 Feedwater Line Break, 1 DPV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (500 s) 6-264

Figure 6.2-13c3 Feedwater Line Break, 1 DPV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (2000 s) 6-265

Figure 6.2-13d1 Feedwater Line Break, 1 DPV Failure (Bounding Case) - Drywell and GDCS Noncondensable Pressures (72 hrs) 6-266

Figure 6.2-13d2 Feedwater Line Break, 1 DPV Failure (Bounding Case) - Drywell and GDCS Noncondensable Pressures (500 s) 6-267

Figure 6.2-13d3 Feedwater Line Break, 1 DPV Failure (Bounding Case) - Drywell and GDCS Noncondensable Pressures (2000 s) 6-268

Figure 6.2-13d4 Feedwater Line Break, 1 DPV Failure (Bounding) Drywell Annulus and Suppression Pool Levels (72 hrs) 6-269

Figure 6.2-13d5 Feedwater Line Break, 1 DPV Failure (Bounding) GDCS Pool Levels (72 hrs) 6-270

Figure 6.2-13d6 Feedwater Line Break, 1 DPV Failure (Bounding) GDCS Pool Temperature (72 hrs) 6-271

Figure 6.2-13e1 Feed Water Line Break, 1 SRV Failure (Bounding Case) - Containment Pressures (72 hrs) 6-272

Figure 6.2-13e2 Feed Water Line Break, 1 SRV Failure (Bounding Case) - Containment Pressures (500 s) 6-273

Figure 6.2-13e3 Feed Water Line Break, 1 SRV Failure (Bounding Case) - Containment Pressures (2000 s) 6-274

Figure 6.2-13f1 Feed Water Line Break, 1 SRV Failure (Bounding Case) - Containment Temperatures (72 hrs) 6-275

Figure 6.2-13f2 Feed Water Line Break, 1 SRV Failure (Bounding Case) Containment Temperatures (500 s) 6-276

Figure 6.2-13f3 Feed Water Line Break, 1 SRV Failure (Bounding Case) - Containment Temperatures (2000 s) 6-277

Figure 6.2-13g1 Feed Water Line Break, 1 SRV Failure (Bounding Case) PCCS Heat Removal versus Decay Heat (72 hrs) 6-278

Figure 6.2-13g2 Feed Water Line Break, 1 SRV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (500 s) 6-279

Figures

Figure 6.2-13g3 Feed Water Line Break, 1 SRV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (2000 s) 6-280

Figure 6.2-13h1 Feed Water Line Break, 1 SRV Failure (Bounding Case) - DW and GDCS Noncondensable Gas Pressures (72 hrs) 6-281

Figure 6.2-13h2 Feed Water Line Break, 1 SRV Failure (Bounding Case) - DW and GDCS Noncondensable Gas Pressures (500 s) 6-282

Figure 6.2-13h3 Feed Water Line Break, 1 SRV Failure (Bounding Case) - DW and GDCS Noncondensable Gas Pressures (2000 s) 6-283

Figure 6.2-13h4 Feedwater Line Break, 1 SRV Failure (Bounding) DW Annulus and Suppression Pool Levels (72 hrs) 6-284

Figure 6.2-13h5 Feedwater Line Break, 1 SRV Failure (Bounding) GDCS Pool Levels (72 hrs) 6-285

Figure 6.2-13h6 Feedwater Line Break, 1 SRV Failure (Bounding) GDCS Pool Temperature (72 hrs) 6-286

Figure 6.2-14a1 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Pressures (72 hrs) 6-287

Figure 6.2-14a2 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Pressures (500 s) 6-288

Figure 6.2-14a3 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Pressures (2000 s) 6-289

Figure 6.2-14b1 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Temperatures (72 hrs) 6-290

Figure 6.2-14b2 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Temperatures (500 s) 6-291

Figure 6.2-14b3 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Temperatures (2000 s) 6-292

Figure 6.2-14c1 Main Steam Line Break, 1 DPV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (72 hrs) 6-293

Figure 6.2-14c2 Main Steam Line Break, 1 DPV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (500 s) 6-294

Figure 6.2-14c3 Main Steam Line Break, 1 DPV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (2000 s) 6-295

Figure 6.2-14d1 Steam Line Break, 1 DPV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (72 hrs) 6-296

Figures

Figure 6.2-14d2 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (500 s) 6-297

Figure 6.2-14d3 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (2000 s) 6-298

Figure 6.2-14d4 Main Steam Line Break, 1 DPV Failure (Bounding) - Drywell Annulus and Suppression Pool Levels (72 hrs) 6-299

Figure 6.2-14d5 Main Steam Line Break, 1 DPV Failure (Bounding) - GDCS Pool Levels (72 hrs) 6-300

Figure 6.2-14d6 Main Steam Line Break, 1 DPV Failure (Bounding) - GDCS Pool Temperature (72 hrs) 6-301

Figure 6.2-14e1 Drywell, Wetwell and RPV Pressures (720 hr) 6-302

Figure 6.2-14e2 Drywell, Wetwell and RPV Pressures (72 - 144 hr) 6-303

Figure 6.2-14e3 Drywell, Wetwell and Suppression Pool Temperatures (720 hr) 6-304

Figure 6.2-14e4 Drywell, Wetwell and Suppression Pool Temperatures (72 - 144 hr) 6-305

Figure 6.2-14e5 Total Power and Total PCCS Power (720 hr) 6-306

Figure 6.2-14e6 Total Power and Total PCCS Power (72 - 144 hr) 6-307

Figure 6.2-14e7 DW and GDCS Noncondensable Pressures (720 hr) 6-308

Figure 6.2-14e8 DW and GDCS Noncondensable Pressures (72 - 144 hr) 6-309

Figure 6.2-14e9 GDCS Pool Water Level (720 hr) 6-310

Figure 6.2-14e9a GDCS Pool Water Level (72 - 144 hr) 6-311

Figure 6.2-14e10 PCCS Pool Water Level (720 hr) 6-312

Figure 6.2-14e10a PCCS Pool Water Level (72 - 144 hr) 6-313

Figure 6.2-14e11 Containment Pressure Response - Post-LOCA Containment Cooling and Recovery 6-314

Figure 6.2-14e12 Containment Temperature Response - Post-LOCA Containment Cooling and Recovery 6-315

Figure 6.2-14f1 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Pressures (72 hrs) 6-316

Figure 6.2-14f2 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Pressures (500 s) 6-317

Figures

Figure 6.2-14f3 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Pressures (2000 s) 6-318

Figure 6.2-14g1 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Temperatures (72 hrs) 6-319

Figure 6.2-14g2 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Temperatures (500 s) 6-320

Figure 6.2-14g3 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Temperatures (2000 s) 6-321

Figure 6.2-14h1 Main Steam Line Break, 1 SRV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (72 hrs) 6-322

Figure 6.2-14h2 Main Steam Line Break, 1 SRV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (500 s) 6-323

Figure 6.2-14h3 Main Steam Line Break, 1 SRV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (2000 s) 6-324

Figure 6.2-14i1 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (72 hrs) 6-325

Figure 6.2-14i2 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (500 s) 6-326

Figure 6.2-14i3 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (2000 s) 6-327

Figure 6.2-14i4 Main Steam Line Break, 1 SRV Failure (Bounding) Drywell Annulus and Suppression Pool Levels (72 hrs) 6-328

Figure 6.2-14i5 Main Steam Line Break, 1 SRV Failure (Bounding) GDCS Pool Levels (72 hrs) 6-329

Figure 6.2-14i6 Main Steam Line Break, 1 SRV Failure (Bounding) GDCS Pool Temperature (72 hrs) 6-330

Figure 6.2-14j1 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - Containment Pressures (72 hrs) 6-331

Figure 6.2-14j2 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - Containment Pressures (500 s) 6-332

Figure 6.2-14j3 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - Containment Pressures (2000 s) 6-333

Figure 6.2-14k1 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - Containment Temperatures (72 hrs) 6-334

Figures

Figure 6.2-14k2 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - Containment Temperatures (500 s) 6-335

Figure 6.2-14k3 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - Containment Temperatures (2000 s) 6-336

Figure 6.2-14l1 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - PCCS Heat Removal versus Decay Heat (72 hrs) 6-337

Figure 6.2-14l2 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - PCCS Heat Removal versus Decay Heat (500 s) 6-338

Figure 6.2-14l3 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - PCCS Heat Removal versus Decay Heat (2000 s) 6-339

Figure 6.2-14m1 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - Drywell and GDCS Noncondensable Gas Pressure (72 hrs) 6-340

Figure 6.2-14m2 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - Drywell and GDCS Noncondensable Gas Pressures (500 s) 6-341

Figure 6.2-14m3 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) - Drywell and GDCS Noncondensable Gas Pressures (2000 s) .. 6-342

Figure 6.2-14m4 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) Drywell Annulus and Suppression Pool Levels (72 hrs) 6-343

Figure 6.2-14m5 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) GDCS Pool Levels (72 hrs) 6-344

Figure 6.2-14m6 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) GDCS Pool Temperature (72 hrs) 6-345

Figure 6.2-14n1 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) -Drywell and GDCS Noncondensable Gas Mass (72 hrs) 6-346

Figure 6.2-14n2 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) -Drywell and GDCS Noncondensable Gas Mass (500 s) 6-347

Figure 6.2-14n3 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) -Drywell and GDCS Noncondensable Gas Mass (2000 s) 6-348

Figure 6.2-14o1 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) -Drywell and GDCS Pool Void Fraction (72 hrs) 6-349

Figures

Figure 6.2-14o2 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) -Drywell and GDCS Pool Void Fraction (500 s) 6-350

Figure 6.2-14o3 Main Steam Line Break, 1 SRV Failure (Bounding Case, with Offsite Power) -Drywell and GDCS Pool Void Fraction (2000 s) 6-351

Figure 6.2-15 Summary of Severe Accident Design Features 6-352

Figure 6.2-16 PCCS Schematic Diagram 6-353

Figure 6.2-17 Reactor Building Envelope 6-354

Figure 6.2-18 RWCU System Compartment Pressurization Analysis 6-355

Figure 6.2-18a RWCU Pipe Break Mass Flow Rate 6-357

Figure 6.2-18b RWCU Pipe Break Enthalpy 6-358

Figure 6.2-18c RWCU Pipe Break Energy Release 6-359

Figure 6.2-19 Pressure Histories due to Break Case 1 in Cell 1 (Sub-Model 1) 6-360

Figure 6.2-20 Pressure Histories due to Break Case 1 in Cell 6 (Sub-Model 1) 6-361

Figure 6.2-21 Pressure Histories due to Break Case 2 in Cell 2 (Sub-Model 1) 6-362

Figure 6.2-22 Pressure Histories due to Break Case 2 in Cell 7 (Sub-Model 1) 6-363

Figure 6.2-23 Pressure Histories due to Break Case 3 in Cell 1 (Sub-Model 1) 6-364

Figure 6.2-24 Pressure Histories due to Break Case 3 in Cell 6 (Sub-Model 1) 6-365

Figure 6.2-25 Pressure Histories due to Break Case 4 in Cell 8 (Sub-Model 1) 6-366

Figure 6.2-26 Pressure Histories due to Break Case 4 in Cell 9 (Sub-Model 1) 6-367

Figure 6.2-27 Pressure Histories due to Break Case 5 in Cell 11 (Sub-Model 2) 6-368

Figure 6.2-28 Wetwell-to-Drywell Vacuum Breaker 6-369

Figure 6.2-29 CIS Simplified System Diagram 6-370

Figure 6.2-30 Drywell Fission Product Radiation Monitoring Subsystem 6-371

Figure 6.2-31 Containment Isolation Valves for Makeup Water System 6-372

Figure 6.2-32 Containment Isolation Valves for Equipment and Floor Drain System 6-373

Figure 6.2-33 Containment Isolation Valves for Service Air System 6-374

Figure 6.2-34 Containment Isolation Valves for Chilled Water System 6-375

Figure 6.2-35 Refueling Cavity Bellows Assembly 6-376

Figures

Figure 6.3-1 GDCS Configuration 6-419
Figure 6.3-1a GDCS Typical Process Flows 6-420
Figure 6.3-2 (Deleted) 6-421
Figure 6.3-3 (Deleted) 6-422
Figure 6.3-4 (Deleted) 6-422
Figure 6.3-5 (Deleted) 6-422
Figure 6.3-6 Minimum Transient Chimney Water Level vs. Break Area 6-423
Figure 6.3-7a MCPR, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-424
Figure 6.3-7b MCPR, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-425
Figure 6.3-8a Chimney Water Level, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-426
Figure 6.3-8b Chimney Water Level, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-427
Figure 6.3-9a Downcomer Water Level, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-428
Figure 6.3-9b Downcomer Water Level, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-429
Figure 6.3-10a System Pressures, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-430
Figure 6.3-10b System Pressures, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-431
Figure 6.3-11a Steam Line and Break Flows, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-432
Figure 6.3-11b Steam Line and Break Flows, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-433
Figure 6.3-12a ADS Flows, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-434
Figure 6.3-12b ADS Flows, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-435
Figure 6.3-13a Flows Into Vessel, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-436

Figures

Figure 6.3-13b Flows Into Vessel, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-437

Figure 6.3-14a PCT, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-438

Figure 6.3-14b PCT, Feedwater Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-439

Figure 6.3-15a MCPR, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-440

Figure 6.3-15b MCPR, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-441

Figure 6.3-16a Chimney Water Level, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-442

Figure 6.3-16b Chimney Water Level, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-443

Figure 6.3-17a Downcomer (DC) Water Level, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-444

Figure 6.3-17b Downcomer (DC) Water Level, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-445

Figure 6.3-18a System Pressures, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-446

Figure 6.3-18b System Pressures, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-447

Figure 6.3-19a Steam Line and Break Flow with Void Fraction, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-448

Figure 6.3-19b Steam Line and Break Flow with Void Fraction, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-449

Figure 6.3-20a ADS Flow, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-450

Figure 6.3-20b ADS Flows, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-451

Figure 6.3-21a Flows Into Vessel, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-452

Figure 6.3-21b Flows Into Vessel, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-453

Figures

Figure 6.3-22a PCT, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-454

Figure 6.3-22b PCT, Inside Steam Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-455

Figure 6.3-23a MCPR, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-456

Figure 6.3-23b MCPR, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-457

Figure 6.3-24a Chimney Water Level, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-458

Figure 6.3-24b Chimney Water Level, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-459

Figure 6.3-25a Downcomer (DC) Water Level, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-460

Figure 6.3-25b Downcomer (DC) Water Level, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-461

Figure 6.3-26a System Pressures, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-462

Figure 6.3-26b System Pressures, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-463

Figure 6.3-27a Steam Line and Break Flow with Void Fraction, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-464

Figure 6.3-27b Steam Line and Break Flow with Void Fraction, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-465

Figure 6.3-28a ADS Flow Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-466

Figure 6.3-28b ADS Flows, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-467

Figure 6.3-29a Flows Into Vessel, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-468

Figure 6.3-29b Flows Into Vessel, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-469

Figure 6.3-30a PCT, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-470

Figures

Figure 6.3-30b PCT, Bottom Drain Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-471

Figure 6.3-31a MCPR, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-472

Figure 6.3-31b MCPR, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-473

Figure 6.3-32a Chimney Water Level, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-474

Figure 6.3-32b Chimney Water Level, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-475

Figure 6.3-33a Downcomer Water Level, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-476

Figure 6.3-33b Downcomer Water Level, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-477

Figure 6.3-34a System Pressures, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-478

Figure 6.3-34b System Pressures, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-479

Figure 6.3-35a Steam Line and Break Flow with Void Fraction, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-480

Figure 6.3-35b Steam Line and Break Flow with Void Fraction, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-481

Figure 6.3-36a ADS Flow GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-482

Figure 6.3-36b ADS Flows, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-483

Figure 6.3-37a Flows Into Vessel, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-484

Figure 6.3-37b Flows Into Vessel, GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-485

Figure 6.3-38a Peak Cladding Temperature (PCT), GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (2000 s) 6-486

Figure 6.3-38b Peak Cladding Temperature (PCT), GDCS Injection Line Break (Nominal Case), 1 GDCS Valve Failure (100 s) 6-487

Figures

Figure 6.3-38A-a MCPR, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-488

Figure 6.3-38A-b MCPR, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (100 s) 6-489

Figure 6.3-38B-a Chimney Water Level, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-490

Figure 6.3-38B-b Chimney Water Level, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (100 s) 6-491

Figure 6.3-38C-a Downcomer Water Level, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-492

Figure 6.3-38C-b Downcomer Water Level, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (100 s) 6-493

Figure 6.3-38D-a System Pressures, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-494

Figure 6.3-38D-b System Pressures, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (100 s) 6-495

Figure 6.3-38E-a Break Flows and Void Fractions, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-496

Figure 6.3-38E-b Break Flows and Void Fractions, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (100 s) 6-497

Figure 6.3-38F-a ADS Flow, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-498

Figure 6.3-38F-b ADS Flow, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (100 s) 6-499

Figure 6.3-38G-a Flows Into Vessel, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-500

Figure 6.3-38G-b Flows Into Vessel, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (100 s) 6-501

Figure 6.3-38H-a Peak Cladding Temperature (PCT), IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-502

Figure 6.3-38H-b Peak Cladding Temperature (PCT), IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (100 s) 6-503

Figure 6.3-38I Vacuum Breaker Flows, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-504

Figures

Figure 6.3-38J Passive Containment Cooling Flows, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-505

Figure 6.3-38K Passive Containment Cooling Power, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-506

Figure 6.3-38L Chimney Water Level, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-507

Figure 6.3-38M Downcomer Water Level, IC Drain Line Break (Bounding Case), 1 GDCS Valve Failure (2000 s) 6-508

Figure 6.3-39 Normalized Shutdown Power 6-509

Figure 6.4-1 CRHAVS Schematic Diagram 6-531

Figure 6.4-2 Control Room Habitability Area Airflows Emergency Operation - FOR ILLUSTRATIVE PURPOSES ONLY 6-532

Figure 6A-1 TRACG Nodalization showing Containment Heat Slabs 6-555

Figure 6A-2 RPV Nodalization showing Vessel Wall Heat Slab 6-556

Figure 6B-1 TRACG Nodalization for ESBWR ECCS/LOCA Analysis (NEDC-33083P-A) 6-568

Figure 6B-2 TRACG Nodalization for ESBWR Containment Analysis (NEDC-33083P-A) 6-569

Figure 6B-3 TRACG Combined Nodalization (Model COMB-5, with TEE35 as Lower Drywell) 6-570

Figure 6B-4 TRACG Combined Nodalization (Model COMB-6, without TEE35 as Lower Drywell) 6-571

Figure 6B-5 MSLB-CB5 – GDCS and Downcomer Water Levels 6-572

Figure 6B-6 MSLB-NL2_V40 – GDCS and Downcomer Water Levels 6-573

Figure 6B-7 MSLB-CB5 vs. MSLB-NL2_V40 –Total Passive Containment Cooling Condensation Powers 6-574

Figure 6B-8 MSLB-CB5 vs. MSLB-NL2_V40 – Suppression Pool Surface Temperatures 6-575

Figure 6B-9 MSLB-CB5 – Drywell Partial Noncondensable Gas Pressures 6-576

Figure 6B-10 MSLB-NL2_V40 – Drywell Partial Noncondensable Gas Pressures 6-577

Figure 6B-11 MSLB-CB5 vs MSLB-NL2_V40 – Drywell Pressures 6-578

Figure 6B-12 MSLB-CB6 – Drywell Partial Noncondensable Gas Pressures 6-579

Figures

Figure 6B-13 MSLB-CB6 – RPV, Drywell and Wetwell Pressures 6-580
Figure 6B-14 Drywell Pressure Comparison – MSLB-CB6, MSLB-CB5 and MSLB-NL2_V40 6-581
Figure 6B-15 MSLB-CB6 – Suppression Pool Temperatures 6-582
Figure 6B-16 MSLB-CB5 – Suppression Pool Temperatures 6-583
Figure 6B-17 MSLB-CB6 – Passive Containment Cooling Condensation Power 6-584
Figure 6B-18 MSLB-CB5 – PCC Condensation Power 6-585
Figure 6B-19 E0 (Base Case) – Drywell Pressure Response 6-586
Figure 6B-20 E0 (Base Case) – Top Main Vent Flow 6-587
Figure 6B-21 E0 (Base Case) – DPV and SRV Flows 6-588
Figure 6B-22 E0a (Time Step) – Drywell Pressure Response 6-589
Figure 6B-23 0a (Time Step) – Top Main Vent Flow 6-590
Figure 6B-24 E0a (Time Step) - DPV and SRV Flows 6-591
Figure 6C-1 Effect of Wetwell Pressure on the GDCS Initiation Timing (GDCS Injection Line Break, 1 GDCS Injection Valve Failure) 6-594
Figure 6C-2 Effect of Wetwell Pressure on the Minimum Chimney Collapsed Level (GDCS Injection Line Break, 1 GDCS Injection Valve Failure) 6-595
Figure 6E-1 (Deleted) 6-606
Figure 6E-2 (Deleted) 6-606
Figure 6E-3 (Deleted) 6-606
Figure 6E-4 (Deleted) 6-606
Figure 6F1-1 MSLB – Effect of Break Areas on Transient DW Pressures 6-610
Figure 6F1-2a Feedwater Line Break - Parametric Study on the Break Areas (0-72 hrs) 6-611
Figure 6F1-2b Feedwater Line Break - Parametric Study on the Break Areas (0-2000 sec) 6-612
Figure 6F2-1 Main Steam Line Break - Parametric Study on the Break Elevation 6-613
Figure 6G-1 Phases of the LOCA Transient 6-622

Figures

Figure 6G-2 Inventory Distributions for Main Steam Line Break 6-623

Figure 6G-3 RPV and Drywell Water Levels for MSLB (12 hours) 6-624

Figure 6G-4 Figure 6G-4. RPV and Drywell Water Levels for FWLB (12 hours) 6-625

Figure 6G-5 Inventory Distributions for Bottom Drain Line Break 6-626

Figure 6G-6 RPV and Drywell Water Levels for BDL Break (12 hours) 6-627

Figure 6G-7 RPV and Drywell Water Levels for GDCS Line Break (12 hours) 6-628

Figure 6H-1 Air Mass Profiles in the GDCS Airspace (Case A: MSL3_1DPVCB_NL2Pa-72) 6-634

Figure 6H-2 Air Mass Profile in the Drywell Head Airspace (Case A: MSL3_1DPVCB_NL2Pa-72) 6-635

Figure 6H-3 Air Mass Profiles in the Wetwell Airspace (Case A: MSL3_1DPVCB_NL2Pa-72) 6-636

Figure 6H-4 Comparison of DW Pressures (Case A vs. Case E: Effect of WW Stratification) 6-637

Figure 6H-5 Comparison of DW Pressures (Case A vs. Case F: Effect of Suppression Pool Stratification) 6-638

Figure 6H-6 Comparison of DW Pressures (Case A vs. Case G: Effect of IC Heat Transfer) 6-639

Figure 6H-7 Comparison of DW Pressures (Case A vs. Case H: Effect of Single Failure, 1 DPV versus 1 SRV) 6-640

Figure 6H-8 Comparison of DW Pressures (Case A vs. Case I: Effect of Outer Wall Heat Transfer Area -10%) 6-641

Figure 6H-9 Comparison of DW Pressures (Case A vs. Case J: Effect of Outer Wall Heat Transfer Area -25%) 6-642

Figure 6H-10 Comparison of DW Pressures (Case A vs. Case K: Effect of Inner Wall Heat Transfer Area +25%) 6-643

Figure 6H-11 Comparison of DW Pressures (Case A vs. Case L: Effect of Noncondensable Gases, Air versus Nitrogen) 6-644

Figure 6I-1a1 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Pressures (72 hrs) 6-649

Figure 6I-1a2 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Pressures (500 s) 6-650

Figures

Figure 6I-1a3 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Pressures (2000 s) 6-651

Figure 6I-1b1 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Temperatures (72 hrs) 6-652

Figure 6I-1b2 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Temperatures (500 s) 6-653

Figure 6I-1b3 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Containment Temperatures (2000 s) 6-654

Figure 6I-1c1 Main Steam Line Break, 1 DPV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (72 hrs) 6-655

Figure 6I-1c2 Main Steam Line Break, 1 DPV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (500 s) 6-656

Figure 6I-1c3 Main Steam Line Break, 1 DPV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (2000 s) 6-657

Figure 6I-1d1 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (72 hrs) 6-658

Figure 6I-1d2 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (500 s) 6-659

Figure 6I-1d3 Main Steam Line Break, 1 DPV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (2000 s) 6-660

Figure 6I-2a1 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Pressures (72 hrs) 6-661

Figure 6I-2a2 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Pressures (500 s) 6-662

Figure 6I-2a3 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Pressures (2000 s) 6-663

Figure 6I-2b1 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Temperatures (72 hrs) 6-664

Figure 6I-2b2 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Temperatures (500 s) 6-665

Figure 6I-2b3 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Containment Temperatures (2000 s) 6-666

Figures

Figure 6I-2c1 Main Steam Line Break, 1 SRV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (72 hrs) 6-667

Figure 6I-2c2 Main Steam Line Break, 1 SRV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (500 s) 6-668

Figure 6I-2c3 Main Steam Line Break, 1 SRV Failure (Bounding Case) - PCCS Heat Removal versus Decay Heat (2000 s) 6-669

Figure 6I-2d1 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (72 hrs) 6-670

Figure 6I-2d2 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (500 s) 6-671

Figure 6I-2d3 Main Steam Line Break, 1 SRV Failure (Bounding Case) - Drywell and GDCS Noncondensable Gas Pressures (2000 s) 6-672

Figure 7.1-1 SBWR DCIS Simplified Network and Functional Diagram 7-138

Figure 7.1-2 Deleted 7-139

Figure 7.1-3 ESBWR Distributed Power-Sensor/Logic Diversity Diagram 7-140

Figure 7.1-4 ESBWR Hardware/Software (Architecture) Diversity Diagram 7-141

Figure 7.2-1 RPS Simplified Functional Block Diagram 7-213

Figure 7.2-2 RPS Interfaces and Boundaries Diagram 7-214

Figure 7.2-3 Neutron Flux Monitoring Ranges 7-215

Figure 7.2-4 Basic Configuration of a Typical SRNM Subsystem 7-216

Figure 7.2-5 Basic Configuration of a Typical PRNM Subsystem 7-217

Figure 7.2-6 SRNM Detector Locations 7-218

Figure 7.2-7 LPRM Locations in the Core 7-219

Figure 7.2-8 Axial Distribution of LPRM Detectors 7-220

Figure 7.2-9 LPRM Assignments to APRM Channels 7-221

Figure 7.2-10 LPRM Assignment to OPRM Channels 7-222

Figure 7.2-11a Reactor Trip and Isolation Function (RTIF) Simplified Functional Block Diagram 7-223

Figure 7.2-11b Reactor Trip and Isolation Function (RTIF) Simplified Functional Block Diagram — Output Logic Unit Detail 7-224

Figures

Figure 7.2-12 Neutron Monitoring System (NMS) Simplified Functional Block Diagram 7-225
Figure 7.3-1a SRV Initiation Logics 7-312
Figure 7.3-1b GDCS and DPV Initiation Logics 7-313
Figure 7.3-1c DPS Initiation Logic 7-314
Figure 7.3-2 GDCS Equalizing Valve Initiation Logics 7-315
Figure 7.3-3 LD&IS System Design Configuration 7-316
Figure 7.3-4 SSLC/ESF Simplified Functional Block Diagram 7-317
Figure 7.3-5 SSLC/ESF System Interface Diagram 7-318
Figure 7.3-6 SSLC/ESF Division 1 Layout 7-319
Figure 7.3-7 SSLC/ESF Simplified Functional Block Diagram 7-320
Figure 7.3-8 SSLC/ESF Inter-divisional Communication Detail 7-321
Figure 7.3-9 SSLC/ESF Safety-Related VDU Communication Detail 7-322
Figure 7.3-10 SSLC/ESF Nonsafety-Related Communication Detail 7-323
Figure 7.4-1 Remote Shutdown System Panel Schematic 7-367
Figure 7.4-2a RWCU/SDC System Train A Differential Mass Flow Logic - Division 1 (Typical For Train B) 7-368
Figure 7.4-2b RWCU/SDC System Train A Differential Mass Flow Logic - Division 2 (Typical For Train B) 7-369
Figure 7.4-2c RWCU/SDC System Train A Differential Mass Flow Logic - Division 3 (Typical For Train B) 7-370
Figure 7.4-2d RWCU/SDC System Train A Differential Mass Flow Logic - Division 4 (Typical For Train B) 7-371
Figure 7.4-2e RWCU/SDC Line Break Outside Containment Train A Isolation Logic (Typical For Train B) 7-372
Figure 7.4-3 Isolation Condenser System Initiation and Actuation 7-373
Figure 7.5-1 Containment Monitoring System Design 7-417
Figure 7.5-2 (Deleted) 7-418
Figure 7.5-3 Area Radiation Monitoring System Simplified Functional Block Diagram 7-419

Figures

Figure 7.7-1 Water Level Range Definition 7-493
Figure 7.7-2 RC&IS Simplified Functional Block Diagram 7-494
Figure 7.7-3 Feedwater Control System Simplified Functional Block Diagram 7-495
Figure 7.7-4 Plant Automation System Simplified Functional Diagram (Only major systems are shown) 7-496
Figure 7.7-5 SB&PC System Simplified Functional Block Diagram 7-497
Figure 7.7-6 SB&PC System FTDC Simplified Functional Block Diagram 7-498
Figure 7.7-7 HP Feedwater Heater Temperature Simplified Control Block Diagram 7-499
Figure 7.8-1 DPS Simplified Functional Block Diagram 7-531
Figure 7.8-2 Alternate Rod Insertion & FMCRD Run-in Logic 7-532
Figure 7.8-3 ATWS Mitigation Logic (SLC System Initiation, Feedwater Runback) 7-533
Figure 7.8-4 Diverse ESF Triple Redundant Logic 7-534
Figure 8.1-1 Electrical Power Distribution System 8-13
Figure 8.1-2 Direct Current Power Supply (Nonsafety-Related) 8-16
Figure 8.1-2 Direct Current Power Supply (Nonsafety-Related) 8-16
Figure 8.1-3 Direct Current Power Supply (Safety-Related) 8-18
Figure 8.1-4 Uninterruptible AC Power Supply (Safety-Related) 8-19
Figure 8.1-5 Uninterruptible AC Power Supply (Nonsafety-Related) 8-20
Figure 8.2-201 345 kV Switchyard Single-Line Diagram 8-33
Figure 8.2-202 This page is intentionally left blank 8-34
Figure 8.2-203 Transmission Line Map 8-35
Figure 8.3-1 Safety Related 480 Volt Power Centers 8-77
Figure 8.3-2 Nonsafety Related 480 Volt Power Centers 8-78
Figure 8.3-3 Ancillary Power Functional 8-81
Figure 9.1-1 FAPCS Schematic Diagram 9-59
Figure 9.1-2 Inclined Fuel Transfer System 9-60
Figure 9.1-3 Refueling Sequence 9-61
Figure 9.2-1 (Deleted) 9-111

Figures

Figure 9.2-2a Reactor Component Cooling Water System 9-112
Figure 9.2-2b Reactor Component Cooling Water System 9-113
Figure 9.2-3 Chilled Water System Simplified Diagram 9-114
Figure 9.2-4 Turbine Component Cooling Water System Configuration 9-115
Figure 9.2-201 Potable Water System Simplified Diagram 9-116
Figure 9.2-202 Sanitary Waste Discharge System Simplified Diagram 9-117
Figure 9.2-203 Station Water System - Plant Cooling Tower Makeup System (PCTMS) 9-118
Figure 9.2-204 Station Water System - Pretreated Water Supply System (PWSS) 9-119
Figure 9.2-205 Plant Service Water System Simplified Diagram 9-120
Figure 9.3-1 Standby Liquid Control System Simplified Diagram 9-168
Figure 9.3-1a Standby Liquid Control System Simplified Process Flow Diagram 9-169
Figure 9.3-2 (Deleted) 9-170
Figure 9.3-3 Service Air and Instrument Air System Simplified Diagram 9-171
Figure 9.3-4 HPNSS Simplified Diagram 9-172
Figure 9.3-5 Hydrogen Water Chemistry System Simplified Diagram 9-173
Figure 9.4-1 CRHAVS Simplified System Diagram 9-251
Figure 9.4-2 CRHAVS Air Flow Diagram 9-252
Figure 9.4-3 CBGAVS Set A Simplified System Flow Diagram 9-253
Figure 9.4-4 CBGAVS Set B Simplified System Flow Diagram 9-254
Figure 9.4-5 FBGAVS Simplified System Diagram 9-255
Figure 9.4-6 FBFPVS Simplified System Diagram 9-256
Figure 9.4-7a RWCRVS Simplified Subsystem Diagram 9-257
Figure 9.4-7b RWGAVS Simplified Subsystem Diagram 9-258
Figure 9.4-8 TBVS Simplified System Diagram 9-259
Figure 9.4-9 CLAVS Simplified System Diagram (Typical Train A/B) 9-260
Figure 9.4-10 CONAVS Simplified System Diagram (Typical Train A/B) 9-261
Figure 9.4-11 REPAVS Simplified System Diagram 9-262

Figures

Figure 9.4-12 EBVS Simplified System 9-263
Figure 9.4-13 DCS Simplified System Diagram 9-264
Figure 9.5-1 Fire Protection System Simplified Diagram 9-339
Figure 9.5-2 (Deleted) 9-340
Figure 9.5-3 (Deleted) 9-341
Figure 9.5-4 (Deleted) 9-342
Figure 9.5-5 (Deleted) 9-343
Figure 9.5-6 (Deleted) 9-344
Figure 9.5-7 (Deleted) 9-345
Figure 9.5-8 (Deleted) 9-346
Figure 9.5-9 Standby Diesel Generator Fuel Oil Storage and Transfer System & Air Intake and Exhaust System Diagram 9-347
Figure 9.5-9a Ancillary Diesel Generator Fuel Oil Storage and Transfer System Diagram 9-348
Figure 9.5-10 Standby Diesel Generator Jacket Cooling Water System Diagram 9-349
Figure 9.5-11 Standby Diesel Generator Starting Air System Diagram 9-350
Figure 9.5-12 Standby Diesel Generator Lubrication System Diagram 9-351
Figure 9.5-201 Fire Protection System Yard Main Loop 9-352
Figure 9A.2-1 Nuclear Island Fire Protection Zones ESBWR DCD EL –11500 9-367
Figure 9A.2-2 Nuclear Island Fire Protection Zones ESBWR DCD EL –6400 9-368
Figure 9A.2-3 Nuclear Island Fire Protection Zones ESBWR DCD EL - 1000 9-369
Figure 9A.2-4 Nuclear Island Fire Protection Zones ESBWR DCD EL 4650 9-370
Figure 9A.2-5 Nuclear Island Fire Protection Zones ESBWR DCD EL 9060 9-371
Figure 9A.2-6 Nuclear Island Fire Protection Zones ESBWR DCD EL 13570 9-372
Figure 9A.2-7 Nuclear Island Fire Protection Zones ESBWR DCD EL 17500 9-373
Figure 9A.2-8 Nuclear Island Fire Protection Zones ESBWR DCD EL 27000 9-374
Figure 9A.2-9 Nuclear Island Fire Protection Zones ESBWR DCD EL 34000 9-375
Figure 9A.2-10 Nuclear Island Fire Protection Zones ESBWR DCD SEC A-A 9-376

Figures

Figure 9A.2-11 Nuclear Island Fire Protection Zones ESBWR DCD Section “B-B” 9-377
Figure 9A.2-12 Turbine Island Fire Protection Zones ESBWR DCD EL. –1400 9-378
Figure 9A.2-13 Turbine Building Fire Protection Zones ESBWR DCD EL 4650 9-379
Figure 9A.2-14 Turbine Island Fire Protection Zones ESBWR DCD EL 12000 9-380
Figure 9A.2-15 Turbine Island Fire Protection Zones ESBWR DCD EL 20000 9-381
Figure 9A.2-16 Turbine Island Fire Protection Zones ESBWR DCD EL 28000 9-382
Figure 9A.2-16a Turbine Building Fire Protection Zones ESBWR DCD EL 35000 9-383
Figure 9A.2-17 Turbine Island Fire Protection Zones ESBWR DCD EL Various 9-384
Figure 9A.2-18 Turbine Building Fire Protection Zones ESBWR DCD Section A-A..... 9-385
Figure 9A.2-19 Turbine Building Fire Protection Zones ESBWR DCD Section B-B..... 9-386
Figure 9A.2-20 Radwaste Building Fire Protection Zones EL –9350 9-387
Figure 9A.2-21 Radwaste Building Fire Protection Zones EL –2350 9-388
Figure 9A.2-22 Radwaste Building Fire Protection Zones EL 4650 9-389
Figure 9A.2-23 Radwaste Building Fire Protection Zones EL 10650 9-390
Figure 9A.2-24 Radwaste Building Fire Protection Zones Section A-A and Section B-B 9-391
Figure 9A.2-25 Electrical Building Fire Protection Zones ESBWR DCD EL 4650..... 9-392
Figure 9A.2-26 Electrical Builidng Fire Protection Zones ESBWR DCD EL 9800..... 9-393
Figure 9A.2-27 DELETED 9-394
Figure 9A.2-28 Electrical Buildng Fire Protection Zones ESBWR DCD EL 18000..... 9-395
Figure 9A.2-29 DELETED 9-396
Figure 9A.2-30 Electrical Building Fire Protection Zones ESBWR DCD EL 27000..... 9-397
Figure 9A.2-31 Electrical Building Fire Protection Zones ESBWR DCD EL (Various) 9-398
Figure 9A.2-32 Electrical Building Fire Protection Zones ESBWR DCD Section A-A 9-399
Figure 9A.2-33 Site Fire Protection Zone ESBWR Plot Plan..... 9-400
Figure 9A.2-201 Fire Zones - Station Water Intake Building 9-401
Figure 9B-1 Time-Temperature Curve and Fire Endurance Curves 9-631
Figure 10.1-1 Power Cycle Schematic 10-6

Figures

Figure 10.1-2a Rated Heat Balance (SI Units) 10-7
Figure 10.1-2b Rated Heat Balance (English Units) 10-8
Figure 10.1-3a Valves Wide Open-Heat Balance (SI Units) 10-9
Figure 10.1-3b Valves Wide Open Heat Balance (English Units) 10-10
Figure 10.2-1 Turbine Stop Valve Closure Characteristic 10-33
Figure 10.2-2 Turbine Control Valve Fast Closure Characteristic 10-34
Figure 10.2-3 Acceptable Range for Control Valve Normal Closure Motion 10-35
Figure 10.2-4 Hydrogen Gas Control System 10-36
Figure 10.3-1 Turbine Main Steam System 10-45
Figure 10.3-2 Main Turbine System 10-46
Figure 10.4-1 Circulating Water System 10-86
Figure 10.4-2 Main Condenser Evacuation System 10-87
Figure 10.4-3 Turbine Gland Seal System 10-88
Figure 10.4-4 (Deleted) 10-89
Figure 10.4-5 Condensate Purification System 10-90
Figure 10.4-6a Low Pressure Extraction Steam System 10-91
Figure 10.4-6b Low Pressure Drain and Vent System 10-92
Figure 10.4-7a High Pressure Extraction Steam System 10-93
Figure 10.4-7b High Pressure Drain and Vent System 10-94
Figure 10.4-201 CIRC Natural Cooling Tower and Pump 10-95
Figure 10.4-202 Condenser and Ball Cleaning System 10-96
Figure 11.2-1 Liquid Waste Management System Processing Diagram 11-38
Figure 11.2-1a Equipment Drain 11-39
Figure 11.2-1b Floor Drain 11-40
Figure 11.2-2 Liquid Waste Management System Processing Stream Information Directory 11-41
Figure 11.2-3 Detergent Drain 11-42
Figure 11.2-4 Chemical Drain 11-43

Figures

Figure 11.3-1 Offgas System 11-74
Figure 11.4-1 Solid Waste Management System Process Diagram 11-89
Figure 11.4-2 SWMS Collection Subsystem 11-90
Figure 11.4-3 SWMS Processing Subsystem 11-91
Figure 11.4-4 Dry Active Waste Processing 11-92
Figure 11.5-1 Location of Radiation Monitors 11-145
Figure 11.5-2 PRMS Channel Block Diagram 11-146
Figure 12.2-1 Radiation Source Model 12-121
Figure 12.3-1 Nuclear Island Radiation Zones for Full Power and Shutdown Operation-Elevation -11500 mm 12-232
Figure 12.3-2 Nuclear Island Radation Zones for Full Power and Shutdown Operation - Elevation -6400 mm 12-233
Figure 12.3-3 Nuclear Island Radiation Zones for Full Power and Shutdown Operation - Elevation -1000 mm 12-234
Figure 12.3-4 Nuclear Island Radiation Zones for Full Power and Shutdown Operation - Elevation 4650 mm 12-235
Figure 12.3-5 Nuclear Island Radiation Zones for Full Power and Shutdown Operation - Elevation 9060 mm 12-236
Figure 12.3-6 Nuclear Island Radiation Zones for Full Power and Shutdown Operation - Elevation 13570 mm 12-237
Figure 12.3-7 Nuclear Island Radiation Zones for Full Power and Shutdown Operation - Elevation 17500 mm 12-238
Figure 12.3-8 Nuclear Island Radiation Zones for Full Power and Shutdown Operation - Elevation 27000 mm 12-239
Figure 12.3-9 Nuclear Island Radiation Zones for Full Power and Shutdown Operation - Elevation 34000 mm 12-240
Figure 12.3-10 Nuclear Island Radiation Zones for Full Power and Shutdown Operation Section A-A 12-241
Figure 12.3-11 Nuclear Island Radiation Zones for Full Power and Shutdown Operation Section B-B 12-242
Figure 12.3-12 Turbine Building Radiation Zones - Elevation -1400 mm 12-243
Figure 12.3-13 Turbine Building Radiation Zones - Elevation 4650 mm 12-244

Figures

Figure 12.3-14 Turbine Building Radiation Zones - Elevation 12000 mm 12-245
Figure 12.3-15 Turbine Building Radiation Zones - Elevation 20000 mm 12-246
Figure 12.3-16 Turbine Building Radiation Zones - Elevation 28000 mm 12-247
Figure 12.3-17 Turbine Building Radiation Zones - Elevation 35000 mm 12-248
Figure 12.3-18 Turbine Building Radiation Zones at Roof Elevation Various 12-249
Figure 12.3-19 Radwaste Building Radiation Zones - Elevation -9350 mm 12-250
Figure 12.3-20 Radwaste Building Radiation Zones - Elevation -2350 mm 12-251
Figure 12.3-21 Radwaste Building Radiation Zones - Elevation 4650 mm 12-252
Figure 12.3-22 Radwaste Building Radiation Zones - Elevation 10650 mm 12-253
Figure 12.3-22a Radiation Zones in the Access Tunnel to the Electrical Building – Elevation -2000 mm 12-254
Figure 12.3-22b Radiation Zones in the Access Tunnel to the Electrical Building – Elevation 1300 mm 12-255
Figure 12.3-23 Nuclear Island Area Radiation Monitors - Elevation -11500 mm 12-256
Figure 12.3-24 Nuclear Island Area Radiation Monitors - Elevation -6400 mm 12-257
Figure 12.3-25 Nuclear Island Area Radiation Monitors - Elevation -1000 mm 12-258
Figure 12.3-26 Nuclear Island Area Radiation Monitors - Elevation 4650 mm 12-259
Figure 12.3-27 Nuclear Island Area Radiation Monitors - Elevation 9060 mm 12-260
Figure 12.3-28 Nuclear Island Area Radiation Monitors - Elevation 13570 mm 12-261
Figure 12.3-29 Nuclear Island Area Radiation Monitors - Elevation 17500 mm 12-262
Figure 12.3-30 Nuclear Island Area Radiation Monitors - Elevation 27000 mm 12-263
Figure 12.3-31 Nuclear Island Area Radiation Monitors - Elevation 34000 mm 12-264
Figure 12.3-32 Turbine Building Area Radiation Monitors - Elevation -1400 mm 12-265
Figure 12.3-33 Turbine Building Area Radiation Monitors - Elevation 4650 mm 12-266
Figure 12.3-34 Turbine Building Area Radiation Monitors - Elevation 12000 mm 12-267
Figure 12.3-35 Turbine Building Area Radiation Monitors - Elevation 20000 mm 12-268
Figure 12.3-36 Turbine Building Area Radiation Monitors - Elevation 28000 mm 12-269
Figure 12.3-37 Turbine Building Area Radiation Monitors - Elevation 35000 mm 12-270
Figure 12.3-38 Turbine Building Area Radiation Monitors at Various Elevations..... 12-271

Figures

Figure 12.3-39 Radwaste Building Area Radiation Monitors - Elevation -9350 mm 12-272

Figure 12.3-40 Radwaste Building Area Radiation Monitors - Elevation -2350 mm 12-273

Figure 12.3-41 Radwaste Building Area Radiation Monitors - Elevation 4650 mm 12-274

Figure 12.3-42 Radwaste Building Area Radiation Monitors - Elevation 10650 mm..... 12-275

Figure 12.3-43 Nuclear Island Post Accident Radiation Zones - Elevation -11500 mm 12-276

Figure 12.3-44 Nuclear Island Post Accident Radiation Zones - Elevation -6400 mm 12-277

Figure 12.3-45 Nuclear Island Post Accident Radiation Zones - Elevation -1000 mm 12-278

Figure 12.3-46 Nuclear Island Post Accident Radiation Zones - Elevation 4650 mm..... 12-279

Figure 12.3-47 Nuclear Island Post Accident Radiation Zones - Elevation 9060 mm..... 12-280

Figure 12.3-48 Nuclear Island Post Accident Radiation Zones - Elevation 13570 mm 12-281

Figure 12.3-49 Nuclear Island Post Accident Radiation Zones - Elevation 17500 mm 12-282

Figure 12.3-50 Nuclear Island Post Accident Radiation Zones - Elevation 27000 mm 12-283

Figure 12.3-51 Nuclear Island Post Accident Radiation Zones - Elevation 34000 mm 12-284

Figure 12.3-51a Post Accident Radiation Zones Electrical Building - Elevation 4650 mm 12-285

Figure 12.3-51b Post Accident Radiation Zones Electrical Building - Elevation 9800 mm 12-286

Figure 12.3-51c Post Accident Radiation Zones Electrical Building - Elevation 18000 mm 12-287

Figure 12.3-51d Post Accident Radiation Zones Electrical Building - Elevation 27000 mm 12-288

Figure 12.3-51e Post Accident Radiation Zones, Service Building Floor - Elevation 1300 mm 12-289

Figure 12.3-51f Post Accident Radiation Zones, Service Building Floor - Elevation 4650 mm 12-290

Figures

Figure 12.3-52 Reactor Building and Fuel Building Personnel Egress Routes - Elevation –11500 mm 12-291

Figure 12.3-53 Reactor, Fuel, & Control Buildings Personnel Access and Egress Routes - Elevation -6400 mm 12-292

Figure 12.3-54 Reactor, Fuel, & Control Buildings Personnel Access and Egress Routes - Elevation –1000 mm 12-293

Figure 12.3-55 Reactor, Fuel, & Control Buildings Personnel Access and Egress Routes - Elevation 4650 mm 12-294

Figure 12.3-56 Reactor, Fuel, & Control Buildings Personnel Access and Egress Routes - Elevation 9060 mm 12-295

Figure 12.3-57 Reactor Building & Fuel Buildings Personnel Access and Egress Routes - Elevation 13570 mm 12-296

Figure 12.3-58 Reactor Building & Fuel Building Personnel Access and Egress Routes - Elevation 17500 mm 12-297

Figure 12.3-59 Reactor Building & Fuel Building Personnel Access and Egress Routes - Elevation 27000 mm 12-298

Figure 12.3-60 Reactor Building Personnel Access and Egress Routes - Elevation 34000 mm 12-299

Figure 12.3-61 Radwaste Building Personnel Access and Egress Routes - Elevation -9350 mm 12-300

Figure 12.3-62 Radwaste Building Personnel Access and Egress Routes - Elevation -2350 mm 12-301

Figure 12.3-63 Radwaste Building Personnel Access and Egress Routes - Elevation 4650 mm 12-302

Figure 12.3-64 Radwaste Building Personnel Access and Egress Routes - Elevation 10650 mm 12-303

Figure 12.3-65 Turbine Building Personnel Access and Egress Routes - Elevation -1400 mm 12-304

Figure 12.3-66 Turbine Building Personnel Access and Egress Routes - Elevation 4650 mm 12-305

Figure 12.3-67 Turbine Building Personnel Access and Egress Routes - Elevation 12000 mm 12-306

Figure 12.3-68 Turbine Building Personnel Access and Egress Routes - Elevation 20000 mm 12-307

Figures

Figure 12.3-69 Turbine Building Personnel Access and Egress Routes - Elevation 28000 mm 12-308

Figure 12.3-70 Turbine Building Personnel Access and Egress Routes - Elevation 35000 mm 12-309

Figure 12.3-70a Turbine Building Personnel Access and Egress Routes at Various Elevations 12-310

Figure 12.3-71 Reactor Building Rooms Adjacent to the RWCU/SDC and FAPCS Demineralizers - Elevation -11500 mm 12-311

Figure 12.3-72 Reactor Building RWCU/SDC and FAPCS Demineralizer Rooms and Adjacent Rooms - Elevation -6400 mm 12-312

Figure 12.3-73 Reactor Building Rooms Adjacent to the RWCU/SDC and FAPCS Demineralizers - Elevation -1000 mm 12-313

Figure 12.3-74 Areas Requiring Post-Accident Access - Elevation -11500 mm 12-314

Figure 12.3-75 Areas Requiring Post-Accident Access - Elevation -6400 mm 12-315

Figure 12.3-76 Areas Requiring Post-Accident Access - Elevation from -2000 to -1000 mm 12-316

Figure 12.3-77 Areas Requiring Post-Accident Access - Elevation 1300 mm 12-317

Figure 12.3-78 Areas Requiring Post-Accident Access - Elevation 1300 mm 12-318

Figure 12.3-79 Areas Requiring Post-Accident Access - Elevation 9060 mm 12-319

Figure 12.3-80 Areas Requiring Post-Accident Access - Elevation 9800 mm 12-320

Figure 12.3-81 Areas Requiring Post-Accident Access - Elevation 13570 mm 12-321

Figure 12.3-82 Areas Requiring Post-Accident Access - Elevation 17500 mm 12-322

Figure 12.3-83 Areas Requiring Post-Accident Access - Elevation 18000 mm 12-323

Figure 12.3-84 Areas Requiring Post-Accident Access - Elevation 27000 mm 12-324

Figure 12.3-85 Areas Requiring Post-Accident Access (Electrical Building) - Elevation 27000 mm 12-325

Figure 12.3-86 Areas Requiring Post-Accident Access - Elevation 34000 mm 12-326

Figure 12.5-1 Functional Layout of Health Physics Facilities at Service Building - Elevation 1300 mm 12-357

Figure 12.5-2 Functional Layout of Health Physics Facilities at Service Building - Elevation 4650 mm 12-358

Figure 13.1-201 Design and Construction Organization 13-30

Figures

Figure 13.1-202 Nominal Plant Staff Hiring and Training Schedule 13-31
Figure 13.1-203 Shift Operations 13-32
Figure 13.1-204 Fermi 3 Site Organization (Operations) 13-33
Figure 13.1-205 Fermi 3 Site Organization (Technical Support) 13-34
Figure 14AA-201 Preoperational and Startup Test Organization (Typical) 14-188
Figure 15.1-1 Event Diagram Format 15-61
Figure 15.1-2 Event Diagram - Loss of Feedwater Heating 15-62
Figure 15.1-3 Event Diagram - Closure of One Turbine Control Valve 15-63
Figure 15.1-4 Event Diagram - Generator Load Rejection with Turbine Bypass 15-64
Figure 15.1-5 Event Diagram - Generator Load Rejection with a Single Failure in the Turbine Bypass System 15-65
Figure 15.1-6 Event Diagram - Turbine Trip with Turbine Bypass 15-66
Figure 15.1-7 Event Diagram - Turbine Trip with a Single Failure in the Turbine Bypass System 15-67
Figure 15.1-8 Event Diagram - Closure of One Main Steamline Isolation Valve 15-68
Figure 15.1-9 Event Diagram - Closure of All Main Steamline Isolation Valves 15-69
Figure 15.1-10 Event Diagram - Loss of Condenser Vacuum 15-70
Figure 15.1-11 Event Diagram - Loss of Shutdown Cooling Function of RWCU/SDC System 15-71
Figure 15.1-12 Event Diagram - Inadvertent Isolation Condenser Initiation 15-72
Figure 15.1-13 Event Diagram - Runout of One Feedwater Pump 15-73
Figure 15.1-14 Event Diagram - Opening of One Turbine Control or Bypass Valve 15-74
Figure 15.1-15 Event Diagram - Loss of Non-Emergency AC Power to Station Auxiliaries 15-75
Figure 15.1-16 Event Diagram - Loss of All Feedwater Flow 15-76
Figure 15.1-17a Event Diagram - Loss of Feedwater Heating With Failure of SCRRI and SRI 15-77
Figure 15.1-17b Event Diagram - Feedwater Controller Failure - Minimum Temperature Demand 15-78
Figure 15.1-18 Event Diagram - Feedwater Controller Failure - Maximum Flow Demand 15-79

Figures

Figure 15.1-19 Event Diagram - Pressure Regulator Failure - Opening of All Turbine Control and Bypass Valves 15-80
Figure 15.1-20 Event Diagram - Pressure Regulator Failure - Closure of All Turbine Control and Bypass Valves 15-81
Figure 15.1-21 Event Diagram - Generator Load Rejection with Total Bypass Failure (at High Power) 15-82
Figure 15.1-22 Event Diagram - Turbine Trip with Total Bypass Failure (at High Power) 15-83
Figure 15.1-23 Event Diagram - Control Rod Withdrawal Error During Refueling 15-84
Figure 15.1-24a Event Diagram - Control Rod Withdrawal Error During Startup 15-85
Figure 15.1-24b Event Diagram - Control Rod Withdrawal Error During Startup With Failure of Control Rod Block 15-86
Figure 15.1-25a Event Diagram - Control Rod Withdrawal Error During Power Operation with ATLM Failure 15-87
Figure 15.1-25b Event Diagram - Control Rod Withdrawal Error During Power Operation 15-88
Figure 15.1-26 Event Diagram - Fuel Assembly Loading Error - Mislocated Bundle 15-89
Figure 15.1-27 Event Diagram - Fuel Assembly Loading Error - Misoriented Bundle 15-90
Figure 15.1-28 Event Diagram - Inadvertent SDC Function Operation 15-91
Figure 15.1-29 Event Diagram - Inadvertent Opening of a Safety Relief Valve 15-92
Figure 15.1-30 Event Diagram - Inadvertent Opening of a Depressurization Valve 15-93
Figure 15.1-31 Event Diagram - Stuck Open Safety Relief Valve 15-94
Figure 15.1-32 Event Diagram - Liquid-Containing Tank Failure 15-95
Figure 15.1-33 Event Diagram - Fuel Handling Accident 15-96
Figure 15.1-34a Event Diagram - Loss-of-Coolant-Accident Inside Containment 15-97
Figure 15.1-34b Event Diagram - Loss-of-Coolant-Accident Inside Containment 15-98
Figure 15.1-35a Event Diagram - Main Steamline Break Outside Containment 15-99
Figure 15.1-35b Event Diagram - Main Steamline Break Outside Containment 15-100
Figure 15.1-36 Event Diagram - Control Rod Drop Accident 15-101
Figure 15.1-37a Event Diagram - Feedwater Line Break Outside Containment 15-102
Figure 15.1-37b Event Diagram - Feedwater Line Break Outside Containment 15-103

Figures

Figure 15.1-38a Event Diagram - Failure of Small Line Carrying Primary Coolant Outside Containment 15-104
Figure 15.1-38b Event Diagram - Failure of Small Line Carrying Primary Coolant Outside Containment 15-105
Figure 15.1-39a Event Diagram - RWCU/SDC System Line Failure Outside Containment 15-106
Figure 15.1-39b Event Diagram - RWCU/SDC System Line Failure Outside Containment 15-107
Figure 15.1-40 Event Diagram - Spent Fuel Cask Drop Accident 15-108
Figure 15.1-41 Event Diagram - MSIV Closure With Flux Scram (Overpressure Protection) 15-109
Figure 15.1-42 Event Diagram - Shutdown Without Control Rods (i.e., SLC System Capability) 15-110
Figure 15.1-43 Event Diagram - Shutdown from Outside Main Control Room 15-111
Figure 15.1-44a Event Diagram - Anticipated Transients Without Scram 15-112
Figure 15.1-44b Event Diagram - Anticipated Transients Without Scram 15-113
Figure 15.1-45a Event Diagram - Station Blackout 15-114
Figure 15.1-45b Event Diagram - Station Blackout 15-115
Figure 15.1-46 Event Diagram - Safe Shutdown Fire 15-116
Figure 15.1-47 Event Diagram - Waste Gas System Leak or Failure 15-117
Figure 15.2-1a Loss of Feedwater Heating 15-177
Figure 15.2-1b Loss of Feedwater Heating 15-177
Figure 15.2-1c Loss of Feedwater Heating 15-178
Figure 15.2-1d Loss of Feedwater Heating 15-178
Figure 15.2-1e Loss of Feedwater Heating 15-179
Figure 15.2-1f Loss of Feedwater Heating 15-179
Figure 15.2-1g Loss of Feedwater Heating 15-180
Figure 15.2-2a Fast Closure of One Turbine Control Valve 15-181
Figure 15.2-2b Fast Closure of One Turbine Control Valve 15-181
Figure 15.2-2c Fast Closure of One Turbine Control Valve 15-182

Figures

Figure 15.2-2d Fast Closure of One Turbine Control Valve 15-182
Figure 15.2-2e Fast Closure of One Turbine Control Valve 15-183
Figure 15.2-2f Fast Closure of One Turbine Control Valve 15-183
Figure 15.2-2g Fast Closure of One Turbine Control Valve 15-184
Figure 15.2-2h Fast Closure of One Turbine Control Valve (Figure 15.2-2a from 0 to 5s) 15-185
Figure 15.2-3a Slow Closure of One Turbine Control Valve 15-186
Figure 15.2-3b Slow Closure of One Turbine Control Valve 15-186
Figure 15.2-3c Slow Closure of One Turbine Control Valve 15-187
Figure 15.2-3d Slow Closure of One Turbine Control Valve 15-187
Figure 15.2-3e Slow Closure of One Turbine Control Valve 15-188
Figure 15.2-3f Slow Closure of One Turbine Control Valve 15-188
Figure 15.2-3g Slow Closure of One Turbine Control Valve 15-189
Figure 15.2-4a Generator Load Rejection with Turbine Bypass 15-190
Figure 15.2-4b Generator Load Rejection with Turbine Bypass 15-190
Figure 15.2-4c Generator Load Rejection with Turbine Bypass 15-191
Figure 15.2-4d Generator Load Rejection with Turbine Bypass 15-191
Figure 15.2-4e Generator Load Rejection with Turbine Bypass 15-192
Figure 15.2-4f Generator Load Rejection with Turbine Bypass 15-192
Figure 15.2-4g Generator Load Rejection with Turbine Bypass 15-193
Figure 15.2-4h Generator Load Rejection with Turbine Bypass (Figure 15.2-4a from 0 to 5 s) 15-193
Figure 15.2-5a Geneator Load Rejection with a Single Failure in the Turbine Bypass System 15-194
Figure 15.2-5b Generator Load Rejection with a Single Failure in the Turbine Bypass System 15-194
Figure 15.2-5c Generator Load Rejection with a Single Failure in the Turbine Bypass System 15-195
Figure 15.2-5d Generator Load Rejection with a Single Failure in the Turbine Bypass System 15-195

Figures

Figure 15.2-5e Generator Load Rejection with a Single Failure in the Turbine Bypass System 15-196
Figure 15.2-5f Generator Load Rejection with a Single Failure in the Turbine Bypass System 15-196
Figure 15.2-5g Generator Load Rejection with a Single Failure in the Turbine Bypass System 15-197
Figure 15.2-5h Generator Load Rejection with a Single Failure in the Turbine Bypass System (Figure 15.2-5a from 0 to 5 sec) 15-197
Figure 15.2-6a Turbine Trip with Turbine Bypass 15-198
Figure 15.2-6b Turbine Trip with Turbine Bypass 15-198
Figure 15.2-6c Turbine Trip with Turbine Bypass 15-199
Figure 15.2-6d Turbine Trip with Turbine Bypass 15-199
Figure 15.2-6e Turbine Trip with Turbine Bypass 15-200
Figure 15.2-6f Turbine Trip with Turbine Bypass 15-200
Figure 15.2-6g Turbine Trip with Turbine Bypass 15-201
Figure 15.2-6h Turbine Trip with Turbine Bypass (Figure 15.2-6a from 0 to 5 s) 15-202
Figure 15.2-7a Turbine Trip with a Single Failure in the Turbine Bypass System 15-203
Figure 15.2-7b Turbine Trip with a Single Failure in the Turbine Bypass System 15-203
Figure 15.2-7c Turbine Trip with a Single Failure in the Turbine Bypass System 15-204
Figure 15.2-7d Turbine Trip with a Single Failure in the Turbine Bypass System 15-204
Figure 15.2-7e Turbine Trip with a Single Failure in the Turbine Bypass System 15-205
Figure 15.2-7f Turbine Trip with a Single Failure in the Turbine Bypass System 15-205
Figure 15.2-7g Turbine Trip with a Single Failure in the Turbine Bypass System 15-206
Figure 15.2-7h Turbine Trip with a Single Failure in the Turbine Bypass System (Figure 15.2-7a from 0 to 5 sec) 15-206
Figure 15.2-8a Closure of One MSIV 15-207
Figure 15.2-8b Closure of One MSIV 15-207
Figure 15.2-8c Closure of One MSIV 15-208
Figure 15.2-8d Closure of One MSIV 15-208
Figure 15.2-8e Closure of One MSIV 15-209

Figures

Figure 15.2-8f Closure of One MSIV 15-209
Figure 15.2-8g Closure of One MSIV 15-210
Figure 15.2-9a Closure of All MSIVs 15-211
Figure 15.2-9b Closure of All MSIVs 15-211
Figure 15.2-9c Closure of All MSIVs 15-212
Figure 15.2-9d Closure of All MSIVs 15-212
Figure 15.2-9e Closure of All MSIVs 15-213
Figure 15.2-9f Closure of All MSIVs 15-213
Figure 15.2-9g Closure of All MSIVs 15-214
Figure 15.2-10a Loss of Condenser Vacuum 15-215
Figure 15.2-10b Loss of Condenser Vacuum 15-215
Figure 15.2-10c Loss of Condenser Vacuum 15-216
Figure 15.2-10d Loss of Condenser Vacuum 15-216
Figure 15.2-10e Loss of Condenser Vacuum 15-217
Figure 15.2-10f Loss of Condenser Vacuum 15-217
Figure 15.2-10g Loss of Condenser Vacuum 15-218
Figure 15.2-11a Inadvertent Isolation Condenser Initiation 15-219
Figure 15.2-11b Inadvertent Isolation Condenser Initiation 15-220
Figure 15.2-11c Inadvertent Isolation Condenser Initiation 15-221
Figure 15.2-11d Inadvertent Isolation Condenser Initiation 15-222
Figure 15.2-11e Inadvertent Isolation Condenser Initiation 15-223
Figure 15.2-11f Inadvertent Isolation Condenser Initiation 15-224
Figure 15.2-11g Inadvertent Isolation Condenser Initiation 15-225
Figure 15.2-12 Simplified Block Diagram of Fault-Tolerant Digital Controller System 15-226
Figure 15.2-13a Runout of One Feedwater Pump 15-227
Figure 15.2-13b Runout of One Feedwater Pump 15-227
Figure 15.2-13c Runout of One Feedwater Pump 15-228
Figure 15.2-13d Runout of One Feedwater Pump 15-228

Figures

Figure 15.2-13e Runout of One Feedwater Pump 15-229
Figure 15.2-13f Runout of One Feedwater Pump 15-229
Figure 15.2-13g Runout of One Feedwater Pump 15-230
Figure 15.2-14a Opening of One Turbine Control or Bypass Valve 15-231
Figure 15.2-14b Opening of One Turbine Control or Bypass Valve 15-231
Figure 15.2-14c Opening of One Turbine Control or Bypass Valve 15-232
Figure 15.2-14d Opening of One Turbine Control or Bypass Valve 15-232
Figure 15.2-14e Opening of One Turbine Control or Bypass Valve 15-233
Figure 15.2-14f Opening of One Turbine Control or Bypass Valve 15-233
Figure 15.2-14g Opening of One Turbine Control or Bypass Valve 15-234
Figure 15.2-15a Loss of Non-Emergency AC Power to Station Auxiliaries 15-235
Figure 15.2-15b Loss of Non-Emergency AC Power to Station Auxiliaries 15-235
Figure 15.2-15c Loss of Non-Emergency AC Power to Station Auxiliaries 15-236
Figure 15.2-15d Loss of Non-Emergency AC Power to Station Auxiliaries 15-236
Figure 15.2-15e Loss of Non-Emergency AC Power to Station Auxiliaries 15-237
Figure 15.2-15f Loss of Non-Emergency AC Power to Station Auxiliaries 15-237
Figure 15.2-15g Loss of Non-Emergency AC Power to Station Auxiliaries 15-238
Figure 15.2-15h Loss of Non-Emergency AC Power to Station Auxiliaries 15-238
Figure 15.2-16a Loss of All Feedwater Flow 15-239
Figure 15.2-16b Loss of All Feedwater Flow 15-239
Figure 15.2-16c Loss of All Feedwater Flow 15-240
Figure 15.2-16d Loss of All Feedwater Flow 15-240
Figure 15.2-16e Loss of All Feedwater Flow 15-241
Figure 15.2-16f Loss of All Feedwater Flow 15-241
Figure 15.2-16g Loss of All Feedwater Flow 15-242
Figure 15.2-16h Loss of All Feedwater Flow (Figure 15.2-16a from 50 to 70 s) 15-242
Figure 15.2-17 ESBWR Core Power - FW Temperature Operating Domain with Representative Rod/FW Temperature Block and Scram Lines 15-243

Figures

Figure 15.3-1a Loss of Feedwater Heating with SCRRI/SRI Failure 15-296
Figure 15.3-1b Loss of Feedwater Heating with SCRRI/SRI Failure 15-296
Figure 15.3-1c Loss of Feedwater Heating with SCRRI/SRI Failure 15-297
Figure 15.3-1d Loss of Feedwater Heating with SCRRI/SRI Failure 15-297
Figure 15.3-1e Loss of Feedwater Heating with SCRRI/SRI Failure 15-298
Figure 15.3-1f Loss of Feedwater Heating with SCRRI/SRI Failure 15-298
Figure 15.3-1g Loss of Feedwater Heating with SCRRI/SRI Failure 15-299
Figure 15.3-2a Feedwater Controller Failure - Maximum Flow Demand 15-300
Figure 15.3-2b Feedwater Controller Failure - Maximum Flow Demand 15-300
Figure 15.3-2c Feedwater Controller Failure - Maximum Flow Demand 15-301
Figure 15.3-2d Feedwater Controller Failure - Maximum Flow Demand 15-301
Figure 15.3-2e Feedwater Controller Failure - Maximum Flow Demand 15-302
Figure 15.3-2f Feedwater Controller Failure - Maximum Flow Demand 15-302
Figure 15.3-2g Feedwater Controller Failure - Maximum Flow Demand 15-303
Figure 15.3-3a Pressure Regulator Failure - Opening of All Turbine Control and Bypass Valves 15-304
Figure 15.3-3b Pressure Regulator Failure - Opening of All Turbine Control and Bypass Valves 15-304
Figure 15.3-3c Pressure Regulator Failure - Opening of All Turbine Control and Bypass Valves 15-305
Figure 15.3-3d Pressure Regulator Failure - Opening of All Turbine Control and Bypass Valves 15-305
Figure 15.3-3e Pressure Regulator Failure - Opening of All Turbine Control and Bypass Valves 15-306
Figure 15.3-3f Pressure Regulator Failure - Opening of All Turbine Control and Bypass Valves 15-306
Figure 15.3-3g Pressure Regulator Failure - Opening of All Turbine Control and Bypass Valves 15-307
Figure 15.3-4a Pressure Regulator Failure - Closure of All Turbine Control and Bypass Valves 15-308

Figures

Figure 15.3-4b Pressure Regulator Failure - Closure of All Turbine Control and Bypass Valves 15-308

Figure 15.3-4c Pressure Regulator Failure - Closure of All Turbine Control and Bypass Valves 15-309

Figure 15.3-4d Pressure Regulator Failure - Closure of All Turbine Control and Bypass Valves 15-309

Figure 15.3-4e Pressure Regulator Failure - Closure of All Turbine Control and Bypass Valves 15-310

Figure 15.3-4f Pressure Regulator Failure - Closure of All Turbine Control and Bypass Valves 15-310

Figure 15.3-4g Pressure Regulator Failure - Closure of All Turbine Control and Bypass Valves 15-311

Figure 15.3-5a Generator Load Rejection With Total Turbine Bypass Failure 15-312

Figure 15.3-5b Generator Load Rejection With Total Turbine Bypass Failure 15-312

Figure 15.3-5c Generator Load Rejection With Total Turbine Bypass Failure 15-313

Figure 15.3-5d Generator Load Rejection With Total Turbine Bypass Failure 15-313

Figure 15.3-5e Generator Load Rejection With Total Turbine Bypass Failure 15-314

Figure 15.3-5f Generator Load Rejection With Total Turbine Bypass Failure 15-314

Figure 15.3-5g Generator Load Rejection With Total Turbine Bypass Failure 15-315

Figure 15.3-5h Generator Load Rejection With Total Turbine Bypass Failure (Figure 15.3-5a from 0 to 5 s) 15-315

Figure 15.3-6a Turbine Trip With Total Turbine Bypass Failure 15-316

Figure 15.3-6b Turbine Trip With Total Turbine Bypass Failure 15-316

Figure 15.3-6c Turbine Trip With Total Turbine Bypass Failure 15-317

Figure 15.3-6d Turbine Trip With Total Turbine Bypass Failure 15-317

Figure 15.3-6e Turbine Trip With Total Turbine Bypass Failure 15-318

Figure 15.3-6f Turbine Trip With Total Turbine Bypass Failure 15-318

Figure 15.3-6g Turbine Trip With Total Turbine Bypass Failure 15-319

Figure 15.3-6h Turbine Trip With Total Turbine Bypass Failure (Figure 15.3-6a from 0 to 5 s) 15-319

Figure 15.3-7 (Deleted) 15-320

Figures

Figure 15.3-7a Causes of Control Rod Withdrawal Error During Startup With Failure of Control Rod Block 15-321
Figure 15.3-7b Causes of Control Rod Withdrawal Error During Startup With Failure of Control Rod Block 15-321
Figure 15.3-8a Inadvertent SRV Opening 15-322
Figure 15.3-8b Inadvertent SRV Opening 15-322
Figure 15.3-8c Inadvertent SRV Opening 15-323
Figure 15.3-8d Inadvertent SRV Opening 15-323
Figure 15.3-8e Inadvertent SRV Opening 15-324
Figure 15.3-8f Inadvertent SRV Opening 15-324
Figure 15.3-8g Inadvertent SRV Opening 15-325
Figure 15.3-9a Stuck Open Safety Relief Valve 15-326
Figure 15.3-9b Stuck Open Safety Relief Valve 15-326
Figure 15.3-9c Stuck Open Safety Relief Valve 15-327
Figure 15.3-9d Stuck Open Safety Relief Valve 15-327
Figure 15.3-9e Stuck Open Safety Relief Valve 15-328
Figure 15.3-9f Stuck Open Safety Relief Valve 15-328
Figure 15.3-9g Stuck Open Safety Relief Valve 15-329
Figure 15.4-1 LOCA Radiological Paths 15-418
Figure 15.4-2 Airborne CsI for Removal Coefficient Determination 15-419
Figure 15.4-3 Removal Coefficient Determination for Low Pressure Bottom Line Break (Accidental Scenario-1) 15-420
Figure 15.4-4 Control Room Doses for Fuel Handling Accident vs. Control Room Unfiltered Inleakage 15-420
Figure 15.5-1a ATWS MSIV Closure with ARI 15-457
Figure 15.5-1b ATWS MSIV Closure with ARI 15-458
Figure 15.5-1c ATWS MSIV Closure with ARI 15-459
Figure 15.5-1d ATWS MSIV Closure with ARI 15-460
Figure 15.5-2a ATWS MSIV Closure with FMCRD Run-in 15-461

Figures

Figure 15.5-2b ATWS MSIV Closure with FMCRD Run-in 15-462
Figure 15.5-2c ATWS MSIV Closure with FMCRD Run-in 15-463
Figure 15.5-2d ATWS MSIV Closure with FMCRD Run-in 15-464
Figure 15.5-3a ATWS MSIV Closure - SLC System Bounding Case..... 15-465
Figure 15.5-3b ATWS MSIV Closure - SLC System Bounding Case..... 15-466
Figure 15.5-3c ATWS MSIV Closure - SLC System Bounding Case..... 15-467
Figure 15.5-3d ATWS MSIV Closure - SLC System Bounding Case..... 15-468
Figure 15.5-3e (Deleted) 15-469
Figure 15.5-3f (Deleted) 15-469
Figure 15.5-3g (Deleted) 15-469
Figure 15.5-3h (Deleted) 15-469
Figure 15.5-4a ATWS Loss of Condenser Vacuum SLC System Bounding Case..... 15-470
Figure 15.5-4b ATWS Loss of Condenser Vacuum SLC System Bounding Case..... 15-471
Figure 15.5-4c ATWS Loss of Condenser Vacuum SLC System Bounding Case..... 15-472
Figure 15.5-4d ATWS Loss of Condenser Vacuum SLC System Bounding Case..... 15-473
Figure 15.5-4e (Deleted) 15-474
Figure 15.5-4f (Deleted) 15-474
Figure 15.5-4g (Deleted) 15-474
Figure 15.5-4h (Deleted) 15-474
Figure 15.5-5a ATWS Loss of Feedwater Heating with Boron Injection 15-475
Figure 15.5-5b ATWS Loss of Feedwater Heating with Boron Injection 15-476
Figure 15.5-5c ATWS Loss of Feedwater Heating with Boron Injection 15-477
Figure 15.5-5d ATWS Loss of Feedwater Heating with Boron Injection 15-478
Figure 15.5-6a ATWS Loss of Normal AC Power to Station Auxiliaries with Boron Injection..... 15-479
Figure 15.5-6b ATWS Loss of Normal AC Power to Station Auxiliaries with Boron Injection..... 15-480
Figure 15.5-6c ATWS Loss of Normal AC Power to Station Auxiliaries with Boron Injection..... 15-481

Figures

Figure 15.5-6d ATWS Loss of Normal AC Power to Station Auxiliaries with Boron Injection 15-482
Figure 15.5-7a ATWS Loss of Feedwater Flow with Boron Injection 15-483
Figure 15.5-7b ATWS Loss of Feedwater Flow with Boron Injection 15-484
Figure 15.5-7c ATWS Loss of Feedwater Flow with Boron Injection 15-485
Figure 15.5-7d ATWS Loss of Feedwater Flow with Boron Injection 15-486
Figure 15.5-8a ATWS Load Rejection with a Single Failure in the Turbine Bypass System with Boron Injection 15-487
Figure 15.5-8b ATWS Load Rejection with a Single Failure in the Turbine Bypass System with Boron Injection 15-488
Figure 15.5-8c ATWS Load Rejection with a Single Failure in the Turbine Bypass System with Boron Injection 15-489
Figure 15.5-8d ATWS Load Rejection with a Single Failure in the Turbine Bypass System with Boron Injection 15-490
Figure 15.5-9 Core Stability During Turbine Trip with Full Bypass ATWS Event 15-491
Figure 15.5-10a Station Blackout 15-492
Figure 15.5-10b Station Blackout 15-492
Figure 15.5-10c Station Blackout 15-493
Figure 15.5-10d Station Blackout 15-493
Figure 15.5-10e Station Blackout 15-494
Figure 15.5-10f Station Blackout (Figure 15.5-10a from 0 to 5 s) 15-494
Figure 15.5-11a MSIV Closure With Flux Scram 15-495
Figure 15.5-11b MSIV Closure With Flux Scram 15-495
Figure 15.5-11c MSIV Closure With Flux Scram 15-496
Figure 15.5-11d MSIV Closure With Flux Scram 15-496
Figure 15.5-11e MSIV Closure With Flux Scram 15-497
Figure 15.5-11f MSIV Closure With Flux Scram 15-497
Figure 15.5-11g MSIV Closure With Flux Scram (Figure 15.5-11a from 0 to 5 s) 15-498
Figure 15A-1a DPV Initiation Logic 15-541
Figure 15A-1b DPV Initiation Logic by DPS 15-542

Figures

Figure 15A-2a Fault Tree - Inadvertent Opening of a Depressurization Valve (page 1 of 19) 15-543
Figure 15A-2b Fault Tree - Inadvertent Opening of a Depressurization Valve (page 2 of 19) 15-544
Figure 15A-2c Fault Tree - Inadvertent Opening of a Depressurization Valve (page 3 of 19) 15-545
Figure 15A-2d Fault Tree - Inadvertent Opening of a Depressurization Valve (page 4 of 19) 15-546
Figure 15A-2e Fault Tree - Inadvertent Opening of a Depressurization Valve (page 5 of 19) 15-547
Figure 15A-2f Fault Tree - Inadvertent Opening of a Depressurization Valve (page 6 of 19) 15-548
Figure 15A-2g Fault Tree - Inadvertent Opening of a Depressurization Valve (page 7 of 19) 15-549
Figure 15A-2h Fault Tree - Inadvertent Opening of a Depressurization Valve (page 8 of 19) 15-550
Figure 15A-2i Fault Tree - Inadvertent Opening of a Depressurization Valve (page 9 of 19) 15-551
Figure 15A-2j Fault Tree - Inadvertent Opening of a Depressurization Valve (page 10 of 19) 15-552
Figure 15A-2k Fault Tree - Inadvertent Opening of a Depressurization Valve (page 11 of 19) 15-553
Figure 15A-2l Fault Tree - Inadvertent Opening of a Depressurization Valve (page 12 of 19) 15-554
Figure 15A-2m Fault Tree - Inadvertent Opening of a Depressurization Valve (page 13 of 19) 15-555
Figure 15A-2n Fault Tree - Inadvertent Opening of a Depressurization Valve (page 14 of 19) 15-556
Figure 15A-2o Fault Tree - Inadvertent Opening of a Depressurization Valve (page 15 of 19) 15-557
Figure 15A-2p Fault Tree - Inadvertent Opening of a Depressurization Valve (page 16 of 19) 15-558
Figure 15A-2q Fault Tree - Inadvertent Opening of a Depressurization Valve (page 17 of 19) 15-559

Figures

Figure 15A-2r Fault Tree - Inadvertent Opening of a Depressurization Valve (page 18 of 19) 15-560

Figure 15A-2s Fault Tree - Inadvertent Opening of a Depressurization Valve (page 19 of 19) 15-561

Figure 15A-3a Fault Tree - Inadvertent Shutdown Cooling Function Operation (page 1 of 3) 15-562

Figure 15A-3b Fault Tree - Inadvertent Shutdown Cooling Function Operation (page 2 of 3) 15-563

Figure 15A-3c Fault Tree - Inadvertent Shutdown Cooling Function Operation (page 3 of 3) 15-564

Figure 15A-4a Fault Tree - Inadequate Reactivity Insertion Given a Loss of FW Heating (page 1 of 2) 15-565

Figure 15A-4b Fault Tree for Inadequate Reactivity Insertion Given a Loss of FW Heating (page 2 of 2) 15-566

Figure 15B-1 (Deleted) 15-569

Figure 15C-1 Pool pH Calculation Results for a Low Pressure Bottom Line Break (Accident Scenario 1) 15-577

Figure 15C-2 Pool pH Calculation Results for a High Pressure Bottom Line Break (Accident Scenario 2) 15-578

Figure 15C-3 Pool pH Calculation Results for a Loss of Feedwater/Loss of AC Power (Accident Scenario 3) 15-579

Figure 18.1-1 HFE Implementation Process 18-13

Figure 19.3-1 BiMAC Pipes and Protective Layer 19-59

Figure 19B-1 Finite Element Model Showing Steady State Thermal Condition 19-131

Figure 19B-2 Concrete Compressive Stress, Level C Analysis, 0.992 MPaG (144 psig) Pressure 19-132

Figure 19B-3 Concrete Cracking Strain, Level C Analysis, 0.992 MPaG (144 psig) Pressure 19-133

Figure 19B-4 Liner Maximum Principal Strain, Level C Analysis, 0.992 MPaG (144 psig) Pressure 19-134

Figure 19B-5 Maximum Principal Strains in Liner Near Discontinuities, Level C Analysis 19-135

Figure 19B-6 Liner Membrane Strain at Representative Locations, Level C Analysis 19-136

Figure 19B-7 Finite Element Model for Drywell Head Capacity Study 19-137

Figures

Figure 19B-8 Displacement at Crown in Buckling Test Analysis 19-138
Figure 19B-9 Post Buckled Shape of Test Analysis Model 19-139
Figure 19B-10 Finite Element Model for Buckling Analysis of ESBWR Drywell Head ... 19-140
Figure 19B-11 Performance of ESBWR Drywell Head Under Internal Pressure at 260°C (500°F) 19-141
Figure 19B-12 Plastic Strains, Nominal Geometry, 260°C (500°F) 19-142
Figure 19B-13 Mid-Thickness Plastic Strain at Crown Under Increasing Pressure at 260 °C (500°F) 19-143
Figure 19C-1 Calculation of Variance due to Modeling Uncertainty 19-176
Figure 19C-2 Finite Element Model Showing the 260°C (500°F) Steady State Thermal Condition 19-177
Figure 19C-3 Structural Response of RCCV at 1.24 MPaG (180 psig) Pressure..... 19-178
Figure 19C-4 Critical Location for Liner Tearing in RCCV 19-179
Figure 19C-5 Pressure Fragility for RCCV Wall Capacity with Temperature..... 19-180
Figure 19C-6 Pressure Fragility for RCCV Liner Tearing with Temperature 19-180
Figure 19C-7 Local Finite Element Model for Drywell Head 19-181
Figure 19C-8 Thermal Contours and Deformation for 260°C (500°F) Thermal Condition 19-182
Figure 19C-9 Equivalent Plastic Strains in Steel Components at 2.17 MPaG (315 psig) 19-183
Figure 19C-10 Bolt Stresses in Drywell Head for 260°C (500°F) Thermal Condition 19-184
Figure 19C-11 Pressure Fragility with Temperature for Leakage at Drywell Head..... 19-185
Figure 19C-12 Local Model of Drywell Equipment Hatch 19-186
Figure 19C-13 Plastic Strains in EQ Hatch Steel Components, 260°C (500°F) Conditions 19-187
Figure 19C-14 Plastic Strains in Liner for Local Effects Slice Model 19-188
Figure 19C-15 Pressure Fragility with Temperature for Leakage at Equipment Hatch .. 19-189
Figure 19C-16 Pressure Fragility at 260°C (500°F) Steady State Thermal Conditions .. 19-189