

TRANSMISSION VERIFICATION REPORT

TIME : 10/26/2015 22:21
NAME : USNRC REGION3 DNMS
FAX : 6305151259
TEL :
SER.# : 000A7J925770

DATE, TIME	10/26 22:20
FAX NO./NAME	17344538851
DURATION	00:01:19
PAGE(S)	02
RESULT	OK
MODE	STANDARD ECM



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

TELEFAX TRANSMITTAL

DATE 10/27/2015

NUMBER OF PAGES 2

SEND TO Ray Carlson - Radiation Safety Officer - regarding close-out survey for Millennium Diagnostic Center, NRC License 21-32035-01

LOCATION Plymouth, Michigan

FAX NUMBER (734) 453-8851

VERIFY BY CALLING

10/27/15
- Kim -

FROM: Bill Reichhold
(Sender)

TELEPHONE NUMBER (630) 829-9839

FAX NUMBER (630) 515-1078

If you do not receive the complete fax transmittal, please contact the sender as soon as possible at the telephone number provided above.

MESSAGE See accompanying documents.



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

TELEFAX TRANSMITTAL

DATE 10/27/2015

NUMBER OF PAGES 2

SEND TO Ray Carlson - Radiation Safety Officer - regarding close-out survey for Millennium Diagnostic Center, NRC License 21-32035-01

LOCATION Plymouth, Michigan

FAX NUMBER (734) 453-8851

VERIFY BY CALLING

FROM: Bill Reichhold
(Sender)

TELEPHONE NUMBER (630) 829-9839

FAX NUMBER (630) 515-1078

If you do not receive the complete fax transmittal, please contact the sender as soon as possible at the telephone number provided above.

MESSAGE See accompanying documents.

NOTICE

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, or exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this communication in error, please notify the sender immediately by telephone and return the original to the above address, by U.S. Mail. Thank You.


Thank you for your letter dated October 19, 2015, requesting an amendment to remove a location of use from NRC License 21-32035-01 (Millennium Diagnostic Center). However, we need the following additional information to complete the review of your request to remove the location of use at 28625 Northwestern Highway, Southfield, Michigan, from the license.

1. Please submit a history of all the radionuclides used at the facility located at 28625 Northwestern Highway, Southfield, Michigan. For example, we used unit doses of technetium-99m, etc., and cobalt-57 as a sealed source to perform flood fields, etc.
2. Please submit a copy of the leak test results for the sealed sources used at the facility located at 28625 Northwestern Highway, Southfield, Michigan, that were current when the sources were transferred to 32255 Northwestern Highway, Farmington Hills, Michigan.
3. Please specify if there was any history of leaking sealed sources at the facility located at 28625 Northwestern Highway, Southfield, Michigan. If there was no history of leaking sealed sources, please state so.
4. Please confirm that all radioactive waste was decayed to background radiation levels and disposed of as "normal" trash, or transferred to a radioactive waste broker for disposal.
5. Please confirm that you wish the mailing address changed from 28625 Northwestern Highway, Southfield, Michigan to **32255 Northwestern Highway, Farmington Hills, Michigan, 48334.**

Please send a facsimile (630-515-1078) of your response to the above within 14 days and state, Response to Control 589130. Please include a cover letter on company letterhead, dated and signed (signed by an individual who is authorized to sign official documents on behalf of the licensee) with your response letter. Please call me at 630-829-9839 if you have any questions.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this facsimile and the attached documents will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

From the desk of:


Bill Reichhold