



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

January 19, 2016

Mr. Paul Triska
Vice President, Business Operations
AREVA Inc.
7135 Minstrel Way, Suite 300
Columbia, MD 21045

SUBJECT: FIRST REQUEST FOR ADDITIONAL INFORMATION FOR REVIEW OF
APPLICATION FOR REVISION TO THE STANDARDIZED NUHOMS SYSTEM –
CERTIFICATE OF COMPLIANCE NO. 1004, AMENDMENTS 0 THROUGH 11 AND
AMENDMENT 13, DOCKET NO. 72-1004 (TAC NO. L25049)

Dear Mr. Triska:

By letter dated August 24, 2015, AREVA Inc. submitted an application to revise its Certificate of Compliance No. 1004 for the Standardized NUHOMS System for all currently approved amendments (Amendments 0 – 11 and 13) as documented in Title 10 of the *Code of Federal Regulations*, Part 72, Section 72.214.

The staff has determined that further information is needed to complete its technical review. The request for additional information (RAI) is in the enclosure. Your response should be provided by February 24, 2016. If you are unable to meet this deadline, please notify us in writing, at least one week in advance, of your new submittal date and the reasons for the delay. The staff will then assess the impact of the new submittal date and notify you of a revised schedule. The current schedule assumes there will not be a need for a second round RAI.

ACTION	SCHEDULED DATE
Response to RAI #1	02/24/16
Issue Certificate	04/07/16

Please reference Docket No. 72-1004 and TAC No. L25049 in future correspondence related to this licensing action. If you have any questions, please contact me at (301) 415-6825.

Sincerely,

/RA/

Christian Jacobs, Senior Project Manager
Spent Fuel Licensing Branch
Division of Spent Fuel Management
Office of Nuclear Material Safety
and Safeguards

Docket No. 72-1004
TAC No. L25049

Enclosure: 1st RAI

Mr. Paul Triska
Vice President, Business Operations
AREVA Inc.
7135 Minstrel Way, Suite 300
Columbia, MD 21045

SUBJECT: FIRST REQUEST FOR ADDITIONAL INFORMATION FOR REVIEW OF
APPLICATION FOR REVISION TO THE STANDARDIZED NUHOMS SYSTEM –
CERTIFICATE OF COMPLIANCE NO. 1004, AMENDMENTS 0 THROUGH 11 AND
AMENDMENT 13, DOCKET NO. 72-1004 (TAC NO. L25049)

Dear Mr. Triska:

By letter dated August 24, 2015, AREVA Inc. submitted an application to revise its Certificate of Compliance No. 1004 for the Standardized NUHOMS System for all currently approved amendments (Amendments 0 – 11 and 13) as documented in Title 10 of the *Code of Federal Regulations*, Part 72, Section 72.214.

The staff has determined that further information is needed to complete its technical review. The request for additional information (RAI) is in the enclosure. Your response should be provided by February 24, 2016. If you are unable to meet this deadline, please notify us in writing, at least one week in advance, of your new submittal date and the reasons for the delay. The staff will then assess the impact of the new submittal date and notify you of a revised schedule. The current schedule assumes there will not be a need for a second round RAI.

ACTION	SCHEDULED DATE
Response to RAI #1	02/24/16
Issue Certificate	04/07/16

Please reference Docket No. 72-1004 and TAC No. L25049 in future correspondence related to this licensing action. If you have any questions, please contact me at (301) 415-6825.

Sincerely,

/RA/

Christian Jacobs, Senior Project Manager
Spent Fuel Licensing Branch
Division of Spent Fuel Management
Office of Nuclear Material Safety
and Safeguards

Docket No. 72-1004
TAC No. L25049

Enclosure: 1st RAI

Distribution:

AHsia MSampson DMarcano BTripathi JChang MRahimi ACsontos CAraguas

G:\SFST\Jacobs\TN 1004 Revisions\RAI\CoC 1004 Revisions RAI.doc

ADAMS Package No.: ML16019A301 Letter: ML16019A307 Enclosure: ML16019A310

OFC	SFM	SFM	SFM	SFM	SFM
NAME	CJacobs	JWoodfield (via email)	WWheatley (via email)	SRuffin (via email)	PSilva (via email)
DATE	01/12/16	01/12/16	01/12/16	01/13/16	1/19/16

OFFICIAL RECORD COPY