

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED: Simon Contractors 4819 South Industrial Road Cheyenne, Wyoming REPORT NO: 030-32872/2015-001		2. NRC/REGIONAL OFFICE U.S. Nuclear Regulatory Commission Region IV, 1600 East Lamar Blvd Arlington, Texas 76011-4511	
3. DOCKET NUMBER 030-32872	4. LICENSE NUMBER 49-27443-01	5. DATE OF INSPECTION November 18, 2015	

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

- 1. Based on the inspection findings, no violations were identified.
 - 2. Previous violation(s) closed.
 - 3. The violations(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy to exercise discretion, were satisfied.
- Non-Cited Violation(s) was/were discussed involving the following requirement(s) and Corrective Action(s):
-
4. During this inspection certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

Licensee's Statement of Corrective Actions for Item 4, above.

I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

Title	Printed Name	Signature	Date
LICENSEE'S REPRESENTATIVE			
NRC INSPECTOR	Jason Dykert	<i>Jason Dykert</i>	11/30/2015
BRANCH CHIEF	Brooke G. Smith	<i>Brooke G. Smith</i>	11/30/15

Non-Public Sensitive - Security-Related Public Non-Sensitive

Dykert, Jason

From: Dykert, Jason
Sent: Monday, November 30, 2015 12:01 PM
To: 'mroessler@simoncontractors.com'
Cc: 'vkormick@simoncontractors.com'
Subject: NRC inspection report 2015-001
Attachments: Scanned from a Xerox multifunction device.pdf; NRC Inspection Report 2015-001 (2).pdf

Matt,

Please find the attached report regarding the NRC's unannounced inspection on November 18, 2015, for Simon Contractors' records. It will be publicly available on our [ADAMS](#) website.

I have included an improved dosimetry evaluation (Table H-1 from NUREG 1556 Vol 1) that clarifies no exposure to the unshielded source is expected, you can add that to the audit if you would like.

Let me know if you have any questions,

Jason C Dykert
Health Physicist, Inspection Branch
US NRC, Region IV
(817) 200 - 1427

