

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED: Material Testing Services, Inc. 3001 N. Broadway Avenue, Minot, North Dakota & Minot Air Force Base, Pride Building parking lot REPORT NO: 030-32117/2015-001		2. NRC/REGIONAL OFFICE U.S. Nuclear Regulatory Commission Region IV, 1600 East Lamar Blvd Arlington, Texas 76011-4511	
3. DOCKET NUMBER 030-32117	4. LICENSE NUMBER 33-27066-01	5. DATE OF INSPECTION September 30, 2015	

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

- 1. Based on the inspection findings, no violations were identified.
- 2. Previous violation(s) closed.
- 3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy to exercise discretion, were satisfied.
- Non-Cited Violation(s) was/were discussed involving the following requirement(s) and Corrective Action(s):
- 4. During this inspection certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

Licensee's Statement of Corrective Actions for Item 4, above.

I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

Title	Printed Name	Signature	Date
LICENSEE'S REPRESENTATIVE			
NRC INSPECTOR	Jason Dykert		October 9, 2015
BRANCH CHIEF	Michael Vasquez		11/25/15

Non-Public
 Sensitive – Security-Related
 Public
 Non-Sensitive

Dykert, Jason

From: Dykert, Jason
Sent: Friday, October 09, 2015 12:47 PM
To: 'swald@srt.com'
Subject: NRC Inspection Report 2015-001
Attachments: NRC Report 2015-001.pdf

Steve, please find the attached report regarding the NRC's unannounced inspection on September 30, 2015, for your records.

Thank you for correcting the lock issue, I have referred it to the State inspectors. They will come by some time to look at the storage configuration.

I appreciated being able to observe the work at the Air Force Base, Jayden asked the right questions. I hope he will be able to share what he learned and saw from the inspection during your annual training.

If you have any questions regarding the inspection please let me know,

Jason C Dykert
Health Physicist, Inspection Branch
US NRC, Region IV
(817) 200 - 1427

