



February 9, 2016
E-44327

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

Subject: Response to First Request for Additional Information - Application for Revision to the Standardized NUHOMS® System – CoC No. 1004, Amendments 0 through 11 and Amendment 13, (Docket No. 72-1004, TAC No. L25049)

Reference: Letter from Christian Jacobs (NRC) to Paul Triska (AREVA Inc.), "First Request for Additional Information for Review of Application for Revision to the Standardized NUHOMS® System – Certificate of Compliance No. 1004, Amendments 0 through 11 and Amendment 13, Docket 72-1004 (TAC No. L25049)," January 19, 2016.

This submittal provides a response to the request for additional information (RAI) forwarded by the letter referenced above. Enclosure 1 provides the response to the single RAI item. No changes were required to the application (Certificate of Compliance, Technical Specifications, or Safety Analysis Report).

Should NRC staff have any questions or require additional information to support the review of this application, please contact Mr. Dennis Williford by telephone at (704) 805-2223, or by email at Dennis.Williford@areva.com.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Paul Triska', is written over a faint, larger version of the same signature.

Paul Triska
Vice President, Business Operations

cc: Christian Jacobs (NRC SFM)

Enclosures:

1. Response to Request for Additional Information

AREVA TN

AREVA Inc.
7135 Minnetrel Way - Suite 300 - Columbia, MD 21045 USA
Tel.: (410) 910-6900 - Fax: (410) 910-6902
us.areva.com/AREVATN

NM5526

Document Components:

001 Public AREVA Inc. Transmittal Letter.pdf, 569,641 bytes
002 Public Enc 1 Response to RAI.pdf, 70,490 bytes

OSM#1:

001 Public AREVA Inc. Transmittal Letter.pdf, 569,641 bytes
002 Public Enc 1 Response to RAI.pdf, 70,490 bytes