

MATERIALS LICENSE

Amendment No. 31

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

399832

<p>Licensee</p> <p>1. Department of the Army U.S. Army Armament and Chemical Acquisition and Logistics Activity</p> <p>2. ATTN: AMSTA-AC-SF Rock Island, IL 61299-7630</p>	<p>In accordance with a portion of application dated March 20, 1995</p> <p>3. License Number 12-00722-06 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration Date April 30, 1995</p> <hr/> <p>5. Docket or Reference No. 030-13027</p>
--	--

CLEAR REGISTRATION

6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License
A. Hydrogen-3	A. Gas in sealed glass ampoules	A. Not to exceed 10 curies (370 GBq) per device (See Condition No. 10)
B. Hydrogen-3	B. Gas in sealed glass ampoules	B. Not to exceed 10.2 curies (377 GBq) per device (See Condition No. 10)
C. Hydrogen-3	C. Gas in sealed glass ampoules	C. Not to exceed 5.76 curies (213 GBq) per unit (See Condition No. 10)
D. Promethium-147	D. 3M Model IE2X Sealed Glass encapsulated ceramic bound sources used as rifle sights	D. One millicurie per sight, total not to exceed one curie
E. Hydrogen-3	E. Tritium gas sealed in glass in rifle sights	E. Nine millicuries per sight, total not to exceed nine curies
F. Hydrogen-3	F. Sealed glass ampoules in sights (Mb Microtec AG Model Nos. 400/1, 400/2, 400/3, 400/4, 400/5 or 400/6)	F. No single sight to exceed 210 millicuries, 42 curies total

750098

9604090027 960313
PDR ADDCK 03013027
C PDR

COPY

011
2 ML
30
BT

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

12-00722-06

Docket or Reference Number

030-13027

Amendment No. 31

9. Authorized Use:

- A. To be used in fire control devices containing self-luminous tritium sources as described in Tables A and B, Supplement 3 of application dated April 12, 1987, and application dated February 26, 1986, and for possession incident to maintenance and repair of these devices and installation into end products, as described in Table C, Supplement 3 of application dated April 12, 1987. Distribution for use throughout the U.S. Army, U.S. Navy, and U.S. Marine Corps.
- B. For use in Muzzle Reference Sensors (MRS) on the U.S. Army and U.S. Marine Corps family of main battle tanks.
- C. For use in the M67 sight unit on the M120 and M121, 120MM mortar.
- D. and E. For possession in front post sight of M16A1 rifles. The material may be distributed throughout the U.S. Department of Defense. For possession only, pending disposal as described in letter dated January 31, 1996.
- F. To be used in Ranger Antiarmor Antipersonnel Weapon system for enhanced night firing capability.

CONDITIONS

10. The total possession limit for Hydrogen-3 shall not exceed 1.5×10^6 curies (55 PBq).
11. A. Licensed material listed in Item 6.A. may be used and stored in bulk quantities at Letterkenny Army Depot, Anniston Army Depot, Red River Army Depot, Rock Island Arsenal, new Cumberland Army Depot, Sharpe Army Depot, Albany, Georgia Marine Corps Logistics Base and Barstow, California Marine Corps Logistics Base. Licensed material may also be used at temporary job sites of the licensee anywhere in the United States where the Nuclear Regulatory Commission maintains jurisdiction for regulating the use of material. Ampoules containing hydrogen-3 shall not be opened or removed from fire control devices except as necessary for device repair and maintenance only at the Letterkenny Army Depot, Anniston Army Depot, Rock Island Arsenal, Albany Georgia Marine Corps Logistics Base and Barstow, California Marine Corps Logistic Base.
- B. Licensed material listed in Item 6.B. may be used throughout the United States at temporary job sites of the licensee. Storage and stockpile of MRS devices shall be as described in the licensee's application dated December 11, 1984.

COPY

Printed on recycled paper

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number
12-00722-06

Docket or Reference Number
030-13027

Amendment No. 31

- C. Licensed material listed in Item 6.C. may be used throughout the United States at temporary job sites of the licensee. Storage and stockpile of M67 Site Units shall be as described in the licensee's letter dated January 29, 1996.
- D. thru F. Licensed material listed in Items 6.D. through 6.F. may be possessed and/or used throughout the United States and any other locations where the Commission maintains jurisdiction for regulating the possession and/or use of licensed material.
12. A. Licensed material shall be used by, or under the supervision of, John Mattila, Elizabeth Peterson, Jeffrey Havenner or Gavin Ziegler, or U.S. Army and Marine Corps. civilian and/or military personnel trained in accordance with application dated April 12, 1982.
- B. Radiation Protection Officers at Army depots, maintenance facilities and its independent test laboratory may be approved by the licensee's Radiation Safety Officer as outlined in letters dated December 23, 1985 and May 29, 1986.
- C. Radiation Safety Officer: Elizabeth Peterson
- D. Alternate Radiation Safety Officer: Gavin Ziegler or Jeffrey Havenner
13. Sealed sources containing licensed material shall not be opened.
14. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
15. The licensee shall conduct a physical inventory on material listed in Item 6.B every twelve (12) months to account for all sealed sources received and possessed under the license in accordance with letter dated October 21, 1985. The records of the inventories shall be maintained for two (2) years from the date of the inventory for inspection by the Commission, and shall include the quantities and kinds of byproduct material, location of sealed sources and the date of the inventory.
16. The licensee shall maintain records of information related to decommissioning at Headquarters, U.S. Army Armament, Munitions and Chemical Command, Rock Island, Illinois as specified in 10 CFR 30.35(g) until this license is terminated by the Commission.

COPY

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number
12-00722-06

Docket or Reference Number
030-13027

Amendment No. 31

17. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Applications dated April 12, 1982 (with enclosures), May 6, 1982, December 24, 1984, February 25, 1986 (with enclosures), November 6, 1988 (with enclosures), November 22, 1988, May 29, 1990 and March 20, 1995 (limited to Items transferred from terminated License No. 12-00722-04);
 - B. Letters with enclosures dated June 8, 1983, June 17, 1983, August 24, 1984, October 21, 1985, December 23, 1985, May 29, 1986, April 29, 1987, September 19, 1988, March 28, 1990 (with attachment), May 10, 1990, June 22, 1990, August 16, 1990, November 19, 1992, December 13, 1993, January 26, 1994 (with enclosures), September 2, 1994; May 18, 1995, September 19, 1995, January 29, 1996 and January 31, 1996; and
 - C. Letter received December 19, 1990 and letter dated February 24, 1994 (excluding any reference to the fire-control device M67 Sight Unit).

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date March 13, 1996

By

Loren G. Hunter
Nuclear Materials Licensing Branch, Region III

COPY

(FOR LFMS USE)
INFORMATION FROM LTS

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

PROGRAM CODE: 03120
STATUS CODE: 2
FEE CATEGORY: EX 3P
EXP. DATE: 19950430
FEE COMMENTS: 170.11(A)(5)
DECOM FIN ASSUR REQD: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: ARMY, DEPARTMENT OF THE
RECEIVED DATE: 960124
DOCKET NO: 3013027
CONTROL NO.: 399832
LICENSE NO.: 12-00722-06
ACTION TYPE: AMENDMENT

2. FEE ATTACHED

AMOUNT: _____
CHECK NO.: 0

3. COMMENTS

SIGNED
DATE

D. Hensley
FEB 27 1996

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED / __/)

1. FEE CATEGORY AND AMOUNT: _____

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:
AMENDMENT _____
RENEWAL _____
LICENSE _____

3. OTHER _____

SIGNED
DATE

FEE EXEMPT

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST: 9 HOURS. SUBMITTAL OF THE APPLICATION IS NECESSARY TO DETERMINE THAT THE APPLICANT IS QUALIFIED AND THAT ADEQUATE PROCEDURES EXIST TO PROTECT THE PUBLIC HEALTH AND SAFETY. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (T-8 F33), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555-0001, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0120) OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON DC 20503.

APPLICATION FOR MATERIAL LICENSE

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

LICENSING ASSISTANT SECTION
NUCLEAR MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406-1415

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION II
101 MARIETTA STREET, N.W., SUITE 2900
ATLANTA, GA 30323-0199

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
801 WARRENVILLE RD.
LISLE, IL 60532-4351

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
811 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TX 76011-8064

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS

1 THIS IS AN APPLICATION FOR (Check appropriate item)

- A NEW LICENSE
- B AMENDMENT TO LICENSE NUMBER _____
- C RENEWAL OF LICENSE NUMBER EML 12-00722-06

2 NAME AND MAILING ADDRESS OF APPLICANT (Include Zip code)

DIRECTOR, Armament and Chemical Acquisition
and Logistics Activity
ATTN: AMSTA-AC-SF
Rock Island, IL 61299-7630

3 ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

U.S. Army, U.S. Navy, and U.S. Marine Corps Civilian,
Military, and Defense Logistics Agency, and Contractor
Personnel Worldwide.

4 NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Elizabeth A. Peterson

TELEPHONE NUMBER

(309) 782-2962

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE

5 RADIOACTIVE MATERIAL
a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time
See Supplement A

6 PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED
See Supplement B

7 INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE.
See Supplement C.

8 TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS
See Supplement D.

9 FACILITIES AND EQUIPMENT
See Supplement E.

10 RADIATION SAFETY PROGRAM
See Supplement F.

11 WASTE MANAGEMENT
See Supplement G.

12 LICENSEE FEES (See 10 CFR 170 and Section 170.31)
FEE CATEGORY EXEMPT AMOUNT ENCLOSED \$

13 CERTIFICATION (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10 CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39 AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION

CERTIFYING OFFICER - TYPE/PRINTED NAME AND TITLE

RICHARD D. HUSSON, Director, ACALA

SIGNATURE

[Signature]

DATE

20 Mar 95

FOR NRC USE ONLY

TYPE OF FEE	FEE CODE	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			\$		
APPROVED BY				DATE	

RECEIVED
JAN 24 1996
REGION III

RECEIVED
MAR 21 1995

RECEIVED BY LFDCB
Date <i>April 25, 1995</i>
<i>Apr. 19 III</i>
By <i>SC</i>
Date Completed <i>4/25/95</i>

EXECUTIVE SUMMARY

1. Byproduct Material License 12-00722-06 is submitted for renewal. This renewal submission also includes those portions of Byproduct Material License 12-00722-04 which remain active, i.e., it covers the use and storage of Tritium sights on M16A1 rifles and the M3 Recoilless Rifle (also know as Ranger Anti-Armor Anti-Personnel Weapon System (RAAWS)).

2. This renewal application has been rewritten to incorporate applicable portions of Title 10 CFR Part 20 and Title 40 CFR Part 61.

3. The changes in this renewal application are summarized below:

a. **Item 6.**

(1) The tritium sights on the small arms, M16A1 and M3 (RAAWS), are included on this application. Note: the tritium sights on the M16A2 and M4 Carbine Rifles, previously included in the 12-00722-04 license, were not fielded. These are not included in this submission.

(2) The promethium 147 rifle sights, previously included in the 12-00722-04 license, are now so low in activity as to be below regulatory concern. These have not been included in this renewal submission. The attached calculations provides the basis for this conclusion based on the last procurement occurring in 1975.

(3) The fire control devices that were used on the M119, 105MM, British Light Gun, have been returned to England. Therefore, the following devices are removed from the license:

- (a) L2A1 Elbow Telescope
- (b) L3A1 Dial Sight Carrier
- (c) L7A1 Dial Sight

(4) The Zone/charge setter was never fielded and is therefore removed from the license.

(5) The following devices have model name changes:

- (a) The M137E1 is renamed: M137A1.
- (b) The XM187 is renamed: M187.
- (c) The M90E6 is renamed: M90A2.

(6) A cro
item model, and sour

registration number,
dded.

J. J. J. J.
LCC EVALUATE

CONVERSATION RECORD

TIME

DATE

11:3a

4/21/95

VISIT

CONFERENCE

TELEPHONE

INCOMING

OUTGOING

NAME OF PERSON(S) CONTACTED OR IN CONTACT

ORGANIZATION (OFFICE, DEPT. ETC.)

TELEPHONE NO.

Betty Peterson

Dept of Army
12-00922 -04
030-08220

SUBJECT

Renewal for above license.

SUMMARY

Mrs. Peterson stated that they had included the info ^{for} the -04 license in with the -06 license renewal information. They no longer want to keep the -04 license active. I explained that we will need to terminate the -04 license.

A termination will be prepared for the -04 license and placed with the -06 renewal request. ~~with the -06 license.~~ I told Mrs. Peterson that the reviewer who pulls the renewal for the -06 license may contact her for more information for the -04 license.

ACTION REQUIRED

Prepare termination for the -04 license.

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

Patricia Vacherlon

4/21/95

Patricia Vacherlon

ACTION TAKEN

MAR 14 1966

John A. Mattila
Chief, Safety Office
Department of the Army
U.S. Army Armament and Chemical
Acquisition and Logistics Activity
Rock Island, IL 61299-7630

Dear Mr. Mattila:

Enclosed is Amendment No. 31 to your NRC Material License No. 12-00722-06 in accordance with your request, concurrent with termination of your NRC Material License No. 12-00722-04.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (708) 829-9887 so that we can provide appropriate corrections and answers.

Please note that we have tied down in this license several old applications and a letter from License No. 12-00722-04 which describe the materials transferred to License No. 12-00722-06.

Please note that we plan to process your renewal application for License No. 12-00722-06 in the near future.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC, in writing, within 30 days:
 - a. When the Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change; or

3998.32

- b. When the licensee's mailing address changes (no fee is required if the location of byproduct material remains the same).
3. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when you decide to terminate all activities involving materials authorized under the license.
4. Request and obtain a license amendment before you:
 - a. Change Radiation Safety Officers;
 - b. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
 - c. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or
 - d. Change ownership of your organization.
5. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Policy and Procedures for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when

J. Mattila

-3-

dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

Original Signed By
Loren J. Hueter
Nuclear Materials Licensing Branch

License No.: 12-00722-06
Docket No.: 030-13027

Enclosures: 1. Amendment No. 31
2. NRC Form 313

DOCUMENT NAME: M:\03013027.CL6

To receive a copy of this document, indicate in the box. "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII								
NAME	LJHUETER:jaw <i>LJH</i>								
DATE	03/13/96								

OFFICIAL RECORD COPY



DEPARTMENT OF THE ARMY
UNITED STATES ARMY TANK - AUTOMOTIVE AND ARMAMENTS COMMAND
ARMAMENT AND CHEMICAL ACQUISITION AND LOGISTICS ACTIVITY
ROCK ISLAND, ILLINOIS 61299-7630



January 31, 1996

AMSTA-AC-SF

U.S. Nuclear Regulatory Commission
Region III
ATTN: Mr. Loren Heuter
Nuclear Materials Licensing Section
801 Warrenville Road
Lisle, Illinois 60532-4351 Control Number 398466

Dear Sir:

Reference a phone conversation between Mr. Heuter, NRC and Mrs. Peterson, ACALA Safety, January 24, 1996, regarding the BML 12-00722-04 license and the BML 12-00722-06 license.

Provided is further information in support of actions on these two licenses:

a 12-00722-04. The promethium and tritium rifle sights are no longer used by the Department of Defense. These items have been recalled on several occasions and these items have been disposed of as radioactive waste. No testing on the rifle sights, in accordance with Item #12, as listed on Amendment #24, is being accomplished because the items are no longer used and have been recalled. As it is possible that all items have not been returned, the Army seeks to place the promethium and tritium rifle sights on the BML 12-00722-06 license to assure that any rifle sights turned in are covered by a license. Any rifle sights turned in will be processed as radioactive waste in accordance with all regulatory requirements.

b 12-00722-04. The license document refers to many letters which are a part of license documentation. ACALA has reviewed these letters and has determined that there are not any requirements different than those already in BML 12-00722-06. Therefore, it is requested that BML 12-00722-04 be terminated. All records of this license will be maintained with the BML 12-00722-06 files at the Safety Office, ACALA in accordance with the provisions of 10 CFR 30.35(g).

c 12-00722-06. The ACALA requests that the application provided to the NRC on March 20, 1995 be reviewed as "a request for license renewal in its entirety". The package submitted was written to this end, but the cover letter did not request such review.

This command action has been coordinated with and approved by Headquarters, Army Materiel Command Safety Office


RECEIVED

FEB 02 1996

REGION III

The point of contact is Mrs Betty Peterson, (309) 782-2962, FAX (309) 782-6758.

Sincerely,

A handwritten signature in cursive script, appearing to read "John A. Mattila".

John A. Mattila
Chief, Safety Office

CONVERSATION RECORD

TIME

DATE

3-8-76

TYPE

VISIT

CONFERENCE

TELEPHONE

INCOMING

OUTGOING

ROUTING

NAME/SYMBOL

INT

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Betty Stevens

ORGANIZATION (Office, dept., bureau, etc.)

AFIP

TELEPHONE NO.

SUBJECT

CN 98451 Ticon of file no. 12-25-75-4

99552 add same part from Ticon file 12-25-75-4

SUMMARY

Ticon PA 12-25-75-4

2274 and to check a possible part of case
 go in 12-25-75 and 2-25-76 for the time
 couple right to be transferred to -06 because
 pending status of this case. However for
 1070 of each copy of summary to
 also be considered that we would handle
 this as an incident to the -06 because
 in order to expedite transmission of 04 label
 and make possible the absence of -06 label at
 a later date.

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

Lucien Horvath

3-8-76

ACTION TAKEN

SIGNATURE

TITLE

DATE

CONVERSATION RECORD

TIME

DATE

1-24-76

TYPE

VISIT

CONFERENCE

TELEPHONE

INCOMING

OUTGOING

ROUTING

NAME/SYMBOL

INT

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Elizabeth Betty Brown

ORGANIZATION (Office, dept., bureau, etc.)

Head of the Room

TELEPHONE NO.

307-792-2762

SUBJECT

ON 97466 termination of Ltr to 12-00722 04 of 01 of 75

SUMMARY

1. Discussed that we wanted to go ahead and conduct the 10-13-75 on whether the government got at this time we added the material on the -04 because we will be forced to terminate the -04 tickets as requested.

2. She informed the testimony rights on the M14 and M4 machine rifles were not "held" in that the bureau had never processed them.

also discussed that the Government M4 rifle right cannot be supported from Bureau in basis of being below regulated concern. The last one obtained in 1975 and all have about the right of the right.

Letter agreed to provide information on M14 and M4 rifles. She said she would document when the process was over.

For the record Betty said that both the M14 and M4 (over)

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

Robert Hunter

DATE

1-24-76

ACTION TAKEN

SIGNATURE

TITLE

DATE

H3 front just gave rights of the (MBA) record for
Line 1 term 6A and 6B - of licenses, have not been
in use for some time and most all have been
returned and properly disposed of as radioactive. She
said they wish to keep within line for a small number,
- 500, on the license in case some short range, and in line
one of the storage sites. There are handled as
intermediate waste when they come in, therefore
she requests ind. # 12, or - 04 license be deleted
Discussed that on the subject will transfer from one
and the same in the - 06 license. Applications listed
range, 1982, Nov 22, 1988, May 29, 1990 and new
application on 20, 1995 and old letter dtd June 17, '85
when letter was well, provide in response to that
where reference.

Ref 211 98466 responded in 30 days

letter came to her response about 2nd Jan 81
followed by hand copy.