

**FPL Turkey Point Uprate Monitoring Project**  
**March 2015 Semiannual Sampling Event**  
SDG: Qtr 1 2015 SW

Method	Parameter	Units	TPBBSW-3B		030415-Dup		TPBBSW-4B		TPBBSW-5B		TPSWC-1T		TPSWC-1B	
			03/04/2015		03/04/2015		03/04/2015		03/04/2015		03/11/2015		03/11/2015	
Field - FT1400	Temperature	°C	25.18				24.90		24.69		28.41		26.48	
Field - FT1100	pH	SU	8.24				8.09		7.99		7.99		7.42	
Field - FT1500	Dissolved Oxygen	mg/L	6.67				6.18		6.60		7.30		2.94	
Field - FT1200	Specific Conductance	µS/cm	52557				53121		53022	J	1129		1175	
Field - FT1600	Turbidity	NTU	0.66				1.37		2.11		2.77		6.94	
200.7	Silica, dissolved	mg/L												
6010B	Calcium	mg/L	420		421		427		422		83.3		85	
6010B	Magnesium	mg/L	1320		1320		1340		1310		16.5		16.9	
6010B	Potassium	mg/L	407		410		420		413		5.4		5.45	
6010B	Sodium	mg/L	10100		10100		10100		9960		116	J	118	J
	Boron	mg/L	4.61	I	4.61	I	4.69	I	4.67	I	0.0701		0.0704	
	Strontium	mg/L	7.68		7.75		7.85		7.75		0.797		0.81	
300.0_28D	Bromide	mg/L	70.9		70.4		73.4		72.5	J	0.562		0.625	
300.0_28D	Chloride	mg/L	19700		19900		19700		20300	J	241		250	
SM4500 F C	Fluoride	mg/L	0.93		0.91		0.93		0.93	J	0.032	U	0.032	U
300.0_28D	Sulfate	mg/L	2600		2590		2030		2650	J	11.7		12.7	
SM4500 NH3 G	Total Ammonia	mg/L as N	0.225	J	0.178	I J	0.155	I J	0.264	J	0.367	J	0.446	J
DEP SOP - calc	Ammonium ion (NH <sub>4</sub> <sup>+</sup> )	mg/L	0.267	J			0.187	J	0.323	J	0.442	J	0.565	J
DEP SOP - calc	Unionized NH <sub>3</sub>	mg/L	0.023	J			0.013	J	0.017	J	0.030	J	0.008	J
353.2	Nitrate/Nitrite	mg/L as N	0.025	U	0.025	U	0.025	U	0.025	U	0.0361	I J	0.0376	I J
351.2	TKN	mg/L	0.418		0.38	I	0.424		0.257		0.822		0.99	
calc	TN	mg/L	0.443		0.405	J	0.449		0.282		0.858	J	1.028	J
SM4500 P E	ortho-Phosphate	mg/L	0.0021	U	0.0021	U	0.0021	U	0.0021	U	0.0021	U J	0.0021	U J
365.1	Total Phosphorus (P)	mg/L	0.003	U	0.003	U	0.003	U	0.003	U	0.0153	J	0.0262	J
2320B	Alkalinity	mg/L	141		142		142		147	J	194		205	
2320B	Bicarbonate Alkalinity	mg/L as HCO <sub>3</sub>	153		162		173		179	J	237		250	
SM4500 S2 F	Sulfide	mg/L	0.36	U Q	0.36	U Q	0.387	I Q J	0.575	I Q	0.0446	I	0.036	U
2540C	Total Dissolved Solids	mg/L												
PSS-78	Salinity	*	34.6				35.0		35.0	J	0.6	J	0.6	J
USGS	Tritium	pCi/L	-0.2 (5.1)	UJ	-1.7 (5.0)	UJ	6.4 (2.7)		10.7 (2.7)		78.3 (7.6)		61.9 (7.4)	

**NOTE: Laboratory results are reported with 3 digits although only the first 2 are significant figures.**

The results in blue represent data values that were not available at time of publication of the prior annual report.

FPL Turkey Point Uprate Monitoring Project

March 2015 Semiannual Sampling Event

SDG: Qtr 1 2015 SW

		TPSWC-2T		031115-Dup		TPSWC-2B		TPSWC-3T		TPSWC-3B		TPSWC-4T		TPSWC-4B		TPSWC-5T		TPSWC-5B	
Parameter	Units	03/11/2015		03/11/2015		03/11/2015		03/11/2015		03/11/2015		03/03/2015		03/03/2015		03/03/2015		03/03/2015	
Temperature	°C	27.31				26.60		25.52		25.75		25.54		26.59		25.40		25.27	
pH	SU	8.35				8.35		8.18		7.62		7.75		7.81		8.04		8.04	
Dissolved Oxygen	mg/L	9.43				8.86		7.61		4.64		5.74		5.29		5.54		5.81	
Specific Conductance	µS/cm	1475				1825		2074		7269		46010		48292		52697	J	51860	J
Turbidity	NTU	0.99				0.83		1.6		3.33		1.08		2.14		0.43		0.82	
Silica, dissolved	mg/L																		
Calcium	mg/L	70.7		72.5		77.8		86.6		125		398		408		414		427	
Magnesium	mg/L	19.8		20.4		26		29.2		112		1010		1060		1150		1190	
Potassium	mg/L	6.91		7.01		8.65		9.78		38.7		361		377		414		429	
Sodium	mg/L	156	J	170	J	212	J	247	J-	1040	J	9180		9570		9870		9680	
Boron	mg/L	0.0744		0.0692		0.0867		0.0924		0.402		3.84		4.05		4.57		4.72	
Strontium	mg/L	0.805		0.825		0.894		0.994		1.62		6.92		7.11		7.56		7.86	
Bromide	mg/L	0.951		0.949		1.28		1.55		6.45		59.5		62.9		71.2	J	70.2	J
Chloride	mg/L	380		377		479		551		2060	L	17700		18300		20600	J	19900	J
Fluoride	mg/L	0.032	U	0.032	U	0.032	U	0.032	U	0.16		0.86		0.91		1.02	J	1	J
Sulfate	mg/L	25.3		25.2		35.9		44.2		229		2220		2380		2580	J	2610	J
Total Ammonia	mg/L as N	0.163	IJ	0.193	IJ	0.328	J	0.364	J	0.114	IJ	0.392	J	0.29	J	0.183	IJ	0.349	J
Ammonium ion (NH <sub>4</sub> <sup>+</sup> )	mg/L	0.181	J			0.367	J	0.431	J	0.143	J	0.487	J	0.359	J	0.223	J	0.425	J
Unionized NH <sub>3</sub>	mg/L	0.029	J			0.055	J	0.037	J	0.003	J	0.017	J	0.014	J	0.012	J	0.024	J
Nitrate/Nitrite	mg/L as N	0.0303	IJ	0.0304	IJ	0.0321	IJ	0.0311	IJ	0.0388	IJ	0.0685		0.0511		0.0511		0.0491	I
TKN	mg/L	0.938	J	0.894		0.986		0.918		0.974		0.65		0.726		0.454		0.612	
TN	mg/L	0.968	J	0.924	J	1.018	J	0.949	J	1.013	J	0.719	J	0.777	J	0.505	J	0.661	J
ortho-Phosphate	mg/L	0.0021	UJ	0.0021	UJ	0.0021	UJ	0.0021	UJ-	0.0021	UJ	0.0021	U	0.0021	U	0.0021	U	0.0021	U
Total Phosphorus (P)	mg/L	0.0111	J	0.0111	J	0.0101	J	0.0117	J+	0.049	J	0.00628	I	0.00585	I	0.00338	I	0.003	U
Alkalinity	mg/L	146		146		150		163		179		184		183		146	J	147	J
Bicarbonate Alkalinity	mg/L as HCO <sub>3</sub>	176		178		175		199		218		224		223		178	J	179	J
Sulfide	mg/L	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U	0.036	U
Total Dissolved Solids	mg/L																		
Salinity	*	0.7	J			0.9	J	1.1	J	4.0		29.8		31.5		34.7	J	34.1	J
Tritium	pCi/L	60.6 (7.0)		69.8 (7.6)		68.2 (7.3)		44.4 (6.8)		45.4 (6.8)		53.4 (4.7)		45.9 (3.9)		17.6 (3.5)		18.6 (3.0)	

FPL Turkey Point Uprate Monitoring Project

March 2015 Semiannual Sampling Event

SDG: Qtr 1 2015 SW

Parameter	Units	TPSWC-6T		TPSWC-6B		TPSWID-1T		TPSWID-1B		TPSWID-2T		TPSWID-2B		TPSWID-3T		TPSWID-3B		TPSWCCS-1B	
		03/10/2015		03/10/2015		03/06/2015		03/06/2015		03/06/2015		03/06/2015		03/06/2015		03/06/2015		03/06/2015	
Temperature	°C	26.04		25.34		29.30		29.50		28.28		27.23		27.67		26.76		34.07	
pH	SU	7.28		7.25		7.15	J	5.39	J	6.92	J	6.72	J	7.14	J	6.77	J	7.82	J
Dissolved Oxygen	mg/L	1.65		2.00		6.61		1.24		4.01		1.02		5.92		2.09		3.48	
Specific Conductance	µS/cm	743		740		8401		18458		4219		8425		5746		25982		113081	J
Turbidity	NTU	0.32		0.80		0.76		24.10		0.70		5.80		0.77		0.87		126.00	
Silica, dissolved	mg/L																	8.84	J-
Calcium	mg/L	82.2		83.4		171		238		145		216		163		307		1130	
Magnesium	mg/L	8.84		9.09		159		368		63.3		146		95.5		533		3200	
Potassium	mg/L	11.6		11.8		51.6		123		21.6		45.3		30.9		175		1030	
Sodium	mg/L	49.5		51.7		1250		2530		552		1240		847		3480		22800	J-
Boron	mg/L	0.0826		0.0834		0.0535		1.29		0.23	I	0.459	I	0.318	I	1.7		12.1	
Strontium	mg/L	1.06		1.07		2.26		3.58		1.63		2.76		1.87		4.73		23.9	
Bromide	mg/L	0.487		0.496		8.42		0.258		3.93		8.55		5.67		30.5		171	J
Chloride	mg/L	93.2		95.1		2550		6180		1190		2610		1710		9210		50200	J
Fluoride	mg/L	0.12		0.12		0.16		0.24		0.13		0.15		0.13		0.24		1.00	J-
Sulfate	mg/L	62.5		62.2		269		605		109		258		149		1030		6970	J
Total Ammonia	mg/L as N	0.234	J	0.131	IJ	0.333	J	1.36		0.621	J	0.572	J	0.408	J	0.263	J	1.84	J
Ammonium ion (NH <sub>4</sub> <sup>+</sup> )	mg/L	0.297	J	0.167	J	0.423	J	1.747		0.794	J	0.733	J	0.520	J	0.337	J	2.258	J
Unionized NH <sub>3</sub>	mg/L	0.003	J	0.001	J	0.005	J	0.001		0.004	J	0.002	J	0.004	J	0.001	J	0.108	J
Nitrate/Nitrite	mg/L as N	0.0544	J	0.147		0.0688		0.0369	I	0.0564		0.025	U	0.171		0.0668		0.025	U
TKN	mg/L	0.248		0.396	I	1.13		1.98		0.934		0.888		0.814		0.798		4.44	
TN	mg/L	0.302	J	0.543		1.199		2.017	J	0.990	J	0.913		0.985		0.865		4.465	J
ortho-Phosphate	mg/L	0.0021	U	0.0021	U J-	0.00637	IJ	0.01	I	0.0042	UJ	0.0042	U	0.0042	U	0.0042	U	0.0106	I
Total Phosphorus (P)	mg/L	0.003	U	0.003	U	0.00349	IJ	0.0111		0.00322	IJ	0.00782	I	0.00472	I	0.0108		0.0559	
Alkalinity	mg/L	169		170		295		419		269		305		261		265		208	J
Bicarbonate Alkalinity	mg/L as HCO <sub>3</sub>	207		207		359		511		329		372		318		323		254	J
Sulfide	mg/L	0.036	U	0.036	U	0.0717	IJ	0.54	I	0.337	J	4.64		0.0517	IJ	0.0611	IJ	0.36	U
Total Dissolved Solids	mg/L																		
Salinity	*	0.4	J	0.4	J	4.6		10.9		2.2		4.7		3.1		15.8		83.8	J
Tritium	pCi/L	15.5 (3.9)		12.7 (4.0)		218.1 (10.4)		498.2 (18.1)		83.5 (7.0)		126.1 (8.1)		99.8 (7.5)		167.0 (9.3)		3583.0 (115.8)	

FPL Turkey Point Uprate Monitoring Project

March 2015 Semiannual Sampling Event

SDG: Qtr 1 2015 SW

Parameter	Units	TPSWCCS-2B		TPSWCCS-3B		TPSWCCS-4T		TPSWCCS-5T		TPSWCCS-7B		030215-EB	
		03/09/2015		03/06/2015		03/09/2015		03/09/2015		03/06/2015		03/02/2015	
Temperature	°C	30.26		32.98		28.03		27.80		33.22			
pH	SU	7.83		7.84	J	7.83		7.86		7.86	J		
Dissolved Oxygen	mg/L	2.58		4.62		3.13		3.47		3.44			
Specific Conductance	µS/cm	110404	J	112924	J	114270	J	112000	J	114070	J		
Turbidity	NTU	127.60		127.70		126.00		144.30		127.50			
Silica, dissolved	mg/L	12.4		9	J	12		12.3		9.01	J	0.05	U
Calcium	mg/L	1150		1090		1160		1170		1100		0.100	U
Magnesium	mg/L	3140		3070		3040		3130		3090		0.0200	U
Potassium	mg/L	1030		993		1040		1050		1000		0.190	U
Sodium	mg/L	20900		21100	J	22000		21900		21200	J	0.310	U
Boron	mg/L	11.9		12.3		12		12.2		13		0.01	U
Strontium	mg/L	23.2		23.2		23.5		23.6		23.6		0.001	U
Bromide	mg/L	252	J	189	J	172	J	249	J	175	J	0.0130	U
Chloride	mg/L	50000	J	50700	J	51300	J	45200	J	50800	J	0.200	U
Fluoride	mg/L	1.00	J	1.00	J	0.98	J	1.00	J	1.00	J	0.0240	U
Sulfate	mg/L	6220	J	6940	J	7020	J	6990	J	7110	J	0.400	U
Total Ammonia	mg/L as N	1.09		1.23	IJ	1.91		0.355		4.42	J	0.1400	I
Ammonium ion (NH <sub>4</sub> <sup>+</sup> )	mg/L	1.337		1.509	J	2.357		0.434		5.360	J		
Unionized NH <sub>3</sub>	mg/L	0.064		0.072	J	0.098		0.023		0.323	J		
Nitrate/Nitrite	mg/L as N	0.025	U	0.0299	I	0.0445	IJ	0.053	J	0.025	U	0.005	UQ
TKN	mg/L	3.12		4.68		3.96		4.26		4.34		0.228	I
TN	mg/L	3.145		4.710	J	4.005	J	4.313	J	4.365	J		
ortho-Phosphate	mg/L	0.0105	U Q J-	0.0042	U	0.0105	U	0.0105	U	0.0042	U	0.0021	U
Total Phosphorus (P)	mg/L	0.0619		0.0561		0.0626		0.0613		0.0574		0.0030	U
Alkalinity	mg/L	210	J	208	J	210	J	207	J	209	J	1.00	U
Bicarbonate Alkalinity	mg/L as HCO <sub>3</sub>	256	J	254	J	257	J	253	J	255	J	1.00	U
Sulfide	mg/L	0.36	U	0.0564	IJ	0.0611	IJ	0.611	I	0.375	IJ	0.04	U
Total Dissolved Solids	mg/L											5.00	U
Salinity	*	81.6	J	83.7	J	82.6	J	83.2	J	84.7	J		
Tritium	pCi/L	3644.1 (129.3)		3883.8 (139.1)		3770.5 (132.5)		3754.4 (132.0)		4250.9 (152.1)		6.0 (5.3)	

FPL Turkey Point Uprate Monitoring Project

March 2015 Semiannual Sampling Event

SDG: Qtr 1 2015 SW

		030315-FB		030415-FB		030615-FB1		030615-FB2		030915-FB1		030915-FB2		031015-FB1		031015-FB2		031115-FB1		031115-FB2	
Parameter	Units	03/03/2015		03/04/2015		03/06/2015		03/06/2015		03/09/2015		03/09/2015		03/10/2015		03/10/2015		03/11/2015		03/11/2015	
Temperature	°C																				
pH	SU																				
Dissolved Oxygen	mg/L																				
Specific Conductance	µS/cm																				
Turbidity	NTU																				
Silica, dissolved	mg/L	0.05	U	0.05	U	0.05	U			0.0521	I			0.05	U			0.05	U		
Calcium	mg/L	0.1	U	0.1	U	0.1	U			0.1	U			0.1	U			0.1	U		
Magnesium	mg/L	0.02	U	0.02	U	0.02	U			0.02	U			0.02	U			0.02	U		
Potassium	mg/L	0.19	U	0.19	U	0.19	U			0.19	U			0.19	U			0.19	U		
Sodium	mg/L	0.31	U	0.31	U	0.31	U			0.31	U			0.31	U			0.31	U		
Boron	mg/L	0.01	U	0.01	U	0.01	U			0.01	U			0.01	U			0.01	U		
Strontium	mg/L	0.001	U	0.001	U	0.001	U			0.001	U			0.001	U			0.001	U		
Bromide	mg/L	0.013	U	0.025	U	0.025	U			0.025	U			0.025	U			0.025	U		
Chloride	mg/L	0.2	U	0.2	U	0.2	U			0.2	U			0.2	U			0.2	U		
Fluoride	mg/L	0.032	U	0.032	U	0.032	U			0.032	U			0.032	U			0.032	U		
Sulfate	mg/L	0.4	U	0.4	U	0.4	U			0.4	U			0.4	U			0.4	U		
Total Ammonia	mg/L as N	0.157	I	0.195	I	0.116	I	0.1	U	0.1	U	0.1	U	0.123	I	0.1	U	0.251			0.1
Ammonium ion (NH <sub>4</sub> <sup>+</sup> )	mg/L																				
Unionized NH <sub>3</sub>	mg/L																				
Nitrate/Nitrite	mg/L as N	0.005	U	0.00551	I	0.005	U			0.0105				0.00573	I			0.0152			
TKN	mg/L	0.2	U	0.2	U	0.1	U			0.1	U			0.2	U			0.1	U		
TN	mg/L																				
ortho-Phosphate	mg/L	0.0021	U	0.0021	U	0.0021	U			0.0021	U			0.0021	U			0.0021	U		
Total Phosphorus (P)	mg/L	0.003	U	0.003	U	0.003	U			0.003	U			0.003	U			0.003	U		
Alkalinity	mg/L	1.00	U	1.00	U	1.00	U			1.00	U			1.00	U			1.00	U		
Bicarbonate Alkalinity	mg/L as HCO <sub>3</sub>	1.00	U	1.00	U	1.00	U			1.00	U			1.00	U			1.00	U		
Sulfide	mg/L	0.036	U	0.0481	I Q	0.0469	I			0.0564	I			0.243				0.036	U		
Total Dissolved Solids	mg/L	5.00	U	5.00	U	5.00	U			5.00	U			5.00	U			5.00	U		
Salinity	*																				
Tritium	pCi/L	4.6 (2.6)		5.0 (2.6)		-6.2 (5.5)	UJ			-0.1 (3.6)	UJ			0.5 (3.8)	UJ			0.8 (6.1)	UJ		

**FPL Turkey Point Uprate Monitoring Project**

**March 2015 Semiannual Sampling Event**

SDG: Qtr 1 2015 SW

		5-FB2
Parameter	Units	/2015
Temperature	°C	
pH	SU	
Dissolved Oxygen	mg/L	
Specific Conductance	µS/cm	
Turbidity	NTU	
Silica, dissolved	mg/L	
Calcium	mg/L	
Magnesium	mg/L	
Potassium	mg/L	
Sodium	mg/L	
Boron	mg/L	
Strontium	mg/L	
Bromide	mg/L	
Chloride	mg/L	
Fluoride	mg/L	
Sulfate	mg/L	
Total Ammonia	mg/L as N	
Ammonium ion (NH <sub>4</sub> <sup>+</sup> )	mg/L	
Unionized NH <sub>3</sub>	mg/L	
Nitrate/Nitrite	mg/L as N	
TKN	mg/L	
TN	mg/L	
ortho-Phosphate	mg/L	
Total Phosphorus (P)	mg/L	
Alkalinity	mg/L	
Bicarbonate Alkalinity	mg/L as HCO <sub>3</sub>	
Sulfide	mg/L	
Total Dissolved Solids	mg/L	
Salinity	*	
Tritium	pCi/L	

## FPL Turkey Point Uprate Monitoring Project

### March 2015 Semiannual Sampling Event

SDG: Qtr 1 2015 SW

#### Notes

Laboratory results are reported with 3 digits although only the first 2 are significant figures.

\* PSS-78 salinity is unitless.

\*\* Schemel, L.E., 2001. Simplified conversions between specific conductance and salinity units for use with data from monitoring stations. Interagency Ecological Program for the San Francisco Estuary Newsletter. 14(1):17-18.

Sample 030415-Dup is a duplicate of TPBBSW-3B.

Sample 031115-Dup is a duplicate of TPSWC-2T.

#### Key

°C = Degrees Celsius.

µg/L = Microgram(s) per liter.

µmho/cm = Micromho(s) per centimeter.

µS/cm = MicroSiemen(s) per centimeter.

ABS = Absolute value.

HCO<sub>3</sub> = Bicarbonate ion.

DEP SOP = Department of Environmental Protection Standard Operating Procedure.

mg/L = Milligram(s) per liter.

N.A. = Not applicable.

NH<sub>3</sub> = Ammonia.

NH<sub>4</sub><sup>+</sup> = Ammonium ion.

NTU = Nephelometric Turbidity Units(s).

pCi/L = PicoCuries per liter.

ppt = Parts per thousand.

PQL = Practical Quantitation Limit.

PSS-78 = Practical Salinity Scale of 1978.

RPD = Relative Percent Difference.

SC = Specific conductance.

SDG = Sample Delivery Group.

SU = Standard Unit(s).

TDS = Total Dissolved Solids.

TKN = Total Kjeldahl nitrogen.

TN = Total nitrogen.

TPBBSW = Turkey Point Biscayne Bay Surface Water

TPSWC = Turkey Point Surface Water Canal

TPSWID = Turkey Point Surface Water Interceptor Ditch

TPSWCCS = Turkey Point Surface Water Cooling Canal System

**FPL Turkey Point Uprate Monitoring Project**  
**March 2015 Semiannual Sampling Event**  
SDG: Qtr 1 2015 SW

<b>Summary of Table Modifications</b>					
<b>Date of Original Document</b>	<b>Old Value</b>	<b>New Value</b>	<b>Reason</b>	<b>Date of Revision</b>	<b>Revision by</b>
6/6/2015			added Tritium results	1/17/2016	JR