



UNITED STATES  
NUCLEAR REGULATORY COMMISSION

REGION III  
2443 WARRENVILLE RD. SUITE 210  
LISLE, IL 60532-4352

MAR 10 2016

Michael Lewandowski, Manager  
Radiation Safety Officer  
3M Company  
Corporate Health Physics  
3M Center, Building 220-06-W-08  
P.O. Box 33283  
St. Paul, MN 55133-3283

Dear Mr. Lewandowski:

It has come to our attention that Amendment No. 49 to your NRC Material License No. 22-00057-61, issued on March 3, 2016, contained errors.

Condition No. 12.B. has been adjusted to clarify that the Alternate Radiation Safety Officer (ARSO) may act as RSO only in the **physical** absence of the RSO (emphasis added).

Condition No. 11.B. failed to include reference to your letter December 8, 2015 (with attachments) for training in the S-10 device.

Condition No. 19 contained a typo "S-15.8," instead of the correct "S-8."

These errors have been corrected.

We apologize for these errors and for any inconvenience they may have caused you.

Please also note that Condition No. 20 now contains accession numbers for our ADAMS document system. Original Amendment No. 49 included this change.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

If you have any questions concerning this amendment or the requested information please contact me at (630) 829-9841. My fax number is (630) 515-1078. My email address is [colleen.casey@nrc.gov](mailto:colleen.casey@nrc.gov).

NRC's Regulatory Issue Summary (RIS) 2005-31 provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, the NRC's electronic document system.

The enclosed document contains sensitive security-related information.  
When separated from this cover letter this letter is uncontrolled.

M. Lewandowski


- 2 -

Pursuant to NRC's RIS 2005-31 and in accordance with 10 CFR 2.390, the enclosed license document is exempt from public disclosure because its disclosure to unauthorized individuals could present a security vulnerability.

The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/ri200531.pdf> and the link for frequently asked questions regarding protection of security related sensitive information may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/faq.html>.

A copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Sincerely,



Colleen Carol Casey  
Materials Licensing Branch

License No. 22-00057-61  
Docket No. 030-14999

Enclosure:

Corrected Copy to  
Amendment No. 49