

**U.S. NUCLEAR REGULATORY COMMISSION**

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Department of the Army U.S. Army Corps of Engineers (RPO/Safety Office)</p> <p>2. 100 Penn Square East - Wanamaker Building Philadelphia, Pennsylvania 19107-3390</p>	<p>In accordance with the application dated December 12, 2012,</p> <p>3. License number 37-28775-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date January 31, 2023</p> <hr/> <p>5. Docket No. 030-32866 Reference No.</p>
---	--

- |  |   |  |
|--|---|--|
| <p>6. Byproduct, source, and/or special nuclear material</p> | <p>7. Chemical and/or physical form</p>   | <p>8. Maximum amount that licensee may possess at any one time under this license</p>  |
| <p>A. Cesium 137</p>   | <p>A. Sealed Sources (QSA Global Inc. Model CDCW556; Isotope Product Laboratories Model HEG-137)</p>                        | <p>A. 18 millicuries total and no single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p> |
| <p>B. Americium 241</p>                                      | <p>B. Sealed Sources (QSA Global Inc. Model AMN.V997; Isotope Product Laboratories Model Nos. Am1.NO2, 3021 &amp; 3027)</p> | <p>B. 88 millicuries total and no single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p> |

9. Authorized use:

- A. and B. In Troxler Electronic Laboratories, Inc., Model No. 3400 Series portable gauging devices for measuring the physical properties of materials.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET  
CORRECTED COPY**

License Number  
37-28775-01

Docket or Reference Number  
030-32866

Amendment No. 09

CONDITIONS

10. Licensed material may be used or stored at the licensee's facilities located at Fort Mifflin Project Office, U.S. Army Reservation, Building No. 2, Philadelphia, Pennsylvania, and at temporary job sites of the licensee anywhere in the United States.
11. Licensed material shall be used by, or under the supervision of, individuals who have received the training described in the application dated January 4, 2013, and have been designated, in writing, by the Radiation Safety Officer. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed material by the individual.
12. The Radiation Safety Officer for this license is Greg DiPuppo.
13.
  - A. Sealed sources shall be tested for leakage and/or contamination at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
  - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
  - C. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
  - D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET  
CORRECTED COPY**

License Number  
37-28775-01

Docket or Reference Number  
030-32866

Amendment No. 09

- E. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is not authorized to perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
15. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
16. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
17. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
18. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET  
CORRECTED COPY**

License Number  
**37-28775-01**

Docket or Reference Number  
**030-32866**

Amendment No. 09

19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated January 04, 2013 (ML13018A359)



For the U.S. Nuclear Regulatory Commission

Date March 8, 2016

By

***Original signed by Scott Wilson***

\_\_\_\_\_  
Scott Wilson  
Commercial, Industrial, R&D and Academic Branch  
Division of Nuclear Materials Safety  
Region I  
King of Prussia, Pennsylvania 19406