



CHARLES D. BAKER  
Governor

KARYN E. POLITO  
Lieutenant Governor

# The Commonwealth of Massachusetts

Executive Office of Health and Human Services  
Department of Public Health  
Bureau of Environmental Health  
Radiation Control Program  
Schrafft Center, Suite 1M2A  
529 Main Street, Charlestown, MA 02129  
Phone: (617) 242-3035 - Fax: (617) 242-3457  
[www.mass.gov/dph/rcp](http://www.mass.gov/dph/rcp)

MARYLOU SUDDERS  
Secretary

MONICA BHAREL, MD, MPH  
Commissioner

Tel: 617-624-6000  
[www.mass.gov/dph](http://www.mass.gov/dph)

March 24, 2016

Tomas Herrera  
Mailstop T8E24  
U.S. Nuclear Regulatory Commission  
11555 Rockville Pike  
Rockville, MD 20852

**RE: Inactivation of Sealed Source and Device  
Registration Number(s): See Enclosure 1**

Dear Mr. Herrera:

We have completed action on a number of QSA Global, Inc. Sealed Source and Device registration certificates. These sources/devices are now inactive and will no longer be manufactured or distributed.

Please find the SS&D Inactivation Sheets, for the sources/devices listed in Enclosure 1, attached to this letter. Please review the enclosed documents carefully. If there are any errors or questions please do not hesitate to contact this office at the number above. The superseded registrations should be removed from the National Registry.

Sincerely,

A handwritten signature in blue ink, appearing to read "Szymon Mudrewicz".

Szymon Mudrewicz  
Radiation Control Officer

SM/sm

Enclosure 1: List of SS&D Inactivations  
Enclosure 2: New SS&D Registrations

