



CONVERSATION RECORD

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU Matthew Trusner		DATE OF CONTACT 04/15/2016	TYPE OF CONVERSATION	
E-MAIL ADDRESS mtrusner@zevacor.com		TELEPHONE NUMBER (217) 433-7902	<input type="checkbox"/> E-MAIL	<input type="checkbox"/> INCOMING
ORGANIZATION Zevacor Molecular		DOCKET NUMBER(S) 030-38903	<input checked="" type="checkbox"/> TELEPHONE	<input type="checkbox"/> OUTGOING
LICENSE NUMBER(S) 13-35179-03		CONTROL NUMBER(S) 590094		

SUBJECT  
Application for a cyclotron production license: Review of applicant's 4/7/16 response to our 3/21/16 RFI

SUMMARY AND ACTION REQUIRED (IF ANY)

- Sealed Sources  
The sealed source model numbers that you provided appear to be exempt quantity sources and as such, do not need to be listed on your license. Also, Eckert & Ziegler stated that the two serial numbers that you provided for the mixed gamma sources do not match anything that they have. Please clarify which qualify as exempt sources, and whether or not you want them listed on your license.
- Decommissioning Financial Assurance (DFA)  
Please submit a standby trust agreement which is a requirement to accompany your executed bond for decommissioning financial assurance.
- Training program  
Describe the overall length of the training session and approximate time that will be spent on each topic. Also describe how attendees' understanding will be evaluated at the end of the training.
- Occupational Dosimetry  
Please justify your statement that only workers who work with curie levels of licensed material will be assigned extremity dosimetry on both hands.
- Air Monitoring in the Workplace  
Commit to continuous air monitoring outside of the cyclotron vault area while operations are being conducted to detect an unexpected airborne release into worker breathing zones.
- Public Dose from Air Effluent  
Describe a pressure drop value across filters that would necessitate filter change-out.
- Waste Management  
Modify your procedure for storing short lived waste for decay to include a step that requires the waste be surveyed before disposal.

CONVERSATION RECORD (continued)

LICENSE NUMBER(S)

13-35179-03

CONTROL NUMBER(S)


590094

SUMMARY AND ACTION REQUIRED (IF ANY) (Continued)

NAME OF PERSON DOCUMENTING CONVERSATION

Kevin Null

SIGNATURE



DATE OF SIGNATURE

04/15/2016