

ATTACHMENT II
DUKE POWER COMPANY
OCONEE NUCLEAR STATION
CATAWBA NUCLEAR STATION

PROPOSED CHANGES TO TECHNICAL SPECIFICATIONS

OCONEE NUCLEAR STATION

6.6 STATION REPORTING REQUIREMENTS

6.6.1 Routine Reports

In addition to the applicable reporting requirements of Title 10, Code of Federal Regulations, the following reports shall be submitted to the Regional Administrator Region II unless otherwise noted.

6.6.1.1 Startup Report

A summary report of unit startup and power escalation testing shall be submitted following (1) receipt of an operating license, (2) amendment to the facility license involving a planned increase in power level, (3) installation of fuel that has a different design or has been manufactured by a different fuel supplier, and (4) modifications that may have significantly altered the nuclear, thermal or hydraulic performance of the unit. Startup reports shall be submitted (1) within 90 days following completion of the startup test program, (2) 90 days following resumption of commencement of commercial power operation, or (3) nine months following initial criticality, whichever occurs first. If a startup report does not cover all three events, i.e., initial criticality, completion of the startup test program and resumption or commencement of commercial power operation supplementary reports shall be submitted at least every three months until all three events are completed.

6.6.1.2 Monthly Operating Report

Routine reports of operating statistics and shutdown experience shall be submitted on a monthly basis to the Director, Office of Management Information and Program Control, U.S. Nuclear Regulatory Commission, Washington, D.C., 20555, with a copy to the appropriate Regional Office, to be submitted by the fifteenth of each month following the calendar month covered by the report.

6.6.1.3 Personnel Exposure and Monitoring Report

Prior to March 1 of each year, a tabulation shall be submitted to the NRC of the number of station, utility and other personnel (including contractors) receiving exposures greater than 100 mrem/yr and their associated man-rem exposure according to work and job functions, e.g., reactor operations and surveillance, inservice inspection, routine maintenance, special maintenance (describe maintenance), waste processing, and refueling. The dose assignment to various duty functions may be estimates based on pocket dosimeter, TLD, or film badge measurements. Small exposures totalling less than 20% of the individual total dose need not be accounted for. In the aggregate, at least 80% of the total body dose received from external sources shall be assigned to specific major work functions.

6.6.1.4 The Annual Radioactive Effluent Release Report*

The Annual Radioactive Effluent Release Report covering the operation of the unit during the previous 12 months of operation shall be submitted within 60 days after January 1 of each year.

*A single submittal may be made for a multiple unit station. The submittal should combine those sections that are common to all units at the station; however, for units with separate Radwaste Systems, the submittal shall specify the release of radioactive material from each unit.

RECEIVED

JAN 28 1993

DUKE POWER CO.

CATAWBA NUCLEAR STATION

ADMINISTRATIVE CONTROLS

ANNUAL RADIOLOGICAL ENVIRONMENTAL OPERATING REPORT (Continued)

consistent with the objectives outlined in (1) Chapter 16 of the FSAR and (2) Sections IV.B.2, IV.B.3, and IV.C of Appendix I to 10 CFR Part 50.

SEMIANNUAL RADIOACTIVE EFFLUENT RELEASE REPORT*

6.9.1.7 The ^ASemiannual Radioactive Effluent Release Report covering the operation of the unit during the previous ¹²6 months of operation shall be submitted within 60 days after January 1 and ~~July 1~~ of each year. The Radioactive Effluent Release Report shall include a summary of the quantities of radioactive liquid and gaseous effluents and solid waste released from the unit. The material provided shall be (1) consistent with the objectives outlined in Chapter 16 of the FSAR and (2) in conformance with 10 CFR 50.36a and Section IV.B.1 of Appendix I to 10 CFR Part 50.

*A single submittal may be made for the station. The submittal should combine those sections that are common to both units.

ADMINISTRATIVE CONTROLS

6.16 SECTION 16.11 (RADIOLOGICAL EFFLUENT CONTROLS) OF THE FSAR (Continued)

- 2) A determination that the change will maintain the overall conformance of the solidified waste product to existing requirements of Federal, State, or other applicable regulations or a determination that the change will maintain the level of radioactive effluent control required by 10 CFR 20.106, 40 CFR Part 190, 10 CFR 50.36a, and Appendix I to 10 CFR Part 50 and not adversely impact the accuracy or reliability of effluent, dose, or setpoint calculations.
- b. Shall become effective upon review and acceptance by the Station Manager and a qualified individual/organization per the Qualified Reviewer Program.
- c. Shall be submitted to the Commission in the form of a complete, legible copy of the entire Section 16.11 of the FSAR as a part of or concurrent with the ~~semi~~^{annual} Radioactive Effluent Release Report for the period of the report in which any changes to Section 16.11 of the FSAR was made. Each change shall be identified by markings in the margin of the affected pages, clearly indicating the area of the page that was changed, and shall indicate the date (e.g., month/year) the change was implemented