

ACCELERATED DISTRIBUTION DEMONSTRATION SYSTEM

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9005040061 DOC.DATE: 90/04/30 NOTARIZED: NO DOCKET #
 FACIL: 50-269 Oconee Nuclear Station, Unit 1, Duke Power Co. 05000269
 50-270 Oconee Nuclear Station, Unit 2, Duke Power Co. 05000270
 50-287 Oconee Nuclear Station, Unit 3, Duke Power Co. 05000287
 50-369 William B. McGuire Nuclear Station, Unit 1, Duke Powe 05000369
 50-370 William B. McGuire Nuclear Station, Unit 2, Duke Powe 05000370
 50-413 Catawba Nuclear Station, Unit 1, Duke Power Co. 05000413
 50-414 Catawba Nuclear Station, Unit 2, Duke Power Co. 05000414
 AUTH.NAME AUTHOR AFFILIATION
 TUCKER, H.B. Duke Power Co.
 RECIP.NAME RECIPIENT AFFILIATION

Rec 5/30/90 [Signature]

SUBJECT: Rev 35 to "Crisis Mgt Plan for Nuclear Stations." W/900430 ltr.

DISTRIBUTION CODE: A045D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 13
 TITLE: OR Submittal: Emergency Preparedness Plans, Implement'g Procedures, C

NOTES: LPDR 2cys AMDTS to FSAR. ASLB 1cy. 05000413
 LPDR 2cys AMDTS to FSAR. ASLB 1cy. 05000414

	RECIPIENT		COPIES		RECIPIENT		COPIES	
	ID	CODE/NAME	LTR	ENCL	ID	CODE/NAME	LTR	ENCL
	PD2-3	PD	1	1	WIENS, L		1	1
	HOOD, D		1	1	JABBOUR, K		1	1
INTERNAL:	AEOD/DOA/IRB		1	1	NRR/DREP/PEPB9D		1	1
	NUDOCS-ABSTRACT		1	1	REG FILE 01		1	1
EXTERNAL:	LPDR		3	3	NRC PDR		1	1
	NSIC		1	1				
NOTES:			3	3				

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK, ROOM P1-37 (EXT. 20079) TO ELIMINATE YOUR NAME FROM DISTRIBUTION LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTR 16 ENCL 16

MA-4

Duke Power Company
P.O. Box 33198
Charlotte, N.C. 28242

HAL B. Tucker
Vice President
Nuclear Production
(704)373-4531



DUKE POWER

April 30, 1990

U.S. Nuclear Regulatory Commission
Document Control Desk
Washington, D.C. 20555

Subject: McGuire Nuclear Station
Docket Nos. 50-369 and 50-370
Catawba Nuclear Station
Docket Nos. 50-413 and 50-414
Oconee Nuclear Station
Docket Nos. 50-269, 50-270 and 50-287
Crisis Management Plan

Gentlemen:

Attached for NRC use and review is Revision 35 of Duke Power Company's Crisis Management Plan. This revision is effective May 1, 1990.

By copy of this letter two revisions are being provided to NRC, Region II, Atlanta.

Very truly yours,

Hal B. Tucker

JAR:jar

attachment

9005040061 900430
PDR ADOCK 05000269
F PDC

A045
11

Document Control Desk
April 30, 1990
Page 2

xc: w/attachment

Mr. S. D. Ebnetter, Regional Administrator
U.S. Nuclear Regulatory Commission
Region II
101 Marietta Street, NW, Suite 2900
Atlanta, Georgia 30323

NRC Resident Inspector
Catawba Nuclear Station

NRC Resident Inspector
Oconee Nuclear Station

NRC Resident Inspector
McGuire Nuclear Station

w/o attachment

R.E. Harris
GS 801.01

Please revise your copy of the Crisis Management Plan as follows:

Remove these pages

Cover Sheet

B-17

B-18

E-10

O-3

Q-30, 30a, 30b, 31, 32

Insert these pages

Cover Sheet

B-17

B-18

E-10

O-3

Q-30, 30a, 30b, 31, 32

DUKE POWER COMPANY
CRISIS MANAGEMENT PLAN
FOR
NUCLEAR STATIONS

REF M. S. Trakman


Approved

1/15/90


Date Approved

Revision 34

January 15, 1990



NOTE: FOR USE PRIOR TO CMC AND STATE ACTIVATION/OPERATION.



NOTE: APPLICABLE AFTER ACTIVATION OF THE CMC

PRIMARY INTERFACES
 CRISIS MANAGEMENT PLAN
 FIGURE B-2

Figure E-5

CRISIS MANAGEMENT CENTER (CMC)
EMERGENCY ACTIVATION MESSAGE

If the CMC is to be activated, the Duty Engineer uses this format to contact at least one person from each Crisis Management Center group. Each group in the CMC uses this format to alert its members according to the group's Crisis Management Implementing Plan.

Message

1. This is _____ (caller's name).
2. I am notifying you of a drill/actual emergency at _____ Nuclear Station.
3. The class of emergency is: Alert; Site Area Emergency; General Emergency
4. Do you consider yourself fit for duty?
5. You should use the procedure for your CMC group to notify your portion of the Crisis Management Center Organization and report to:

_____ the Catawba/McGuire CMC (Power Building)

_____ the Oconee CMC

6. Specific Instructions (if any)
- _____
- _____
- _____

ATTACHMENT 0-1
DUKE POWER COMPANY
CRISIS MANAGEMENT PLAN
RADIOLOGICAL EMERGENCY RESPONSE TRAINING

PURPOSE:

The purpose of Crisis Management Overview Training is to provide Crisis Management Team personnel with an overview of the Duke Power Company radiological emergency response plans.

OBJECTIVES:

Upon completion of this lesson (depending upon applicability to his/her emergency responsibilities), the employee should be able to:

1. Discuss the purpose of the two types of Emergency Planning Zones.
2. Identify the State and County organizations responsible for off-site emergency response, including protection of the public.
3. Identify the lead Federal agency in the event of a radiological emergency.
4. Identify the appropriate responses for each of the emergency classifications.
5. Identify the lead management position within the Crisis Management Center.
6. List the major functions of each Crisis Management Center group.
7. Discuss the role of the Crisis Management Center and the Technical Support Center in terms of emergency management.
8. Identify the location of the Crisis Management Center for each nuclear station.
9. State the access requirements for the Crisis Management Center.
10. Discuss the protective actions that may be recommended to the public in the event of a radiological emergency.
11. Explain the purpose of a siren sounding, in terms of public reaction.



Department of Energy
Savannah River Operations Office
P.O. Box A
Aiken, South Carolina 29802

FEB 3 1989

Mr. H. B. Tucker, Vice President
Nuclear Production Department
Duke Power Company
P. O. Box 33189
Charlotte, NC 28242

Dear Mr. Tucker:

U.S. DEPARTMENT OF ENERGY (DOE) AGREEMENT LETTER FOR EMERGENCY SUPPORT, DATED APRIL 17, 1985

This letter provides assurance that the subject agreement between DOE and Duke Power Company for McGuire, Oconee, and Catawba Nuclear Stations remains in effect.

We understand your emergency preparedness plan requires formal agreements to be reviewed and updated on a periodic basis. This letter of agreement dated April 17, 1985, remains current, and there is no need to revise this letter.

Requests for DOE emergency radiological assistance may be directed to the Savannah River Operations Office Emergency Operating Center at (803) 725-3333. This is our 24-hour emergency assistance telephone number.

Any administrative questions may be directed to Dave Lassiter of my staff at (803) 725-2733.

Sincerely,


James M. Gaver, Director
Office of External Affairs

ME:PDL:glt

cc: P. D. Lassiter, OEA

Rev. 29
April 5, 1989

1163.3-1

1280.3-1
JUN 10 1985

Mr. Hal B. Tucker, Vice President
Nuclear Production Department
Duke Power Company
P.O. Box 33189
Charlotte, NC 28242

Dear Mr. Tucker:

RADIOLOGICAL EMERGENCY SUPPORT LETTER OF ASSURANCE

Assurance is hereby given that the Department of Energy (DOE) will respond to requests for radiological assistance from licensees, Federal, state and local agencies, private organizations or individuals involved in or cognizant of an incident believed to involve source, by-product, or special nuclear material, as defined by the Atomic Energy Act of 1954, as amended, or other ionizing radiation sources. Assistance as indicated above would be made available to the Duke Power Company with respect to incidents occurring at its McGuire, Oconee, or the Catawba Nuclear Stations upon request and provided in consonance with response activities conducted by state, local and private industry emergency preparedness personnel.

Unless the DOE or a DOE contractor is responsible for the activity, ionizing radiation source, or radioactive material involved in an incident, DOE radiological assistance will be limited to advice and emergency actions essential for control of the immediate hazards to health and safety. Radiological emergency assistance will be terminated as soon as the emergency is under control. Therefore, responsibility for post-incident recovery, including further actions for the protection of individuals and the public health and safety, should be assumed by the appropriate government agency or private authority as soon as emergency conditions are stabilized.

This letter confirms our previous agreement and will be renewed on an annual basis unless otherwise notified.

Rev. 29
April 5, 1989

Mr. Hal B. Tucker

2

Requests for DOE emergency radiological assistance may be made on a twenty-four hour basis to the Savannah River Plant Duty Officer, (803) 725-3333. Administrative questions from your staff may be directed to the Office of External Affairs at (803) 725-2889.

R/L
R. L. Morgan
Manager


cc:

R. S. Scott, DOE-HQ (DP-4.2)
J. N. Grace, NRC Region II

Georgia Department of Natural Resources

205 Butler Street, S.E., Floyd Towers East, Atlanta, Georgia 30334

J. Leonard Ledbetter, Commissioner
Harold F. Reheis, Assistant Director
Environmental Protection Division
(404) 656-4713



March 24, 1987

Mr. Hal B. Tucker, Vice President
Nuclear Production Department
Duke Power Company
P.O. Box 33189
Charlotte, North Carolina 28242

Dear Mr. Tucker:

This letter is in response to a request dated 27 February, 1987 by Mr. R.E. Harris for an updated letter of agreement between the Georgia Environmental Protection Division and Duke Power Company regarding response to radiological emergencies at the Oconee Nuclear Station.


The Environmental Protection Division (EPD) of the Georgia Department of Natural Resources, under the authority of an Executive Order issued by Governor Joe Frank Harris on 8 August, 1985, has been designated the lead state agency for response to peacetime radiological emergencies. EPD was initially given this responsibility in 1979 by Governor George Busbee. Acting in its lead agency capacity, EPD, in conjunction with the Georgia Emergency Management Agency (GEMA), the Georgia Department of Human Resources (DHR) and other State and local agencies, has developed a Radiological Emergency Plan. The Base Plan addresses all facets of radiological emergency response in a somewhat generic manner. Site-specific Annexes to the Base Plan address implementation of the Base Plan for each individual site. The Ingestion Exposure Pathway Annex (Annex F) specifically addresses the coordination between the utility and Federal, State and local agencies necessary to implement protective actions in nineteen (19) Georgia counties within the 50-mile ingestion pathway Emergency Planning Zone (EPZ) around Oconee, as well as counties affected by other reactors.

Please be assured that in the event of a radiological emergency at the Oconee Nuclear Station which potentially could have an impact on the citizens or resources of Georgia, we would take all necessary actions to insure the protection of the health and safety of our citizens and the quality of our environment. The State of Georgia also stands ready to render assistance to the State of South Carolina upon request, pursuant to the agreement in the Southeastern Mutual Radiation Assistance Plan (SMRAP).

Mr. Tucker
Page two
March 24, 1987

I hope this information will satisfy your requirements. We appreciate the good relationship we have had with Duke Power, and we look forward to continuation of this relationship in the area of radiological emergency planning. If you have any questions or comments please feel free to call me at (404) 656-6905.

Sincerely,


James C. Hardeman, Manager
Environmental Radiation Program

JCH/cms

cc: Dave Moffett - GEMA
Bill Slocumb - DHR
Heyward Shealy - SCDHEC