

Energy Surveys, Inc.

LO



May 27, 2016

Licensing Assistance Team
United States Nuclear Regulatory Commission, Region 1
2100 Renaissance Boulevard, Suite 100
King of Prussia, Pa 19406-2713

RE: ENERGY SURVEYS, INC. CHANGE OF CONTROL TO AUDUBON FIELD SOLUTIONS, LLC
(Controlled by RI - RLJ)
Energy Surveys, Inc. (Transferor) License No. 47-35159-01, Docket#: 03038756
Audubon Field Solutions, LLC (Transferee) License No. 42-35302-01
(Controlled by RIV - RLJ)

Licensing Assistance Team:

Effective May 27, 2016 a change in control occurred from Energy Surveys, Inc. ("ESI") license number 47-35159-01 to Audubon Field Solutions, LLC ("AFS") license number 42-35302-01. Below please find the information required by Appendix C of NUREG-1556 Vol. 1, Rev. 1 (Consolidated Guidance about Materials Licenses).

1. The name of the entity that is now in control is Audubon Field Solutions, LLC.
2. The contacts and telephone numbers of key AFS personnel to facilitate communications are:
 - a. Roni Garrett (Legal Department, Licensing) – 713.452.3072
 - b. Marcus Fields (HSE Department) – 918.514.5827
 - c. Bryan McDonald (President) – 918.514.5810
 - d. Scott Wallace (RSO) – 304.423.5711
 - e. Patrick Shaver (Materials Testing Manager) – 304.918.8269
3. Officers of AFS include:
 - Bryan McDonald, President, his qualifications include, 15+ years of executive level management in the Oil & Gas Industry.
 - Jay Alexander, Senior Vice President, his qualifications include, 15+ years of executive level management specializing in Field Services including Land Surveying.
 - Marcus Fields is the AFS HSE Manager, his qualifications include, RSO Certification (Troxler Electronic Laboratories, Inc.), Nuclear Gauge Safety Certification (Troxler Electronic Laboratories, Inc.), Hazmat Certification (Troxler Electronic Laboratories, Inc.) and 10+ years working in HSE in the Oil and Gas Industry. Certificates are attached (Exhibit A).

AFS hired several key ESI employees including Scott Wallace, the former Radiation Safety Officer ("RSO") for ESI whom will serve as the RSO for AFS. AFS also hired Kurt Newbrough the former President of ESI and now the Director of Survey for AFS. Patrick Shaver was and

418 Mayo Street Clarksburg, WV 26301 – Office: 304.423.5880 – Fax: 304.709.7402 – energysurveysinc.com

REC'D IN LAT

6/22/16

591144
NRC/RCN1 MATERIALS-002

will remain the Materials Testing Manager. All authorized users will remain the same and include Shane Hewitt, Calvin Paugh and Patrick Shaver.

4. The transferor, ESI, will not remain a business without the license. ESI will file NRC form 314 to terminate NRC Region I license number 47-35159-01.
5. Audubon Field Solutions, LLC ("AFS") provides an integrated suite of services, which currently includes surveying, mapping, pipeline engineering, route development, GIS support, and other pipeline and facility services to the global oil & gas, petrochemical and refining, transmission and power generation markets. AFS and Audubon Engineering Solutions, LLC ("AES") are wholly owned subsidiaries of Audubon Engineering Company, LLC ("AEC"). AEC is headquartered in Metairie, LA with offices in Texas, Oklahoma, Pennsylvania, Colorado and West Virginia.

On January 26, 2016 AES purchased substantially all of the assets of Energy Surveys Inc. ("ESI"), in a public sale. This included but wasn't limited to all customer lists, contract rights, accounts receivable and personal property. This Clarksburg, WV expansion introduces soil and concrete testing services, including local testing facilities, which align with new client opportunities for AFS, upon licensing.


6. There are no planned changes in organization, location, facility, equipment, or operating/emergency procedures.
7. There will be no changes in the use, possession, location, or storage of the licensed materials.
8. There will be no changes in organization, location, facilities, equipment, procedures, or personnel that would require a license amendment even without the change of ownership.
9. All surveillance items and records (e.g. calibrations, leak tests, surveys, inventories, and accountability requirements) will be current at the time of transfer.
 - a. Inventory of material includes only 1 portable nuclear gauge (Troxler Model 3430 Serial # 22478) – This single portable nuclear gauge is the only material in ESI's inventory and it is the only material being transferred to AFS.
 - b. The next Calibration is at the end July 2016 and will be performed by AFS.
 - c. The next Leak Test is due March 17, 2017 and will be performed by AFS. The last Leak Test performed by ESI on March 17, 2016 is attached (**Exhibit B**).
 - d. ESI has maintained records of inventory, calibration and leak tests for the required time period.
10. Licensed activities will continue at the same location (502 Werninger Street, Clarksburg, WV, 26301) under AFS license number 42-35302-01.
11. The facility located at 502 Werninger Street, is absent of contamination and is considered in good status.

12. This item is not applicable, see response to No. 11.
13. AFS as the transferee agrees to abide by all commitments and representations previously made to NRC by the transferor. See attached **(Exhibit C)** NRC Form 314 Certificate of Disposition of Materials, stating that all activities authorized by ESI license number 47-35159-01 have ceased, and all radioactive materials procured and/or possessed by the licensee have been transferred to AFS license number 42-35302-01 effective May 27, 2016.
14. Please see attached letter **(Exhibit D)**, documenting that the transferor and transferee agree to the change in control of the licensed material and activity, and the conditions of transfer.
15. Attached please find AFS's Radiation Safety Plan **(Exhibit E)**, which provides a description of its program t, to ensure compliance with the license and regulations.

Upon transfer of control from ESI license 47-35159-01 to AFS License 42-35302-01 please proceed with the termination of ESI's license 47-35159-01. NRC Form 314 Certificate of Disposition of Materials is enclosed in this mailing **(Exhibit C)**.

In addition AFS has attached **(Exhibit F)** AFS NRC Form 531- Request for Taxpayer Identification Number.

Sincerely,



Kurt Newbrough, President
Energy Surveys, Inc. (Transferor)
License No. 47-35159-01

Exhibits:

- A. Marcus Fields Training Certificates
- B. Leak Test performed by ESI on March 17, 2016 ESI
- C. NRC Form 314- Certificate of Disposition of Materials
- D. AFS/ESI Letter stating change in control per Appendix C (Information Needed for Change of Ownership or Control Application) NUREG-1556, Vol. 1, Rev. 1
- E. AFS Radiation Safety Plan
- F. AFS NRC Form 531- Request for Taxpayer Identification Number



May 27, 2016

Licensing Assistance Team
United States Nuclear Regulatory Commission, Region 1
2100 Renaissance Boulevard, Suite 100
King of Prussia, Pa 19406-2713

**RE: ENERGY SURVEYS, INC. CHANGE OF CONTROL TO AUDUBON FIELD SOLUTIONS, LLC Energy Surveys, Inc. (Transferor) License No. 47-35159-01, Docket#: 03038756
Audubon Field Solutions, LLC (Transferee) License No. 42-35302-01**

Licensing Assistance Team,

On January 26, 2016 Audubon Engineering Solutions, LLC ("AES"), purchased several assets of Energy Surveys Inc. ("ESI"), in a public sale. This sale was conducted as an auction under the Uniform Commercial Code and included certain customer lists, contract rights, accounts receivable and personal property. AES did not purchase the assets under an asset purchase agreement, nor did it purchase an ownership interest in ESI. Audubon Field Solutions, LLC ("AFS") and AES are wholly owned subsidiaries of Audubon Engineering Company, LLC ("AEC").

AFS has since hired several senior ESI employees, including Kurt Newbrough, Scott Shaver, Patrick Shaver and Scott Wallace. Those employees will operate out of Clarksburg, West Virginia.

On May 27, 2016 AFS received NRC License No. 42-35302-01. Concurrently, ESI submitted NRC Form 314, Certificate of Disposition of Materials, stating that all activities authorized by ESI license number 47-35159-01 have ceased, and all radioactive materials procured and/or possessed by ESI (one portable nuclear gauge, Troxler Model 3430 Serial # 22478), have been transferred into the control of AFS. The transferor (ESI) and transferee (AFS) agree to the change in control of the licensed material and activity, and the conditions of transfer.

AFS as the transferee agrees to abide by all commitments and representations previously made to NRC by the transferor. Licensed activities will continue at the same location (502 Werninger Street, Clarksburg, WV, 26301) under AFS license number 42-35302-01.

Sincerely,

Troy L. Beckett, Member
Transferee
Audubon Field Solutions, LLC

Kurt Newbrough, President
Transferor
Energy Surveys, Inc.



audubon

FIELD SOLUTIONS

9920 E. 42ND STREET | TULSA, OK 74146 | O: 918.514.5800 | F: 918.241.4660
AUDUBONCOMPANIES.COM



**CERTIFICATE OF DISPOSITION
OF MATERIALS**

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submital is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the FOIA, Privacy, and Information Collections Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to Infocollects.Resource@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

LICENSEE NAME AND ADDRESS

Energy Surveys, Inc.
418 Mayo Street
Clarksburg, WV, 26301

LICENSE NUMBER

47-35159-01

DOCKET NUMBER

030-38756

LICENSE EXPIRATION DATE

August 31, 2024

A. LICENSE STATUS (Check the appropriate box)

- This license has expired. This license has not yet expired; please terminate it.

B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- 1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.
 - a. Transfer of radioactive materials to the licensee listed below:
5/27/16 - Audubon Field Solutions, LLC. - License # 42-35302-01- Bryan McDonald (President - 918.514.5810)
 - b. Disposal of radioactive materials:
 - 1. Directly by the licensee:
 - 2. By licensed disposal site:
 - 3. By waste contractor:
 - c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

C. SURVEYS PERFORMED AND REPORTED

- 1. A radiation survey was conducted by the licensee. The survey confirms:
 - a. the absence of licensed radioactive materials
 - b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- 2. A copy of the radiation survey results:
 - a. is attached; or b. is not attached (Provide explanation); or c. was forwarded to NRC on: _____ Date
- 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
 - a. The results of the latest leak test are attached; and/or
 - b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME	TITLE	TELEPHONE (Include Area Code)	E-MAIL ADDRESS
Scott Shaver	Vice President of ESI	304-641-8685	sshaver@energysurveysinc.com

Mail all future correspondence regarding this license to:

Scott Shaver, 418 Mayo Street, Clarksburg, WV, 26301

C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE	SIGNATURE	DATE
Scott Shaver, Vice President of ESI		5/27/16

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.



North East Technical Services, Inc.
 75 Aileron Ct., Suite 4
 Westminster, MD 21157
 Ph: 410.751.5090 Fax: 410.751.5091

Audubon Field Solutions
 418 Mayo Street
 Clarksburg, WV 26301
 ATTN: Scott Wallace/RSO

Shipping Address: 418 Mayo Street
Clarksburg, WV 26301

LEAK TEST CERTIFICATE

MD Materials License # MD-13-020-01

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.

Gauge Model	3430	Gauge S/N	22478	Leak Test Date	3/10/2016
	Source		Reading in microCuries		
	75-4210		0.00009320		
	47-18305		0.00000		

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.

Reviewed by: _____

Date: MAR 17 2016

Thursday, March 17, 2016

Certificate of Completion

This certifies that

Marcus Fields

has successfully completed the
Radiation Safety Officer Training Class

conducted by the training department of

Troxler Electronic Laboratories, Inc.

Robyn Myers

Robyn Myers

Instructor

April 14, 2016

Date

William F. Troxler, Jr.

President



Troxler Electronic Laboratories, Inc.
PO Box 12057 • 3008 Cornwallis Rd. • Research Triangle Park, NC 27709
Phone: (919) 549-8861 • Fax: (919) 549-0761 • Web site: www.troxlerlabs.com

91473363

Marcus Fields → 4/15/16
HSE Manager

Bryan McDonald - President
4/15/2016



North East Technical Services, Inc.
 75 Aileron Ct., Suite 4
 Westminster, MD 21157
 Ph: 410.751.5090 Fax: 410.751.5091

Audubon Field Solutions
 418 Mayo Street
 Clarksburg, WV 26301
 ATTN: Scott Wallace/RSO

Shipping Address: 418 Mayo Street
Clarksburg, WV 26301


LEAK TEST CERTIFICATE

MD Materials License # MD-13-020-01

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.

Gauge Model	3430	Gauge S/N	22478	Leak Test Date	3/10/2016
Source	Reading in microCuries				
75-4210	0.00009320				
47-18305	0.00000				

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.

Reviewed by: 

Date: MAR 17 2016

Thursday, March 17, 2016



ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE

Name and Address of Applicant and/or Licensee Scott A. Shaver Vice President Energy Surveys, Inc. 418 Mayo Street Clarksburg, WV 26301	Date June 22, 2016
	License Number(s) 47-35159-01
	Mail Control Number(s) 591144
	Licensing and/or Technical Reviewer or Branch Craig Gordon

This is to acknowledge receipt of your: Letter and/or Application Dated: May 27, 2016

The initial processing, which included an administrative review, has been performed.
 Amendment Termination New License Renewal

There were no administrative omissions identified during our initial review.

This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>
 Follow the instructions on the form for submission.

The following administrative omissions have been identified:

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

Region I
U. S. Nuclear Regulatory Commission
Division of Nuclear Materials Safety
2100 Renaissance Boulevard, Suite 100
King of Prussia, PA 19406-2713
(610) 337-5260, (610) 337-5313,
(610) 337-5398, (610) 337-5239