

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED: Clark Memorial Hospital 1220 Missouri Avenue Jeffersonville, IN 47130 REPORT NUMBER(S) 2016001		2. NRC/REGIONAL OFFICE Region III U. S. Nuclear Regulatory Commission 2443 Warrenville Road, Suite 210 Lisle, IL 60532-4352	
3. DOCKET NUMBER(S) 030-01658	4. LICENSE NUMBER(S) 13-12367-01	5. DATE(S) OF INSPECTION June ¹⁷ , 2016	

LICENSEE:
 The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

1. Based on the inspection findings, no violations were identified.

2. Previous violation(s) closed.



3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, to exercise discretion, were satisfied.

_____ Non-cited violation(s) were discussed involving the following requirement(s):

4. During this inspection, certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited in accordance with NRC Enforcement Policy. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.
 (Violations and Corrective Actions)

Statement of Corrective Actions

I hereby state that, within 30 days, the actions described by me to the Inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

TITLE	PRINTED NAME	SIGNATURE	DATE
LICENSEE'S REPRESENTATIVE			
NRC INSPECTOR	Luis Nieves Folch		4/17/14
BRANCH CHIEF	Aaron T. McCraw		6/24/16

Docket File Information

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED: Clark Memorial Hospital 1220 Missouri Avenue Jeffersonville, IN 47130 REPORT NUMBER(S) 2016001	2. NRC/REGIONAL OFFICE Region III U. S. Nuclear Regulatory Commission 2443 Warrenville Road, Suite 210 Lisle, IL 60532-4352
--	---

3. DOCKET NUMBER(S) 030-01658	4. LICENSE NUMBER(S) 13-12367-01	5. DATE(S) OF INSPECTION June 17, 2016
--------------------------------------	---	---

6. INSPECTION PROCEDURES USED 87131	7. INSPECTION FOCUS AREAS 03.01-03.07
--	--

SUPPLEMENTAL INSPECTION INFORMATION

1. PROGRAM CODE(S) 02120	2. PRIORITY 3	3. LICENSEE CONTACT Damion Hazlett, MD, RSO	4. TELEPHONE NUMBER (812) 283-2313
---------------------------------	----------------------	--	---

Main Office Inspection Next Inspection Date: June 17, 2019

Field Office Inspection _____

Temporary Job Site Inspection _____

PROGRAM SCOPE

This was a routine, unannounced inspection of a medical institution authorized for 10 CFR 35.100, 35.200, and 35.300. At the nuclear medicine department in Jeffersonville, the licensee performed around 15 diagnostic administrations per day, 3 therapeutic administrations of I-131 per month, and 8 courses of Xofigo per month. The department received unit doses as needed from a licensed nuclear pharmacy. Nuclear medicine procedures were performed from Monday to Friday. The nuclear medicine department was staffed with 3 nuclear medicine technologist.

Performance Observations: The inspector toured the nuclear medicine department and hot lab to evaluate the licensee's measures for materials security, hazard communication and exposure control. The inspector conducted independent surveys of these areas, and found no exposures to members of the public distinguishable from background. The inspector observed the preparation and administration of a cardiac stress. The inspector reviewed a selection of written directives and treatment plans for I-131 and Xofigo, in addition to routine nuclear medicine records, safety meeting minutes, audits, calibrations, training and dosimetry.

No violations of NRC requirements were identified as a result of this inspection.