



April R. Rice  
Manager  
Nuclear Licensing  
New Nuclear Deployment

July 1, 2016  
NND-16-0248

ATTN: Document Control Desk  
U.S. Nuclear Regulatory Commission  
Document Control Desk  
Washington, DC 20555

Virgil C. Summer Nuclear Station (VCSNS) Units 2 and 3  
Combined License Nos. NPF-93 and NPF-94  
Docket Nos. 52-027 & 52-028

Subject: June 2016 Submittal of the Updated Final Safety Analysis Report (UFSAR), Revision 4; Tier 1, Revision 4; Technical Specification (TS) Bases, Revision 4; and Technical Requirements Manual (TRM), Revision 1, for V.C. Summer Nuclear Station Units 2 and 3

Enclosure 1: List of UFSAR, Tier 1, Tech Spec Bases and Tech Requirements Revision Notices Incorporated in the June 2016 Update

Enclosure 2: DVD-ROM Electronic Copy of the UFSAR, Revision 4 – Non Public

Enclosure 3: DVD-ROM Electronic Copy of Tier 1 (UFSAR), Revision 4 – Non Public

Enclosure 4: DVD-ROM Electronic Copy of the Technical Specification Bases, Revision 4, and Technical Requirements Manual, Revision 1

South Carolina Electric & Gas Company (SCE&G), acting for itself and as agent for the South Carolina Public Service Authority, is submitting the following reports in accordance with the provisions of 10 CFR 50.71(e) and 10 CFR Appendix D Section X.B.2:

An electronic revision to the V.C. Summer Nuclear Station (VCSNS) Units 2 and 3 Updated Final Safety Analysis Report (UFSAR) which contains the Plant-Specific Design Control Document (PS-DCD) Tier 2 and Tier 2\* information (Enclosure 2). This revision utilizes colored text to indicate the source material of the information as a user aid. A formatting legend is provided at the bottom of the Cover Page for each chapter.

A053  
D083  
NRD

An electronic revision of the VCSNS Units 2 and 3 Tier 1 document (Enclosure 3). All changes incorporated were approved during this reporting period.

An electronic revision of the VCSNS Units 2 and 3 Technical Requirements Manual (TRM), one submittal for each unit (Enclosure 4). Technical Requirements relocated from the UFSAR to the TRM remain Tier 2 information by virtue of being incorporated-by-reference (IBR) and are being submitted as part of the annual UFSAR update. All changes incorporated were approved during this reporting period.

An electronic revision of the VCSNS Units 2 and 3 Technical Specifications Bases, one submittal for each unit (Enclosure 4). The "Technical Specifications (TS) Bases Control Program," provides for changes to the Bases without prior NRC approval and require they be provided to the NRC consistent with 10 CFR 50.71 (e). All changes incorporated were approved during this reporting period. NRC approved changes granted in Amendment 42 have been incorporated into the TS Bases during this reporting period.

Enclosures 2, 3 and 4 incorporate the changes listed in Enclosure 1. These changes are identified in the affected document by the use of a vertical revision bar and the Revision Notice Number. All affected Table of Contents, List of Tables, and List of Figures are updated to reflect the current information contained in the UFSAR.


**Enclosures 2 and 3 contain Security-Related Information, and accordingly, SCE&G requests that the enclosures be withheld from public disclosure under 10 CFR 2.390(d). Sections containing 2.390(d) material have been identified on the applicable pages.**

Should you have any questions, please contact me by telephone at (803)941-9858, or by email at [ARICE@scana.com](mailto:ARICE@scana.com).

I declare under penalty of perjury that the foregoing is true and correct.

Executed on this 1<sup>st</sup> day of July, 2016.

Sincerely,



April R. Rice  
Manager, Nuclear Licensing  
New Nuclear Deployment

ARR//EL/el

c (*with* enclosures):

Document Control Desk - NRC  
William Gleaves - NRC  
Chandu Patel - NRC  
DCRM-EDMS@SCANA.COM

c (*w/o* enclosures):

Cathy Haney – Region II Regional Administrator  
Stephen A. Byrne  
Jeffrey B. Archie  
Ronald A. Jones  
Thomas D. Gatlin  
William M. Cherry – Santee Cooper  
Carl D. Churchman – Westinghouse  
Brian A. McIntyre – Westinghouse  
Joe Cole – Westinghouse  
Zach Harper - Westinghouse  
Alvis J. Bynum  
Kathryn M. Sutton – Morgan Lewis  
April Rice  
Nick Kellenberger  
Jeff Hawkins – FLUOR  
Curtis Castell – WECTEC  
Chuck Baucom – WECTEC  
Paul Russ - Westinghouse  
James Reece - Unit 1 NRC Resident Inspector  
VCSummerMail@westinghouse.com  
vcsummer2&3project@westinghouse.com

**South Carolina Electric & Gas (SCE&G) Company**

**NND-16-0248**

**Enclosure 1**

**V.C. Summer Nuclear Station Units 2 and 3**

**List of UFSAR, Tier 1 (UFSAR), Technical  
Specification Bases and Technical Requirements  
Manual**

**Revision Notices Incorporated in June 2016 Update**

**(ENCLOSURE Contains 8 Pages Including the Cover page)**

## Revision Notices Incorporated in June 2016 Update

	RN No.	Brief Description
1.	RN-12-021	Addition of Collar to Reactor Vessel (RV) Cavity
2.	RN-13-047	Deletion of Spark-Proof Valves from Gaseous Radwaste System (WGS)
3.	RN-13-054	CA03 Structural Wall Module (part of boundary of IRWST) Changes
4.	RN-13-060	Turbine Bldg. Fire Zone Dimension Changes, First Bay Width and Condenser Air Removal Stack Relocation
5.	RN-13-094	Component Interface Module/Diverse Automatic Systems (CIM/DAS) Diversity Clarification, Plus Addition of Appendix A to Chapter 7 (Amendment 28)
6.	RN-14-001	Clarification of Diverse Manual Reactor Trip Design
7.	RN-14-026	Relocation of AIA Blast Doors and Addition of Shielding Doors to Annulus Personnel Access Portals
8.	RN-14-029	Passive Containment Cooling Water Storage Tank (PCCWST) Constriction Tolerance Flow Rate & Passive Containment Cooling System (PCS) Vent & Drain Piping Value Changes P&ID Changes
9.	RN-14-044	Waste Water System (WWS) Handling and Transfer To/From the WWS Oil Separator
10.	RN-14-059	Changes to Instrumentation for Neutron Monitoring
11.	RN-14-067	Isolation of Chemical Volume System (CVS) in Non-reactor LOCA Event
12.	RN-14-082	CA04 Tolerance Change for Module Walls in Tier 1 Table 3.3-1- (Amendment 29)
13.	RN-14-093	Change in Turbine Lube Oil Reservoir Volume and Fire Protection Analysis
14.	RN-14-096	Clarifies Throughout the UFSAR, the Minimum Water Volume Required to be Contained in the Passive Containment Cooling Ancillary Water Storage Tank (PCCAWST) for the Tank to Perform Its Design Function
15.	RN-14-103	New Thermal Release Valves added to the Fire Protection System (FPS), Demineralized Water System (DWS) Piping that Penetrates Containment
16.	RN-14-109	Control Rod Drive Mechanism Motor Generator Set Field Relay Change (Amendment 27)
17.	RN-14-110	Initial Test Program (ITP) Replacing Construction & Installation Testing with Component Testing (Amendment 32)
18.	RN-14-119	Change to the AP1000 Reactor Vessel Flow Skirt Hole Pattern
19.	RN-14-123	Editorial Changes for a Document Number in a Reference List, a Nozzle Label in a Figure, and a Cross Reference to a UFSAR Section
20.	RN-14-125	Human Factors Engineering (HFE) Operational Sequence Analysis (OSA) Task Update and Removal of WCAP-15847 (Amendment 26)
21.	RN-14-126	Change in Wording from Seismic Class I to Seismic Category I
22.	RN-14-127	Relocation of Temperature Elements to Permit Greater Accessibility for Maintenance Work in Containment Recirculation Cooling System (VCS) Ductwork

	RN No.	Brief Description
23.	RN-14-128	Changes to Normal Residual Heat Removal System (RNS) Cooldown using the Fire Protection System (FPS)
24.	RN-14-136	Annex Building Layout Changes: Floor Slab Thickness, Addition of a Battery Power Supply to Non-Safety Related DC Power Loads Requiring UPS (Amendment 35)
25.	RN-14-137	Changes in Internal Parts for Explosively-Actuated Squib Valves
26.	RN-14-140	Changes to the Demineralized Water Treatment System (DTS)
27.	RN-14-148	Relocation of Stairs and Access Platform to Turbine Building and Addition of Access Door to Turbine First Bay Roof
28.	RN-15-002	Reconciliation of Design Control Document (DCD) Revision 17 Valve Tables for the following systems: CCS, CVS, PXS, PCS, RCS, RNS, and VES (Amendment 31)
29.	RN-15-003	Modified Design of the Spent Fuel Pool and Connected Pools to Include Alternate Means of Leak Detection in Addition to Leak Chases
30.	RN-15-004	Modified Radiation Source Strengths for AP1000 Incore Instrumentation Thimble Assemblies
31.	RN-15-011	Potable Water System (PWS) Piping Diameter Change and Flooding Clarifications
32.	RN-15-012	Addition of Recirculation Function to Boric Acid Storage Tank to Ensure Uniform Boron Concentration
33.	RN-15-013	Update to the Human Factors Engineering (HFE) Validation and Verification Planning Documents to Support Integrated System Validation (Amendment 33)
34.	RN-15-024	Increase in Required Passive Core Cooling System (PXS) Valve Operating Time
35.	RN-15-026	Main Control Room Potable Water Tank Size Increase
36.	RN-15-032	Replacement of Turbine Building Hot Water Unit Heaters with Electric Heaters
37.	RN-15-033	Steam Generator System (SGS) Valve Normal Operating Position Inconsistency
38.	RN-15-035	Changes to Trips of Drain Tank Pumps and Turbine Building Sump Pumps
39.	RN-15-040	Chemical Volume System (CVS) Miniflow Heat Exchanger Shell Material
40.	RN-15-041	Changes to Bellows Expansion Joint for the Main Steam Containment Penetrations
41.	RN-15-044	Nuclear Island Nonradioactive Ventilation System Exhaust Ducting Changes
42.	RN-15-045	Missed Initiating Function for Chemical and Volume Control System (CVS) Isolation
43.	RN-15-049	Addition of Vent and Drain Lines for the Steam Generator System (SGS) Main and Startup Feedwater Lines
44.	RN-15-053	Layout Changes to the Plant Vent and Stair/Elevator Enclosure
45.	RN-15-055	Modified Weld Joint for SC Shield Building Panels
46.	RN-15-056	Annex Building Hydraulic Lift and Annex & Aux Door Layout
47.	RN-15-058	Section 5.4.13 Revised to Reflect Use of ASTM A-262 Practice A or E as Acceptable Text Method Regarding Materials Verification for Core Makeup Tanks

	RN No.	Brief Description
48.	RN-15-059	UFSAR Chapter 3.2.6, Reference 5 "ASME/ANSI B31.1" Revised to Include Addenda 1989
49.	RN-15-062	Chilled Water System Logic Changes
50.	RN-15-066	Changes to the Steam Generator Support Drawings; Lateral Supports and a Revision to the Jurisdictional Boundary Information to Show Code Interfaces
51.	RN-15-067	Use of Stainless Steel in HVAC Ductwork, and Coated Steel and Stainless Steel in HVAC Duct Supports and Accessories
52.	RN-15-068	Changes to Stairwell Pressurization
53.	RN-15-069	Use of RELAP5 is Used to Calculate the Pressure & Kinetic Energy in Lieu of MULTIFLEXSG for Piping System with Closing Check Valves in Lieu of MULTIFLEX-SG
54.	RN-15-070	Technical Specifications Bases Phase 1 Changes Unit 2
55.	RN-15-074	Technical Specifications Bases Phase 1 Changes, Unit 3
56.	RN-15-075	Addition of Level Measurement Capability to the Chemical Mixing Tank
57.	RN-15-078	Squib Valve Qualification Program Update
58.	RN-15-079	Allow Use of American Welding Society (AWS) D1.1-2000 Criteria for Structural Welds in Lieu of AWS D1.1-1992 (Amendment 30)
59.	RN-15-081	Removal of Blanketing Steam from Moisture Separator Reheater and Feedwater Heaters
60.	RN-15-084	Hydrogen Igniter Change from Automotive Style Glow Plug to a Heated Coil Igniter
61.	RN-15-089	Correction of Errors in UFSAR Figures 6.3-1 Sheet 1 and 2, Introduced in Departure RN-12-002 "Figure Simplification"
62.	RN-15-090	UFSAR Chapter 3 Editorial & Clarification for Consistency Changes: Updating References, Changing Verb Tenses, Making Minor Text Revisions, Spelling Corrections, Acronym Corrections
63.	RN-15-092	Relocation of Hydrogen Igniters from Containment Polar Crane to the Girder Ring
64.	RN-15-094	Engineered Safety Features Actuation System Modifications
65.	RN-15-096	Removal of Tier 2 Cast Iron Material Requirements for Chicago Bridge & Iron (CB&I) Procured Pumps
66.	RN-15-099	Initial Test Program (ITP) Administrative Description Changes, Clarification of Roles and Responsibilities of Individuals and Organizations
67.	RN-15-101	Change to Containment Stairway Module CS11 and CVS Room Flood Weir
68.	RN-15-102	Control Logic Change to Ensure Adequate NPSH Available to CVS Makeup Pumps
69.	RN-15-110	Tank Style Potable Water Heaters for the Main Control Room Men's Rest Room and Turbine Building Secondary Sampling Laboratory
70.	RN-15-111	Revision of Steam Generator Primary to Secondary Differential Pressure Design Value to 1650 PSI
71.	RN-15-131	CIM/DAS Diversity LAR Supplement 1 Implementation (Amendment 28)

	RN No.	Brief Description
72.	RN-12-073	Addition of Service Water System (SWS) Chemical Treatment Building & Deletion of Auxiliary Steam Supply System (ASS) Batch Chemical Storage Tank
73.	RN-12-083	RCS Changes Required for Construction Hydrostatic Test
74.	RN-13-048	Spent Fuel Cask Transfer Pad
75.	RN-13-051	Modifications to Facilitate Equipment Qualification Testing of Nuclear Instrumentation System Components
76.	RN-13-073	Clarification of Sampling Containment Isolation Valves Manual Override Function
77.	RN-14-007	Annex and Auxiliary Building Door Changes
78.	RN-14-013	Fire Area Information for WLS Rooms
79.	RN-14-024	Onsite Standby Power System (ZOS) P&ID Simplification
80.	RN-14-035	Change in Exhaust Ventilation Flowpath for Annex Building Rooms 40442 and 40340
81.	RN-14-043	Tier 2* Editorial changes and Clarifications C2LB (Amendment 37)
82.	RN-14-062	Regulatory Guide 1.133 Clarification/Summary Description (UFSAR Appendix 1A)
83.	RN-14-071	Figure 9.4.1-1 Changes: VBS Air Handling Units Electro-Hydraulic Actuators Replaced with Electro-Mechanical Actuators to Resolve Issues with Space for Mounting the Units, also Dampers Moved to Improve Maintenance Access
84.	RN-14-074	Leak Monitoring and Guard Pipe for Standby Diesel Fuel Oil System(DOS) Underground Piping
85.	RN-14-080	Secondary Sampling System (SSS) Changes Deaerator Inlet and Both Steam Generator Main Steam Samples Combined and Share a Sodium Analyzer for Semi Continuous Online Analysis
86.	RN-14-085	Condensate Water Storage Tank Volume
87.	RN-14-088	Central Chilled Water System and Hot Water Heating System Changes
88.	RN-14-095	Inlet Pressure Change to the Passive Eductor for the Main Control Room Emergency Habitability System
89.	RN-14-101	Changes to the Radwaste Building HVAC System (VRS) Supply Fan Modulation Controls
90.	RN-14-102	Resolution of Figure Inconsistencies with the Special Monitoring System (SMS)/ In-core Instrumentation System (IIS) and the Plant I&C Network
91.	RN-14-104	Discrepancies With PCS Piping Materials
92.	RN-14-112	Piping Line Number Additions, Deletions, and Functional Capability Re-designation (Amendment 39)
93.	RN-14-113	Removal of Gun Port Depictions from UFSAR Figures
94.	RN-14-115	Removal of Chilled Water System (VWS) Expansion Tank Isolation Valves and Hot Water Heating System (VYS) Surge Tank Nitrogen Overpressure
95.	RN-14-116	Automatic Depressurization System (ADS) Valve Parameters, Identification of Maximum Flow Areas for ADS Stages 1-3
96.	RN-14-118	Delete Return Air Fan in MS 07A/B Annex/Auxiliary Non-Radioactive Ventilation System (VXS)
97.	RN-14-122	Motor-Operated Valve Hammer-Blow Features
98.	RN-14-147	Clarification of Main Control Room Penetration Seal Materials

	RN No.	Brief Description
99.	RN-14-149	Normal Decay Heat Removal System and Spent Fuel Pool Cooling System Locked-Open Valve Provisions
100.	RN-14-158	Input Failure Alarm Logic and Signal Selection Logic Discrepancies
101.	RN-14-159	Radwaste Building Fire Suppression and Detection System Changes
102.	RN-15-008	Correction of UFSAR Inconsistency with Regard to the Industry Standard for Main Control Room (MCR) Pressure Boundary Testing and Isolations Functions
103.	RN-15-009	Correction of UFSAR Inconsistency by Updating Table 1.7-2 to Include the Cross Reference Figure 9.2.5-1 for the Potable Water System.
104.	RN-15-017	Changes to the Integrated Head Package (IHP) Components and Structures
105.	RN-15-023	Changes to Component APP-RXS-MY-Y01
106.	RN-15-027	Radioactive Waste Drain System (WRS) Auxiliary Building Sump Pump Operational Change
107.	RN-15-030	Deaerator Pegging Steam Flow Path Size Increase
108.	RN-15-036	New Assignments of IITA Thermocouples to Protection and Safety Monitoring System (PMS) Division
109.	RN-15-039	Changes to High Energy and Moderate Energy Piping and System Designations
110.	RN-15-046	UFSAR Editorial Changes, Additions and Updates
111.	RN-15-047	Clarification to the Description of Turbine-Generator Electrical Output Rating the Devices within the Protective Relay and Functions of the Exciter Limiting Device
112.	RN-15-048	PRHR HX System Level Operability Test Changes
113.	RN-15-050	Turbine Building Floor Elevation Change
114.	RN-15-051	WRS Sump Level Instrument Setpoint Changes and WWS Sump Sizing Clarification
115.	RN-15-052	Changes to Nonradioactive Ventilation System (VBS) Penetration Barrier
116.	RN-15-054	Change to Steam Supply for the Hot Water Heating System
117.	RN-15-057	Addition of Vents for PRHR Heat Exchanger Flow Transmitters
118.	RN-15-061	Changes to In-Core Instrumentation (ICI) Guide Tube Configuration
119.	RN-15-077	Change to Description of Boron Concentration Behavior with Burnup
120.	RN-15-083	Changes to the Steam Generator Support Drawings
121.	RN-15-087	Resizing of Compressed Air System (CAS) Compressor Motor
122.	RN-15-093	DCD Figure 1.2-7 Title Correction
123.	RN-15-095	Clarification on Containment Recirculation Isolation Motor Operated Valve Actuation
124.	RN-15-098	Design Changes to the Pressurizer Configuration
125.	RN-15-104	Change to Fuel Storage Pit Drains
126.	RN-15-105	Addition of Level Measurement Capability to the Chemical Mixing Tank
127.	RN-15-106	Clarification of Supplemental Requirements for Mechanical Coupler Welds for Steel Structures (Amendment 36)
128.	RN-15-109	IDS Power Division Assignment for Valves and RCP Speed Sensors
129.	RN-15-115	Revision to Passive Containment Cooling Water Storage Tank Testing Parameters

	RN No.	Brief Description
130.	RN-15-117	Correction to Through-Wall Crack Exclusion Criteria and ASME III Reference
131.	RN-15-119	Test Connection Modifications for Core Makeup Tank (CMT) Discharge Check Valves
132.	RN-15-120	Waste Water Retention Basin Oil Removal
133.	RN-15-122	Clarifications and Updates to AP1000 Cobalt Content Restrictions
134.	RN-15-125	Thermal Conductivity Reduction Factor of 2 (Amendment 34)
135.	RN-15-128	Removal of Manual Actuation of the Loop-Based Main Steam Line Isolation
136.	RN-15-129	Inconsistent RCP Flywheel Integrity Analysis References in Table 1.6-1 and Section 5.4.16
137.	RN-15-130	Correction to Area Locator Code and Primary Area/Location Served in Table 9.5.2-1 for communications system (EFS) Equipment in th 100'-0" Annex Bldg
138.	RN-15-133	Removal of Inconsistent Statement about Main Steam Safety Valve (MSSV) Vent Stacks
139.	RN-15-134	Design Change of Fuel Transfer Penetration
140.	RN-15-137	Change to Nuclear Island Basemat Floor Sloping Requirements
141.	RN-16-003	Update Table 1.8-2 to Reflect Correct Location of COL Information Item
142.	RN-16-005	Alternative Methods Used for the Component Interface Module (CIM) Project Life Cycle
143.	RN-16-010	Central Chilled Water System (VW) Low Capacity System Valves and Piping Changes
144.	RN-16-013	Change to Steam Supply for Hot Water Heating System
145.	RN-14-025	Cask Handling Crane Bridge Span Change
146.	RN-14-056	PSS Delay Coil Changes
147.	RN-14-061	Add FWS Instruments to DRAP Table (Amendment 45)
148.	RN-14-069	Turbine Building Switchgear Rooms & Office Area Elevation Changes to Accommodate Layout of Non-safety Related Medium & Low Voltage Switchgear (Amendment 38)
149.	RN-14-086	Compressed and Instrument Air System High Pressure Air Subsystem Changes (Amendment 44)
150.	RN-14-094	Application of Hydranuts Instead of Standard Reactor Vessel Nut and Stud Tensioner Combination
151.	RN-14-135	Site Specific Changes the Addition of New Raw Water System Secondary Treatment System
152.	RN-14-141	Class 1e dc & Uninterruptible Power Supply System (IDS) Removal of Spare Battery Termination Boxes (Amendment 43)
153.	RN-14-156	DVI Flow Diverter Addition
154.	RN-15-015	Main Condenser Vacuum Pump Indication Change
155.	RN-15-028	Update to DCD Figure 18.8-1 to Depict Figure is Representatvie of Soft Controls
156.	RN-15-034	Error in Irradiated Sb-Be Secondary Source Rod Gamma Ray Source Strengths in Tables 12.2-16 and 12.2-17
157.	RN-15-043	SFS and WLS ASME Code, Section VIII, Overpressure Protection

	RN No.	Brief Description
158.	RN-15-071	Fire Protection System Fire Water Tanks and Cross Connection Location Changes
159.	RN-15-112	Modification of Unit Auxiliary Transformer and Auxiliary Boiler Power Supply
160.	RN-15-123	Relocation of Humidifier in Air Handling Units
161.	RN-15-127	Increased Concrete Thickness Tolerance for Column Line J-1 and J-2 Walls above 66-6
162.	RN-15-136	Changes to Grounding and Lightning Protection System
163.	RN-15-139	Revised to Eliminate Creating an Equipment Qualification Data Package (EQDP) for Mechanical Components that do not Require an Environmental Qualification
164.	RN-16-001	Update Fast Bus Transfer Requirements to Allow for Fault on Excitation System
165.	RN-16-007	Replacing term "operable" with "functional" in Ch 19
166.	RN-16-008	Addition and Deletion of Safety Related Snubbers
167.	RN-16-009	UFSAR Changes to Reflect Regulation 10 CFR 50.55a Restructure
168.	RN-16-011	Tier 2* Fire Area Figures Reclassification (Amendment 40)
169.	RN-16-015	Reconciliation of Various Valve Information
170.	RN-16-016	Revisions for Post-Accident Environmental Conditions and Thermal Aging Calculation
171.	RN-16-018	Reactor Coolant Pressure Boundary Material Changes
172.	RN-16-019	Modification to NDE Testing Methods for Reactor Pressure Vessel and Pressurizer
173.	RN-16-020	Changes to ECS Load Centers and Onsite Standby Diesel Generator Load Sequencing
174.	RN-16-021	UFSAR and Technical Specification Bases changes regarding Shift Supervisor to Shift manager Title Change (Amendment 42)
175.	RN-16-022	Updates to Table 13.4-201 clarification on 10 CFR 50.54/50 Appendix B Milestone
176.	RN-16-024	Clarification of Soft Controls for Plant Control System Components
177.	RN-16-026	Changes to Support VYS Functionality During LOOP (Investment Protection)
178.	RN-16-029	Equipment Room and Switchgear Room Air Handling Units Component Changes
179.	RN-16-030	Change to Yield Strength Limit for Cold-Worked Austenitic Stainless Steel for ESF Components
180.	RN-16-035	Clarification of Lower Operating Modes Applicable to a Steam Generator Tube Rupture Event
181.	RN-16-043	Typographical errors found during review of RN-16-009

**South Carolina Electric & Gas (SCE&G) Company**

**NND-16-0248**

**Enclosure 2**

**V.C. Summer Nuclear Station Units 2 and 3**

**DVD containing the VCSNS Units 2 & 3**

**UFSAR Rev. 4**

**[Note: VCSNS Units 2&3 UFSAR Contains Security-Related Information - Withhold  
Under 10 CFR 2.390(d)]**

**South Carolina Electric & Gas (SCE&G) Company**

**NND-16-0248**

**Enclosure 3**

**V.C. Summer Nuclear Station Units 2 and 3**

**DVD containing the VCSNS Units 2 & 3**

**Tier 1 (UFSAR) Rev. 4**

**[Note: VCSNS Units 2&3 Tier 1 (UFSAR) Contains Security-Related Information -  
Withhold Under 10 CFR 2.390(d)]**

**South Carolina Electric & Gas (SCE&G) Company**

**NND-16-0248**

**Enclosure 4**

**V.C. Summer Nuclear Station Units 2 and 3**

**DVD containing the VCSNS Units 2 & 3 Technical  
Specification Bases, Rev. 4 and Technical  
Requirements Manual, Rev. 1**