

UTAH STATE BULLETIN

OFFICIAL NOTICES OF UTAH STATE GOVERNMENT
Filed April 02, 2016, 12:00 a.m. through April 15, 2016, 11:59 p.m.

Number 2016-9
May 01, 2016

Nancy L. Lancaster, Editor
Patricia Smith-Mansfield, Director
Kimberly K. Hood, Executive Director

The *Utah State Bulletin (Bulletin)* is an official noticing publication of the executive branch of Utah state government. The Division of Administrative Rules, part of the Department of Administrative Services, produces the *Bulletin* under authority of Section 63G-3-402.

The Portable Document Format (PDF) version of the *Bulletin* is the official version. The PDF version of this issue is available at <http://www.rules.utah.gov/publicat/bulletin.htm>. Any discrepancy between the PDF version and other versions will be resolved in favor of the PDF version.

Inquiries concerning the substance or applicability of an administrative rule that appears in the *Bulletin* should be addressed to the contact person for the rule. Questions about the *Bulletin* or the rulemaking process may be addressed to: Division of Administrative Rules, PO Box 141007, Salt Lake City, Utah 84114-1007, telephone 801-538-3003. Additional rulemaking information and electronic versions of all administrative rule publications are available at <http://www.rules.utah.gov/>.

The information in this *Bulletin* is summarized in the *Utah State Digest (Digest)* of the same volume and issue number. The *Digest* is available by e-mail subscription or online. Visit <http://www.rules.utah.gov/publicat/digest.htm> for additional information.

Division of Administrative Rules, Salt Lake City 84114

Unless otherwise noted, all information presented in this publication is in the public domain and may be reproduced, reprinted, and redistributed as desired. Materials incorporated by reference retain the copyright asserted by their respective authors. Citation to the source is requested.

Utah state bulletin.

Semimonthly.

1. Delegated legislation--Utah--Periodicals. 2. Administrative procedure--Utah--Periodicals.

I. Utah. Division of Administrative Rules.

KFU440.A73S7

348.792'025--DDC

85-643197

TABLE OF CONTENTS

SPECIAL NOTICES	1
Health	
Health Care Financing, Coverage and Reimbursement Policy Public Hearing to Discuss the 1115 Waiver and H.B. 437 "Health Care Revisions" From the 2016 General Session.....	1
NOTICES OF PROPOSED RULES	3
Commerce	
Occupational and Professional Licensing	
No. 40298 (Amendment): R156-15A State Construction Code Administration and Adoption of Approved State Construction Code Rule.....	4
Education	
Administration	
No. 40332 (Repeal): R277-100 Rulemaking Policy.....	5
No. 40325 (Repeal): R277-200 Utah Professional Practices Advisory Commission (UPPAC), Definitions.....	7
No. 40326 (Repeal): R277-201 Utah Professional Practices Advisory Commission (UPPAC), Rules of Procedure: Notification to Educators, Complaints and Final Disciplinary Actions.....	11
No. 40327 (Repeal): R277-202 UPPAC Hearing Procedures and Reports.....	16
No. 40328 (Repeal): R277-203 Request for Licensure Reinstatement and Reinstatement Procedures.....	22
No. 40329 (Repeal): R277-204 Utah Professional Practices Advisory Commission Criminal Background Review.....	26
No. 40330 (Repeal): R277-205 Alcohol Related Offenses.....	28
No. 40331 (Repeal): R277-206 Drug Related Offenses.....	29
No. 40333 (Repeal): R277-207 Utah Professional Practices Advisory Commission (UPPAC), Disciplinary Rebuttable Presumptions.....	31
No. 40334 (New Rule): R277-210 Utah Professional Practices Advisory Commission (UPPAC), Definitions.....	33
No. 40335 (New Rule): R277-211 Utah Professional Practices Advisory Commission (UPPAC), Rules of Procedure: Notification to Educators, Complaints and Final Disciplinary Actions.....	37
No. 40336 (New Rule): R277-212 UPPAC Hearing Procedures and Reports.....	41
No. 40337 (New Rule): R277-213 Request for Licensure Reinstatement and Reinstatement Procedures.....	48
No. 40338 (New Rule): R277-214 Utah Professional Practices Advisory Commission Criminal Background Review.....	51
No. 40339 (New Rule): R277-215 Utah Professional Practices Advisory Commission (UPPAC), Disciplinary Rebuttable Presumptions.....	53
No. 40340 (New Rule): R277-922 Digital Teaching and Learning Grant Program.....	56
Environmental Quality	
Waste Management and Radiation Control, Radiation	
No. 40322 (Amendment): R313-19-13 Exemptions.....	59
No. 40323 (Amendment): R313-22 Specific Licenses.....	63
Waste Management and Radiation Control, Waste Management	
No. 40312 (Amendment): R315-124-34 Public Participation.....	72
No. 40307 (Amendment): R315-260 Hazardous Waste Management System.....	73
No. 40308 (Amendment): R315-261 General Requirements - Identification and Listing of Hazardous Waste.....	84
No. 40309 (Amendment): R315-262-10 Purpose, Scope, and Applicability.....	95
No. 40310 (Amendment): R315-264-1 Purpose, Scope and Applicability.....	96
No. 40311 (Amendment): R315-273 Standards For Universal Waste Management.....	99
Health	
Children's Health Insurance Program	
No. 40295 (Amendment): R382-10-17 Effective Date of Enrollment and Renewal.....	105

TABLE OF CONTENTS

Health Care Financing, Coverage and Reimbursement Policy	
No. 40320 (Amendment): R414-1-5 Incorporations by Reference.....	106
No. 40296 (Amendment): R414-310-6 Creditable Health Coverage.....	110
No. 40297 (Amendment): R414-320-6 Creditable Health Coverage.....	112
Family Health and Preparedness, Emergency Medical Services	
No. 40324 (Amendment): R426-8 Emergency Medical Services Ambulance Rates	
and Charges.....	114
Human Services	
Substance Abuse and Mental Health, State Hospital	
No. 40314 (Amendment): R525-8 Forensic Mental Health Facility.....	116
Insurance	
Administration	
No. 40321 (Amendment): R590-247 Universal Health Insurance Application Rule.....	117
Pardons (Board Of)	
Administration	
No. 40316 (Amendment): R671-315-1 Pardons.....	118
Public Service Commission	
Administration	
No. 40299 (Amendment): R746-360-6 Eligibility for Fund Distributions.....	121
Workforce Services	
Employment Development	
No. 40315 (Amendment): R986-400-402 General Provisions.....	122
NOTICES OF CHANGES IN PROPOSED RULES.....	125
Insurance	
Administration	
No. 39755 (Second): R590-272 Commission Compensation Reporting.....	126
NOTICES 120-DAY (EMERGENCY) RULES.....	129
Health	
Health Care Financing, Coverage and Reimbursement Policy	
No. 40301: R414-505 Participation in the Nursing Facility Non-State	
Government-Owned Upper Payment Limit Program.....	129
No. 40318: R414-505 Participation in the Nursing Facility Non-State	
Government-Owned Upper Payment Limit Program.....	131
No. 40319: R414-513 Intergovernmental Transfers.....	133
FIVE-YEAR NOTICES OF REVIEW AND STATEMENTS OF CONTINUATION.....	135
Health	
Disease Control and Prevention, Epidemiology	
No. 40317: R386-702 Communicable Disease Rule.....	135
Human Services	
Child and Family Services	
No. 40305: R512-10 Youth and Mentor Program.....	136
No. 40306: R512-44 Choose Life Adoption Support Restricted Account.....	136
Substance Abuse and Mental Health, State Hospital	
No. 40313: R525-8 Forensic Mental Health Facility.....	137
Insurance	
Title and Escrow Commission	
No. 40300: R592-15 Submission of a Schedule of Minimum Charges for	
Escrow Services.....	137
Natural Resources	
Forestry, Fire and State Lands	
No. 40304: R652-122 County Cooperative Agreements with State for Fire	
Protection.....	138

NOTICES FIVE-YEAR REVIEW EXTENSION..... 139
 Environmental Quality
 Air Quality
 No. 40294: R307-210 Stationary Sources..... 139

NOTICES OF FIVE YEAR EXPIRATIONS..... 141
 Money Management Council
 Administration
 No. 40303: R628-10 Rating Requirements to Be a Permitted Depository..... 141

NOTICES OF RULE EFFECTIVE DATES..... 143

**RULES INDEX
BY AGENCY (CODE NUMBER)
AND
BY KEYWORD (SUBJECT)..... 147**

Environmental Quality, Waste
Management and Radiation Control,
Radiation
R313-19-13
Exemptions

NOTICE OF PROPOSED RULE

(Amendment)

DAR FILE NO.: 40322

FILED: 04/15/2016

RULE ANALYSIS

PURPOSE OF THE RULE OR REASON FOR THE CHANGE: The reason for the change is to incorporate changes requested by the U.S. Nuclear Regulatory (NRC) in a letter dated 11/13/2015 (ML15267 A359) to maintain compatibility with the corresponding federal radioactive materials regulations. As an Agreement State with the NRC, Utah is required to maintain rules that are compatible with those promulgated by the NRC. The proposed rule changes are required in order to maintain regulatory compatibility.

SUMMARY OF THE RULE OR CHANGE: The NRC requested that selected references to the federal "Atomic Energy Act" be removed since the agency does not have the authority to allow exemptions from federal statute.

Additionally, the NRC also requested the correction of certain rule citations for regulatory compatibility with the corresponding federal requirements.

STATUTORY OR CONSTITUTIONAL AUTHORIZATION FOR THIS RULE: Subsection 19-3-104(4)

ANTICIPATED COST OR SAVINGS TO:

◆ THE STATE BUDGET: The proposed rule changes do not impact the state budget since they are simply correcting selected rule citations and removing certain references to a federal law in order to maintain regulatory compatibility, as requested by the NRC.

◆ LOCAL GOVERNMENTS: The proposed rule changes do not impact local government since they are simply correcting selected rule citations and removing certain references to a federal law in order to maintain regulatory compatibility, as requested by the NRC.

◆ SMALL BUSINESSES: The proposed rule changes do not impact small businesses that may have a radioactive materials license since they are simply correcting selected rule citations and removing certain references to a federal law in order to maintain regulatory compatibility, as requested by the NRC.

◆ PERSONS OTHER THAN SMALL BUSINESSES, BUSINESSES, OR LOCAL GOVERNMENTAL ENTITIES: The proposed rule changes do not impact other businesses or local government entities that may have a radioactive materials license since they are simply correcting selected rule citations and removing certain references to a federal law in order to maintain regulatory compatibility, as requested by the NRC.

COMPLIANCE COSTS FOR AFFECTED PERSONS: The proposed rule changes do not impose any compliance costs for any radioactive materials licensees since they are simply correcting selected rule citations and removing certain references to a federal law in order to maintain regulatory compatibility, as requested by the NRC.

COMMENTS BY THE DEPARTMENT HEAD ON THE FISCAL IMPACT THE RULE MAY HAVE ON BUSINESSES: The proposed rule changes incorporate federal radioactive materials revisions requested by the NRC regarding corrections to rule citations and selected references to federal law. The changes were requested in order to maintain regulatory compatibility with corresponding federal regulations promulgated by NRC. Consequently, there are no costs or savings to any Utah radioactive materials licensees.

THE FULL TEXT OF THIS RULE MAY BE INSPECTED, DURING REGULAR BUSINESS HOURS, AT:

ENVIRONMENTAL QUALITY
WASTE MANAGEMENT AND RADIATION
CONTROL, RADIATION
THIRD FLOOR
195 N 1950 W
SALT LAKE CITY, UT 84116-3085
or at the Division of Administrative Rules.

DIRECT QUESTIONS REGARDING THIS RULE TO:

◆ Rusty Lundberg by phone at 801-536-4257, by FAX at 801-533-4097, or by Internet E-mail at rlundberg@utah.gov

INTERESTED PERSONS MAY PRESENT THEIR VIEWS ON THIS RULE BY SUBMITTING WRITTEN COMMENTS NO LATER THAN AT 5:00 PM ON 06/01/2016

THIS RULE MAY BECOME EFFECTIVE ON: 06/10/2016

AUTHORIZED BY: Brad Johnson, Deputy Director

R313. Environmental Quality, Waste Management and Radiation Control, Radiation.

R313-19. Requirements of General Applicability to Licensing of Radioactive Material.

R313-19-13. Exemptions.

(1) Source material.

(a) A person is exempt from Rules R313-19, R313-21, and R313-22 to the extent that the person receives, possesses, uses, owns, or transfers source material in a chemical mixture, compound, solution or alloy in which the source material is by weight less than 1/20 of one percent (0.05 percent) of the mixture, compound, solution, or alloy.

(b) A person is exempt from Rules R313-19, R313-21, and R313-22 to the extent that the person receives, possesses, uses or transfers unrefined and unprocessed ore containing source material; provided, that, except as authorized in a specific license, such person shall not refine or process the ore.

(c) A person is exempt from Rules R313-19, R313-21, and R313-22 to the extent that the person receives, possesses, uses or transfers:

(i) any quantities of thorium contained in:

(A) incandescent gas mantles,

(B) vacuum tubes,

(C) welding rods,

(D) electric lamps for illuminating purposes: provided that, each lamp does not contain more than 50 milligrams of thorium,

(E) germicidal lamps, sunlamps, and lamps for outdoor or industrial lighting provided that each lamp does not contain more than two grams of thorium,

(F) rare earth metals and compounds, mixtures, and products containing not more than 0.25 percent by weight thorium, uranium, or any combination of these, or

(G) personnel neutron dosimeters provided that each dosimeter does not contain more than 50 milligrams of thorium;

(ii) source material contained in the following products:

(A) glazed ceramic tableware, provided that the glaze contains not more than 20 percent by weight source material,

(B) piezoelectric ceramic containing not more than two percent by weight source material, or

(C) glassware containing not more than ten percent by weight source material, but not including commercially manufactured glass brick, pane glass, ceramic tile, or other glass or ceramic used in construction;

(iii) photographic film, negatives and prints containing uranium or thorium;

(iv) a finished product or part fabricated of, or containing, tungsten-thorium or magnesium-thorium alloys, provided that the

thorium content of the alloy does not exceed four percent by weight and that this exemption shall not be deemed to authorize the chemical, physical, or metallurgical treatment or processing of the product or part;

(v) uranium contained in counterweights installed in aircraft, rockets, projectiles, and missiles, or stored or handled in connection with installation or removal of the counterweights, provided that:

(A) the counterweights are manufactured in accordance with a specific license issued by the U.S. Nuclear Regulatory Commission authorizing distribution by the licensee pursuant to 10 CFR Part 40,

(B) each counterweight has been impressed with the following legend clearly legible through any plating or other covering: "DEPLETED URANIUM",

(C) each counterweight is durably and legibly labeled or marked with the identification of the manufacturer and the statement: "UNAUTHORIZED ALTERATIONS PROHIBITED",

(D) The requirements specified in Subsections R313-19-13(1)(c)(v)(B) and (C) need not be met by counterweights manufactured prior to December 31, 1969, provided that such counterweights are impressed with the legend, "CAUTION - RADIOACTIVE MATERIAL - URANIUM", as previously required by the rules, and

(E) the exemption contained in Subsection R313-19-13(1)(c)(v) shall not be deemed to authorize the chemical, physical, or metallurgical treatment or processing of counterweights other than repair or restoration of any plating or other covering;

(vi) natural or depleted uranium metal used as shielding constituting part of a shipping container which is conspicuously and legibly impressed with the legend "CAUTION - RADIOACTIVE SHIELDING - URANIUM" and the uranium metal is encased in mild steel or equally fire resistant metal of minimum wall thickness of one eighth inch (3.2 mm);

(vii) thorium contained in finished optical lenses, provided that each lens does not contain more than 30 percent by weight of thorium, and that this exemption shall not be deemed to authorize either:

(A) the shaping, grinding, or polishing of a lens or manufacturing processes other than the assembly of such lens into optical systems and devices without alteration of the lens, or

(B) the receipt, possession, use, or transfer of thorium contained in contact lenses, or in spectacles, or in eyepieces in binoculars or other optical instruments;

(viii) uranium contained in detector heads for use in fire detection units, provided that each detector head contains not more than 0.005 microcurie (185.0 Bq) of uranium; or

(ix) thorium contained in a finished aircraft engine part containing nickel-thoria alloy, provided that:

(A) the thorium is dispersed in the nickel-thoria alloy in the form of finely divided thoria (thorium dioxide), and

(B) the thorium content in the nickel-thoria alloy does not exceed four percent by weight.

(d) The exemptions in Subsection R313-19-13(1)(c) do not authorize the manufacture of any of the products described.

(2) Radioactive material other than source material.

(a) Exempt concentrations.

(i) Except as provided in Subsection R313-19-13(2)(a)(iii) a person is exempt from Rules R313-19, R313-21 and R313-22 to the

extent that the person receives, possesses, uses, transfers, owns or acquires products or materials containing:

(A) radioactive material introduced in concentrations not in excess of those listed in Section R313-19-70, or

(B) diffuse sources of natural occurring radioactive materials containing less than 15 picocuries per gram radium-226.

(ii) A manufacturer, processor, or producer of a product or material is exempt from the requirements for a license set forth in Rules R313-19, R313-21 and R313-22 and Rules R313-32, R313-34, R313-36, and R313-38 to the extent that the person transfers:

(A) radioactive material contained in a product or material in concentrations not in excess of those specified in R313-19-70; and

(B) introduced into the product or material by a licensee holding a specific license issued by the U.S. Nuclear Regulatory Commission authorizing the introduction.

(C) The exemption in R313-19-13-2(a)(ii)(A) and R313-19-13-2(a)(ii)(B) does not apply to the transfer of radioactive material contained in any food, beverage, cosmetic, drug, or other commodity or product designed for ingestion or inhalation by, or application to, a human being.

(iii) A person may not introduce radioactive material into a product or material knowing or having reason to believe that it will be transferred to persons exempt under Subsection R313-19-13(2)(a)(i) or equivalent regulations of a Licensing State, the U.S. Nuclear Regulatory Commission or an Agreement State, except in accordance with a specific license issued pursuant to Subsection R313-22-75(1).

(b) Exempt quantities.

(i) Except as provided in Subsections R313-19-13(2)(b)(ii) through (iv) a person is exempt from these rules to the extent that the person receives, possesses, uses, transfers, owns, or acquires radioactive material in individual quantities which do not exceed the applicable quantity set forth in Section R313-19-71.

(ii) Subsection R313-19-13(2)(b) does not authorize the production, packaging or repackaging of radioactive material for purposes of commercial distribution, or the incorporation of radioactive material into products intended for commercial distribution.

(iii) A person may not, for purposes of commercial distribution, transfer radioactive material in the individual quantities set forth in Section R313-19-71, knowing or having reason to believe that the quantities of radioactive material will be transferred to persons exempt under Subsection R313-19-13(2)(b) or equivalent regulations of a Licensing State, the U.S. Nuclear Regulatory Commission or an Agreement State, except in accordance with a specific license issued by the U.S. Nuclear Regulatory Commission, pursuant to 10 CFR Part 32 or by the Director pursuant to Subsection R313-22-75(2), which license states that the radioactive material may be transferred by the licensee to persons exempt under Subsection R313-19-13(2)(b) or the equivalent regulations of a Licensing State, the U.S. Nuclear Regulatory Commission or an Agreement State.

(iv) A person who possesses radioactive material received or acquired prior to September 25, 1971, under the general license formerly provided in 10 CFR Part 31.4 or equivalent regulations of a State is exempt from the requirements for a license set forth in Rule R313-19 to the extent that the person possesses, uses, transfers or owns radioactive material. This exemption does not apply for diffuse sources of radium-226.

(v) No person may, for purposes of producing an increased radiation level, combine quantities of radioactive material covered by

this exemption so that the aggregate quantity exceeds the limits set forth in R313-19-71, except for radioactive material combined within a device placed in use before May 3, 1999, or as otherwise provided by these rules.

(c) Exempt items.

(i) Certain items containing radioactive material. Except for persons who apply radioactive material to, or persons who incorporate radioactive material into the following products, a person is exempt from these rules to the extent that person receives, possesses, uses, transfers, owns or acquires the following products:

(A) Timepieces or hands or dials containing not more than the following specified quantities of radioactive material and not exceeding the following specified levels of radiation:

(I) 25 millicuries (925.0 MBq) of tritium per timepiece;

(II) five millicuries (185.0 MBq) of tritium per hand;

(III) 15 millicuries (555.0 MBq) of tritium per dial. Bezels when used shall be considered as part of the dial;

(IV) 100 microcuries (3.7 MBq) of promethium-147 per watch or 200 microcuries (7.4 MBq) of promethium-147 per any other timepiece;

(V) 20 microcuries (0.74 MBq) of promethium-147 per watch hand or 40 microcuries (1.48 MBq) of promethium-147 per other timepiece hand;

(VI) 60 microcuries (2.22 MBq) of promethium-147 per watch dial or 120 microcuries (4.44 MBq) of promethium-147 per other timepiece dial. Bezels when used shall be considered as part of the dial;

(VII) the radiation dose rate from hands and dials containing promethium-147 will not exceed, when measured through 50 milligrams per square centimeter of absorber:

for wrist watches, 0.1 millirad (1.0 uGy) per hour at ten centimeters from any surface;

for pocket watches, 0.1 millirad (1.0 uGy) per hour at one centimeter from any surface;

for other timepieces, 0.2 millirad (2.0 uGy) per hour at ten centimeters from any surface;

(VIII) one microcurie (37.0 kBq) of radium-226 per timepiece in timepieces manufactured prior to November 30, 2007.

(B)(I) Static elimination devices which contain, as sealed source or sources, radioactive material consisting of a total of not more than 18.5 MBq (500 uCi) of polonium-210 per device.

(II) Ion generating tubes designed for ionization of air that contain, as a sealed source or sources, byproduct material consisting of a total of not more than 18.5 MBq (500 uCi) of polonium-210 per device or of a total of not more than 1.85 GBq (50 mCi) of hydrogen-3 (tritium) per device.

(III) Such devices authorized before October 23, 2012 for use under the general license then provided in 10 CFR 31.3 (January 1, 2012) or equivalent regulations of the Commission or an Agreement State and manufactured, tested, and labeled by the manufacturer in accordance with the specifications contained in a specific license issued by the Commission or Agreement State.

(C) Precision balances containing not more than one millicurie (37.0 MBq) of tritium per balance or not more than 0.5 millicurie (18.5 MBq) of tritium per balance part manufactured before June 9, 2010.

(D) Marine compasses containing not more than 750 millicuries (27.8 GBq) of tritium gas and other marine navigational

instruments containing not more than 250 millicuries (9.25 GBq) of tritium gas manufactured before June 9, 2010.

(E) Ionization chamber smoke detectors containing not more than 1 microcurie (37 kBq) of americium-241 per detector in the form of a foil and designed to protect life and property from fires.

(F) Electron tubes, including spark gap tubes, power tubes, gas tubes including glow lamps, receiving tubes, microwave tubes, indicator tubes, pick-up tubes, radiation detection tubes, and other completely sealed tubes that are designed to conduct or control electrical currents; provided that each tube does not contain more than one of the following specified quantities of radioactive material:

(I) 150 millicuries (5.55 GBq) of tritium per microwave receiver protector tube or ten millicuries (370.0 MBq) of tritium per any other electron tube;

(II) one microcurie (37.0 kBq) of cobalt-60;

(III) five microcuries (185.0 kBq) of nickel-63;

(IV) 30 microcuries (1.11 MBq) of krypton-85;

(V) five microcuries (185.0 kBq) of cesium-137;

(VI) 30 microcuries (1.11 MBq) of promethium-147;

(VII) one microcurie (37.0 kBq) of radium-226;

and provided further, that the radiation dose rate from each electron tube containing radioactive material will not exceed one millirad (10.0 uGy) per hour at one centimeter from any surface when measured through seven milligrams per square centimeter of absorber.

(G) Ionizing radiation measuring instruments containing, for purposes of internal calibration or standardization, one or more sources of radioactive material, provided that:

(I) each source contains no more than one exempt quantity set forth in Section R313-19-71; and

(II) each instrument contains no more than ten exempt quantities. For purposes of this requirement, an instrument's source(s) may contain either one type or different types of radionuclides and an individual exempt quantity may be composed of fractional parts of one or more of exempt quantities in Section R313-19-71, provided that the sum of the fractions shall not exceed unity;

(III) for purposes of Subsection R313-19-13(2)(c)(i)(G), 0.05 microcurie (1.85 kBq) of americium-241 is considered an exempt quantity under Section R313-19-71.

(ii) Self-luminous products containing radioactive material.

(A) Except for persons who manufacture, process, produce, or initially transfer for sale or distribution self-luminous products containing tritium, krypton-85, or promethium-147, and except as provided in R313-19-13(2)(c)(ii)(C), any person is exempt[~~from the requirements for a license set forth in Section 274 b. of the Atomic Energy Act of 1954 and~~] from the regulations in R313-15, R313-19, R313-21, R313-22, R313-32, R313-34, R313-36,~~[R313-37,]~~ and R313-38 to the extent that such a person receives, possesses, uses, transfers, owns, or acquires tritium, krypton-85, or promethium-147 in self-luminous products manufactured, processed, produced, or initially transferred in accordance with a specific license issued pursuant to 10 CFR 32.22 (2015), which license authorizes the initial transfer of the product for use.

(B) Any person who desires to manufacture, process, or produce, or initially transfer for sale or distribution self-luminous products containing tritium, krypton-85, or promethium-147 for use under R313-19-13(2)(c)(ii)(A), should apply for a license under 10 CFR 32.22 (2015) and for a certificate of registration in accordance with 10 CFR 32.210 (2015).

(C) The exemption in R313-19-13(2)(c)(ii)(A) does not apply to tritium, krypton-85, or promethium-147 used in products primarily for frivolous purposes or in toys or adornments.

(D) Radium-226. A person is exempt from these rules, to the extent that such person receives, possesses, uses, transfers, or owns articles containing less than 0.1 microcurie (3.7 kBq) of radium-226 which were acquired prior to the effective date of these rules.

(iii) Gas and aerosol detectors containing radioactive material.

(A) Except for persons who manufacture, process, produce, or initially transfer for sale or distribution gas and aerosol detectors containing radioactive material, any person is exempt ~~from the requirements for a license set forth in Section 274 b. of the Atomic Energy Act of 1954 and~~ from the regulations in parts R313-18, R313-15, R313-19, R313-21, R313-22, R313-32, R313-34, R313-36, ~~[R313-37]~~ and R313-38 to the extent that such person receives, possesses, uses, transfers, owns, or acquires byproduct material in gas and aerosol detectors designed to protect health, safety, or property, and manufactured, processed, produced, or initially transferred in accordance with a specific license issued under 10 CFR 32.26 (2015), which license authorizes the initial transfer of the product for use under this section. This exemption also covers gas and aerosol detectors manufactured or distributed before November 30, 2007, in accordance with a specific license issued by a State under comparable provisions to 10 CFR 32.26 (2015) authorizing distribution to persons exempt from regulatory requirements.

(B) Any person who desires to manufacture, process, or produce gas and aerosol detectors containing byproduct material, or to initially transfer such products for use under paragraph (a) of this section, should apply for a specific license issued by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR Part 32.26 (2015) and for a certificate of registration in accordance with R313-22-210 or equivalent regulations of an Agreement State.

(iv) Capsules containing carbon-14 urea for "in vivo" diagnostic use for humans.

(A) Except as provided in Subsection R313-19-13(2)(c)(iv) (B), any person is exempt from the requirements in Rules R313-19 and R313-32 provided that the person receives, possesses, uses, transfers, owns, or acquires capsules containing 37 kBq (1 uCi) carbon-14 urea (allowing for nominal variation that may occur during the manufacturing process) each, for "in vivo" diagnostic use for humans.

(B) Any person who desires to use the capsules for research involving human subjects shall apply for and receive a specific license pursuant to Rule R313-32.

(C) Nothing in Subsection R313-19-13(2)(c)(iv) relieves persons from complying with applicable United States Food and Drug Administration, other Federal, and State requirements governing receipt, administration, and use of drugs.

(v) Certain industrial devices.

(A) Except for persons who manufacture, process, produce, or initially transfer for sale or distribution industrial devices containing radioactive material designed and manufactured for the purpose of detecting, measuring, gauging or controlling thickness, density, level, interface location, radiation, leakage, or qualitative or quantitative chemical composition, or for producing an ionized atmosphere, any person is exempt ~~from the requirements for a license set forth in Section 274 b. of the Atomic Energy Act of 1954 and~~ from the regulations in parts R313-18, R313-15, R313-18, R313-15, R313-19, R313-21, R313-22, R313-32, R313-34, R313-36, ~~[R313-37]~~ and

R313-38 to the extent that such person receives, possesses, uses, transfers, owns, or acquires radioactive material, in these certain detecting, measuring, gauging, or controlling devices and certain devices for producing an ionized atmosphere, and manufactured, processed, produced, or initially transferred in accordance with a specific license issued under 10 CFR 32.30 (2015), which license authorizes the initial transfer of the device for use under this rule. This exemption does not cover sources not incorporated into a device, such as calibration and reference sources.

(B) Any person who desires to manufacture, process, produce, or initially transfer for sale or distribution industrial devices containing byproduct material for use under R313-19-13(2)(c)(v)(A), should apply for a license under 10 CFR 32.30 (2015) and for a certificate of registration in accordance with R313-22-210.

(vi) With respect to Subsections R313-19-13(2)(b)(iii), R313-19-13(2)(c)(i), (iii) and (iv), the authority to transfer possession or control by the manufacturer, processor, or producer of equipment, devices, commodities, or other products containing byproduct material whose subsequent possession, use, transfer, and disposal by other persons is exempted from regulatory requirements may be obtained only from the U.S. Nuclear Regulatory Commission, Washington, D.C. 20555.

KEY: licenses, reciprocity, transportation, exemptions

Date of Enactment or Last Substantive Amendment: ~~[March 15,] 2016~~

Notice of Continuation: September 23, 2011

Authorizing, and Implemented or Interpreted Law: 19-3-104; 19-6-107

Environmental Quality, Waste Management and Radiation Control, Radiation **R313-22** Specific Licenses

NOTICE OF PROPOSED RULE

(Amendment)

DAR FILE NO.: 40323

FILED: 04/15/2016

RULE ANALYSIS

PURPOSE OF THE RULE OR REASON FOR THE CHANGE: The reason for the rule change is to incorporate changes requested by the U.S. Nuclear Regulatory (NRC) in a letter dated 11/13/2015 (ML15267A359) to maintain compatibility with the corresponding federal radioactive materials regulations. As an Agreement State with the NRC, Utah is required to maintain rules that are compatible with those promulgated by the NRC. The proposed rule changes are required in order to maintain regulatory compatibility.

SUMMARY OF THE RULE OR CHANGE: The NRC requested revising selected rule citations in Section R313-22-32 to the corresponding federal radioactive materials

regulations (10 CFR 32.210(c)) in order to maintain regulatory compatibility. Additionally, the NRC requested correcting an error in subsection numbering, as well as correcting the location of a subsection referencing the Sealed Source and Device Registry within Section R313-22-75.

STATUTORY OR CONSTITUTIONAL AUTHORIZATION FOR THIS RULE: Subsection 19-3-104(4)

ANTICIPATED COST OR SAVINGS TO:

◆ **THE STATE BUDGET:** The proposed rule changes do not impact the state budget since they are simply correcting selected rule citations, correcting subsection numbering, and moving a subsection referencing the Sealed Source and Device Registry to its correct location in order to maintain regulatory compatibility, as requested by the NRC.

◆ **LOCAL GOVERNMENTS:** The proposed rule changes do not impact local government since they are simply correcting selected rule citations, correcting subsection numbering, and moving a subsection referencing the Sealed Source and Device Registry to its correct location in order to maintain regulatory compatibility, as requested by the NRC.

◆ **SMALL BUSINESSES:** The proposed rule changes do not impact small businesses that may have a radioactive materials license since they are simply correcting selected rule citations, correcting paragraph numbering, and moving a subsection referencing the Sealed Source and Device Registry to its correct location in order to maintain regulatory compatibility, as requested by the NRC.

◆ **PERSONS OTHER THAN SMALL BUSINESSES, BUSINESSES, OR LOCAL GOVERNMENTAL ENTITIES:** The proposed rule changes do not impact other businesses or local government entities that may have a radioactive materials license since they are simply correcting selected rule citations, correcting subsection numbering, and moving a subsection referencing the Sealed Source and Device Registry to its correct location in order to maintain regulatory compatibility, as requested by the NRC.

COMPLIANCE COSTS FOR AFFECTED PERSONS: The proposed rule changes do not impose any compliance costs for any radioactive materials licensees since they are simply correcting selected rule citations, correcting subsection numbering, and moving a subsection referencing the Sealed Source and Device Registry to its correct location in order to maintain regulatory compatibility, as requested by the NRC.

COMMENTS BY THE DEPARTMENT HEAD ON THE FISCAL IMPACT THE RULE MAY HAVE ON BUSINESSES: The proposed rule changes incorporate federal radioactive materials revisions requested by the NRC regarding rule citations corrections, subsection numbering corrections, and the proper location of a selected subsection. The changes were requested in order to maintain regulatory compatibility with corresponding federal regulations promulgated by NRC. Consequently, there are no costs or savings to any Utah radioactive materials licensees.

THE FULL TEXT OF THIS RULE MAY BE INSPECTED, DURING REGULAR BUSINESS HOURS, AT:

ENVIRONMENTAL QUALITY
WASTE MANAGEMENT AND RADIATION
CONTROL, RADIATION
THIRD FLOOR
195 N 1950 W
SALT LAKE CITY, UT 84116-3085
or at the Division of Administrative Rules.

DIRECT QUESTIONS REGARDING THIS RULE TO:

◆ Rusty Lundberg by phone at 801-536-4257, by FAX at 801-533-4097, or by Internet E-mail at rlundberg@utah.gov

INTERESTED PERSONS MAY PRESENT THEIR VIEWS ON THIS RULE BY SUBMITTING WRITTEN COMMENTS NO LATER THAN AT 5:00 PM ON 06/01/2016

THIS RULE MAY BECOME EFFECTIVE ON: 06/10/2016

AUTHORIZED BY: Brad Johnson, Deputy Director

R313. Environmental Quality, Waste Management and Radiation Control, Radiation.

R313-22. Specific Licenses.

R313-22-32. Filing Application for Specific Licenses.

(1) Applications for specific licenses shall be filed on a form prescribed by the Director.

(2) The Director may, after the filing of the original application, and before the expiration of the license, require further statements in order to enable the Director to determine whether the application should be granted or denied or whether a license should be modified or revoked.

(3) Applications shall be signed by the applicant or licensee or a person duly authorized to act for and on the applicant's behalf.

(4) An application for a license may include a request for a license authorizing one or more activities.

(5) In the application, the applicant may incorporate by reference information contained in previous applications, statements, or reports filed with the Director, provided the references are clear and specific.

(6)(i) Except as provided in R313-22 (6)(ii), (iii) or (iv) of this section, an application for a specific license to use byproduct material in the form of a sealed source or in a device that contains the sealed source must either---

(A) Identify the source or device by manufacturer and model number as registered with the sealed source and device registry under R313-22-210; or

(B) Contain the information identified in [R313-22-210]10 CFR 32.210(c) (January 1, 2015).

(ii) For sources or devices manufactured before October 23, 2012 that are not registered with sealed source and device registry under R313-22-210 and for which the applicant is unable to provide all categories of information specified in [R313-22-210]10 CFR 32.210(c) (January 1, 2015), the application must include:

(A) All available information identified in [~~R313-22-210~~]10 CFR 32.210(c) (January 1, 2015) concerning the source, and, if applicable, the device; and

(B) Sufficient additional information to demonstrate that there is reasonable assurance that the radiation safety properties of the source or device are adequate to protect health and minimize danger to life and property. Such information must include a description of the source or device, a description of radiation safety features, the intended use and associated operating experience, and the results of a recent leak test.

(iii) For sealed sources and devices allowed to be distributed without registration of safety information in accordance with 10 CFR 32.210(g)(1) (2015), the applicant may supply only the manufacturer, model number, and radionuclide and quantity.

(iv) If it is not feasible to identify each sealed source and device individually, the applicant may propose constraints on the number and type of sealed sources and devices to be used and the conditions under which they will be used, in lieu of identifying each sealed source and device.

(7) As provided by Section R313-22-35, certain applications for specific licenses filed under these rules shall contain a proposed decommissioning funding plan or a certification of financial assurance for decommissioning. In the case of renewal applications submitted before January 1, 1995, this submittal may follow the renewal application but shall be submitted on or before January 1, 1995.

(8)(a) Applications to possess radioactive materials in unsealed form, on foils or plated sources, or sealed in glass in excess of the quantities in Section R313-22-90, "Quantities of Radioactive Materials Requiring Consideration of the Need for an Emergency Plan for Responding to a Release", shall contain either:

(i) An evaluation showing that the maximum dose to a individual off-site due to a release of radioactive materials would not exceed one rem effective dose equivalent or five rems to the thyroid; or

(ii) An emergency plan for responding to a release of radioactive material.

(b) One or more of the following factors may be used to support an evaluation submitted under Subsection R313-22-32(8)(a)(i):

(i) The radioactive material is physically separated so that only a portion could be involved in an accident;

(ii) All or part of the radioactive material is not subject to release during an accident because of the way it is stored or packaged;

(iii) The release fraction in the respirable size range would be lower than the release fraction shown in Section R313-22-90 due to the chemical or physical form of the material;

(iv) The solubility of the radioactive material would reduce the dose received;

(v) Facility design or engineered safety features in the facility would cause the release fraction to be lower than shown in Section R313-22-90;

(vi) Operating restrictions or procedures would prevent a release fraction as large as that shown in Section R313-22-90; or

(vii) Other factors appropriate for the specific facility.

(c) An emergency plan for responding to a release of radioactive material submitted under Subsection R313-22-32(8)(a)(ii) shall include the following information:

(i) Facility description. A brief description of the licensee's facility and area near the site.

(ii) Types of accidents. An identification of each type of radioactive materials accident for which protective actions may be needed.

(iii) Classification of accidents. A classification system for classifying accidents as alerts or site area emergencies.

(iv) Detection of accidents. Identification of the means of detecting each type of accident in a timely manner.

(v) Mitigation of consequences. A brief description of the means and equipment for mitigating the consequences of each type of accident, including those provided to protect workers on-site, and a description of the program for maintaining equipment.

(vi) Assessment of releases. A brief description of the methods and equipment to assess releases of radioactive materials.

(vii) Responsibilities. A brief description of the responsibilities of licensee personnel should an accident occur, including identification of personnel responsible for promptly notifying off-site response organizations and the Director; also responsibilities for developing, maintaining, and updating the plan.

(viii) Notification and coordination. A commitment to and a brief description of the means to promptly notify off-site response organizations and request off-site assistance, including medical assistance for the treatment of contaminated injured on-site workers when appropriate. A control point shall be established. The notification and coordination shall be planned so that unavailability of some personnel, parts of the facility, and some equipment will not prevent the notification and coordination. The licensee shall also commit to notify the Director immediately after notification of the appropriate off-site response organizations and not later than one hour after the licensee declares an emergency.

NOTE: These reporting requirements do not supersede or release licensees of complying with the requirements under the Emergency Planning and Community Right-to-Know Act of 1986, Title III, Public Law 99-499 or other state or federal reporting requirements, including 40 CFR 302, 2010.

(ix) Information to be communicated. A brief description of the types of information on facility status, radioactive releases, and recommended protective actions, if necessary, to be given to off-site response organizations and to the Director.

(x) Training. A brief description of the frequency, performance objectives and plans for the training that the licensee will provide workers on how to respond to an emergency including special instructions and orientation tours the licensee would offer to fire, police, medical and other emergency personnel. The training shall familiarize personnel with site-specific emergency procedures. Also, the training shall thoroughly prepare site personnel for their responsibilities in the event of accident scenarios postulated as most probable for the specific site including the use of team training for the scenarios.

(xi) Safe shutdown. A brief description of the means of restoring the facility to a safe condition after an accident.

(xii) Exercises. Provisions for conducting quarterly communications checks with off-site response organizations and biennial on-site exercises to test response to simulated emergencies. Quarterly communications checks with off-site response organizations

shall include the check and update of all necessary telephone numbers. The licensee shall invite off-site response organizations to participate in the biennial exercises. Participation of off-site response organizations in biennial exercises although recommended is not required. Exercises shall use accident scenarios postulated as most probable for the specific site and the scenarios shall not be known to most exercise participants. The licensee shall critique each exercise using individuals not having direct implementation responsibility for the plan. Critiques of exercises shall evaluate the appropriateness of the plan, emergency procedures, facilities, equipment, training of personnel, and overall effectiveness of the response. Deficiencies found by the critiques shall be corrected.

(xiii) Hazardous chemicals. A certification that the applicant has met its responsibilities under the Emergency Planning and Community Right-to-Know Act of 1986, Title III, Public Law 99-499, if applicable to the applicant's activities at the proposed place of use of the radioactive material.

(d) The licensee shall allow the off-site response organizations expected to respond in case of an accident 60 days to comment on the licensee's emergency plan before submitting it to the Director. The licensee shall provide any comments received within the 60 days to the Director with the emergency plan.

(9) An application from a medical facility, educational institution, or Federal facility to produce Positron Emission Tomography (PET) radioactive drugs for non-commercial transfer to licensees in its consortium authorized for medical use under Rule R313-32 shall include:

(a) A request for authorization for the production of PET radionuclides or evidence of an existing license issued pursuant to 10 CFR Part 30 or equivalent Agreement State requirements for a PET radionuclide production facility within its consortium from which it receives PET radionuclides.

(b) Evidence that the applicant is qualified to produce radioactive drugs for medical use by meeting one of the criteria in Subsection R313-22-75(9)(a)(ii).

(c) Identification of the individual(s) authorized to prepare the PET radioactive drugs if the applicant is a pharmacy, and documentation that each individual meets the requirements of an authorized nuclear pharmacist as specified in Rule R313-32.

(d) Information identified in Subsection R313-22-75(9)(a)(iii) on the PET drugs to be noncommercially transferred to members of its consortium.

R313-22-75. Special Requirements for a Specific License to Manufacture, Assemble, Repair, or Distribute Commodities, Products, or Devices Which Contain Radioactive Material.

(1) Licensing the introduction of radioactive material in exempt concentrations into products or materials, and transfer of ownership or possession of the products and materials.

(a) The authority to introduce radioactive material in exempt concentrations into equipment, devices, commodities or other products may be obtained only from the Nuclear Regulatory Commission, Washington, D.C. 20555; and

(b) The manufacturer, processor or producer of equipment, devices, commodities or other products containing exempt concentrations of radioactive materials may obtain the authority to transfer possession or control of the equipment, devices, commodities, or other products containing exempt concentrations to persons who are

exempt from regulatory requirements only from the Nuclear Regulatory Commission, Washington, D.C. 20555.

(2) Licensing the distribution of radioactive material in exempt quantities. Authority to transfer possession or control by the manufacturer, processor or producer of equipment, devices, commodities or other products containing byproduct material whose subsequent possession, use, transfer, and disposal by other persons who are exempted from regulatory requirements may be obtained only from the Nuclear Regulatory Commission, Washington, D.C. 20555.

(3) Reserved

(4) Licensing the manufacture and distribution of devices to persons generally licensed under Subsection R313-21-22(4).

(a) An application for a specific license to manufacture or distribute devices containing radioactive material, excluding special nuclear material, to persons generally licensed under Subsection R313-21-22(4) or equivalent regulations of the Nuclear Regulatory Commission, an Agreement State or a Licensing State will be approved if:

(i) the applicant satisfies the general requirements of Section R313-22-33;

(ii) the applicant submits sufficient information relating to the design, manufacture, prototype testing, quality control, labels, proposed uses, installation, servicing, leak testing, operating and safety instructions, and potential hazards of the device to provide reasonable assurance that:

~~[(iii) the device has been registered in the Sealed Source and Device Registry.]~~

(A) the device can be safely operated by persons not having training in radiological protection,

(B) under ordinary conditions of handling, storage and use of the device, the radioactive material contained in the device will not be released or inadvertently removed from the device, and it is unlikely that a person will receive in one year, a dose in excess of ten percent of the annual limits specified in Subsection R313-15-201(1), and

(C) under accident conditions, such as fire and explosion, associated with handling, storage and use of the device, it is unlikely that a person would receive an external radiation dose or dose commitment in excess of the following organ doses:

TABLE

Whole body; head and trunk; active blood-forming organs; gonads; or lens of eye	150.0 mSv (15 rems)
Hands and forearms; feet and ankles; localized areas of skin averaged over areas no larger than one square centimeter	2.0 Sv (200 rems)
Other organs	500.0 mSv (50 rems); and

(iii) each device bears a durable, legible, clearly visible label or labels approved by the Director, which contain in a clearly identified and separate statement:

(A) instructions and precautions necessary to assure safe installation, operation and servicing of the device; documents such as operating and service manuals may be identified in the label and used to provide this information,

(B) the requirement, or lack of requirement, for leak testing, or for testing an "on-off" mechanism and indicator, including the maximum time interval for testing, and the identification of radioactive material by radionuclide, quantity of radioactivity, and date of determination of the quantity, and

(C) the information called for in one of the following statements, as appropriate, in the same or substantially similar form:

(I) "The receipt, possession, use and transfer of this device, Model No., Serial No., are subject to a general license or the equivalent, and the regulations of the Nuclear Regulatory Commission or a state with which the Nuclear Regulatory Commission has entered into an agreement for the exercise of regulatory authority. This label shall be maintained on the device in a legible condition. Removal of this label is prohibited." The label shall be printed with the words "CAUTION -RADIOACTIVE MATERIAL" and the name of the manufacturer or distributor shall appear on the label. The model, serial number, and name of the manufacturer or distributor may be omitted from this label provided the information is elsewhere specified in labeling affixed to the device.

(II) "The receipt, possession, use and transfer of this device, Model No., Serial No., are subject to a general license or the equivalent, and the regulations of a Licensing State. This label shall be maintained on the device in a legible condition. Removal of this label is prohibited." The label shall be printed with the words "CAUTION - RADIOACTIVE MATERIAL" and the name of the manufacturer or distributor shall appear on the label. The model, serial number, and name of the manufacturer or distributor may be omitted from this label provided the information is elsewhere specified in labeling affixed to the device.

~~(D)~~(iv) Each device having a separable source housing that provides the primary shielding for the source also bears, on the source housing, a durable label containing the device model number and serial number, the isotope and quantity, the words, "Caution-Radioactive Material," the radiation symbol described in Section R313-15-901, and the name of the manufacturer or initial distributor.

~~(E)~~(v) Each device meeting the criteria of Subsection R313-21-22(4)(c)(xiii)(A), bears a permanent label, for example, embossed, etched, stamped, or engraved, affixed to the source housing if separable, or the device if the source housing is not separable, that includes the words, "Caution-Radioactive Material," and, if practicable, the radiation symbol described in Section R313-15-901.

(vi) The device has been registered in the Sealed Source and Device Registry.

(b) In the event the applicant desires that the device be required to be tested at intervals longer than six months, either for proper operation of the "on-off" mechanism and indicator, if any, or for leakage of radioactive material or for both, the applicant shall include in the application sufficient information to demonstrate that a longer interval is justified by performance characteristics of the device or similar devices and by design features which have a significant bearing on the probability or consequences of leakage of radioactive material from the device or failure of the "on-off" mechanism and indicator. In determining the acceptable interval for the test for leakage of radioactive material, the Director will consider information which includes, but is not limited to:

- (i) primary containment, or source capsule;
- (ii) protection of primary containment;
- (iii) method of sealing containment;

- (iv) containment construction materials;
- (v) form of contained radioactive material;
- (vi) maximum temperature withstood during prototype tests;

tests;

- (vii) maximum pressure withstood during prototype tests;
- (viii) maximum quantity of contained radioactive material;
- (ix) radiotoxicity of contained radioactive material; and
- (x) operating experience with identical devices or similarly designed and constructed devices.

(c) In the event the applicant desires that the general licensee under Subsection R313-21-22(4), or under equivalent regulations of the Nuclear Regulatory Commission, an Agreement State or a Licensing State be authorized to install the device, collect the sample to be analyzed by a specific licensee for leakage of radioactive material, service the device, test the "on-off" mechanism and indicator, or remove the device from installation, the applicant shall include in the application written instructions to be followed by the general licensee, estimated calendar quarter doses associated with this activity or activities, and basis for these estimates. The submitted information shall demonstrate that performance of this activity or activities by an individual untrained in radiological protection, in addition to other handling, storage, and use of devices under the general license, is unlikely to cause that individual to receive a dose in excess of ten percent of the annual limits specified in Subsection R313-15-201(1).

(d)(i) If a device containing radioactive material is to be transferred for use under the general license contained in Subsection R313-21-22(4), each person that is licensed under Subsection R313-22-75(4) shall provide the information specified in Subsections R313-22-75(4)(d)(i)(A) through (E) to each person to whom a device is to be transferred. This information must be provided before the device may be transferred. In the case of a transfer through an intermediate person, the information must also be provided to the intended user prior to initial transfer to the intermediate person. The required information includes:

(A) a copy of the general license contained in Subsection R313-21-22(4); if Subsections R313-21-22(4)(c)(ii) through (iv) or R313-21-22(4)(c)(xiii) do not apply to the particular device, those paragraphs may be omitted;

(B) a copy of Sections R313-12-51, R313-15-1201, and R313-15-1202;

(C) a list of services that can only be performed by a specific licensee;

(D) Information on acceptable disposal options including estimated costs of disposal; and

(E) An indication that the Director's policy is to issue civil penalties for improper disposal.

(ii) If radioactive material is to be transferred in a device for use under an equivalent general license of the Nuclear Regulatory Commission, an Agreement State, or Licensing State, each person that is licensed under Subsection R313-22-75(4) shall provide the information specified in Subsections R313-22-75(4)(d)(ii)(A) through (D) to each person to whom a device is to be transferred. This information must be provided before the device may be transferred. In the case of a transfer through an intermediate person, the information must also be provided to the intended user prior to initial transfer to the intermediate person. The required information includes:

(A) A copy of an Agreement State's or Licensing State's regulations equivalent to Sections R313-12-51, R313-15-1201, R313-

15-1202, and Subsection R313-21-22(4) or a copy of 10 CFR 31.5, 10 CFR 31.2, 10 CFR 30.51, 10 CFR 20.2201, and 10 CFR 20.2202. If a copy of the Nuclear Regulatory Commission regulations is provided to a prospective general licensee in lieu of the Agreement State's or Licensing State's regulations, it shall be accompanied by a note explaining that use of the device is regulated by the Agreement State or Licensing State; if certain paragraphs of the regulations do not apply to the particular device, those paragraphs may be omitted;

(B) A list of services that can only be performed by a specific licensee;

(C) Information on acceptable disposal options including estimated costs of disposal; and

(D) The name or title, address, and phone number of the contact at the Nuclear Regulatory Commission, Agreement State, or Licensing State from which additional information may be obtained.

(iii) An alternative approach to informing customers may be proposed by the licensee for approval by the Director.

(iv) Each device that is transferred after February 19, 2002 must meet the labeling requirements in Subsection R313-22-75(4)(a)(iii).

(v) If a notification of bankruptcy has been made under Section R313-19-34 or the license is to be terminated, each person licensed under Subsection R313-22-75(4) shall provide, upon request, to the Director, the Nuclear Regulatory Commission, or an appropriate Agreement State or Licensing State, records of final disposition required under Subsection R313-22-75(4)(d)(vii)(H).

(vi) Each person licensed under Subsection R313-22-75(4) to initially transfer devices to generally licensed persons shall comply with the requirements of Subsections R313-22-75(4)(d)(vi) and (vii).

(A) The person shall report all transfers of devices to persons for use under the general license under Subsection R313-21-22(4) and all receipts of devices from persons licensed under Subsection R313-21-22(4) to the Director. The report must be submitted on a quarterly basis on Form 653, "Transfers of Industrial Devices Report" as prescribed by the Nuclear Regulatory Commission, or in a clear and legible report containing all of the data required by the form.

(B) The required information for transfers to general licensees includes:

(I) The identity of each general licensee by name and mailing address for the location of use; if there is no mailing address for the location of use, an alternative address for the general licensee shall be submitted along with information on the actual location of use.

(II) The name, title, and phone number of the person identified by the general licensee as having knowledge of and authority to take required actions to ensure compliance with the appropriate regulations and requirements;

(III) The date of transfer;

(IV) The type, model number, and serial number of device transferred; and

(V) The quantity and type of radioactive material contained in the device.

(C) If one or more intermediate persons will temporarily possess the device at the intended place of use before its possession by the user, the report must include the same information for both the intended user and each intermediate person, and clearly designate the intermediate persons.

(D) For devices received from a Subsection R313-21-22(4) general licensee, the report must include the identity of the general

licensee by name and address, the type, model number, and serial number of the device received, the date of receipt, and, in the case of devices not initially transferred by the reporting licensee, the name of the manufacturer or initial transferor.

(E) If the licensee makes changes to a device possessed by a Subsection R313-21-22(4) general licensee, such that the label must be changed to update required information, the report must identify the general licensee, the device, and the changes to information on the device label.

(F) The report must cover each calendar quarter, must be filed within 30 days of the end of the calendar quarter, and must clearly indicate the period covered by the report.

(G) The report must clearly identify the specific licensee submitting the report and include the license number of the specific licensee.

(H) If no transfers have been made to or from persons generally licensed under Subsection R313-21-22(4) during the reporting period, the report must so indicate.

(vii) The person shall report all transfers of devices to persons for use under a general license in the Nuclear Regulatory Commission's, an Agreement State's, or Licensing State's regulations that are equivalent to Subsection R313-21-22(4) and all receipts of devices from general licensees in the Nuclear Regulatory Commission's, Agreement State's, or Licensing State's jurisdiction to the Nuclear Regulatory Commission, or to the responsible Agreement State or Licensing State agency. The report must be submitted on Form 653, "Transfers of Industrial Devices Report" as prescribed by the Nuclear Regulatory Commission, or in a clear and legible report containing all of the data required by the form.

(A) The required information for transfers to general licensee includes:

(I) The identity of each general licensee by name and mailing address for the location of use; if there is no mailing address for the location of use, an alternative address for the general licensee shall be submitted along with information on the actual location of use.

(II) The name, title, and phone number of the person identified by the general licensee as having knowledge of and authority to take required actions to ensure compliance with the appropriate regulations and requirements;

(III) The date of transfer;

(IV) The type, model number, and serial number of the device transferred; and

(V) The quantity and type of radioactive material contained in the device.

(B) If one or more intermediate persons will temporarily possess the device at the intended place of use before its possession by the user, the report must include the same information for both the intended user and each intermediate person, and clearly designate the intermediate persons.

(C) For devices received from a general licensee, the report must include the identity of the general licensee by name and address, the type, model number, and serial number of the device received, the date of receipt, and, in the case of devices not initially transferred by the reporting licensee, the name of the manufacturer or initial transferor.

(D) If the licensee makes changes to a device possessed by a general licensee, such that the label must be changed to update required information, the report must identify the general licensee, the device, and the changes to information on the device label.

(E) The report must cover each calendar quarter, must be filed within 30 days of the end of the calendar quarter, and must clearly indicate the period covered by the report.

(F) The report must clearly identify the specific licensee submitting the report and must include the license number of the specific licensee.

(G) If no transfers have been made to or from a Nuclear Regulatory Commission licensee, or to or from a particular Agreement State or Licensing State licensee during the reporting period, this information shall be reported to the Nuclear Regulatory Commission or the responsible Agreement State or Licensing State agency upon request of the agency.

(H) The person shall maintain all information concerning transfers and receipts of devices that supports the reports required by Subsection R313-22-75(4)(d)(vii). Records required by Subsection R313-22-75(4)(d)(vii)(H) must be maintained for a period of three years following the date of the recorded event.

(5) Special requirements for the manufacture, assembly or repair of luminous safety devices for use in aircraft. An application for a specific license to manufacture, assemble or repair luminous safety devices containing tritium or promethium-147 for use in aircraft for distribution to persons generally licensed under Subsection R313-21-22(5) will be approved if:

(a) the applicant satisfies the general requirements of Section R313-22-33; and

(b) the applicant satisfies the requirements of 10 CFR 32.53 through 32.56 (2015) or their equivalent.

(6) Special requirements for license to manufacture or initially transfer calibration sources containing americium-241, plutonium or radium-226 for distribution to persons generally licensed under Subsection R313-21-22(7). An application for a specific license to manufacture calibration and reference sources containing americium-241, plutonium or radium-226 to persons generally licensed under Subsection R313-21-22(7) will be approved if:

(a) the applicant satisfies the general requirements of Section R313-22-33; and

(b) the applicant satisfies the requirements of 10 CFR 32.57 through 32.59, and 10 CFR 70.39 (2015), or their equivalent.

(7) Manufacture and distribution of radioactive material for certain in vitro clinical or laboratory testing under general license. An application for a specific license to manufacture or distribute radioactive material for use under the general license of Subsection R313-21-22(9) will be approved if:

(a) the applicant satisfies the general requirements specified in Section R313-22-33;

(b) the radioactive material is to be prepared for distribution in prepackaged units of:

(i) iodine-125 in units not exceeding 370 kilobecquerel (ten uCi) each;

(ii) iodine-131 in units not exceeding 370 kilobecquerel (ten uCi) each;

(iii) carbon-14 in units not exceeding 370 kilobecquerel (ten uCi) each;

(iv) hydrogen-3 (tritium) in units not exceeding 1.85 megabecquerel (50 uCi) each;

(v) iron-59 in units not exceeding 740.0 kilobecquerel (20 uCi) each;

(vi) cobalt-57 in units not exceeding 370 kilobecquerel (ten uCi) each;

(vii) selenium-75 in units not exceeding 370 kilobecquerel (ten uCi) each; or

(viii) mock iodine-125 in units not exceeding 1.85 kilobecquerel (0.05 uCi) of iodine-129 and 1.85 kilobecquerel (0.05 uCi) of americium-241 each;

(c) prepackaged units bear a durable, clearly visible label:

(i) identifying the radioactive contents as to chemical form and radionuclide, and indicating that the amount of radioactivity does not exceed 370 kilobecquerel (ten uCi) of iodine-125, iodine-131, carbon-14, cobalt-57, or selenium-75; 1.85 megabecquerel (50 uCi) of hydrogen-3 (tritium); 740.0 kilobecquerel (20 uCi) of iron-59; or Mock Iodine-125 in units not exceeding 1.85 kilobecquerel (0.05 uCi) of iodine-129 and 1.85 kilobecquerel (0.05 uCi) of americium-241 each; and

(ii) displaying the radiation caution symbol described in Section R313-15-901 and the words, "CAUTION, RADIOACTIVE MATERIAL", and "Not for Internal or External Use in Humans or Animals";

(d) one of the following statements, as appropriate, or a substantially similar statement which contains the information called for in one of the following statements, appears on a label affixed to each prepackaged unit or appears in a leaflet or brochure which accompanies the package:

(i) "This radioactive material shall be received, acquired, possessed and used only by physicians, veterinarians, clinical laboratories or hospitals and only for in vitro clinical or laboratory tests not involving internal or external administration of the material, or the radiation therefrom, to human beings or animals. Its receipt, acquisition, possession, use and transfer are subject to the regulations and a general license of the Nuclear Regulatory Commission or of a state with which the Nuclear Regulatory Commission has entered into an agreement for the exercise of regulatory authority.

.....
Name of Manufacturer"

(ii) "This radioactive material shall be received, acquired, possessed and used only by physicians, veterinarians, clinical laboratories or hospitals and only for in vitro clinical or laboratory tests not involving internal or external administration of the material, or the radiation therefrom, to human beings or animals. Its receipt, acquisition, possession, use and transfer are subject to the regulations and a general license of a Licensing State.

.....
Name of Manufacturer"

(e) the label affixed to the unit, or the leaflet or brochure which accompanies the package, contains adequate information as to the precautions to be observed in handling and storing radioactive material. In the case of the Mock Iodine-125 reference or calibration source, the information accompanying the source shall also contain directions to the licensee regarding the waste disposal requirements set out in Section R313-15-1001.

(8) Licensing the manufacture and distribution of ice detection devices. An application for a specific license to manufacture and distribute ice detection devices to persons generally licensed under Subsection R313-21-22(10) will be approved if:

(a) the applicant satisfies the general requirements of Section R313-22-33; and

(b) the criteria of 10 CFR 32.61, 32.62, 2015 ed. are met.

(9) Manufacture, preparation, or transfer for commercial distribution of radioactive drugs containing radioactive material for medical use under R313-32.

(a) An application for a specific license to manufacture and distribute radiopharmaceuticals containing radioactive material for use by persons licensed pursuant to Rule R313-32 will be approved if:

(i) the applicant satisfies the general requirements specified in Section R313-22-33;

(ii) the applicant submits evidence that the applicant is at least one of the following:

(A) registered with the U.S. Food and Drug Administration (FDA) as the owner or operator of a drug establishment that engages in the manufacture, preparation, propagation, compounding, or processing of a drug under 21 CFR 207.20(a);

(B) registered or licensed with a state agency as a drug manufacturer;

(C) licensed as a pharmacy by a State Board of Pharmacy;

or
(D) operating as a nuclear pharmacy within a medical institution; or

(E) registered with a State Agency as a Positron Emission Tomography (PET) drug production facility.

(iii) the applicant submits information on the radionuclide; the chemical and physical form; the maximum activity per vial, syringe, generator, or other container of the radioactive drug; and the shielding provided by the packaging to show it is appropriate for the safe handling and storage of the radioactive drugs by medical use licensees; and

(iv) the applicant satisfies the following labeling requirements:

(A) A label is affixed to each transport radiation shield, whether it is constructed of lead, glass, plastic, or other material, of a radioactive drug to be transferred for commercial distribution. The label must include the radiation symbol and the words "CAUTION, RADIOACTIVE MATERIAL" or "DANGER, RADIOACTIVE MATERIAL"; the name of the radioactive drug or its abbreviation; and the quantity of radioactivity at a specified date and time. For radioactive drugs with a half life greater than 100 days, the time may be omitted.

(B) A label is affixed to each syringe, vial, or other container used to hold a radioactive drug to be transferred for commercial distribution. The label must include the radiation symbol and the words "CAUTION, RADIOACTIVE MATERIAL" or "DANGER, RADIOACTIVE MATERIAL" and an identifier that ensures that the syringe, vial, or other container can be correlated with the information on the transport radiation shield label.

(b) A licensee described by Subsections R313-22-75(9)(a)(ii)(C) or (D):

(i) May prepare radioactive drugs for medical use, as defined in Rule R313-32 (incorporating 10 CFR 35.2 by reference), provided that the radioactive drug is prepared by either an authorized nuclear pharmacist, as specified in Subsections R313-22-75(9)(b)(ii) and (iv), or an individual under the supervision of an authorized nuclear pharmacist as specified in Rule R313-32 (incorporating 10 CFR 35.27 by reference).

(ii) May allow a pharmacist to work as an authorized nuclear pharmacist if:

(A) this individual qualifies as an authorized nuclear pharmacist as defined in Rule R313-32 (incorporating 10 CFR 35.2 by reference);

(B) this individual meets the requirements specified in Rule R313-32 (incorporating 10 CFR 35.55(b) and 10 CFR 35.59 by reference) and the licensee has received an approved license amendment identifying this individual as an authorized nuclear pharmacist; or

(C) this individual is designated as an authorized nuclear pharmacist in accordance with Subsection R313-22-75(9)(b)(iv).

(iii) The actions authorized in Subsections R313-22-75(9)(b)(i) and (ii) are permitted in spite of more restrictive language in license conditions.

(iv) May designate a pharmacist, as defined in Rule R313-32 (incorporating 10 CFR 35.2 by reference), as an authorized nuclear pharmacist if:

(A) The individual was a nuclear pharmacist preparing only radioactive drugs containing accelerator produced radioactive material, and

(B) The individual practiced at a pharmacy at a Government agency or Federally recognized Indian Tribe before November 30, 2007, or at all other pharmacies before August 8, 2009, or an earlier date as noticed by the NRC.

(v) Shall provide to the Director:

(A) a copy of each individual's certification by a specialty board whose certification process has been recognized by the Nuclear Regulatory Commission or Agreement State as specified in Rule R313-32 (incorporating 10 CFR 35.55(a) by reference) with the written attestation signed by a preceptor as required by Rule R313-32 (incorporating 10 CFR 35.55(b)(2) by reference); or

(B) the Nuclear Regulatory Commission or Agreement State license; or

(C) the permit issued by a licensee or Commission master materials permittee of broad scope or the authorization from a commercial nuclear pharmacy authorized to list its own authorized nuclear pharmacist; or

(D) the permit issued by a U.S. Nuclear Commission master materials licensee; or

(E) documentation that only accelerator produced radioactive materials were used in the practice of nuclear pharmacy at a Government agency or Federally recognized Indian Tribe before November 30, 2007 or at all other locations of use before August 8, 2009, or an earlier date as noticed by the NRC; and

(F) a copy of the state pharmacy licensure or registration, no later than 30 days after the date that the licensee allows, pursuant to Subsections R313-22-75(9)(b)(ii)(A) and R313-22-75(9)(b)(ii)(C), the individual to work as an authorized nuclear pharmacist.

(c) A licensee shall possess and use instrumentation to measure the radioactivity of radioactive drugs. The licensee shall have procedures for use of the instrumentation. The licensee shall measure, by direct measurement or by combination of measurements and calculations, the amount of radioactivity in dosages of alpha-, beta-, or photon-emitting radioactive drugs prior to transfer for commercial distribution. In addition, the licensee shall:

(i) perform tests before initial use, periodically, and following repair, on each instrument for accuracy, linearity, and geometry dependence, as appropriate for the use of the instrument; and make adjustments when necessary; and

(ii) check each instrument for constancy and proper operation at the beginning of each day of use.

(d) Nothing in Subsection R313-22-75(9) relieves the licensee from complying with applicable FDA, or Federal, and State requirements governing radioactive drugs.

(10) Manufacture and distribution of sources or devices containing radioactive material for medical use. An application for a specific license to manufacture and distribute sources and devices containing radioactive material to persons licensed under Rule R313-32 for use as a calibration, transmission, or reference source or for the uses listed in Rule R313-32 (incorporating 10 CFR 35.400, 10 CFR 35.500, 10 CFR 35.600, and 35.1000 by reference) will be approved if:

(a) the applicant satisfies the general requirements in Section R313-22-33;

(b) the applicant submits sufficient information regarding each type of source or device pertinent to an evaluation of its radiation safety, including:

(i) the radioactive material contained, its chemical and physical form and amount,

(ii) details of design and construction of the source or device,

(iii) procedures for, and results of, prototype tests to demonstrate that the source or device will maintain its integrity under stresses likely to be encountered in normal use and accidents,

(iv) for devices containing radioactive material, the radiation profile of a prototype device,

(v) details of quality control procedures to assure that production sources and devices meet the standards of the design and prototype tests,

(vi) procedures and standards for calibrating sources and devices,

(vii) legend and methods for labeling sources and devices as to their radioactive content, and

(viii) instructions for handling and storing the source or device from the radiation safety standpoint, these instructions are to be included on a durable label attached to the source or device or attached to a permanent storage container for the source or device; provided that instructions which are too lengthy for a label may be summarized on the label and printed in detail on a brochure which is referenced on the label;

(c) the label affixed to the source or device, or to the permanent storage container for the source or device, contains information on the radionuclide, quantity and date of assay, and a statement that the source or device is licensed by the Director for distribution to persons licensed pursuant to Rule R313-32 (incorporating 10 CFR 35.18, 10 CFR 35.400, 10 CFR 35.500, and 10 CFR 35.600 by reference) or under equivalent regulations of the Nuclear Regulatory Commission, an Agreement State or a Licensing State; provided that labeling for sources which do not require long term storage may be on a leaflet or brochure which accompanies the source;

(d) the source or device has been registered in the Sealed Source and Device Registry.

(e) in the event the applicant desires that the source or device be required to be tested for leakage of radioactive material at intervals longer than six months, the applicant shall include in the application sufficient information to demonstrate that a longer interval

is justified by performance characteristics of the source or device or similar sources or devices and by design features that have a significant bearing on the probability or consequences of leakage of radioactive material from the source; and

(f) in determining the acceptable interval for test of leakage of radioactive material, the Director shall consider information that includes, but is not limited to:

(i) primary containment or source capsule,

(ii) protection of primary containment,

(iii) method of sealing containment,

(iv) containment construction materials,

(v) form of contained radioactive material,

(vi) maximum temperature withstood during prototype

tests,

(vii) maximum pressure withstood during prototype tests,

(viii) maximum quantity of contained radioactive material,

(ix) radiotoxicity of contained radioactive material, and

(x) operating experience with identical sources or devices or similarly designed and constructed sources or devices.

(11) Requirements for license to manufacture and distribute industrial products containing depleted uranium for mass-volume applications.

(a) An application for a specific license to manufacture industrial products and devices containing depleted uranium for use pursuant to Subsection R313-21-21(5) or equivalent regulations of the Nuclear Regulatory Commission or an Agreement State will be approved if:

(i) the applicant satisfies the general requirements specified in Section R313-22-33;

(ii) the applicant submits sufficient information relating to the design, manufacture, prototype testing, quality control procedures, labeling or marking, proposed uses and potential hazards of the industrial product or device to provide reasonable assurance that possession, use or transfer of the depleted uranium in the product or device is not likely to cause an individual to receive a radiation dose in excess of ten percent of the annual limits specified in Subsection R313-15-201(1); and

(iii) the applicant submits sufficient information regarding the industrial product or device and the presence of depleted uranium for a mass-volume application in the product or device to provide reasonable assurance that unique benefits will accrue to the public because of the usefulness of the product or device.

(b) In the case of an industrial product or device whose unique benefits are questionable, the Director will approve an application for a specific license under Subsection R313-22-75(11) only if the product or device is found to combine a high degree of utility and low probability of uncontrolled disposal and dispersal of significant quantities of depleted uranium into the environment.

(c) The Director may deny an application for a specific license under Subsection R313-22-75(11) if the end use of the industrial product or device cannot be reasonably foreseen.

(d) Persons licensed pursuant to Subsection R313-22-75(11) (a) shall:

(i) maintain the level of quality control required by the license in the manufacture of the industrial product or device, and in the installation of the depleted uranium into the product or device;

(ii) label or mark each unit to:

(A) identify the manufacturer of the product or device and the number of the license under which the product or device was manufactured, the fact that the product or device contains depleted uranium, and the quantity of depleted uranium in each product or device; and

(B) state that the receipt, possession, use and transfer of the product or device are subject to a general license or the equivalent and the regulations of the Nuclear Regulatory Commission or an Agreement State;

(iii) assure that the uranium before being installed in each product or device has been impressed with the following legend clearly legible through a plating or other covering: "Depleted Uranium";

(iv) furnish to each person to whom depleted uranium in a product or device is transferred for use pursuant to the general license contained in Subsection R313-21-21(5) or its equivalent:

(A) a copy of the general license contained in Subsection R313-21-21(5) and a copy of form DWMRC-12; or

(B) a copy of the general license contained in the Nuclear Regulatory Commission's or Agreement State's regulation equivalent to Subsection R313-21-21(5) and a copy of the Nuclear Regulatory Commission's or Agreement State's certificate, or alternatively, furnish a copy of the general license contained in Subsection R313-21-21(5) and a copy of form DWMRC-12 with a note explaining that use of the product or device is regulated by the Nuclear Regulatory Commission or an Agreement State under requirements substantially the same as those in Subsection R313-21-21(5);

(v) report to the Director all transfers of industrial products or devices to persons for use under the general license in Subsection R313-21-21(5). The report shall identify each general licensee by name and address, an individual by name or position who may constitute a point of contact between the Director and the general licensee, the type and model number of device transferred, and the quantity of depleted uranium contained in the product or device. The report shall be submitted within thirty days after the end of the calendar quarter in which the product or device is transferred to the generally licensed person. If no transfers have been made to persons generally licensed under Subsection R313-21-21(5) during the reporting period, the report shall so indicate;

(vi) provide certain other reports as follows:

(A) report to the Nuclear Regulatory Commission all transfers of industrial products or devices to persons for use under the Nuclear Regulatory Commission general license in 10 CFR 40.25 (2010);

(B) report to the responsible state agency all transfers of devices manufactured and distributed pursuant to Subsection R313-22-75(11) for use under a general license in that state's regulations equivalent to Subsection R313-21-21(5),

(C) reports shall identify each general licensee by name and address, an individual by name or position who may constitute a point of contact between the agency and the general licensee, the type and model number of the device transferred, and the quantity of depleted uranium contained in the product or device. The report shall be submitted within thirty days after the end of each calendar quarter in which a product or device is transferred to the generally licensed person,

(D) if no transfers have been made to Nuclear Regulatory Commission licensees during the reporting period, this information shall be reported to the Nuclear Regulatory Commission, and

(E) if no transfers have been made to general licensees within a particular Agreement State during the reporting period, this information shall be reported to the responsible Agreement State agency upon the request of that agency; and

(vii) records shall be kept showing the name, address and point of contact for each general licensee to whom the person transfers depleted uranium in industrial products or devices for use pursuant to the general license provided in Subsection R313-21-21(5) or equivalent regulations of the Nuclear Regulatory Commission or an Agreement State. The records shall be maintained for a period of two years and shall show the date of each transfer, the quantity of depleted uranium in the product or device transferred, and compliance with the report requirements of Subsection R313-22-75(11).

KEY: specific licenses, decommissioning, broad scope, radioactive materials

Date of Enactment or Last Substantive Amendment: [~~August 26, 2015~~2016]

Notice of Continuation: September 23, 2011

Authorizing, and Implemented or Interpreted Law: 19-3-104; 19-6-107