

# STPEGS UFSAR

## TABLE OF CONTENTS

### CHAPTER 5

#### REACTOR COOLANT SYSTEM AND CONNECTED SYSTEMS

<u>Section</u>	<u>Title</u>	<u>Page</u>
5.1	SUMMARY DESCRIPTION	5.1-1
5.1.1	Schematic Flow Diagram	5.1-5
5.1.2	Piping and Instrumentation Diagram	5.1-5
5.1.3	Elevation Drawings	5.1-5
5.2	INTEGRITY OF REACTOR COOLANT PRESSURE BOUNDARY	5.2-1
5.2.1	Compliance with Codes and Code Cases	5.2-1
5.2.2	Overpressure Protection	5.2-1
5.2.3	Reactor Coolant Pressure Boundary Materials	5.2-7
5.2.4	Inservice Inspection and Testing of the Reactor Coolant Pressure Boundary	5.2-21
5.2.5	Reactor Coolant Pressure Boundary Leakage Detection System	5.2-25
5.3	REACTOR VESSEL	5.3-1
5.3.1	Reactor Vessel Materials	5.3-1
5.3.2	Pressure - Temperature Limits	5.3-12
5.3.3	Reactor Vessel Integrity	5.3-13
5.4	COMPONENT AND SUBSYSTEM DESIGN	5.4-1
5.4.1	Reactor Coolant Pumps	5.4-1
5.4.2	Steam Generator	5.4-9
5.4.3	Reactor Coolant Piping	5.4-16
5.4.4	Main Steam Line Flow Restrictor	5.4-20
5.4.5	Main Steam Line Isolation System	5.4-21
5.4.6	Reactor Core Isolation Cooling System	5.4-21
5.4.7	Residual Heat Removal System	5.4-21
5.4.8	Reactor Water Cleanup System	5.4-29
5.4.9	Main Steam and Feedwater Piping	5.4-29
5.4.10	Pressurizer	5.4-29
5.4.11	Pressurizer Relief Discharge System	5.4-33
5.4.12	Valves	5.4-35
5.4.13	Safety and Relief Valves	5.4-37
5.4.14	Component Supports	5.4-38
5.4.15	Reactor Vessel Head Vent System	5.4-40
APPENDIX 5.4.A	COLD SHUTDOWN CAPABILITY RESPONSE TO BRANCH TECHNICAL POSITION RSB 5-1	5.4.A-1

STPEGS UFSAR

TABLE OF CONTENTS (Continued)

CHAPTER 5

REACTOR COOLANT SYSTEM AND CONNECTED SYSTEMS

<u>Section</u>	<u>Title</u>	<u>Page</u>
5.4.A.1	Introduction	5.4.A-1
5.4.A.2	Systems Required to Go From Hot Standby to Cold Shutdown	5.4.A-1
5.4.A.3	Methodology to Achieve and Maintain Cold Shutdown	5.4.A-2

# STPEGS UFSAR

## LIST OF TABLES

### CHAPTER 5

<u>Table</u>	<u>Title</u>	<u>Page</u>
5.1-1	System Design and Operating Parameters	5.1-6
5.2-1	Applicable Code Addenda for RCS Components	5.2-30
5.2-2	Class 1 Primary Components Material Specifications	5.2-31
5.2-3	Class 1 and 2 Auxiliary Components Material Specifications	5.2-35
5.2-4	NSSS Supplier Recommended Reactor Coolant Chemistry Specifications and Guidelines per Power Operation	5.2-37
5.2.4-1	Avoided Configurations in Code Class 1 Piping Systems Requiring Ultrasonic Examinations	5.2-38
5.2-5	Reactor Vessels Internals Material Specifications	5.2-39
5.2-6	Tubular Products Within Westinghouse Scope Related to Regulatory Guide 1.66	5.2-40
5.2-7	Reactor Coolant System Pressure Isolation Valves	5.2-42
5.3-1	Reactor Vessel Quality Assurance Program	5.3-19
5.3-2	Reactor Vessel Design Parameters	5.3-21
5.3-3	South Texas Unit 1 Reactor Vessel Material Properties	5.3-22
5.3-4	South Texas Unit 2 Reactor Vessel Material Properties	5.3-23
5.3-5	South Texas Unit 1 Reactor Vessel Fastener Material Properties Closure Head Studs	5.3-24
5.3-6	South Texas Unit 2 Reactor Vessel Fastener Material Properties Closure Head Studs	5.3-30
5.3-7	STPEGS Unit 1 Reactor Vessel Values for Analysis of Potential Pressurized Thermal Shock Events	5.3-37
5.3-8	STPEGS Unit 2 Reactor Vessel Values for Analysis of Potential Pressurized Thermal Shock Events	5.3-38
5.4-1	Reactor Coolant Pump Design Parameters	5.4-44
5.4-2	Reactor Coolant Pump Quality Assurance Program	5.4-45
5.4-3	Steam Generator Design Data	5.4-46
5.4-4	Steam Generator Quality Assurance Program	5.4-47
5.4-5	Reactor Coolant Piping Design Parameters	5.4-48

# STPEGS UFSAR

## LIST OF TABLES (Continued)

### CHAPTER 5

<u>Table</u>	<u>Title</u>	<u>Page</u>
5.4-6	Reactor Coolant Piping Quality Assurance Program	5.4-49
5.4-7	Design Bases for Residual Heat Removal System Operation	5.4-50
5.4-8	Residual Heat Removal System Component Data	5.4-51
5.4-9	Pressurizer Design Data	5.4-52
5.4-10	Pressurizer Quality Assurance Program	5.4-53
5.4-11	Pressurizer Relief Tank Design Data	5.4-54
5.4-12	Valve Discharge to the Pressurizer Relief Tank	5.4-55
5.4-13	Reactor Coolant System Valve Design Parameters	5.4-56
5.4-14	Reactor Coolant System Valves Nondestructive Examination	5.4-57
5.4-15	Pressurizer Valves Design Parameters	5.4-58
5.4-16	Reactor Coolant System Nominal Pressure Settings	5.4-59
5.4-17	Reactor Vessel Head Vent System Equipment Design Parameters	5.4-60
5.4.A-1	Compliance Comparison with Branch Technical Position RSB 5-1	5.4.A-4
5.4.A-2	Cold Shutdown Failure Modes and Effects Analysis	5.4.A-8

STPEGS UFSAR

LIST OF FIGURES

CHAPTER 5

<u>Figure Number</u>	<u>Title</u>	<u>Reference Number</u>
5.1-1	P&ID – RCS Primary Coolant Loop	5R14-9-F-05001#1 5R14-9-F-05001#2
5.1-2	P&ID – RCS Typical RTD Manifold	4R14-9-F-05002#1 4R14-9-F-05002#2
5.1-3	P&ID – RCS Pressurizer	5R14-9-F-05003#1 5R14-9-F-05003#2
5.1-4	P&ID - RCS Pressurizer Relief Tank	5R14-9-F-05004#1 5R14-9-F-05004#2
5.1-5	Reactor Coolant System Process Flow Diagram	
5.3-1	Reactor Vessel	
5.3-2	Westinghouse Curves - Effect of Fluence and Copper Content on Shift of $RT_{NDT}$ for Reactor Vessel Steels Exposed to 550°F Temperature	
5.3-3	Predicted Adjustment of Reference Temperature "A" as a Function of Fluence and Copper Content	
5.4-1	Reactor Coolant Pump	
5.4-2	Reactor Coolant Pump Estimated Performance Characteristics	
5.4-3	$K_{Id}$ Lower Bound Fracture Toughness A533V (Reference WCAP-7623) Grade B Class 1	
5.4-4	Steam Generator	
5.4-5	Steam Line Flow Restrictor	
5.4-6	Residual Heat Removal System	5R16-9-F-20000#1

STPEGS UFSAR

LIST OF FIGURES (Continued)

CHAPTER 5

<u>Figure Number</u>	<u>Title</u>	<u>Reference Number</u>
		5R16-9-F-20000#2
5.4-7	Residual Heat Removal System Process Flow Diagram	
5.4-10	Pressurizer	
5.4-11	Pressurizer Relief Tank	
5.4-12	Reactor Vessel Supports	
5.4-13	Steam Generator Supports	
5.4-14	Reactor Coolant Pump Support	
5.4-15	Pressurizer Supports	
5.4-16	Crossover Leg Support	
5.4-17	Crossover Leg Vertical Run Restraints	
5.4-18	Hot Leg Pipe Whip Restraint	
5.4-19	Hot and Cold Leg Primary Shield Wall Pipe Whip Restraints	
5.4-20	Residual Heat Removal Pump Performance Curves	