

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	6
Contaminated Zone and Total Dose Summary	7
Total Dose Components	
Time = 0.000E+00	8
Time = 1.000E+00	9
Time = 3.000E+00	10
Time = 1.000E+01	11
Time = 4.049E+01	12
Time = 1.000E+02	13
Time = 3.000E+02	14
Time = 1.000E+03	15
Dose/Source Ratios Summed Over All Pathways	16
Single Radionuclide Soil Guidelines	16
Dose Per Nuclide Summed Over All Pathways	17
Soil Concentration Per Nuclide	17

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: BFM Sensitivity Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	H-3 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1(1)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	H-3	6.400E-08	6.400E-08	DCF2(1)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	H-3	6.400E-08	6.400E-08	DCF3(1)
D-34	Food transfer factors:			
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(1,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(1,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(1,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(1,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(1,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	6.450E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.120E+01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	1.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	2.870E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	1.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T (2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T (3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T (4)
R011	Times for calculations (yr)	4.049E+01	3.000E+01	---	T (5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T (6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T (7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T (8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T (9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): H-3	1.000E+00	0.000E+00	---	S1(1)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(1)
R013	Cover depth (m)	3.600E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	1.500E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.560E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	6.600E-02	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	2.890E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.200E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	7.200E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.250E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	8.300E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.900E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.510E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.300E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	3.800E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	6.600E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	3.900E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	5.500E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.250E+03	2.500E+02	---	UW

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Number of unsaturated zone strata	0	1	---	NS
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC (1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS (1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.935E-01	ALEACH (1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.350E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.700E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.490E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.240E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)
R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA (10)
R017	Ring 11	not used	0.000E+00	---	FRACA (11)
R017	Ring 12	not used	0.000E+00	---	FRACA (12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET (6)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.780E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.830E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.520E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	2.150E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.890E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.910E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.500E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.200E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (l/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (l/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	1.000E+00	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	64500.00 square meters	H-3	1.000E+00
Thickness:	11.20 meters		
Cover Depth:	3.60 meters		

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.883E-01	1.467E-01	8.904E-02	1.550E-02	7.635E-06	2.676E-12	0.000E+00	0.000E+00
M(t):	7.533E-03	5.870E-03	3.562E-03	6.199E-04	3.054E-07	1.070E-13	0.000E+00	0.000E+00

Maximum TDOSE(t): 1.883E-01 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	1.219E-01	0.6472	0.000E+00	0.0000	0.000E+00	0.0000	2.306E-02	0.1224	7.836E-03	0.0416	3.555E-02	0.1888	1.883E-01	1.0000
Total	1.219E-01	0.6472	0.000E+00	0.0000	0.000E+00	0.0000	2.306E-02	0.1224	7.836E-03	0.0416	3.555E-02	0.1888	1.883E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	9.496E-02	0.6471	0.000E+00	0.0000	0.000E+00	0.0000	1.797E-02	0.1225	6.106E-03	0.0416	2.771E-02	0.1888	1.467E-01	1.0000
Total	9.496E-02	0.6471	0.000E+00	0.0000	0.000E+00	0.0000	1.797E-02	0.1225	6.106E-03	0.0416	2.771E-02	0.1888	1.467E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	5.762E-02	0.6471	0.000E+00	0.0000	0.000E+00	0.0000	1.091E-02	0.1225	3.705E-03	0.0416	1.681E-02	0.1888	8.904E-02	1.0000
Total	5.762E-02	0.6471	0.000E+00	0.0000	0.000E+00	0.0000	1.091E-02	0.1225	3.705E-03	0.0416	1.681E-02	0.1888	8.904E-02	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	1.003E-02	0.6471	0.000E+00	0.0000	0.000E+00	0.0000	1.898E-03	0.1225	6.449E-04	0.0416	2.927E-03	0.1888	1.550E-02	1.0000
Total	1.003E-02	0.6471	0.000E+00	0.0000	0.000E+00	0.0000	1.898E-03	0.1225	6.449E-04	0.0416	2.927E-03	0.1888	1.550E-02	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 4.049E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 4.049E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	4.941E-06	0.6471	0.000E+00	0.0000	0.000E+00	0.0000	9.351E-07	0.1225	3.177E-07	0.0416	1.442E-06	0.1888	7.635E-06	1.0000
Total	4.941E-06	0.6471	0.000E+00	0.0000	0.000E+00	0.0000	9.351E-07	0.1225	3.177E-07	0.0416	1.442E-06	0.1888	7.635E-06	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	1.731E-12	0.6471	0.000E+00	0.0000	0.000E+00	0.0000	3.277E-13	0.1225	1.113E-13	0.0416	5.053E-13	0.1888	2.676E-12	1.0000
Total	1.731E-12	0.6471	0.000E+00	0.0000	0.000E+00	0.0000	3.277E-13	0.1225	1.113E-13	0.0416	5.053E-13	0.1888	2.676E-12	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	1.883E-01	1.467E-01	8.904E-02	1.550E-02	7.635E-06	2.676E-12	5.398E-34	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t =	0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
H-3		1.327E+02	1.704E+02	2.808E+02	1.613E+03	3.274E+06	9.344E+12	*9.621E+15	*9.621E+15

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
H-3	1.000E+00	0.000E+00	1.883E-01	1.327E+02	1.883E-01	1.327E+02

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\BFM SENSITIVITY ANALYSIS\INPUT FILES\ZION BFM SENSITIVITY.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	1.883E-01	1.467E-01	8.904E-02	1.550E-02	7.635E-06	2.676E-12	0.000E+00	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
H-3	H-3	1.000E+00	1.000E+00	7.790E-01	4.727E-01	8.227E-02	4.053E-05	1.420E-11	2.866E-33	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 48.58 seconds