

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	15
Summary of Pathway Selections	25
Contaminated Zone and Total Dose Summary	26
Total Dose Components	
Time = 0.000E+00	27
Time = 1.000E+00	29
Time = 3.000E+00	31
Time = 1.000E+01	33
Time = 5.280E+01	35
Time = 1.000E+02	37
Time = 3.000E+02	39
Time = 1.000E+03	41
Dose/Source Ratios Summed Over All Pathways	43
Single Radionuclide Soil Guidelines	55
Dose Per Nuclide Summed Over All Pathways	57
Soil Concentration Per Nuclide	68

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ac-225 (Source: FGR 12)	6.371E-02	6.371E-02	DCF1 (1)
A-1	Ac-227 (Source: FGR 12)	4.951E-04	4.951E-04	DCF1 (2)
A-1	Ac-228 (Source: FGR 12)	5.978E+00	5.978E+00	DCF1 (3)
A-1	Ag-108 (Source: FGR 12)	1.143E-01	1.143E-01	DCF1 (4)
A-1	Ag-108m (Source: FGR 12)	9.640E+00	9.640E+00	DCF1 (5)
A-1	Am-241 (Source: FGR 12)	4.372E-02	4.372E-02	DCF1 (6)
A-1	Am-243 (Source: FGR 12)	1.420E-01	1.420E-01	DCF1 (7)
A-1	At-217 (Source: FGR 12)	1.773E-03	1.773E-03	DCF1 (8)
A-1	At-218 (Source: FGR 12)	5.847E-03	5.847E-03	DCF1 (9)
A-1	At-219 (Source: no data)	0.000E+00	-2.000E+00	DCF1 (10)
A-1	Ba-137m (Source: FGR 12)	3.606E+00	3.606E+00	DCF1 (11)
A-1	Bi-210 (Source: FGR 12)	3.606E-03	3.606E-03	DCF1 (12)
A-1	Bi-211 (Source: FGR 12)	2.559E-01	2.559E-01	DCF1 (13)
A-1	Bi-212 (Source: FGR 12)	1.171E+00	1.171E+00	DCF1 (14)
A-1	Bi-213 (Source: FGR 12)	7.660E-01	7.660E-01	DCF1 (15)
A-1	Bi-214 (Source: FGR 12)	9.808E+00	9.808E+00	DCF1 (16)
A-1	Bi-215 (Source: no data)	0.000E+00	-2.000E+00	DCF1 (17)
A-1	C-14 (Source: FGR 12)	1.345E-05	1.345E-05	DCF1 (18)
A-1	Cm-243 (Source: FGR 12)	5.829E-01	5.829E-01	DCF1 (19)
A-1	Cm-244 (Source: FGR 12)	1.259E-04	1.259E-04	DCF1 (20)
A-1	Co-60 (Source: FGR 12)	1.622E+01	1.622E+01	DCF1 (21)
A-1	Cs-134 (Source: FGR 12)	9.472E+00	9.472E+00	DCF1 (22)
A-1	Cs-137 (Source: FGR 12)	7.510E-04	7.510E-04	DCF1 (23)
A-1	Eu-152 (Source: FGR 12)	7.006E+00	7.006E+00	DCF1 (24)
A-1	Eu-154 (Source: FGR 12)	7.678E+00	7.678E+00	DCF1 (25)
A-1	Eu-155 (Source: FGR 12)	1.822E-01	1.822E-01	DCF1 (26)
A-1	Fe-55 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (27)
A-1	Fr-221 (Source: FGR 12)	1.536E-01	1.536E-01	DCF1 (28)
A-1	Fr-223 (Source: FGR 12)	1.980E-01	1.980E-01	DCF1 (29)
A-1	Gd-152 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (30)
A-1	H-3 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (31)
A-1	Hg-206 (Source: no data)	0.000E+00	-2.000E+00	DCF1 (32)
A-1	Nb-94 (Source: FGR 12)	9.677E+00	9.677E+00	DCF1 (33)
A-1	Nd-144 (Source: Zion ROC Screen BFM)	0.000E+00	-1.000E+00	DCF1 (34)
A-1	Ni-59 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (35)
A-1	Ni-63 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (36)
A-1	Np-237 (Source: FGR 12)	7.790E-02	7.790E-02	DCF1 (37)
A-1	Np-239 (Source: FGR 12)	7.529E-01	7.529E-01	DCF1 (38)
A-1	Pa-231 (Source: FGR 12)	1.906E-01	1.906E-01	DCF1 (39)
A-1	Pa-233 (Source: FGR 12)	1.020E+00	1.020E+00	DCF1 (40)
A-1	Pb-209 (Source: FGR 12)	7.734E-04	7.734E-04	DCF1 (41)
A-1	Pb-210 (Source: FGR 12)	2.447E-03	2.447E-03	DCF1 (42)
A-1	Pb-211 (Source: FGR 12)	3.064E-01	3.064E-01	DCF1 (43)
A-1	Pb-212 (Source: FGR 12)	7.043E-01	7.043E-01	DCF1 (44)
A-1	Pb-214 (Source: FGR 12)	1.341E+00	1.341E+00	DCF1 (45)
A-1	Pm-147 (Source: FGR 12)	5.007E-05	5.007E-05	DCF1 (46)
A-1	Po-210 (Source: FGR 12)	5.231E-05	5.231E-05	DCF1 (47)
A-1	Po-211 (Source: FGR 12)	4.764E-02	4.764E-02	DCF1 (48)
A-1	Po-212 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (49)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	Po-213 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (50)
A-1	Po-214 (Source: FGR 12)	5.138E-04	5.138E-04	DCF1 (51)
A-1	Po-215 (Source: FGR 12)	1.016E-03	1.016E-03	DCF1 (52)
A-1	Po-216 (Source: FGR 12)	1.042E-04	1.042E-04	DCF1 (53)
A-1	Po-218 (Source: FGR 12)	5.642E-05	5.642E-05	DCF1 (54)
A-1	Pu-238 (Source: FGR 12)	1.513E-04	1.513E-04	DCF1 (55)
A-1	Pu-239 (Source: FGR 12)	2.952E-04	2.952E-04	DCF1 (56)
A-1	Pu-240 (Source: FGR 12)	1.467E-04	1.467E-04	DCF1 (57)
A-1	Pu-241 (Source: FGR 12)	5.904E-06	5.904E-06	DCF1 (58)
A-1	Ra-223 (Source: FGR 12)	6.034E-01	6.034E-01	DCF1 (59)
A-1	Ra-224 (Source: FGR 12)	5.119E-02	5.119E-02	DCF1 (60)
A-1	Ra-225 (Source: FGR 12)	1.102E-02	1.102E-02	DCF1 (61)
A-1	Ra-226 (Source: FGR 12)	3.176E-02	3.176E-02	DCF1 (62)
A-1	Ra-228 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (63)
A-1	Rn-218 (Source: FGR 12)	4.540E-03	4.540E-03	DCF1 (64)
A-1	Rn-219 (Source: FGR 12)	3.083E-01	3.083E-01	DCF1 (65)
A-1	Rn-220 (Source: FGR 12)	2.298E-03	2.298E-03	DCF1 (66)
A-1	Rn-222 (Source: FGR 12)	2.354E-03	2.354E-03	DCF1 (67)
A-1	Sb-125 (Source: FGR 12)	2.447E+00	2.447E+00	DCF1 (68)
A-1	Sm-147 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1 (69)
A-1	Sm-148 (Source: Zion ROC Screen BFM)	0.000E+00	-1.000E+00	DCF1 (70)
A-1	Sr-90 (Source: FGR 12)	7.043E-04	7.043E-04	DCF1 (71)
A-1	Tc-99 (Source: FGR 12)	1.255E-04	1.255E-04	DCF1 (72)
A-1	Te-125m (Source: FGR 12)	1.515E-02	1.515E-02	DCF1 (73)
A-1	Th-227 (Source: FGR 12)	5.212E-01	5.212E-01	DCF1 (74)
A-1	Th-228 (Source: FGR 12)	7.940E-03	7.940E-03	DCF1 (75)
A-1	Th-229 (Source: FGR 12)	3.213E-01	3.213E-01	DCF1 (76)
A-1	Th-230 (Source: FGR 12)	1.209E-03	1.209E-03	DCF1 (77)
A-1	Th-231 (Source: FGR 12)	3.643E-02	3.643E-02	DCF1 (78)
A-1	Th-232 (Source: FGR 12)	5.212E-04	5.212E-04	DCF1 (79)
A-1	Tl-206 (Source: FGR 12)	7.697E-03	7.697E-03	DCF1 (80)
A-1	Tl-207 (Source: FGR 12)	1.980E-02	1.980E-02	DCF1 (81)
A-1	Tl-208 (Source: FGR 12)	2.298E+01	2.298E+01	DCF1 (82)
A-1	Tl-209 (Source: FGR 12)	1.293E+01	1.293E+01	DCF1 (83)
A-1	Tl-210 (Source: no data)	0.000E+00	-2.000E+00	DCF1 (84)
A-1	U-233 (Source: FGR 12)	1.397E-03	1.397E-03	DCF1 (85)
A-1	U-234 (Source: FGR 12)	4.017E-04	4.017E-04	DCF1 (86)
A-1	U-235 (Source: FGR 12)	7.211E-01	7.211E-01	DCF1 (87)
A-1	U-235m (Source: no data)	0.000E+00	-1.000E+00	DCF1 (88)
A-1	U-236 (Source: FGR 12)	2.148E-04	2.148E-04	DCF1 (89)
A-1	U-237 (Source: FGR 12)	5.306E-01	5.306E-01	DCF1 (90)
A-1	Y-90 (Source: FGR 12)	2.391E-02	2.391E-02	DCF1 (91)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.724E+00	6.700E+00	DCF2 (1)
B-1	Ac-227+D1	6.724E+00	6.700E+00	DCF2 (2)
B-1	Ac-227+D2	6.708E+00	6.700E+00	DCF2 (3)
B-1	Ac-227+D3	6.708E+00	6.700E+00	DCF2 (4)
B-1	Ac-227+D4	6.700E+00	6.700E+00	DCF2 (5)
B-1	Ac-227+D5	6.700E+00	6.700E+00	DCF2 (6)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
B-1	Ag-108m+D	2.830E-04	2.830E-04	DCF2(7)
B-1	Am-241	4.440E-01	4.440E-01	DCF2(8)
B-1	Am-243+D	4.400E-01	4.400E-01	DCF2(9)
B-1	C-14(p) (Class: ORGANIC)	2.090E-06	2.090E-06	DCF2(21)
B-1	C-14(g) (Class: CO2)	2.350E-08	2.350E-08	C14GInhDCF
B-1	Cm-243	3.070E-01	3.070E-01	DCF2(22)
B-1	Cm-244	2.480E-01	2.480E-01	DCF2(46)
B-1	Co-60	2.190E-04	2.190E-04	DCF2(49)
B-1	Cs-134	4.620E-05	4.620E-05	DCF2(50)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2(51)
B-1	Eu-152	2.210E-04	2.210E-04	DCF2(52)
B-1	Eu-154	2.860E-04	2.860E-04	DCF2(54)
B-1	Eu-155	4.140E-05	4.140E-05	DCF2(55)
B-1	Fe-55	2.690E-06	2.690E-06	DCF2(56)
B-1	Gd-152	2.430E-01	2.430E-01	DCF2(57)
B-1	H-3	6.400E-08	6.400E-08	DCF2(58)
B-1	Nb-94	4.140E-04	4.140E-04	DCF2(59)
B-1	Nd-144	7.040E-02	-1.000E+00	DCF2(60)
B-1	Ni-59	2.700E-06	2.700E-06	DCF2(61)
B-1	Ni-63	6.290E-06	6.290E-06	DCF2(62)
B-1	Np-237+D	5.400E-01	5.400E-01	DCF2(63)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(64)
B-1	Pb-210+D	1.380E-02	1.360E-02	DCF2(70)
B-1	Pb-210+D1	1.380E-02	1.360E-02	DCF2(71)
B-1	Pb-210+D2	1.360E-02	1.360E-02	DCF2(72)
B-1	Pm-147	3.920E-05	3.920E-05	DCF2(73)
B-1	Po-210	9.400E-03	9.400E-03	DCF2(74)
B-1	Pu-238	3.920E-01	3.920E-01	DCF2(75)
B-1	Pu-239	4.290E-01	4.290E-01	DCF2(91)
B-1	Pu-239+D	4.290E-01	4.290E-01	DCF2(97)
B-1	Pu-240	4.290E-01	4.290E-01	DCF2(103)
B-1	Pu-241	8.250E-03	8.250E-03	DCF2(105)
B-1	Pu-241+D	8.254E-03	8.250E-03	DCF2(106)
B-1	Ra-226+D	8.594E-03	8.580E-03	DCF2(107)
B-1	Ra-226+D1	8.594E-03	8.580E-03	DCF2(110)
B-1	Ra-226+D2	8.587E-03	8.580E-03	DCF2(113)
B-1	Ra-226+D3	8.587E-03	8.580E-03	DCF2(116)
B-1	Ra-226+D4	8.580E-03	8.580E-03	DCF2(119)
B-1	Ra-228+D	5.078E-03	4.770E-03	DCF2(122)
B-1	Sb-125	1.220E-05	1.220E-05	DCF2(123)
B-1	Sm-147	7.470E-02	7.470E-02	DCF2(125)
B-1	Sm-148	7.340E-02	-1.000E+00	DCF2(126)
B-1	Sr-90+D	1.308E-03	1.300E-03	DCF2(127)
B-1	Tc-99	8.320E-06	8.320E-06	DCF2(128)
B-1	Te-125m	7.290E-06	7.290E-06	DCF2(129)
B-1	Th-228+D	3.454E-01	3.420E-01	DCF2(130)
B-1	Th-229+D	2.169E+00	2.150E+00	DCF2(131)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(132)
B-1	Th-232	1.640E+00	1.640E+00	DCF2(147)
B-1	U-233	1.350E-01	1.350E-01	DCF2(148)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
B-1	U-234	1.320E-01	1.320E-01	DCF2(149)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(164)
B-1	U-236	1.250E-01	1.250E-01	DCF2(170)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.410E-02	DCF3(1)
D-1	Ac-227+D1	1.480E-02	1.410E-02	DCF3(2)
D-1	Ac-227+D2	1.477E-02	1.410E-02	DCF3(3)
D-1	Ac-227+D3	1.477E-02	1.410E-02	DCF3(4)
D-1	Ac-227+D4	1.411E-02	1.410E-02	DCF3(5)
D-1	Ac-227+D5	1.411E-02	1.410E-02	DCF3(6)
D-1	Ag-108m+D	7.620E-06	7.620E-06	DCF3(7)
D-1	Am-241	3.640E-03	3.640E-03	DCF3(8)
D-1	Am-243+D	3.623E-03	3.620E-03	DCF3(9)
D-1	C-14	2.090E-06	2.090E-06	DCF3(21)
D-1	Cm-243	2.510E-03	2.510E-03	DCF3(22)
D-1	Cm-244	2.020E-03	2.020E-03	DCF3(46)
D-1	Co-60	2.690E-05	2.690E-05	DCF3(49)
D-1	Cs-134	7.330E-05	7.330E-05	DCF3(50)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3(51)
D-1	Eu-152	6.480E-06	6.480E-06	DCF3(52)
D-1	Eu-154	9.550E-06	9.550E-06	DCF3(54)
D-1	Eu-155	1.530E-06	1.530E-06	DCF3(55)
D-1	Fe-55	6.070E-07	6.070E-07	DCF3(56)
D-1	Gd-152	1.610E-04	1.610E-04	DCF3(57)
D-1	H-3	6.400E-08	6.400E-08	DCF3(58)
D-1	Nb-94	7.140E-06	7.140E-06	DCF3(59)
D-1	Nd-144	1.510E-04	-1.000E+00	DCF3(60)
D-1	Ni-59	2.100E-07	2.100E-07	DCF3(61)
D-1	Ni-63	5.770E-07	5.770E-07	DCF3(62)
D-1	Np-237+D	4.444E-03	4.440E-03	DCF3(63)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(64)
D-1	Pb-210+D	5.376E-03	5.370E-03	DCF3(70)
D-1	Pb-210+D1	5.376E-03	5.370E-03	DCF3(71)
D-1	Pb-210+D2	5.370E-03	5.370E-03	DCF3(72)
D-1	Pm-147	1.050E-06	1.050E-06	DCF3(73)
D-1	Po-210	1.900E-03	1.900E-03	DCF3(74)
D-1	Pu-238	3.200E-03	3.200E-03	DCF3(75)
D-1	Pu-239	3.540E-03	3.540E-03	DCF3(91)
D-1	Pu-239+D	3.540E-03	3.540E-03	DCF3(97)
D-1	Pu-240	3.540E-03	3.540E-03	DCF3(103)
D-1	Pu-241	6.840E-05	6.840E-05	DCF3(105)
D-1	Pu-241+D	7.157E-05	6.840E-05	DCF3(106)
D-1	Ra-226+D	1.321E-03	1.320E-03	DCF3(107)
D-1	Ra-226+D1	1.321E-03	1.320E-03	DCF3(110)
D-1	Ra-226+D2	1.320E-03	1.320E-03	DCF3(113)
D-1	Ra-226+D3	1.320E-03	1.320E-03	DCF3(116)
D-1	Ra-226+D4	1.320E-03	1.320E-03	DCF3(119)
D-1	Ra-228+D	1.442E-03	1.440E-03	DCF3(122)
D-1	Sb-125	2.810E-06	2.810E-06	DCF3(123)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-1	Sm-147	1.850E-04	1.850E-04	DCF3(125)
D-1	Sm-148	1.580E-04	-1.000E+00	DCF3(126)
D-1	Sr-90+D	1.528E-04	1.420E-04	DCF3(127)
D-1	Tc-99	1.460E-06	1.460E-06	DCF3(128)
D-1	Te-125m	3.670E-06	3.670E-06	DCF3(129)
D-1	Th-228+D	8.086E-04	3.960E-04	DCF3(130)
D-1	Th-229+D	4.027E-03	3.530E-03	DCF3(131)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(132)
D-1	Th-232	2.730E-03	2.730E-03	DCF3(147)
D-1	U-233	2.890E-04	2.890E-04	DCF3(148)
D-1	U-234	2.830E-04	2.830E-04	DCF3(149)
D-1	U-235+D	2.673E-04	2.660E-04	DCF3(164)
D-1	U-236	2.690E-04	2.690E-04	DCF3(170)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	1.000E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-05	RTF(1,3)
D-34				
D-34	Ac-227+D1 , plant/soil concentration ratio, dimensionless	1.000E-03	2.500E-03	RTF(2,1)
D-34	Ac-227+D1 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(2,2)
D-34	Ac-227+D1 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-05	RTF(2,3)
D-34				
D-34	Ac-227+D2 , plant/soil concentration ratio, dimensionless	1.000E-03	2.500E-03	RTF(3,1)
D-34	Ac-227+D2 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(3,2)
D-34	Ac-227+D2 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-05	RTF(3,3)
D-34				
D-34	Ac-227+D3 , plant/soil concentration ratio, dimensionless	1.000E-03	2.500E-03	RTF(4,1)
D-34	Ac-227+D3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(4,2)
D-34	Ac-227+D3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-05	RTF(4,3)
D-34				
D-34	Ac-227+D4 , plant/soil concentration ratio, dimensionless	1.000E-03	2.500E-03	RTF(5,1)
D-34	Ac-227+D4 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(5,2)
D-34	Ac-227+D4 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-05	RTF(5,3)
D-34				
D-34	Ac-227+D5 , plant/soil concentration ratio, dimensionless	1.000E-03	2.500E-03	RTF(6,1)
D-34	Ac-227+D5 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(6,2)
D-34	Ac-227+D5 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-05	RTF(6,3)
D-34				
D-34	Ag-108m+D , plant/soil concentration ratio, dimensionless	7.400E-03	1.500E-01	RTF(7,1)
D-34	Ag-108m+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.200E-03	3.000E-03	RTF(7,2)
D-34	Ag-108m+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	9.500E-03	2.500E-02	RTF(7,3)
D-34				
D-34	Am-241 , plant/soil concentration ratio, dimensionless	1.800E-03	1.000E-03	RTF(8,1)
D-34	Am-241 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.700E-05	5.000E-05	RTF(8,2)
D-34	Am-241 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-06	2.000E-06	RTF(8,3)
D-34				
D-34	Am-243+D , plant/soil concentration ratio, dimensionless	1.800E-03	1.000E-03	RTF(9,1)
D-34	Am-243+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.700E-05	5.000E-05	RTF(9,2)
D-34	Am-243+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-06	2.000E-06	RTF(9,3)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	C-14 , plant/soil concentration ratio, dimensionless	1.280E+00	5.500E+00	RTF(21,1)
D-34	C-14 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.000E-02	3.100E-02	RTF(21,2)
D-34	C-14 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-06	1.200E-02	RTF(21,3)
D-34				
D-34	Cm-243 , plant/soil concentration ratio, dimensionless	1.800E-03	1.000E-03	RTF(22,1)
D-34	Cm-243 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	4.000E-05	2.000E-05	RTF(22,2)
D-34	Cm-243 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.700E-06	2.000E-06	RTF(22,3)
D-34				
D-34	Cm-244 , plant/soil concentration ratio, dimensionless	1.800E-03	1.000E-03	RTF(46,1)
D-34	Cm-244 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	4.000E-05	2.000E-05	RTF(46,2)
D-34	Cm-244 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.700E-06	2.000E-06	RTF(46,3)
D-34				
D-34	Co-60 , plant/soil concentration ratio, dimensionless	8.000E-02	8.000E-02	RTF(49,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.800E-02	2.000E-02	RTF(49,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-03	2.000E-03	RTF(49,3)
D-34				
D-34	Cs-134 , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(50,1)
D-34	Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF(50,2)
D-34	Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF(50,3)
D-34				
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(51,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF(51,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF(51,3)
D-34				
D-34	Eu-152 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(52,1)
D-34	Eu-152 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	4.000E-03	2.000E-03	RTF(52,2)
D-34	Eu-152 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-05	5.000E-05	RTF(52,3)
D-34				
D-34	Eu-154 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(54,1)
D-34	Eu-154 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	4.000E-03	2.000E-03	RTF(54,2)
D-34	Eu-154 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-05	5.000E-05	RTF(54,3)
D-34				
D-34	Eu-155 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(55,1)
D-34	Eu-155 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	4.000E-03	2.000E-03	RTF(55,2)
D-34	Eu-155 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-05	5.000E-05	RTF(55,3)
D-34				
D-34	Fe-55 , plant/soil concentration ratio, dimensionless	1.900E-03	1.000E-03	RTF(56,1)
D-34	Fe-55 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.900E-02	2.000E-02	RTF(56,2)
D-34	Fe-55 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	4.700E-04	3.000E-04	RTF(56,3)
D-34				
D-34	Gd-152 , plant/soil concentration ratio, dimensionless	2.000E-03	2.500E-03	RTF(57,1)
D-34	Gd-152 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF(57,2)
D-34	Gd-152 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-05	2.000E-05	RTF(57,3)
D-34				
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(58,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(58,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(58,3)
D-34				

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	Nb-94 , plant/soil concentration ratio, dimensionless	2.100E-02	1.000E-02	RTF(59,1)
D-34	Nb-94 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.800E-06	3.000E-07	RTF(59,2)
D-34	Nb-94 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-06	2.000E-06	RTF(59,3)
D-34				
D-34	Nd-144 , plant/soil concentration ratio, dimensionless	2.000E-03	2.400E-03	RTF(60,1)
D-34	Nd-144 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF(60,2)
D-34	Nd-144 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-05	2.000E-05	RTF(60,3)
D-34				
D-34	Ni-59 , plant/soil concentration ratio, dimensionless	5.000E-02	5.000E-02	RTF(61,1)
D-34	Ni-59 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	9.200E-03	5.000E-03	RTF(61,2)
D-34	Ni-59 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-02	2.000E-02	RTF(61,3)
D-34				
D-34	Ni-63 , plant/soil concentration ratio, dimensionless	5.000E-02	5.000E-02	RTF(62,1)
D-34	Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	9.200E-03	5.000E-03	RTF(62,2)
D-34	Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-02	2.000E-02	RTF(62,3)
D-34				
D-34	Np-237+D , plant/soil concentration ratio, dimensionless	2.000E-02	2.000E-02	RTF(63,1)
D-34	Np-237+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(63,2)
D-34	Np-237+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-05	5.000E-06	RTF(63,3)
D-34				
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(64,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-06	5.000E-03	RTF(64,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(64,3)
D-34				
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	4.000E-03	1.000E-02	RTF(70,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(70,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(70,3)
D-34				
D-34	Pb-210+D1 , plant/soil concentration ratio, dimensionless	4.000E-03	1.000E-02	RTF(71,1)
D-34	Pb-210+D1 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(71,2)
D-34	Pb-210+D1 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(71,3)
D-34				
D-34	Pb-210+D2 , plant/soil concentration ratio, dimensionless	4.000E-03	1.000E-02	RTF(72,1)
D-34	Pb-210+D2 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(72,2)
D-34	Pb-210+D2 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(72,3)
D-34				
D-34	Pm-147 , plant/soil concentration ratio, dimensionless	4.200E-03	2.500E-03	RTF(73,1)
D-34	Pm-147 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	4.000E-03	2.000E-03	RTF(73,2)
D-34	Pm-147 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.100E-04	2.000E-05	RTF(73,3)
D-34				
D-34	Po-210 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(74,1)
D-34	Po-210 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(74,2)
D-34	Po-210 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	4.000E-04	3.400E-04	RTF(74,3)
D-34				
D-34	Pu-238 , plant/soil concentration ratio, dimensionless	1.800E-03	1.000E-03	RTF(75,1)
D-34	Pu-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.100E-04	1.000E-04	RTF(75,2)
D-34	Pu-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.370E-06	1.000E-06	RTF(75,3)
D-34				

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	Pu-239 , plant/soil concentration ratio, dimensionless	1.800E-03	1.000E-03	RTF(91,1)
D-34	Pu-239 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.100E-04	1.000E-04	RTF(91,2)
D-34	Pu-239 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.370E-06	1.000E-06	RTF(91,3)
D-34				
D-34	Pu-239+D , plant/soil concentration ratio, dimensionless	1.800E-03	1.000E-03	RTF(97,1)
D-34	Pu-239+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.100E-04	1.000E-04	RTF(97,2)
D-34	Pu-239+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.370E-06	1.000E-06	RTF(97,3)
D-34				
D-34	Pu-240 , plant/soil concentration ratio, dimensionless	1.800E-03	1.000E-03	RTF(103,1)
D-34	Pu-240 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.100E-04	1.000E-04	RTF(103,2)
D-34	Pu-240 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.370E-06	1.000E-06	RTF(103,3)
D-34				
D-34	Pu-241 , plant/soil concentration ratio, dimensionless	1.800E-03	1.000E-03	RTF(105,1)
D-34	Pu-241 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.100E-04	1.000E-04	RTF(105,2)
D-34	Pu-241 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.370E-06	1.000E-06	RTF(105,3)
D-34				
D-34	Pu-241+D , plant/soil concentration ratio, dimensionless	1.800E-03	1.000E-03	RTF(106,1)
D-34	Pu-241+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.100E-04	1.000E-04	RTF(106,2)
D-34	Pu-241+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.370E-06	1.000E-06	RTF(106,3)
D-34				
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(107,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(107,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(107,3)
D-34				
D-34	Ra-226+D1 , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(110,1)
D-34	Ra-226+D1 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(110,2)
D-34	Ra-226+D1 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(110,3)
D-34				
D-34	Ra-226+D2 , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(113,1)
D-34	Ra-226+D2 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(113,2)
D-34	Ra-226+D2 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(113,3)
D-34				
D-34	Ra-226+D3 , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(116,1)
D-34	Ra-226+D3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(116,2)
D-34	Ra-226+D3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(116,3)
D-34				
D-34	Ra-226+D4 , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(119,1)
D-34	Ra-226+D4 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(119,2)
D-34	Ra-226+D4 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(119,3)
D-34				
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(122,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(122,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(122,3)
D-34				
D-34	Sb-125 , plant/soil concentration ratio, dimensionless	1.900E-02	1.000E-02	RTF(123,1)
D-34	Sb-125 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.850E-03	1.000E-03	RTF(123,2)
D-34	Sb-125 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.100E-04	1.000E-04	RTF(123,3)
D-34				

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	Sm-147 , plant/soil concentration ratio, dimensionless	2.000E-03	2.500E-03	RTF(125,1)
D-34	Sm-147 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF(125,2)
D-34	Sm-147 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-05	2.000E-05	RTF(125,3)
D-34				
D-34	Sm-148 , plant/soil concentration ratio, dimensionless	2.000E-03	2.500E-03	RTF(126,1)
D-34	Sm-148 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF(126,2)
D-34	Sm-148 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-05	2.000E-05	RTF(126,3)
D-34				
D-34	Sr-90+D , plant/soil concentration ratio, dimensionless	5.900E-01	3.000E-01	RTF(127,1)
D-34	Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.300E-02	8.000E-03	RTF(127,2)
D-34	Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.700E-03	2.000E-03	RTF(127,3)
D-34				
D-34	Tc-99 , plant/soil concentration ratio, dimensionless	9.110E+00	5.000E+00	RTF(128,1)
D-34	Tc-99 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.600E-04	1.000E-04	RTF(128,2)
D-34	Tc-99 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.600E-03	1.000E-03	RTF(128,3)
D-34				
D-34	Te-125m , plant/soil concentration ratio, dimensionless	1.000E-01	6.000E-01	RTF(129,1)
D-34	Te-125m , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	7.000E-03	7.000E-03	RTF(129,2)
D-34	Te-125m , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-04	5.000E-04	RTF(129,3)
D-34				
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(130,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(130,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(130,3)
D-34				
D-34	Th-229+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(131,1)
D-34	Th-229+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(131,2)
D-34	Th-229+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(131,3)
D-34				
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(132,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(132,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(132,3)
D-34				
D-34	Th-232 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(147,1)
D-34	Th-232 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(147,2)
D-34	Th-232 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(147,3)
D-34				
D-34	U-233 , plant/soil concentration ratio, dimensionless	2.000E-03	2.500E-03	RTF(148,1)
D-34	U-233 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	3.400E-04	RTF(148,2)
D-34	U-233 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	4.000E-04	6.000E-04	RTF(148,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.000E-03	2.500E-03	RTF(149,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	3.400E-04	RTF(149,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	4.000E-04	6.000E-04	RTF(149,3)
D-34				
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.000E-03	2.500E-03	RTF(164,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	3.400E-04	RTF(164,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	4.000E-04	6.000E-04	RTF(164,3)
D-34				

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	U-236 , plant/soil concentration ratio, dimensionless	2.000E-03	2.500E-03	RTF(170,1)
D-34	U-236 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	3.400E-04	RTF(170,2)
D-34	U-236 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	4.000E-04	6.000E-04	RTF(170,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5				
D-5	Ac-227+D1 , fish	1.500E+01	1.500E+01	BIOFAC(2,1)
D-5	Ac-227+D1 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(2,2)
D-5				
D-5	Ac-227+D2 , fish	1.500E+01	1.500E+01	BIOFAC(3,1)
D-5	Ac-227+D2 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(3,2)
D-5				
D-5	Ac-227+D3 , fish	1.500E+01	1.500E+01	BIOFAC(4,1)
D-5	Ac-227+D3 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(4,2)
D-5				
D-5	Ac-227+D4 , fish	1.500E+01	1.500E+01	BIOFAC(5,1)
D-5	Ac-227+D4 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(5,2)
D-5				
D-5	Ac-227+D5 , fish	1.500E+01	1.500E+01	BIOFAC(6,1)
D-5	Ac-227+D5 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(6,2)
D-5				
D-5	Ag-108m+D , fish	5.000E+00	5.000E+00	BIOFAC(7,1)
D-5	Ag-108m+D , crustacea and mollusks	7.700E+02	7.700E+02	BIOFAC(7,2)
D-5				
D-5	Am-241 , fish	3.000E+01	3.000E+01	BIOFAC(8,1)
D-5	Am-241 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(8,2)
D-5				
D-5	Am-243+D , fish	3.000E+01	3.000E+01	BIOFAC(9,1)
D-5	Am-243+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(9,2)
D-5				
D-5	C-14 , fish	5.000E+04	5.000E+04	BIOFAC(21,1)
D-5	C-14 , crustacea and mollusks	9.100E+03	9.100E+03	BIOFAC(21,2)
D-5				
D-5	Cm-243 , fish	3.000E+01	3.000E+01	BIOFAC(22,1)
D-5	Cm-243 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(22,2)
D-5				
D-5	Cm-244 , fish	3.000E+01	3.000E+01	BIOFAC(46,1)
D-5	Cm-244 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(46,2)
D-5				
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC(49,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(49,2)
D-5				
D-5	Cs-134 , fish	2.000E+03	2.000E+03	BIOFAC(50,1)
D-5	Cs-134 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(50,2)
D-5				
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC(51,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(51,2)
D-5				

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	Eu-152 , fish	5.000E+01	5.000E+01	BIOFAC(52,1)
D-5	Eu-152 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(52,2)
D-5				
D-5	Eu-154 , fish	5.000E+01	5.000E+01	BIOFAC(54,1)
D-5	Eu-154 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(54,2)
D-5				
D-5	Eu-155 , fish	5.000E+01	5.000E+01	BIOFAC(55,1)
D-5	Eu-155 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(55,2)
D-5				
D-5	Fe-55 , fish	2.000E+02	2.000E+02	BIOFAC(56,1)
D-5	Fe-55 , crustacea and mollusks	3.200E+03	3.200E+03	BIOFAC(56,2)
D-5				
D-5	Gd-152 , fish	2.500E+01	2.500E+01	BIOFAC(57,1)
D-5	Gd-152 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(57,2)
D-5				
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(58,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(58,2)
D-5				
D-5	Nb-94 , fish	3.000E+02	3.000E+02	BIOFAC(59,1)
D-5	Nb-94 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(59,2)
D-5				
D-5	Nd-144 , fish	1.000E+02	1.000E+02	BIOFAC(60,1)
D-5	Nd-144 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(60,2)
D-5				
D-5	Ni-59 , fish	1.000E+02	1.000E+02	BIOFAC(61,1)
D-5	Ni-59 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(61,2)
D-5				
D-5	Ni-63 , fish	1.000E+02	1.000E+02	BIOFAC(62,1)
D-5	Ni-63 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(62,2)
D-5				
D-5	Np-237+D , fish	3.000E+01	3.000E+01	BIOFAC(63,1)
D-5	Np-237+D , crustacea and mollusks	4.000E+02	4.000E+02	BIOFAC(63,2)
D-5				
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(64,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(64,2)
D-5				
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(70,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(70,2)
D-5				
D-5	Pb-210+D1 , fish	3.000E+02	3.000E+02	BIOFAC(71,1)
D-5	Pb-210+D1 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(71,2)
D-5				
D-5	Pb-210+D2 , fish	3.000E+02	3.000E+02	BIOFAC(72,1)
D-5	Pb-210+D2 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(72,2)
D-5				
D-5	Pm-147 , fish	3.000E+01	3.000E+01	BIOFAC(73,1)
D-5	Pm-147 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(73,2)
D-5				
D-5	Po-210 , fish	1.000E+02	1.000E+02	BIOFAC(74,1)
D-5	Po-210 , crustacea and mollusks	2.000E+04	2.000E+04	BIOFAC(74,2)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	Pu-238 , fish	3.000E+01	3.000E+01	BIOFAC(75,1)
D-5	Pu-238 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(75,2)
D-5				
D-5	Pu-239 , fish	3.000E+01	3.000E+01	BIOFAC(91,1)
D-5	Pu-239 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(91,2)
D-5				
D-5	Pu-239+D , fish	3.000E+01	3.000E+01	BIOFAC(97,1)
D-5	Pu-239+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(97,2)
D-5				
D-5	Pu-240 , fish	3.000E+01	3.000E+01	BIOFAC(103,1)
D-5	Pu-240 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(103,2)
D-5				
D-5	Pu-241 , fish	3.000E+01	3.000E+01	BIOFAC(105,1)
D-5	Pu-241 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(105,2)
D-5				
D-5	Pu-241+D , fish	3.000E+01	3.000E+01	BIOFAC(106,1)
D-5	Pu-241+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(106,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(107,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(107,2)
D-5				
D-5	Ra-226+D1 , fish	5.000E+01	5.000E+01	BIOFAC(110,1)
D-5	Ra-226+D1 , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(110,2)
D-5				
D-5	Ra-226+D2 , fish	5.000E+01	5.000E+01	BIOFAC(113,1)
D-5	Ra-226+D2 , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(113,2)
D-5				
D-5	Ra-226+D3 , fish	5.000E+01	5.000E+01	BIOFAC(116,1)
D-5	Ra-226+D3 , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(116,2)
D-5				
D-5	Ra-226+D4 , fish	5.000E+01	5.000E+01	BIOFAC(119,1)
D-5	Ra-226+D4 , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(119,2)
D-5				
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC(122,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(122,2)
D-5				
D-5	Sb-125 , fish	1.000E+02	1.000E+02	BIOFAC(123,1)
D-5	Sb-125 , crustacea and mollusks	1.000E+01	1.000E+01	BIOFAC(123,2)
D-5				
D-5	Sm-147 , fish	2.500E+01	2.500E+01	BIOFAC(125,1)
D-5	Sm-147 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(125,2)
D-5				
D-5	Sm-148 , fish	2.500E+01	2.500E+01	BIOFAC(126,1)
D-5	Sm-148 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(126,2)
D-5				
D-5	Sr-90+D , fish	6.000E+01	6.000E+01	BIOFAC(127,1)
D-5	Sr-90+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(127,2)
D-5				
D-5	Tc-99 , fish	2.000E+01	2.000E+01	BIOFAC(128,1)
D-5	Tc-99 , crustacea and mollusks	5.000E+00	5.000E+00	BIOFAC(128,2)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Zion ROC Screen BFM Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	Te-125m , fish	4.000E+02	4.000E+02	BIOFAC(129,1)
D-5	Te-125m , crustacea and mollusks	7.500E+01	7.500E+01	BIOFAC(129,2)
D-5				
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC(130,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(130,2)
D-5				
D-5	Th-229+D , fish	1.000E+02	1.000E+02	BIOFAC(131,1)
D-5	Th-229+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(131,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(132,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(132,2)
D-5				
D-5	Th-232 , fish	1.000E+02	1.000E+02	BIOFAC(147,1)
D-5	Th-232 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(147,2)
D-5				
D-5	U-233 , fish	1.000E+01	1.000E+01	BIOFAC(148,1)
D-5	U-233 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(148,2)
D-5				
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(149,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(149,2)
D-5				
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(164,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(164,2)
D-5				
D-5	U-236 , fish	1.000E+01	1.000E+01	BIOFAC(170,1)
D-5	U-236 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(170,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETEG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	6.450E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.120E+01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	1.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	2.870E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	1.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	5.280E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ag-108m	1.000E+00	0.000E+00	---	S1(7)
R012	Initial principal radionuclide (pCi/g): Am-241	1.000E+00	0.000E+00	---	S1(8)
R012	Initial principal radionuclide (pCi/g): Am-243	1.000E+00	0.000E+00	---	S1(9)
R012	Initial principal radionuclide (pCi/g): C-14	1.000E+00	0.000E+00	---	S1(21)
R012	Initial principal radionuclide (pCi/g): Cm-243	1.000E+00	0.000E+00	---	S1(22)
R012	Initial principal radionuclide (pCi/g): Cm-244	1.000E+00	0.000E+00	---	S1(46)
R012	Initial principal radionuclide (pCi/g): Co-60	1.000E+00	0.000E+00	---	S1(49)
R012	Initial principal radionuclide (pCi/g): Cs-134	1.000E+00	0.000E+00	---	S1(50)
R012	Initial principal radionuclide (pCi/g): Cs-137	1.000E+00	0.000E+00	---	S1(51)
R012	Initial principal radionuclide (pCi/g): Eu-152	1.000E+00	0.000E+00	---	S1(52)
R012	Initial principal radionuclide (pCi/g): Eu-154	1.000E+00	0.000E+00	---	S1(54)
R012	Initial principal radionuclide (pCi/g): Eu-155	1.000E+00	0.000E+00	---	S1(55)
R012	Initial principal radionuclide (pCi/g): Fe-55	1.000E+00	0.000E+00	---	S1(56)
R012	Initial principal radionuclide (pCi/g): H-3	1.000E+00	0.000E+00	---	S1(58)
R012	Initial principal radionuclide (pCi/g): Nb-94	1.000E+00	0.000E+00	---	S1(59)
R012	Initial principal radionuclide (pCi/g): Ni-59	1.000E+00	0.000E+00	---	S1(61)
R012	Initial principal radionuclide (pCi/g): Ni-63	1.000E+00	0.000E+00	---	S1(62)
R012	Initial principal radionuclide (pCi/g): Np-237	1.000E+00	0.000E+00	---	S1(63)
R012	Initial principal radionuclide (pCi/g): Pm-147	1.000E+00	0.000E+00	---	S1(73)
R012	Initial principal radionuclide (pCi/g): Pu-238	1.000E+00	0.000E+00	---	S1(75)
R012	Initial principal radionuclide (pCi/g): Pu-239	1.000E+00	0.000E+00	---	S1(91)
R012	Initial principal radionuclide (pCi/g): Pu-240	1.000E+00	0.000E+00	---	S1(103)
R012	Initial principal radionuclide (pCi/g): Pu-241	1.000E+00	0.000E+00	---	S1(105)
R012	Initial principal radionuclide (pCi/g): Sb-125	1.000E+00	0.000E+00	---	S1(123)
R012	Initial principal radionuclide (pCi/g): Sr-90	1.000E+00	0.000E+00	---	S1(127)
R012	Initial principal radionuclide (pCi/g): Tc-99	1.000E+00	0.000E+00	---	S1(128)
R012	Concentration in groundwater (pCi/L): Ag-108m	not used	0.000E+00	---	W1(7)
R012	Concentration in groundwater (pCi/L): Am-241	not used	0.000E+00	---	W1(8)
R012	Concentration in groundwater (pCi/L): Am-243	not used	0.000E+00	---	W1(9)
R012	Concentration in groundwater (pCi/L): C-14	not used	0.000E+00	---	W1(21)
R012	Concentration in groundwater (pCi/L): Cm-243	not used	0.000E+00	---	W1(22)
R012	Concentration in groundwater (pCi/L): Cm-244	not used	0.000E+00	---	W1(46)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1(49)
R012	Concentration in groundwater (pCi/L): Cs-134	not used	0.000E+00	---	W1(50)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1 (51)
R012	Concentration in groundwater (pCi/L): Eu-152	not used	0.000E+00	---	W1 (52)
R012	Concentration in groundwater (pCi/L): Eu-154	not used	0.000E+00	---	W1 (54)
R012	Concentration in groundwater (pCi/L): Eu-155	not used	0.000E+00	---	W1 (55)
R012	Concentration in groundwater (pCi/L): Fe-55	not used	0.000E+00	---	W1 (56)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1 (58)
R012	Concentration in groundwater (pCi/L): Nb-94	not used	0.000E+00	---	W1 (59)
R012	Concentration in groundwater (pCi/L): Ni-59	not used	0.000E+00	---	W1 (61)
R012	Concentration in groundwater (pCi/L): Ni-63	not used	0.000E+00	---	W1 (62)
R012	Concentration in groundwater (pCi/L): Np-237	not used	0.000E+00	---	W1 (63)
R012	Concentration in groundwater (pCi/L): Pm-147	not used	0.000E+00	---	W1 (73)
R012	Concentration in groundwater (pCi/L): Pu-238	not used	0.000E+00	---	W1 (75)
R012	Concentration in groundwater (pCi/L): Pu-239	not used	0.000E+00	---	W1 (91)
R012	Concentration in groundwater (pCi/L): Pu-240	not used	0.000E+00	---	W1 (**)
R012	Concentration in groundwater (pCi/L): Pu-241	not used	0.000E+00	---	W1 (**)
R012	Concentration in groundwater (pCi/L): Sb-125	not used	0.000E+00	---	W1 (**)
R012	Concentration in groundwater (pCi/L): Sr-90	not used	0.000E+00	---	W1 (**)
R012	Concentration in groundwater (pCi/L): Tc-99	not used	0.000E+00	---	W1 (**)
R013	Cover depth (m)	3.600E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	1.800E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.700E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	6.600E-02	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	2.890E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.200E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	7.200E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.250E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	8.300E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.900E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	Romberg failures occurred	EPS
R014	Density of saturated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.500E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.900E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	6.600E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.695E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.800E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	5.600E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	MB	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.250E+03	2.500E+02	---	UW

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Number of unsaturated zone strata	0	1	---	NS
R016	Distribution coefficients for Ag-108m				
R016	Contaminated zone (cm**3/g)	2.700E+01	0.000E+00	---	DCNUCC (7)
R016	Saturated zone (cm**3/g)	2.700E+01	0.000E+00	---	DCNUCS (7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.010E-04	ALEACH (7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (7)
R016	Distribution coefficients for Am-241				
R016	Contaminated zone (cm**3/g)	1.770E+02	2.000E+01	---	DCNUCC (8)
R016	Saturated zone (cm**3/g)	1.770E+02	2.000E+01	---	DCNUCS (8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.230E-04	ALEACH (8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (8)
R016	Distribution coefficients for Am-243				
R016	Contaminated zone (cm**3/g)	1.770E+02	2.000E+01	---	DCNUCC (9)
R016	Saturated zone (cm**3/g)	1.770E+02	2.000E+01	---	DCNUCS (9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.230E-04	ALEACH (9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (9)
R016	Distribution coefficients for C-14				
R016	Contaminated zone (cm**3/g)	1.200E+00	0.000E+00	---	DCNUCC (21)
R016	Saturated zone (cm**3/g)	1.200E+00	0.000E+00	---	DCNUCS (21)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.550E-02	ALEACH (21)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (21)
R016	Distribution coefficients for Cm-243				
R016	Contaminated zone (cm**3/g)	8.910E+02	-1.000E+00	---	DCNUCC (22)
R016	Saturated zone (cm**3/g)	8.910E+02	-1.000E+00	---	DCNUCS (22)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.445E-05	ALEACH (22)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (22)
R016	Distribution coefficients for Cm-244				
R016	Contaminated zone (cm**3/g)	8.910E+02	-1.000E+00	---	DCNUCC (46)
R016	Saturated zone (cm**3/g)	8.910E+02	-1.000E+00	---	DCNUCS (46)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.445E-05	ALEACH (46)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (46)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	2.230E+02	1.000E+03	---	DCNUCC (49)
R016	Saturated zone (cm**3/g)	2.230E+02	1.000E+03	---	DCNUCS (49)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	9.763E-05	ALEACH (49)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (49)
R016	Distribution coefficients for Cs-134				
R016	Contaminated zone (cm**3/g)	4.500E+01	4.600E+03	---	DCNUCC (50)
R016	Saturated zone (cm**3/g)	4.500E+01	4.600E+03	---	DCNUCS (50)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.821E-04	ALEACH (50)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (50)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	4.500E+01	4.600E+03	---	DCNUCC (51)
R016	Saturated zone (cm**3/g)	4.500E+01	4.600E+03	---	DCNUCS (51)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.821E-04	ALEACH (51)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (51)
R016	Distribution coefficients for Eu-152				
R016	Contaminated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCC (52)
R016	Saturated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCS (52)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.289E-04	ALEACH (52)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (52)
R016	Distribution coefficients for Eu-154				
R016	Contaminated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCC (54)
R016	Saturated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCS (54)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.289E-04	ALEACH (54)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (54)
R016	Distribution coefficients for Eu-155				
R016	Contaminated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCC (55)
R016	Saturated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCS (55)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.289E-04	ALEACH (55)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (55)
R016	Distribution coefficients for Fe-55				
R016	Contaminated zone (cm**3/g)	2.857E+03	1.000E+03	---	DCNUCC (56)
R016	Saturated zone (cm**3/g)	2.857E+03	1.000E+03	---	DCNUCS (56)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	7.627E-06	ALEACH (56)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (56)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC (58)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS (58)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.060E-01	ALEACH (58)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (58)
R016	Distribution coefficients for Nb-94				
R016	Contaminated zone (cm**3/g)	4.500E+01	0.000E+00	---	DCNUCC (59)
R016	Saturated zone (cm**3/g)	4.500E+01	0.000E+00	---	DCNUCS (59)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.821E-04	ALEACH (59)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (59)
R016	Distribution coefficients for Ni-59				
R016	Contaminated zone (cm**3/g)	6.200E+01	1.000E+03	---	DCNUCC (61)
R016	Saturated zone (cm**3/g)	6.200E+01	1.000E+03	---	DCNUCS (61)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.503E-04	ALEACH (61)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (61)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Ni-63				
R016	Contaminated zone (cm**3/g)	6.200E+01	1.000E+03	---	DCNUCC (62)
R016	Saturated zone (cm**3/g)	6.200E+01	1.000E+03	---	DCNUCS (62)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.503E-04	ALEACH (62)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (62)
R016	Distribution coefficients for Np-237				
R016	Contaminated zone (cm**3/g)	1.000E+00	-1.000E+00	---	DCNUCC (63)
R016	Saturated zone (cm**3/g)	1.000E+00	-1.000E+00	---	DCNUCS (63)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.808E-02	ALEACH (63)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (63)
R016	Distribution coefficients for Pm-147				
R016	Contaminated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCC (73)
R016	Saturated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCS (73)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.289E-04	ALEACH (73)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (73)
R016	Distribution coefficients for Pu-238				
R016	Contaminated zone (cm**3/g)	1.740E+02	2.000E+03	---	DCNUCC (75)
R016	Saturated zone (cm**3/g)	1.740E+02	2.000E+03	---	DCNUCS (75)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.251E-04	ALEACH (75)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (75)
R016	Distribution coefficients for Pu-239				
R016	Contaminated zone (cm**3/g)	1.740E+02	2.000E+03	---	DCNUCC (91)
R016	Saturated zone (cm**3/g)	1.740E+02	2.000E+03	---	DCNUCS (91)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.251E-04	ALEACH (91)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (91)
R016	Distribution coefficients for Pu-240				
R016	Contaminated zone (cm**3/g)	1.740E+02	2.000E+03	---	DCNUCC (**)
R016	Saturated zone (cm**3/g)	1.740E+02	2.000E+03	---	DCNUCS (**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.251E-04	ALEACH (**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (**)
R016	Distribution coefficients for Pu-241				
R016	Contaminated zone (cm**3/g)	1.740E+02	2.000E+03	---	DCNUCC (**)
R016	Saturated zone (cm**3/g)	1.740E+02	2.000E+03	---	DCNUCS (**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.251E-04	ALEACH (**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (**)
R016	Distribution coefficients for Sb-125				
R016	Contaminated zone (cm**3/g)	1.700E+01	0.000E+00	---	DCNUCC (**)
R016	Saturated zone (cm**3/g)	1.700E+01	0.000E+00	---	DCNUCS (**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.267E-03	ALEACH (**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (**)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Sr-90				
R016	Contaminated zone (cm**3/g)	2.300E+00	3.000E+01	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	2.300E+00	3.000E+01	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.697E-03	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for Tc-99				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.060E-01	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter Ac-227				
R016	Contaminated zone (cm**3/g)	8.250E+02	2.000E+01	---	DCNUCC (1)
R016	Saturated zone (cm**3/g)	8.250E+02	2.000E+01	---	DCNUCS (1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.641E-05	ALEACH (1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
R016	Distribution coefficients for daughter Gd-152				
R016	Contaminated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCC (57)
R016	Saturated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCS (57)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.641E-05	ALEACH (57)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (57)
R016	Distribution coefficients for daughter Nd-144				
R016	Contaminated zone (cm**3/g)	1.580E+02	1.580E+02	---	DCNUCC (60)
R016	Saturated zone (cm**3/g)	1.580E+02	1.580E+02	---	DCNUCS (60)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.377E-04	ALEACH (60)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (60)
R016	Distribution coefficients for daughter Pa-231				
R016	Contaminated zone (cm**3/g)	3.800E+02	5.000E+01	---	DCNUCC (64)
R016	Saturated zone (cm**3/g)	3.800E+02	5.000E+01	---	DCNUCS (64)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.731E-05	ALEACH (64)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (64)
R016	Distribution coefficients for daughter Pb-210				
R016	Contaminated zone (cm**3/g)	2.392E+03	1.000E+02	---	DCNUCC (70)
R016	Saturated zone (cm**3/g)	2.392E+03	1.000E+02	---	DCNUCS (70)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	9.109E-06	ALEACH (70)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (70)
R016	Distribution coefficients for daughter Po-210				
R016	Contaminated zone (cm**3/g)	1.810E+02	1.000E+01	---	DCNUCC (74)
R016	Saturated zone (cm**3/g)	1.810E+02	1.000E+01	---	DCNUCS (74)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.203E-04	ALEACH (74)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (74)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for daughter Ra-226				
R016	Contaminated zone (cm**3/g)	3.533E+03	7.000E+01	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	3.533E+03	7.000E+01	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.168E-06	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter Ra-228				
R016	Contaminated zone (cm**3/g)	3.533E+03	7.000E+01	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	3.533E+03	7.000E+01	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.168E-06	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter Sm-147				
R016	Contaminated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.641E-05	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter Sm-148				
R016	Contaminated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.641E-05	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter Te-125m				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.060E-01	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter Th-228				
R016	Contaminated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.703E-06	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter Th-229				
R016	Contaminated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.703E-06	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter Th-230				
R016	Contaminated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.703E-06	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for daughter Th-232				
R016	Contaminated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	5.884E+03	6.000E+04	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.703E-06	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter U-233				
R016	Contaminated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.727E-04	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter U-234				
R016	Contaminated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.727E-04	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter U-235				
R016	Contaminated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.727E-04	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R016	Distribution coefficients for daughter U-236				
R016	Contaminated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCC(**)
R016	Saturated zone (cm**3/g)	1.260E+02	5.000E+01	---	DCNUCS(**)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.727E-04	ALEACH(**)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(**)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.350E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	2.700E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.490E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.240E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)
R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.780E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.830E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.520E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	3.100E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.260E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.890E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.910E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.500E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.200E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	7.000E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.150E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	2.000E-05	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	3.000E-02	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	2.000E-02	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	9.800E-01	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	4.300E-01	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	7.000E-07	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	1.000E-10	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	2.500E-01	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	1.000E-01	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	1.000E+00	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Contaminated Zone Dimensions

Initial Soil Concentrations, pCi/g

Area: 64500.00 square meters
 Thickness: 11.20 meters
 Cover Depth: 3.60 meters

Ag-108m 1.000E+00
 Am-241 1.000E+00
 Am-243 1.000E+00
 C-14 1.000E+00
 Cm-243 1.000E+00
 Cm-244 1.000E+00
 Co-60 1.000E+00
 Cs-134 1.000E+00
 Cs-137 1.000E+00
 Eu-152 1.000E+00
 Eu-154 1.000E+00
 Eu-155 1.000E+00
 Fe-55 1.000E+00
 H-3 1.000E+00
 Nb-94 1.000E+00
 Ni-59 1.000E+00
 Ni-63 1.000E+00
 Np-237 1.000E+00
 Pm-147 1.000E+00
 Pu-238 1.000E+00
 Pu-239 1.000E+00
 Pu-240 1.000E+00
 Pu-241 1.000E+00
 Sb-125 1.000E+00
 Sr-90 1.000E+00
 Tc-99 1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years)	0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t)	2.142E+03	2.102E+03	2.026E+03	1.785E+03	8.408E+02	3.824E+02	4.871E+01	3.062E+01
M(t)	8.566E+01	8.408E+01	8.104E+01	7.139E+01	3.363E+01	1.530E+01	1.948E+00	1.225E+00

Maximum TDOSE(t): 2.142E+03 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ag-108m	1.337E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.953E-02	0.0000	5.162E-03	0.0000	9.134E-02	0.0000	2.498E-01	0.0001
Am-241	9.795E+00	0.0046	0.000E+00	0.0000	0.000E+00	0.0000	1.429E+00	0.0007	6.744E-03	0.0000	2.254E-03	0.0000	1.123E+01	0.0052
Am-243	9.772E+00	0.0046	0.000E+00	0.0000	0.000E+00	0.0000	1.426E+00	0.0007	6.719E-03	0.0000	2.248E-03	0.0000	1.121E+01	0.0052
C-14	7.058E-01	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.279E+00	0.0006	3.886E-01	0.0002	3.325E-01	0.0002	2.706E+00	0.0013
Cm-243	1.331E+00	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	1.941E-01	0.0001	6.424E-04	0.0000	3.539E-04	0.0000	1.526E+00	0.0007
Cm-244	1.064E+00	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	1.553E-01	0.0001	5.148E-04	0.0000	2.829E-04	0.0000	1.221E+00	0.0006
Co-60	5.398E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.016E-03	0.0000	3.781E-02	0.0000	1.244E-02	0.0000	1.122E-01	0.0001
Cs-134	6.583E-01	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	9.687E-02	0.0000	5.164E-01	0.0002	6.630E-01	0.0003	1.935E+00	0.0009
Cs-137	5.226E-01	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	7.690E-02	0.0000	4.100E-01	0.0002	5.263E-01	0.0002	1.536E+00	0.0007
Eu-152	3.171E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.627E-03	0.0000	1.530E-03	0.0000	1.140E-04	0.0000	3.798E-02	0.0000
Eu-154	4.606E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.720E-03	0.0000	2.222E-03	0.0000	1.656E-04	0.0000	5.517E-02	0.0000
Eu-155	7.148E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.043E-03	0.0000	3.449E-04	0.0000	2.569E-05	0.0000	8.562E-03	0.0000
Fe-55	8.971E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.309E-05	0.0000	4.220E-05	0.0000	3.031E-06	0.0000	1.480E-04	0.0000
H-3	1.381E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	2.873E-02	0.0000	8.971E-03	0.0000	4.101E-02	0.0000	2.169E-01	0.0001
Nb-94	7.548E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.106E-02	0.0000	1.639E-06	0.0000	1.737E-05	0.0000	8.656E-02	0.0000
Ni-59	1.613E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.380E-04	0.0000	1.792E-04	0.0000	3.715E-03	0.0000	5.746E-03	0.0000
Ni-63	4.418E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.516E-04	0.0000	4.906E-04	0.0000	1.017E-02	0.0000	1.573E-02	0.0000
Np-237	1.748E+03	0.8161	0.000E+00	0.0000	0.000E+00	0.0000	2.561E+02	0.1196	2.111E+01	0.0099	1.258E+00	0.0006	2.026E+03	0.9461
Pm-147	4.632E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.761E-04	0.0000	2.235E-04	0.0000	3.663E-05	0.0000	5.569E-03	0.0000
Pu-238	8.745E+00	0.0041	0.000E+00	0.0000	0.000E+00	0.0000	1.276E+00	0.0006	1.160E-02	0.0000	8.614E-04	0.0000	1.003E+01	0.0047
Pu-239	9.712E+00	0.0045	0.000E+00	0.0000	0.000E+00	0.0000	1.417E+00	0.0007	1.289E-02	0.0000	9.565E-04	0.0000	1.114E+01	0.0052
Pu-240	9.712E+00	0.0045	0.000E+00	0.0000	0.000E+00	0.0000	1.417E+00	0.0007	1.289E-02	0.0000	9.565E-04	0.0000	1.114E+01	0.0052
Pu-241	2.071E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	3.021E-02	0.0000	2.596E-04	0.0000	2.353E-05	0.0000	2.376E-01	0.0001
Sb-125	1.529E+00	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	2.159E-01	0.0001	1.065E-01	0.0000	4.240E-02	0.0000	1.894E+00	0.0009
Sr-90	2.869E+01	0.0134	0.000E+00	0.0000	0.000E+00	0.0000	4.751E+00	0.0022	4.539E+00	0.0021	5.637E+00	0.0026	4.362E+01	0.0204
Tc-99	3.239E+00	0.0015	0.000E+00	0.0000	0.000E+00	0.0000	1.453E+00	0.0007	7.108E-03	0.0000	4.431E-01	0.0002	5.142E+00	0.0024
Total	1.834E+03	0.8563	0.000E+00	0.0000	0.000E+00	0.0000	2.714E+02	0.1267	2.718E+01	0.0127	9.070E+00	0.0042	2.142E+03	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ag-108m	1.334E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.949E-02	0.0000	5.150E-03	0.0000	9.112E-02	0.0000	2.491E-01	0.0001
Am-241	9.779E+00	0.0047	0.000E+00	0.0000	0.000E+00	0.0000	1.427E+00	0.0007	6.739E-03	0.0000	2.250E-03	0.0000	1.121E+01	0.0053
Am-243	9.770E+00	0.0046	0.000E+00	0.0000	0.000E+00	0.0000	1.425E+00	0.0007	6.718E-03	0.0000	2.247E-03	0.0000	1.120E+01	0.0053
C-14	6.949E-01	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.259E+00	0.0006	3.827E-01	0.0002	3.274E-01	0.0002	2.664E+00	0.0013
Cm-243	1.300E+00	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	1.896E-01	0.0001	6.277E-04	0.0000	3.456E-04	0.0000	1.490E+00	0.0007
Cm-244	1.025E+00	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	1.496E-01	0.0001	4.968E-04	0.0000	2.723E-04	0.0000	1.176E+00	0.0006
Co-60	4.732E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.027E-03	0.0000	3.315E-02	0.0000	1.090E-02	0.0000	9.840E-02	0.0000
Cs-134	4.703E-01	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	6.921E-02	0.0000	3.690E-01	0.0002	4.737E-01	0.0002	1.382E+00	0.0007
Cs-137	5.104E-01	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	7.512E-02	0.0000	4.004E-01	0.0002	5.141E-01	0.0002	1.500E+00	0.0007
Eu-152	3.012E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.395E-03	0.0000	1.453E-03	0.0000	1.083E-04	0.0000	3.608E-02	0.0000
Eu-154	4.248E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.198E-03	0.0000	2.050E-03	0.0000	1.527E-04	0.0000	5.088E-02	0.0000
Eu-155	6.178E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.014E-04	0.0000	2.981E-04	0.0000	2.221E-05	0.0000	7.400E-03	0.0000
Fe-55	6.964E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.016E-05	0.0000	3.276E-05	0.0000	2.353E-06	0.0000	1.149E-04	0.0000
H-3	1.175E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	2.444E-02	0.0000	7.630E-03	0.0000	3.488E-02	0.0000	1.844E-01	0.0001
Nb-94	7.544E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.105E-02	0.0000	1.639E-06	0.0000	1.736E-05	0.0000	8.651E-02	0.0000
Ni-59	1.613E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.379E-04	0.0000	1.791E-04	0.0000	3.714E-03	0.0000	5.744E-03	0.0000
Ni-63	4.386E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.469E-04	0.0000	4.871E-04	0.0000	1.010E-02	0.0000	1.562E-02	0.0000
Np-237	1.716E+03	0.8165	0.000E+00	0.0000	0.000E+00	0.0000	2.515E+02	0.1197	2.073E+01	0.0099	1.236E+00	0.0006	1.990E+03	0.9466
Pm-147	3.556E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.190E-04	0.0000	1.716E-04	0.0000	2.812E-05	0.0000	4.275E-03	0.0000
Pu-238	8.675E+00	0.0041	0.000E+00	0.0000	0.000E+00	0.0000	1.266E+00	0.0006	1.151E-02	0.0000	8.546E-04	0.0000	9.953E+00	0.0047
Pu-239	9.711E+00	0.0046	0.000E+00	0.0000	0.000E+00	0.0000	1.417E+00	0.0007	1.289E-02	0.0000	9.564E-04	0.0000	1.114E+01	0.0053
Pu-240	9.710E+00	0.0046	0.000E+00	0.0000	0.000E+00	0.0000	1.417E+00	0.0007	1.288E-02	0.0000	9.563E-04	0.0000	1.114E+01	0.0053
Pu-241	2.134E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	3.113E-02	0.0000	2.584E-04	0.0000	2.612E-05	0.0000	2.448E-01	0.0001
Sb-125	1.191E+00	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	1.664E-01	0.0001	8.016E-02	0.0000	3.142E-02	0.0000	1.469E+00	0.0007
Sr-90	2.777E+01	0.0132	0.000E+00	0.0000	0.000E+00	0.0000	4.598E+00	0.0022	4.393E+00	0.0021	5.456E+00	0.0026	4.221E+01	0.0201
Tc-99	2.914E+00	0.0014	0.000E+00	0.0000	0.000E+00	0.0000	1.307E+00	0.0006	6.400E-03	0.0000	3.991E-01	0.0002	4.626E+00	0.0022
Total	1.801E+03	0.8566	0.000E+00	0.0000	0.000E+00	0.0000	2.664E+02	0.1267	2.647E+01	0.0126	8.597E+00	0.0041	2.102E+03	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ag-108m	1.327E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.939E-02	0.0000	5.124E-03	0.0000	9.067E-02	0.0000	2.479E-01	0.0001
Am-241	9.746E+00	0.0048	0.000E+00	0.0000	0.000E+00	0.0000	1.422E+00	0.0007	6.728E-03	0.0000	2.243E-03	0.0000	1.118E+01	0.0055
Am-243	9.766E+00	0.0048	0.000E+00	0.0000	0.000E+00	0.0000	1.425E+00	0.0007	6.716E-03	0.0000	2.247E-03	0.0000	1.120E+01	0.0055
C-14	6.735E-01	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.220E+00	0.0006	3.709E-01	0.0002	3.173E-01	0.0002	2.582E+00	0.0013
Cm-243	1.240E+00	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	1.808E-01	0.0001	5.992E-04	0.0000	3.295E-04	0.0000	1.421E+00	0.0007
Cm-244	9.519E-01	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	1.389E-01	0.0001	4.629E-04	0.0000	2.524E-04	0.0000	1.091E+00	0.0005
Co-60	3.637E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.401E-03	0.0000	2.548E-02	0.0000	8.380E-03	0.0000	7.563E-02	0.0000
Cs-134	2.401E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	3.533E-02	0.0000	1.884E-01	0.0001	2.418E-01	0.0001	7.056E-01	0.0003
Cs-137	4.870E-01	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	7.167E-02	0.0000	3.821E-01	0.0002	4.906E-01	0.0002	1.431E+00	0.0007
Eu-152	2.718E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.965E-03	0.0000	1.311E-03	0.0000	9.769E-05	0.0000	3.255E-02	0.0000
Eu-154	3.614E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.272E-03	0.0000	1.744E-03	0.0000	1.299E-04	0.0000	4.328E-02	0.0000
Eu-155	4.615E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.734E-04	0.0000	2.227E-04	0.0000	1.659E-05	0.0000	5.528E-03	0.0000
Fe-55	4.196E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.122E-06	0.0000	1.974E-05	0.0000	1.418E-06	0.0000	6.925E-05	0.0000
H-3	8.490E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.767E-02	0.0000	5.515E-03	0.0000	2.522E-02	0.0000	1.333E-01	0.0001
Nb-94	7.536E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.104E-02	0.0000	1.637E-06	0.0000	1.734E-05	0.0000	8.642E-02	0.0000
Ni-59	1.612E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.377E-04	0.0000	1.790E-04	0.0000	3.711E-03	0.0000	5.740E-03	0.0000
Ni-63	4.322E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.375E-04	0.0000	4.800E-04	0.0000	9.953E-03	0.0000	1.539E-02	0.0000
Np-237	1.655E+03	0.8171	0.000E+00	0.0000	0.000E+00	0.0000	2.426E+02	0.1197	1.999E+01	0.0099	1.192E+00	0.0006	1.919E+03	0.9473
Pm-147	2.095E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.058E-04	0.0000	1.011E-04	0.0000	1.657E-05	0.0000	2.519E-03	0.0000
Pu-238	8.537E+00	0.0042	0.000E+00	0.0000	0.000E+00	0.0000	1.245E+00	0.0006	1.133E-02	0.0000	8.412E-04	0.0000	9.795E+00	0.0048
Pu-239	9.708E+00	0.0048	0.000E+00	0.0000	0.000E+00	0.0000	1.416E+00	0.0007	1.288E-02	0.0000	9.561E-04	0.0000	1.114E+01	0.0055
Pu-240	9.706E+00	0.0048	0.000E+00	0.0000	0.000E+00	0.0000	1.416E+00	0.0007	1.288E-02	0.0000	9.559E-04	0.0000	1.114E+01	0.0055
Pu-241	2.250E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	3.282E-02	0.0000	2.561E-04	0.0000	3.092E-05	0.0000	2.581E-01	0.0001
Sb-125	7.187E-01	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.004E-01	0.0000	4.837E-02	0.0000	1.896E-02	0.0000	8.864E-01	0.0004
Sr-90	2.600E+01	0.0128	0.000E+00	0.0000	0.000E+00	0.0000	4.306E+00	0.0021	4.114E+00	0.0020	5.110E+00	0.0025	3.954E+01	0.0195
Tc-99	2.357E+00	0.0012	0.000E+00	0.0000	0.000E+00	0.0000	1.057E+00	0.0005	5.177E-03	0.0000	3.229E-01	0.0002	3.742E+00	0.0018
Total	1.736E+03	0.8570	0.000E+00	0.0000	0.000E+00	0.0000	2.567E+02	0.1267	2.520E+01	0.0124	7.840E+00	0.0039	2.026E+03	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ag-108m	1.305E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.906E-02	0.0000	5.037E-03	0.0000	8.912E-02	0.0000	2.437E-01	0.0001
Am-241	9.632E+00	0.0054	0.000E+00	0.0000	0.000E+00	0.0000	1.405E+00	0.0008	6.689E-03	0.0000	2.219E-03	0.0000	1.105E+01	0.0062
Am-243	9.754E+00	0.0055	0.000E+00	0.0000	0.000E+00	0.0000	1.423E+00	0.0008	6.708E-03	0.0000	2.243E-03	0.0000	1.119E+01	0.0063
C-14	6.037E-01	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.094E+00	0.0006	3.325E-01	0.0002	2.844E-01	0.0002	2.315E+00	0.0013
Cm-243	1.051E+00	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	1.533E-01	0.0001	5.095E-04	0.0000	2.791E-04	0.0000	1.205E+00	0.0007
Cm-244	7.345E-01	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.071E-01	0.0001	3.627E-04	0.0000	1.937E-04	0.0000	8.421E-01	0.0005
Co-60	1.448E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.150E-03	0.0000	1.014E-02	0.0000	3.336E-03	0.0000	3.011E-02	0.0000
Cs-134	2.282E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.359E-03	0.0000	1.791E-02	0.0000	2.299E-02	0.0000	6.708E-02	0.0000
Cs-137	4.133E-01	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	6.082E-02	0.0000	3.242E-01	0.0002	4.163E-01	0.0002	1.215E+00	0.0007
Eu-152	1.896E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.766E-03	0.0000	9.149E-04	0.0000	6.815E-05	0.0000	2.271E-02	0.0000
Eu-154	2.051E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.993E-03	0.0000	9.897E-04	0.0000	7.373E-05	0.0000	2.457E-02	0.0000
Eu-155	1.663E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.427E-04	0.0000	8.025E-05	0.0000	5.978E-06	0.0000	1.992E-03	0.0000
Fe-55	7.128E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.040E-06	0.0000	3.353E-06	0.0000	2.408E-07	0.0000	1.176E-05	0.0000
H-3	2.726E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.674E-03	0.0000	1.771E-03	0.0000	8.098E-03	0.0000	4.281E-02	0.0000
Nb-94	7.509E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.100E-02	0.0000	1.631E-06	0.0000	1.728E-05	0.0000	8.611E-02	0.0000
Ni-59	1.608E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.371E-04	0.0000	1.785E-04	0.0000	3.702E-03	0.0000	5.725E-03	0.0000
Ni-63	4.108E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.059E-04	0.0000	4.562E-04	0.0000	9.459E-03	0.0000	1.463E-02	0.0000
Np-237	1.459E+03	0.8174	0.000E+00	0.0000	0.000E+00	0.0000	2.138E+02	0.1198	1.762E+01	0.0099	1.050E+00	0.0006	1.691E+03	0.9476
Pm-147	3.291E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.804E-05	0.0000	1.588E-05	0.0000	2.603E-06	0.0000	3.956E-04	0.0000
Pu-238	8.071E+00	0.0045	0.000E+00	0.0000	0.000E+00	0.0000	1.177E+00	0.0007	1.071E-02	0.0000	7.958E-04	0.0000	9.260E+00	0.0052
Pu-239	9.698E+00	0.0054	0.000E+00	0.0000	0.000E+00	0.0000	1.415E+00	0.0008	1.287E-02	0.0000	9.551E-04	0.0000	1.113E+01	0.0062
Pu-240	9.690E+00	0.0054	0.000E+00	0.0000	0.000E+00	0.0000	1.414E+00	0.0008	1.286E-02	0.0000	9.543E-04	0.0000	1.112E+01	0.0062
Pu-241	2.571E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	3.751E-02	0.0000	2.495E-04	0.0000	4.431E-05	0.0000	2.949E-01	0.0002
Sb-125	1.227E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.714E-02	0.0000	8.258E-03	0.0000	3.238E-03	0.0000	1.513E-01	0.0001
Sr-90	2.067E+01	0.0116	0.000E+00	0.0000	0.000E+00	0.0000	3.424E+00	0.0019	3.271E+00	0.0018	4.062E+00	0.0023	3.143E+01	0.0176
Tc-99	1.122E+00	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	5.034E-01	0.0003	2.465E-03	0.0000	1.537E-01	0.0001	1.782E+00	0.0010
Total	1.531E+03	0.8578	0.000E+00	0.0000	0.000E+00	0.0000	2.260E+02	0.1267	2.164E+01	0.0121	6.115E+00	0.0034	1.785E+03	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 5.280E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ag-108m	1.174E-01	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.715E-02	0.0000	4.534E-03	0.0000	8.022E-02	0.0001	2.193E-01	0.0003
Am-241	8.959E+00	0.0107	0.000E+00	0.0000	0.000E+00	0.0000	1.307E+00	0.0016	6.372E-03	0.0000	2.070E-03	0.0000	1.027E+01	0.0122
Am-243	9.675E+00	0.0115	0.000E+00	0.0000	0.000E+00	0.0000	1.411E+00	0.0017	6.662E-03	0.0000	2.224E-03	0.0000	1.110E+01	0.0132
C-14	3.093E-01	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	5.605E-01	0.0007	1.703E-01	0.0002	1.457E-01	0.0002	1.186E+00	0.0014
Cm-243	3.864E-01	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	5.637E-02	0.0001	1.938E-04	0.0000	1.013E-04	0.0000	4.431E-01	0.0005
Cm-244	1.647E-01	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	2.402E-02	0.0000	9.983E-05	0.0000	3.976E-05	0.0000	1.888E-01	0.0002
Co-60	5.184E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.699E-06	0.0000	3.631E-05	0.0000	1.194E-05	0.0000	1.078E-04	0.0000
Cs-134	1.287E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.894E-09	0.0000	1.010E-08	0.0000	1.296E-08	0.0000	3.782E-08	0.0000
Cs-137	1.514E-01	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	2.228E-02	0.0000	1.188E-01	0.0001	1.525E-01	0.0002	4.450E-01	0.0005
Eu-152	2.098E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.061E-04	0.0000	1.012E-04	0.0000	7.542E-06	0.0000	2.513E-03	0.0000
Eu-154	6.433E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.385E-05	0.0000	3.104E-05	0.0000	2.312E-06	0.0000	7.705E-04	0.0000
Eu-155	3.240E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.727E-07	0.0000	1.563E-07	0.0000	1.165E-08	0.0000	3.881E-06	0.0000
Fe-55	1.398E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.039E-11	0.0000	6.576E-11	0.0000	4.723E-12	0.0000	2.306E-10	0.0000
H-3	2.626E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.465E-06	0.0000	1.706E-06	0.0000	7.799E-06	0.0000	4.123E-05	0.0000
Nb-94	7.345E-02	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.076E-02	0.0000	1.595E-06	0.0000	1.690E-05	0.0000	8.423E-02	0.0001
Ni-59	1.583E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.335E-04	0.0000	1.758E-04	0.0000	3.646E-03	0.0000	5.638E-03	0.0000
Ni-63	3.009E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.438E-04	0.0000	3.341E-04	0.0000	6.928E-03	0.0000	1.071E-02	0.0000
Np-237	6.729E+02	0.8003	0.000E+00	0.0000	0.000E+00	0.0000	9.861E+01	0.1173	8.128E+00	0.0097	4.846E-01	0.0006	7.801E+02	0.9278
Pm-147	4.002E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.841E-10	0.0000	1.930E-10	0.0000	3.163E-11	0.0000	4.810E-09	0.0000
Pu-238	5.724E+00	0.0068	0.000E+00	0.0000	0.000E+00	0.0000	8.350E-01	0.0010	7.596E-03	0.0000	5.675E-04	0.0000	6.567E+00	0.0078
Pu-239	9.634E+00	0.0115	0.000E+00	0.0000	0.000E+00	0.0000	1.405E+00	0.0017	1.278E-02	0.0000	9.488E-04	0.0000	1.105E+01	0.0131
Pu-240	9.595E+00	0.0114	0.000E+00	0.0000	0.000E+00	0.0000	1.400E+00	0.0017	1.273E-02	0.0000	9.450E-04	0.0000	1.101E+01	0.0131
Pu-241	3.114E-01	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	4.542E-02	0.0001	2.285E-04	0.0000	6.999E-05	0.0000	3.571E-01	0.0004
Sb-125	2.481E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.466E-07	0.0000	1.670E-07	0.0000	6.548E-08	0.0000	3.060E-06	0.0000
Sr-90	5.084E+00	0.0060	0.000E+00	0.0000	0.000E+00	0.0000	8.420E-01	0.0010	8.044E-01	0.0010	9.991E-01	0.0012	7.730E+00	0.0092
Tc-99	1.201E-02	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.387E-03	0.0000	2.637E-05	0.0000	1.645E-03	0.0000	1.907E-02	0.0000
Total	7.231E+02	0.8600	0.000E+00	0.0000	0.000E+00	0.0000	1.065E+02	0.1267	9.273E+00	0.0110	1.881E+00	0.0022	8.408E+02	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ag-108m	1.046E-01	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.527E-02	0.0000	4.037E-03	0.0000	7.143E-02	0.0002	1.953E-01	0.0005
Am-241	8.264E+00	0.0216	0.000E+00	0.0000	0.000E+00	0.0000	1.206E+00	0.0032	5.952E-03	0.0000	1.913E-03	0.0000	9.478E+00	0.0248
Am-243	9.589E+00	0.0251	0.000E+00	0.0000	0.000E+00	0.0000	1.399E+00	0.0037	6.611E-03	0.0000	2.202E-03	0.0000	1.100E+01	0.0288
C-14	1.479E-01	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	2.681E-01	0.0007	8.147E-02	0.0002	6.970E-02	0.0002	5.672E-01	0.0015
Cm-243	1.335E-01	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.947E-02	0.0001	7.351E-05	0.0000	3.369E-05	0.0000	1.530E-01	0.0004
Cm-244	4.979E-02	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	7.263E-03	0.0000	4.662E-05	0.0000	8.761E-06	0.0000	5.711E-02	0.0001
Co-60	1.040E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.545E-08	0.0000	7.288E-08	0.0000	2.397E-08	0.0000	2.163E-07	0.0000
Cs-134	1.653E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.433E-16	0.0000	1.297E-15	0.0000	1.665E-15	0.0000	4.859E-15	0.0000
Cs-137	5.004E-02	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	7.364E-03	0.0000	3.926E-02	0.0001	5.040E-02	0.0001	1.471E-01	0.0004
Eu-152	1.851E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.701E-05	0.0000	8.934E-06	0.0000	6.655E-07	0.0000	2.218E-04	0.0000
Eu-154	1.413E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.062E-06	0.0000	6.819E-07	0.0000	5.079E-08	0.0000	1.693E-05	0.0000
Eu-155	3.323E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.848E-10	0.0000	1.603E-10	0.0000	1.194E-11	0.0000	3.980E-09	0.0000
Fe-55	8.994E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.312E-16	0.0000	4.231E-16	0.0000	3.039E-17	0.0000	1.484E-15	0.0000
H-3	1.238E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.577E-09	0.0000	8.045E-10	0.0000	3.678E-09	0.0000	1.944E-08	0.0000
Nb-94	7.168E-02	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	1.050E-02	0.0000	1.557E-06	0.0000	1.650E-05	0.0000	8.220E-02	0.0002
Ni-59	1.557E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.296E-04	0.0000	1.729E-04	0.0000	3.585E-03	0.0000	5.544E-03	0.0000
Ni-63	2.134E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.148E-04	0.0000	2.370E-04	0.0000	4.915E-03	0.0000	7.601E-03	0.0000
Np-237	2.867E+02	0.7497	0.000E+00	0.0000	0.000E+00	0.0000	4.201E+01	0.1099	3.463E+00	0.0091	2.065E-01	0.0005	3.324E+02	0.8692
Pm-147	3.458E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.045E-13	0.0000	8.380E-14	0.0000	1.497E-14	0.0000	4.061E-12	0.0000
Pu-238	3.918E+00	0.0102	0.000E+00	0.0000	0.000E+00	0.0000	5.716E-01	0.0015	5.201E-03	0.0000	3.919E-04	0.0000	4.496E+00	0.0118
Pu-239	9.564E+00	0.0250	0.000E+00	0.0000	0.000E+00	0.0000	1.395E+00	0.0036	1.269E-02	0.0000	9.419E-04	0.0000	1.097E+01	0.0287
Pu-240	9.491E+00	0.0248	0.000E+00	0.0000	0.000E+00	0.0000	1.385E+00	0.0036	1.259E-02	0.0000	9.348E-04	0.0000	1.089E+01	0.0285
Pu-241	2.966E-01	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	4.327E-02	0.0001	2.134E-04	0.0000	6.841E-05	0.0000	3.402E-01	0.0009
Sb-125	1.652E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.308E-12	0.0000	1.112E-12	0.0000	4.359E-13	0.0000	2.037E-11	0.0000
Sr-90	1.082E+00	0.0028	0.000E+00	0.0000	0.000E+00	0.0000	1.793E-01	0.0005	1.713E-01	0.0004	2.127E-01	0.0006	1.646E+00	0.0043
Tc-99	8.059E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.616E-05	0.0000	1.770E-07	0.0000	1.104E-05	0.0000	1.280E-04	0.0000
Total	3.295E+02	0.8615	0.000E+00	0.0000	0.000E+00	0.0000	4.852E+01	0.1269	3.803E+00	0.0099	6.257E-01	0.0016	3.824E+02	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ag-108m	6.395E-02	0.0013	0.000E+00	0.0000	0.000E+00	0.0000	9.341E-03	0.0002	2.469E-03	0.0001	4.368E-02	0.0009	1.194E-01	0.0025
Am-241	5.855E+00	0.1202	0.000E+00	0.0000	0.000E+00	0.0000	8.542E-01	0.0175	4.260E-03	0.0001	1.357E-03	0.0000	6.715E+00	0.1379
Am-243	9.236E+00	0.1896	0.000E+00	0.0000	0.000E+00	0.0000	1.347E+00	0.0277	6.401E-03	0.0001	2.114E-03	0.0000	1.059E+01	0.2174
C-14	6.500E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.178E-02	0.0002	3.580E-03	0.0001	3.062E-03	0.0001	2.492E-02	0.0005
Cm-243	1.262E-02	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.841E-03	0.0000	1.581E-05	0.0000	1.429E-06	0.0000	1.448E-02	0.0003
Cm-244	2.611E-02	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	3.809E-03	0.0001	3.464E-05	0.0000	2.574E-06	0.0000	2.996E-02	0.0006
Co-60	3.866E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.742E-20	0.0000	2.708E-19	0.0000	8.908E-20	0.0000	8.040E-19	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.589E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.753E-05	0.0000	3.600E-04	0.0000	4.622E-04	0.0000	1.349E-03	0.0000
Eu-152	6.312E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.209E-10	0.0000	3.046E-10	0.0000	2.269E-11	0.0000	7.560E-09	0.0000
Eu-154	1.330E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.941E-13	0.0000	6.419E-14	0.0000	4.782E-15	0.0000	1.593E-12	0.0000
Eu-155	7.183E-22	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.048E-22	0.0000	3.466E-23	0.0000	2.582E-24	0.0000	8.603E-22	0.0000
Fe-55	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	9.954E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.071E-23	0.0000	6.466E-24	0.0000	2.956E-23	0.0000	1.563E-22	0.0000
Nb-94	6.466E-02	0.0013	0.000E+00	0.0000	0.000E+00	0.0000	9.474E-03	0.0002	1.404E-06	0.0000	1.488E-05	0.0000	7.415E-02	0.0015
Ni-59	1.450E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.138E-04	0.0000	1.610E-04	0.0000	3.338E-03	0.0001	5.162E-03	0.0001
Ni-63	4.982E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.348E-05	0.0000	5.533E-05	0.0000	1.147E-03	0.0000	1.774E-03	0.0000
Np-237	7.716E+00	0.1584	0.000E+00	0.0000	0.000E+00	0.0000	1.131E+00	0.0232	9.320E-02	0.0019	5.564E-03	0.0001	8.946E+00	0.1837
Pm-147	3.425E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.997E-13	0.0000	8.263E-14	0.0000	1.477E-14	0.0000	4.022E-12	0.0000
Pu-238	7.869E-01	0.0162	0.000E+00	0.0000	0.000E+00	0.0000	1.148E-01	0.0024	1.047E-03	0.0000	8.708E-05	0.0000	9.029E-01	0.0185
Pu-239	9.275E+00	0.1904	0.000E+00	0.0000	0.000E+00	0.0000	1.353E+00	0.0278	1.231E-02	0.0003	9.135E-04	0.0000	1.064E+01	0.2185
Pu-240	9.063E+00	0.1861	0.000E+00	0.0000	0.000E+00	0.0000	1.322E+00	0.0271	1.203E-02	0.0002	8.929E-04	0.0000	1.040E+01	0.2135
Pu-241	2.110E-01	0.0043	0.000E+00	0.0000	0.000E+00	0.0000	3.079E-02	0.0006	1.535E-04	0.0000	4.891E-05	0.0000	2.420E-01	0.0050
Sb-125	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	1.541E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.552E-04	0.0000	2.438E-04	0.0000	3.028E-04	0.0000	2.343E-03	0.0000
Tc-99	4.988E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.238E-14	0.0000	1.096E-16	0.0000	6.833E-15	0.0000	7.920E-14	0.0000
Total	4.232E+01	0.8688	0.000E+00	0.0000	0.000E+00	0.0000	6.190E+00	0.1271	1.363E-01	0.0028	6.299E-02	0.0013	4.871E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ag-108m	2.778E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.074E-04	0.0000	9.164E-06	0.0000	2.243E-04	0.0000	0.000E+00	0.0000
Am-241	1.506E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.015E-02	0.0016	3.965E-05	0.0000	1.828E-05	0.0000	0.000E+00	0.0000
Am-243	2.596E-24	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.326E-01	0.0076	1.879E-04	0.0000	8.338E-05	0.0000	0.000E+00	0.0000
C-14	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.415E-09	0.0000	1.140E-09	0.0000	1.191E-09	0.0000	0.000E+00	0.0000
Cm-243	1.783E-28	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.870E-04	0.0000	4.344E-07	0.0000	4.523E-08	0.0000	0.000E+00	0.0000
Cm-244	1.682E-25	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.039E-04	0.0000	9.174E-07	0.0000	9.428E-08	0.0000	0.000E+00	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	1.557E-26	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.520E-12	0.0000	4.955E-12	0.0000	8.800E-12	0.0000	0.000E+00	0.0000
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.704E-16	0.0000	1.299E-17	0.0000	3.214E-18	0.0000	0.000E+00	0.0000
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-155	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Fe-55	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Nb-94	1.868E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.852E-03	0.0001	9.576E-08	0.0000	1.404E-06	0.0000	0.000E+00	0.0000
Ni-59	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.163E-04	0.0000	4.018E-05	0.0000	1.153E-03	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.575E-07	0.0000	1.089E-07	0.0000	3.125E-06	0.0000	0.000E+00	0.0000
Np-237	1.528E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.398E-06	0.0000	6.129E-08	0.0000	2.329E-07	0.0000	0.000E+00	0.0000
Pm-147	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.838E-13	0.0000	1.060E-14	0.0000	2.622E-15	0.0000	0.000E+00	0.0000
Pu-238	6.003E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.942E-05	0.0000	2.263E-07	0.0000	4.818E-07	0.0000	0.000E+00	0.0000
Pu-239	1.395E-25	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.353E-01	0.0077	3.573E-04	0.0000	3.670E-05	0.0000	0.000E+00	0.0000
Pu-240	6.412E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.178E-01	0.0071	3.309E-04	0.0000	3.401E-05	0.0000	0.000E+00	0.0000
Pu-241	4.828E-25	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.722E-03	0.0001	1.362E-06	0.0000	6.279E-07	0.0000	0.000E+00	0.0000
Sb-125	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.233E-14	0.0000	4.012E-15	0.0000	6.871E-15	0.0000	0.000E+00	0.0000
Tc-99	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.897E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.429E-01	0.0243	9.683E-04	0.0000	1.555E-03	0.0001	0.000E+00	0.0000

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ag-108m	1.143E-02	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	1.670E-03	0.0001	4.413E-04	0.0000	7.808E-03	0.0003	2.179E-02	0.0007
Am-241	1.748E+00	0.0571	0.000E+00	0.0000	0.000E+00	0.0000	2.550E-01	0.0083	1.272E-03	0.0000	4.051E-04	0.0000	2.055E+00	0.0671
Am-243	8.096E+00	0.2644	0.000E+00	0.0000	0.000E+00	0.0000	1.181E+00	0.0386	5.715E-03	0.0002	1.832E-03	0.0001	9.517E+00	0.3108
C-14	1.155E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.093E-07	0.0000	6.361E-08	0.0000	5.442E-08	0.0000	4.486E-07	0.0000
Cm-243	1.040E-02	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.517E-03	0.0000	1.375E-05	0.0000	1.034E-06	0.0000	1.222E-02	0.0004
Cm-244	2.220E-02	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	3.239E-03	0.0001	2.946E-05	0.0000	2.189E-06	0.0000	2.608E-02	0.0009
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	3.388E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.986E-12	0.0000	2.658E-11	0.0000	3.412E-11	0.0000	1.188E-10	0.0000
Eu-152	3.330E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.858E-16	0.0000	8.033E-17	0.0000	1.436E-17	0.0000	4.397E-15	0.0000
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-155	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Fe-55	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Nb-94	4.503E-02	0.0015	0.000E+00	0.0000	0.000E+00	0.0000	6.599E-03	0.0002	9.781E-07	0.0000	1.036E-05	0.0000	5.550E-02	0.0018
Ni-59	1.129E-03	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.665E-04	0.0000	1.253E-04	0.0000	2.599E-03	0.0001	5.528E-03	0.0002
Ni-63	3.060E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.513E-07	0.0000	3.398E-07	0.0000	7.045E-06	0.0000	1.499E-05	0.0000
Np-237	2.580E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.765E-05	0.0000	2.496E-06	0.0000	6.548E-06	0.0000	3.134E-04	0.0000
Pm-147	3.361E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.904E-13	0.0000	8.109E-14	0.0000	1.450E-14	0.0000	4.344E-12	0.0000
Pu-238	3.178E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	4.636E-04	0.0000	7.039E-06	0.0000	9.711E-06	0.0000	3.749E-03	0.0001
Pu-239	8.325E+00	0.2719	0.000E+00	0.0000	0.000E+00	0.0000	1.215E+00	0.0397	1.105E-02	0.0004	8.200E-04	0.0000	9.788E+00	0.3196
Pu-240	7.710E+00	0.2518	0.000E+00	0.0000	0.000E+00	0.0000	1.125E+00	0.0367	1.023E-02	0.0003	7.600E-04	0.0000	9.063E+00	0.2960
Pu-241	6.299E-02	0.0021	0.000E+00	0.0000	0.000E+00	0.0000	9.189E-03	0.0003	4.585E-05	0.0000	1.460E-05	0.0000	7.397E-02	0.0024
Sb-125	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	1.677E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.776E-14	0.0000	2.653E-14	0.0000	3.295E-14	0.0000	2.881E-13	0.0000
Tc-99	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	2.604E+01	0.8502	0.000E+00	0.0000	0.000E+00	0.0000	3.798E+00	0.1240	2.893E-02	0.0009	1.427E-02	0.0005	3.062E+01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)								
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03	
Ag-108m+D	Ag-108m+D	1.000E+00	2.498E-01	2.491E-01	2.479E-01	2.437E-01	2.193E-01	1.953E-01	1.194E-01	2.179E-02	
Am-241	Am-241	1.000E+00	1.123E+01	1.121E+01	1.117E+01	1.104E+01	1.025E+01	9.451E+00	6.691E+00	2.047E+00	
Am-241	Np-237+D	1.000E+00	9.406E-04	1.576E-03	2.809E-03	6.758E-03	2.163E-02	2.745E-02	2.383E-02	7.178E-03	
Am-241	U-233	1.000E+00	2.045E-11	3.474E-11	6.754E-11	2.270E-10	2.280E-09	5.625E-09	2.000E-08	4.329E-08	
Am-241	Th-229+D	1.000E+00	5.819E-11	6.801E-11	8.708E-11	1.481E-10	3.765E-10	5.007E-10	4.805E-10	1.153E-09	
Am-241	ΣDSR(j)		1.123E+01	1.121E+01	1.118E+01	1.105E+01	1.027E+01	9.478E+00	6.715E+00	2.055E+00	
Am-243+D	Am-243+D	9.829E-01	1.101E+01	1.101E+01	1.101E+01	1.099E+01	1.089E+01	1.078E+01	1.032E+01	9.086E+00	
Am-243+D	Pu-239+D	9.829E-01	4.720E-04	7.868E-04	1.416E-03	3.614E-03	1.693E-02	3.137E-02	8.980E-02	2.684E-01	
Am-243+D	U-235+D	9.829E-01	1.136E-12	1.170E-12	1.448E-12	3.267E-12	5.008E-11	1.698E-10	1.437E-09	1.424E-08	
Am-243+D	Pa-231	9.829E-01	1.912E-11	1.913E-11	1.938E-11	1.965E-11	1.793E-11	1.941E-11	5.757E-11	1.690E-09	
Am-243+D	Ac-227+D	9.829E-01	2.047E-11	2.041E-11	2.106E-11	2.128E-11	2.023E-11	1.924E-11	3.673E-11	8.258E-10	
Am-243+D	ΣDSR(j)		1.101E+01	1.101E+01	1.101E+01	1.099E+01	1.091E+01	1.081E+01	1.041E+01	9.354E+00	
Am-243+D	Am-243+D	2.720E-03	3.049E-02	3.048E-02	3.047E-02	3.042E-02	3.014E-02	2.983E-02	2.857E-02	2.515E-02	
Am-243+D	Pu-239+D	2.720E-03	1.307E-06	2.178E-06	3.919E-06	1.000E-05	4.686E-05	8.683E-05	2.486E-04	7.429E-04	
Am-243+D	U-235+D	2.720E-03	1.067E-15	1.114E-15	1.466E-15	6.028E-15	1.356E-13	4.670E-13	3.974E-12	3.941E-11	
Am-243+D	Pa-231	2.720E-03	4.037E-14	4.022E-14	4.153E-14	4.197E-14	4.005E-14	3.796E-14	1.333E-13	4.655E-12	
Am-243+D	Ac-227+D1	2.720E-03	6.095E-14	6.101E-14	6.235E-14	6.306E-14	5.872E-14	5.799E-14	1.106E-13	2.292E-12	
Am-243+D	ΣDSR(j)		3.049E-02	3.048E-02	3.047E-02	3.043E-02	3.019E-02	2.992E-02	2.882E-02	2.589E-02	
Am-243+D	Am-243+D	1.375E-02	1.541E-01	1.541E-01	1.540E-01	1.538E-01	1.524E-01	1.508E-01	1.444E-01	1.271E-01	
Am-243+D	Pu-239+D	1.375E-02	6.605E-06	1.101E-05	1.981E-05	5.057E-05	2.369E-04	4.390E-04	1.257E-03	3.756E-03	
Am-243+D	U-235+D	1.375E-02	5.393E-15	5.635E-15	7.413E-15	3.049E-14	6.858E-13	2.361E-12	2.009E-11	1.992E-10	
Am-243+D	Pa-231	1.375E-02	2.041E-13	2.033E-13	2.100E-13	2.121E-13	2.025E-13	1.911E-13	6.574E-13	2.352E-11	
Am-243+D	Ac-227+D2	1.375E-02	2.844E-13	2.834E-13	2.926E-13	2.957E-13	2.821E-13	2.662E-13	4.924E-13	1.150E-11	
Am-243+D	ΣDSR(j)		1.541E-01	1.541E-01	1.540E-01	1.538E-01	1.526E-01	1.513E-01	1.457E-01	1.309E-01	
Am-243+D	Am-243+D	3.806E-05	4.266E-04	4.265E-04	4.263E-04	4.257E-04	4.217E-04	4.174E-04	3.997E-04	3.519E-04	
Am-243+D	Pu-239+D	3.806E-05	1.828E-08	3.047E-08	5.483E-08	1.400E-07	6.557E-07	1.215E-06	3.478E-06	1.039E-05	
Am-243+D	U-235+D	3.806E-05	3.559E-18	3.730E-18	6.400E-18	5.226E-17	1.865E-15	6.502E-15	5.558E-14	5.514E-13	
Am-243+D	Pa-231	3.806E-05	5.653E-16	5.632E-16	5.817E-16	5.878E-16	5.604E-16	5.346E-16	1.893E-15	6.516E-14	
Am-243+D	Ac-227+D3	3.806E-05	9.152E-16	9.160E-16	9.360E-16	9.467E-16	8.794E-16	8.773E-16	1.614E-15	3.206E-14	
Am-243+D	ΣDSR(j)		4.266E-04	4.265E-04	4.264E-04	4.258E-04	4.224E-04	4.186E-04	4.032E-04	3.623E-04	
Am-243+D	Am-243+D	8.252E-07	9.248E-06	9.246E-06	9.242E-06	9.228E-06	9.143E-06	9.050E-06	8.666E-06	7.629E-06	
Am-243+D	Pu-239+D	8.252E-07	3.964E-10	6.606E-10	1.189E-09	3.034E-09	1.422E-08	2.634E-08	7.540E-08	2.254E-07	
Am-243+D	U-235+D	8.252E-07	2.110E-18	2.105E-18	2.365E-18	4.026E-18	4.321E-17	1.437E-16	1.208E-15	1.196E-14	
Am-243+D	Pa-231	8.252E-07	1.240E-17	1.237E-17	1.274E-17	1.288E-17	1.219E-17	1.191E-17	4.250E-17	1.414E-15	
Am-243+D	Ac-227+D4	8.252E-07	1.677E-17	1.674E-17	1.719E-17	1.740E-17	1.637E-17	1.582E-17	3.060E-17	6.616E-16	
Am-243+D	ΣDSR(j)		9.249E-06	9.247E-06	9.243E-06	9.231E-06	9.157E-06	9.076E-06	8.741E-06	7.854E-06	

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Am-243+D	Am-243+D	2.284E-09	2.560E-08	2.559E-08	2.558E-08	2.554E-08	2.530E-08	2.505E-08	2.398E-08	2.111E-08
Am-243+D	Pu-239+D	2.284E-09	1.097E-12	1.828E-12	3.290E-12	8.398E-12	3.934E-11	7.290E-11	2.087E-10	6.237E-10
Am-243+D	U-235+D	2.284E-09	2.068E-22	2.219E-22	3.766E-22	3.100E-21	1.119E-19	3.901E-19	3.335E-18	3.308E-17
Am-243+D	Pa-231	2.284E-09	3.876E-20	3.887E-20	3.937E-20	3.986E-20	3.644E-20	3.877E-20	1.273E-19	3.922E-18
Am-243+D	Ac-227+D5	2.284E-09	4.513E-20	4.497E-20	4.644E-20	4.692E-20	4.477E-20	4.222E-20	7.476E-20	1.822E-18
Am-243+D	ΣDSR(j)		2.560E-08	2.559E-08	2.558E-08	2.555E-08	2.534E-08	2.512E-08	2.419E-08	2.174E-08
Am-243+D	Am-243+D	5.901E-04	6.613E-03	6.612E-03	6.609E-03	6.599E-03	6.538E-03	6.471E-03	6.197E-03	5.455E-03
Am-243+D	Pu-239	5.901E-04	2.834E-07	4.724E-07	8.501E-07	2.170E-06	1.016E-05	1.884E-05	5.392E-05	1.611E-04
Am-243+D	U-235+D	5.901E-04	5.279E-17	5.851E-17	9.478E-17	7.931E-16	2.890E-14	1.008E-13	8.616E-13	8.548E-12
Am-243+D	Pa-231	5.901E-04	8.756E-15	8.725E-15	9.009E-15	9.102E-15	8.688E-15	8.207E-15	2.845E-14	1.009E-12
Am-243+D	Ac-227+D	5.901E-04	1.235E-14	1.230E-14	1.268E-14	1.282E-14	1.215E-14	1.161E-14	2.227E-14	4.960E-13
Am-243+D	ΣDSR(j)		6.613E-03	6.612E-03	6.610E-03	6.601E-03	6.548E-03	6.490E-03	6.251E-03	5.616E-03
Am-243+D	Am-243+D	1.633E-06	1.830E-05	1.830E-05	1.829E-05	1.826E-05	1.809E-05	1.791E-05	1.715E-05	1.510E-05
Am-243+D	Pu-239	1.633E-06	7.844E-10	1.307E-09	2.353E-09	6.005E-09	2.813E-08	5.213E-08	1.492E-07	4.460E-07
Am-243+D	U-235+D	1.633E-06	2.119E-18	2.165E-18	2.665E-18	5.696E-18	8.349E-17	2.824E-16	2.388E-15	2.366E-14
Am-243+D	Pa-231	1.633E-06	3.267E-17	3.282E-17	3.318E-17	3.365E-17	3.074E-17	3.331E-17	9.671E-17	2.810E-15
Am-243+D	Ac-227+D1	1.633E-06	3.675E-17	3.673E-17	3.758E-17	3.801E-17	3.538E-17	3.497E-17	6.659E-17	1.376E-15
Am-243+D	ΣDSR(j)		1.830E-05	1.830E-05	1.829E-05	1.827E-05	1.812E-05	1.796E-05	1.730E-05	1.554E-05
Am-243+D	Am-243+D	8.257E-06	9.253E-05	9.251E-05	9.247E-05	9.233E-05	9.148E-05	9.055E-05	8.671E-05	7.633E-05
Am-243+D	Pu-239	8.257E-06	3.966E-09	6.610E-09	1.189E-08	3.036E-08	1.422E-07	2.635E-07	7.544E-07	2.255E-06
Am-243+D	U-235+D	8.257E-06	1.694E-17	1.690E-17	1.948E-17	3.491E-17	4.282E-16	1.434E-15	1.208E-14	1.196E-13
Am-243+D	Pa-231	8.257E-06	1.273E-16	1.269E-16	1.300E-16	1.320E-16	1.231E-16	1.237E-16	4.364E-16	1.416E-14
Am-243+D	Ac-227+D2	8.257E-06	2.150E-16	2.153E-16	2.196E-16	2.222E-16	2.077E-16	2.066E-16	3.660E-16	6.969E-15
Am-243+D	ΣDSR(j)		9.254E-05	9.252E-05	9.248E-05	9.236E-05	9.162E-05	9.081E-05	8.746E-05	7.859E-05
Am-243+D	Am-243+D	2.285E-08	2.561E-07	2.560E-07	2.559E-07	2.555E-07	2.532E-07	2.506E-07	2.400E-07	2.113E-07
Am-243+D	Pu-239	2.285E-08	1.098E-11	1.829E-11	3.292E-11	8.403E-11	3.936E-10	7.294E-10	2.088E-09	6.241E-09
Am-243+D	U-235+D	2.285E-08	3.281E-20	3.352E-20	4.028E-20	8.311E-20	1.172E-18	3.955E-18	3.342E-17	3.311E-16
Am-243+D	Pa-231	2.285E-08	3.833E-19	3.843E-19	3.896E-19	3.954E-19	3.609E-19	3.829E-19	1.267E-18	3.923E-17
Am-243+D	Ac-227+D3	2.285E-08	5.458E-19	5.452E-19	5.572E-19	5.639E-19	5.229E-19	5.217E-19	9.644E-19	1.924E-17
Am-243+D	ΣDSR(j)		2.561E-07	2.561E-07	2.560E-07	2.556E-07	2.536E-07	2.513E-07	2.421E-07	2.175E-07
Am-243+D	Am-243+D	4.954E-10	5.552E-09	5.551E-09	5.549E-09	5.540E-09	5.489E-09	5.433E-09	5.203E-09	4.580E-09
Am-243+D	Pu-239	4.954E-10	2.380E-13	3.966E-13	7.137E-13	1.822E-12	8.534E-12	1.581E-11	4.527E-11	1.353E-10
Am-243+D	U-235+D	4.954E-10	2.880E-24	3.599E-24	5.900E-24	2.328E-22	2.370E-20	8.405E-20	7.229E-19	7.176E-18
Am-243+D	Pa-231	4.954E-10	1.022E-20	1.027E-20	1.040E-20	1.052E-20	9.641E-21	1.041E-20	2.963E-20	8.525E-19
Am-243+D	Ac-227+D4	4.954E-10	9.795E-21	9.760E-21	1.008E-20	1.018E-20	9.715E-21	9.163E-21	1.632E-20	3.954E-19
Am-243+D	ΣDSR(j)		5.553E-09	5.552E-09	5.549E-09	5.542E-09	5.498E-09	5.449E-09	5.248E-09	4.715E-09

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Am-243+D	Am-243+D	1.371E-12	1.537E-11	1.536E-11	1.536E-11	1.533E-11	1.519E-11	1.504E-11	1.440E-11	1.268E-11
Am-243+D	Pu-239	1.371E-12	6.586E-16	1.098E-15	1.975E-15	5.042E-15	2.362E-14	4.377E-14	1.253E-13	3.745E-13
Am-243+D	U-235+D	1.371E-12	2.001E-24	2.043E-24	2.468E-24	5.020E-24	7.034E-23	2.373E-22	2.005E-21	1.987E-20
Am-243+D	Pa-231	1.371E-12	2.036E-23	2.028E-23	2.094E-23	2.116E-23	2.019E-23	1.920E-23	6.780E-23	2.347E-21
Am-243+D	Ac-227+D5	1.371E-12	2.890E-23	2.889E-23	2.954E-23	2.991E-23	2.785E-23	2.741E-23	5.258E-23	1.101E-21
Am-243+D	ΣDSR(j)		1.537E-11	1.536E-11	1.536E-11	1.534E-11	1.522E-11	1.508E-11	1.452E-11	1.305E-11
C-14	C-14	1.000E+00	2.706E+00	2.664E+00	2.582E+00	2.315E+00	1.186E+00	5.672E-01	2.492E-02	4.486E-07
Cm-243	Cm-243	2.359E-03	3.598E-03	3.513E-03	3.350E-03	2.835E-03	1.022E-03	3.316E-04	2.815E-06	1.788E-13
Cm-243	Am-243+D	2.359E-03	3.643E-06	6.071E-06	1.076E-05	2.549E-05	7.696E-05	9.584E-05	1.009E-04	8.883E-05
Cm-243	Pu-239+D	2.359E-03	8.164E-11	2.238E-10	7.114E-10	4.396E-09	7.228E-08	1.904E-07	7.544E-07	2.510E-06
Cm-243	U-235+D	2.359E-03	1.413E-17	1.383E-17	1.462E-17	1.611E-17	1.695E-16	8.095E-16	1.066E-14	1.278E-13
Cm-243	Pa-231	2.359E-03	3.238E-17	3.480E-17	4.112E-17	5.781E-17	1.098E-16	1.245E-16	3.603E-16	1.444E-14
Cm-243	Ac-227+D	2.359E-03	5.419E-17	5.805E-17	6.544E-17	8.928E-17	1.576E-16	1.816E-16	3.174E-16	7.124E-15
Cm-243	ΣDSR(j)		3.602E-03	3.520E-03	3.361E-03	2.860E-03	1.099E-03	4.276E-04	1.045E-04	9.134E-05
Cm-243	Cm-243	6.529E-06	9.959E-06	9.724E-06	9.271E-06	7.846E-06	2.828E-06	9.176E-07	7.792E-09	4.948E-16
Cm-243	Am-243+D	6.529E-06	1.008E-08	1.680E-08	2.977E-08	7.056E-08	2.130E-07	2.653E-07	2.792E-07	2.459E-07
Cm-243	Pu-239+D	6.529E-06	2.299E-13	6.233E-13	1.973E-12	1.217E-11	2.000E-10	5.270E-10	2.088E-09	6.947E-09
Cm-243	U-235+D	6.529E-06	4.700E-23	5.663E-23	7.849E-23	2.683E-22	3.833E-19	2.156E-18	2.942E-17	3.536E-16
Cm-243	Pa-231	6.529E-06	2.938E-19	3.052E-19	3.162E-19	3.652E-19	4.763E-19	5.575E-19	1.298E-18	4.024E-17
Cm-243	Ac-227+D1	6.529E-06	2.257E-19	2.377E-19	2.580E-19	3.242E-19	5.044E-19	5.796E-19	9.664E-19	1.977E-17
Cm-243	ΣDSR(j)		9.969E-06	9.741E-06	9.301E-06	7.917E-06	3.041E-06	1.183E-06	2.891E-07	2.528E-07
Cm-243	Cm-243	3.301E-05	5.035E-05	4.916E-05	4.687E-05	3.967E-05	1.430E-05	4.639E-06	3.939E-08	2.501E-15
Cm-243	Am-243+D	3.301E-05	5.097E-08	8.494E-08	1.505E-07	3.567E-07	1.077E-06	1.341E-06	1.412E-06	1.243E-06
Cm-243	Pu-239+D	3.301E-05	1.099E-12	3.088E-12	9.910E-12	6.146E-11	1.011E-09	2.664E-09	1.056E-08	3.512E-08
Cm-243	U-235+D	3.301E-05	3.998E-20	3.806E-20	3.661E-20	5.006E-20	2.149E-18	1.111E-17	1.489E-16	1.788E-15
Cm-243	Pa-231	3.301E-05	8.116E-19	8.588E-19	9.154E-19	1.158E-18	1.760E-18	2.129E-18	5.877E-18	2.029E-16
Cm-243	Ac-227+D2	3.301E-05	6.253E-19	6.732E-19	7.951E-19	1.122E-18	2.142E-18	2.409E-18	3.966E-18	9.896E-17
Cm-243	ΣDSR(j)		5.040E-05	4.925E-05	4.702E-05	4.002E-05	1.537E-05	5.983E-06	1.462E-06	1.278E-06
Cm-243	Cm-243	9.135E-08	1.393E-07	1.361E-07	1.297E-07	1.098E-07	3.957E-08	1.284E-08	1.090E-10	6.923E-18
Cm-243	Am-243+D	9.135E-08	1.411E-10	2.351E-10	4.166E-10	9.873E-10	2.980E-09	3.712E-09	3.907E-09	3.440E-09
Cm-243	Pu-239+D	9.135E-08	3.135E-15	8.639E-15	2.752E-14	1.702E-13	2.799E-12	7.374E-12	2.922E-11	9.720E-11
Cm-243	U-235+D	9.135E-08	7.099E-23	6.521E-23	6.191E-23	8.788E-23	5.833E-21	3.063E-20	4.120E-19	4.948E-18
Cm-243	Pa-231	9.135E-08	1.461E-21	1.560E-21	1.779E-21	2.442E-21	4.314E-21	5.048E-21	1.492E-20	5.602E-19
Cm-243	Ac-227+D3	9.135E-08	1.878E-21	2.013E-21	2.334E-21	3.247E-21	5.969E-21	6.808E-21	1.182E-20	2.746E-19
Cm-243	ΣDSR(j)		1.395E-07	1.363E-07	1.301E-07	1.108E-07	4.255E-08	1.656E-08	4.045E-09	3.537E-09

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Cm-243	Cm-243	1.981E-09	3.021E-09	2.950E-09	2.813E-09	2.380E-09	8.578E-10	2.784E-10	2.364E-12	1.501E-19
Cm-243	Am-243+D	1.981E-09	3.058E-12	5.097E-12	9.032E-12	2.140E-11	6.461E-11	8.047E-11	8.470E-11	7.458E-11
Cm-243	Pu-239+D	1.981E-09	6.949E-17	1.888E-16	5.982E-16	3.691E-15	6.069E-14	1.599E-13	6.334E-13	2.107E-12
Cm-243	U-235+D	1.981E-09	3.171E-25	3.001E-25	3.194E-25	5.593E-25	1.211E-22	6.588E-22	8.928E-21	1.073E-19
Cm-243	Pa-231	1.981E-09	4.030E-23	4.296E-23	4.629E-23	6.108E-23	9.865E-23	1.185E-22	3.403E-22	1.216E-20
Cm-243	Ac-227+D4	1.981E-09	4.077E-23	4.380E-23	4.995E-23	6.882E-23	1.247E-22	1.428E-22	2.493E-22	5.693E-21
Cm-243	ΣDSR(j)		3.024E-09	2.955E-09	2.822E-09	2.402E-09	9.225E-10	3.590E-10	8.770E-11	7.669E-11
Cm-243	Cm-243	5.481E-12	8.361E-12	8.164E-12	7.784E-12	6.587E-12	2.374E-12	7.704E-13	6.542E-15	4.154E-22
Cm-243	Am-243+D	5.481E-12	8.464E-15	1.411E-14	2.500E-14	5.924E-14	1.788E-13	2.227E-13	2.344E-13	2.064E-13
Cm-243	Pu-239+D	5.481E-12	1.935E-19	5.238E-19	1.657E-18	1.022E-17	1.680E-16	4.425E-16	1.753E-15	5.833E-15
Cm-243	U-235+D	5.481E-12	1.873E-27	1.819E-27	2.008E-27	2.735E-27	3.414E-25	1.830E-24	2.472E-23	2.969E-22
Cm-243	Pa-231	5.481E-12	1.927E-25	2.017E-25	2.112E-25	2.522E-25	3.463E-25	4.141E-25	1.039E-24	3.374E-23
Cm-243	Ac-227+D5	5.481E-12	1.452E-25	1.533E-25	1.695E-25	2.229E-25	3.693E-25	4.273E-25	7.362E-25	1.580E-23
Cm-243	ΣDSR(j)		8.370E-12	8.178E-12	7.809E-12	6.647E-12	2.553E-12	9.936E-13	2.427E-13	2.123E-13
Cm-243	Cm-243	1.416E-06	2.160E-06	2.109E-06	2.011E-06	1.702E-06	6.134E-07	1.991E-07	1.690E-09	1.073E-16
Cm-243	Am-243+D	1.416E-06	2.187E-09	3.645E-09	6.459E-09	1.531E-08	4.620E-08	5.754E-08	6.057E-08	5.333E-08
Cm-243	Pu-239	1.416E-06	5.128E-14	1.364E-13	4.287E-13	2.639E-12	4.339E-11	1.143E-10	4.529E-10	1.507E-09
Cm-243	U-235+D	1.416E-06	2.154E-21	2.070E-21	2.055E-21	2.693E-21	9.321E-20	4.776E-19	6.391E-18	7.671E-17
Cm-243	Pa-231	1.416E-06	5.995E-20	6.240E-20	6.478E-20	7.544E-20	9.967E-20	1.171E-19	2.782E-19	8.727E-18
Cm-243	Ac-227+D	1.416E-06	2.693E-20	2.900E-20	3.424E-20	4.827E-20	9.216E-20	1.036E-19	1.672E-19	4.256E-18
Cm-243	ΣDSR(j)		2.162E-06	2.113E-06	2.018E-06	1.717E-06	6.596E-07	2.567E-07	6.271E-08	5.484E-08
Cm-243	Cm-243	3.920E-09	5.979E-09	5.838E-09	5.566E-09	4.710E-09	1.698E-09	5.509E-10	4.678E-12	2.970E-19
Cm-243	Am-243+D	3.920E-09	6.052E-12	1.009E-11	1.788E-11	4.236E-11	1.279E-10	1.593E-10	1.676E-10	1.476E-10
Cm-243	Pu-239	3.920E-09	1.405E-16	3.760E-16	1.185E-15	7.303E-15	1.201E-13	3.164E-13	1.254E-12	4.171E-12
Cm-243	U-235+D	3.920E-09	4.045E-23	3.954E-23	4.065E-23	4.315E-23	2.980E-22	1.361E-21	1.772E-20	2.123E-19
Cm-243	Pa-231	3.920E-09	5.505E-23	5.918E-23	6.950E-23	9.766E-23	1.828E-22	2.087E-22	6.122E-22	2.401E-20
Cm-243	Ac-227+D1	3.920E-09	7.632E-23	8.231E-23	9.639E-23	1.351E-22	2.550E-22	2.887E-22	4.937E-22	1.180E-20
Cm-243	ΣDSR(j)		5.985E-09	5.848E-09	5.584E-09	4.753E-09	1.826E-09	7.105E-10	1.736E-10	1.518E-10
Cm-243	Cm-243	1.982E-08	3.023E-08	2.951E-08	2.814E-08	2.381E-08	8.583E-09	2.785E-09	2.365E-11	1.502E-18
Cm-243	Am-243+D	1.982E-08	3.060E-11	5.100E-11	9.037E-11	2.142E-10	6.465E-10	8.051E-10	8.475E-10	7.462E-10
Cm-243	Pu-239	1.982E-08	6.975E-16	1.888E-15	5.979E-15	3.691E-14	6.071E-13	1.599E-12	6.337E-12	2.109E-11
Cm-243	U-235+D	1.982E-08	4.909E-24	4.732E-24	5.162E-24	8.621E-24	1.225E-21	6.605E-21	8.934E-20	1.073E-18
Cm-243	Pa-231	1.982E-08	2.711E-22	2.918E-22	3.445E-22	4.850E-22	9.225E-22	1.044E-21	3.011E-21	1.213E-19
Cm-243	Ac-227+D2	1.982E-08	4.394E-22	4.715E-22	5.349E-22	7.341E-22	1.314E-21	1.508E-21	2.634E-21	5.964E-20
Cm-243	ΣDSR(j)		3.026E-08	2.957E-08	2.823E-08	2.403E-08	9.230E-09	3.592E-09	8.774E-10	7.673E-10
Cm-243	Cm-243	5.484E-11	8.366E-11	8.169E-11	7.788E-11	6.591E-11	2.375E-11	7.708E-12	6.546E-14	4.156E-21
Cm-243	Am-243+D	5.484E-11	8.469E-14	1.411E-13	2.501E-13	5.927E-13	1.789E-12	2.228E-12	2.345E-12	2.065E-12
Cm-243	Pu-239	5.484E-11	1.954E-18	5.250E-18	1.657E-17	1.022E-16	1.680E-15	4.427E-15	1.754E-14	5.836E-14
Cm-243	U-235+D	5.484E-11	1.880E-27	1.942E-27	2.381E-27	5.313E-27	3.283E-24	1.817E-23	2.472E-22	2.970E-21
Cm-243	Pa-231	5.484E-11	9.986E-25	1.073E-24	1.177E-24	1.580E-24	2.666E-24	3.161E-24	9.227E-24	3.366E-22
Cm-243	Ac-227+D3	5.484E-11	1.080E-24	1.158E-24	1.354E-24	1.898E-24	3.567E-24	4.041E-24	6.937E-24	1.647E-22
Cm-243	ΣDSR(j)		8.374E-11	8.183E-11	7.813E-11	6.650E-11	2.555E-11	9.941E-12	2.428E-12	2.124E-12

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Cm-243	Cm-243	1.189E-12	1.814E-12	1.771E-12	1.689E-12	1.429E-12	5.150E-13	1.671E-13	1.419E-15	9.011E-23
Cm-243	Am-243+D	1.189E-12	1.836E-15	3.060E-15	5.423E-15	1.285E-14	3.879E-14	4.831E-14	5.085E-14	4.478E-14
Cm-243	Pu-239	1.189E-12	4.109E-20	1.125E-19	3.580E-19	2.214E-18	3.643E-17	9.597E-17	3.803E-16	1.265E-15
Cm-243	U-235+D	1.189E-12	4.415E-27	4.320E-27	4.580E-27	5.251E-27	8.238E-26	4.050E-25	5.369E-24	6.441E-23
Cm-243	Pa-231	1.189E-12	1.625E-26	1.746E-26	2.067E-26	2.908E-26	5.535E-26	6.258E-26	1.803E-25	7.279E-24
Cm-243	Ac-227+D4	1.189E-12	2.623E-26	2.809E-26	3.160E-26	4.308E-26	7.588E-26	8.746E-26	1.529E-25	3.421E-24
Cm-243	ΣDSR(j)		1.816E-12	1.774E-12	1.694E-12	1.442E-12	5.538E-13	2.155E-13	5.265E-14	4.604E-14
Cm-243	Cm-243	3.291E-15	5.020E-15	4.901E-15	4.673E-15	3.955E-15	1.425E-15	4.625E-16	3.928E-18	2.494E-25
Cm-243	Am-243+D	3.291E-15	5.082E-18	8.469E-18	1.501E-17	3.556E-17	1.074E-16	1.337E-16	1.407E-16	1.239E-16
Cm-243	Pu-239	3.291E-15	1.136E-22	3.113E-22	9.906E-22	6.127E-21	1.008E-19	2.656E-19	1.052E-18	3.502E-18
Cm-243	U-235+D	3.291E-15	2.676E-30	2.428E-30	2.343E-30	3.302E-30	2.105E-28	1.104E-27	1.484E-26	1.782E-25
Cm-243	Pa-231	3.291E-15	8.411E-29	8.802E-29	9.400E-29	1.184E-28	1.779E-28	2.151E-28	5.890E-28	2.023E-26
Cm-243	Ac-227+D5	3.291E-15	7.449E-29	7.982E-29	8.946E-29	1.213E-28	2.112E-28	2.440E-28	4.259E-28	9.469E-27
Cm-243	ΣDSR(j)		5.025E-15	4.910E-15	4.688E-15	3.990E-15	1.533E-15	5.965E-16	1.457E-16	1.274E-16
Cm-243	Cm-243	9.805E-01	1.496E+00	1.460E+00	1.392E+00	1.178E+00	4.247E-01	1.378E-01	1.170E-03	7.431E-11
Cm-243	Pu-239+D	9.805E-01	4.602E-04	7.670E-04	1.359E-03	3.222E-03	9.743E-03	1.216E-02	1.296E-02	1.192E-02
Cm-243	U-235+D	9.805E-01	4.413E-14	1.103E-13	3.378E-13	2.060E-12	3.387E-11	8.930E-11	3.553E-10	1.195E-09
Cm-243	Pa-231	9.805E-01	2.601E-14	2.697E-14	2.862E-14	3.632E-14	2.300E-13	1.009E-12	1.291E-11	2.017E-10
Cm-243	Ac-227+D	9.805E-01	1.469E-14	1.583E-14	1.847E-14	2.596E-14	8.306E-14	3.636E-13	6.638E-12	1.006E-10
Cm-243	ΣDSR(j)		1.496E+00	1.461E+00	1.394E+00	1.182E+00	4.344E-01	1.500E-01	1.413E-02	1.192E-02
Cm-243	Cm-243	2.714E-03	4.140E-03	4.042E-03	3.854E-03	3.261E-03	1.175E-03	3.814E-04	3.239E-06	2.057E-13
Cm-243	Pu-239+D	2.714E-03	1.274E-06	2.123E-06	3.762E-06	8.917E-06	2.697E-05	3.366E-05	3.586E-05	3.299E-05
Cm-243	U-235+D	2.714E-03	1.157E-16	2.988E-16	9.283E-16	5.695E-15	9.372E-14	2.472E-13	9.834E-13	3.309E-12
Cm-243	Pa-231	2.714E-03	2.814E-17	3.060E-17	3.589E-17	5.179E-17	5.715E-16	2.728E-15	3.568E-14	5.581E-13
Cm-243	Ac-227+D1	2.714E-03	4.253E-17	4.549E-17	5.267E-17	7.342E-17	2.339E-16	1.010E-15	1.837E-14	2.782E-13
Cm-243	ΣDSR(j)		4.141E-03	4.044E-03	3.858E-03	3.270E-03	1.202E-03	4.151E-04	3.910E-05	3.299E-05
Cm-243	Cm-243	1.372E-02	2.093E-02	2.043E-02	1.948E-02	1.649E-02	5.942E-03	1.928E-03	1.637E-05	1.040E-12
Cm-243	Pu-239+D	1.372E-02	6.439E-06	1.073E-05	1.902E-05	4.508E-05	1.363E-04	1.702E-04	1.813E-04	1.668E-04
Cm-243	U-235+D	1.372E-02	5.754E-16	1.501E-15	4.684E-15	2.878E-14	4.738E-13	1.250E-12	4.972E-12	1.673E-11
Cm-243	Pa-231	1.372E-02	1.630E-16	1.732E-16	1.987E-16	2.878E-16	2.960E-15	1.386E-14	1.805E-13	2.821E-12
Cm-243	Ac-227+D2	1.372E-02	2.642E-16	2.806E-16	3.150E-16	4.229E-16	1.257E-15	5.171E-15	9.276E-14	1.404E-12
Cm-243	ΣDSR(j)		2.093E-02	2.045E-02	1.950E-02	1.653E-02	6.079E-03	2.099E-03	1.977E-04	1.668E-04
Cm-243	Cm-243	3.797E-05	5.792E-05	5.656E-05	5.392E-05	4.563E-05	1.645E-05	5.337E-06	4.532E-08	2.878E-15
Cm-243	Pu-239+D	3.797E-05	1.782E-08	2.970E-08	5.264E-08	1.248E-07	3.773E-07	4.710E-07	5.017E-07	4.616E-07
Cm-243	U-235+D	3.797E-05	1.255E-18	3.817E-18	1.263E-17	7.932E-17	1.311E-15	3.458E-15	1.376E-14	4.629E-14
Cm-243	Pa-231	3.797E-05	6.470E-19	6.827E-19	7.464E-19	1.035E-18	8.526E-18	3.870E-17	4.998E-16	7.809E-15
Cm-243	Ac-227+D3	3.797E-05	6.670E-19	7.101E-19	8.062E-19	1.104E-18	3.397E-18	1.423E-17	2.566E-16	3.885E-15
Cm-243	ΣDSR(j)		5.794E-05	5.659E-05	5.398E-05	4.576E-05	1.682E-05	5.808E-06	5.470E-07	4.616E-07

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)								
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03	
Cm-243	Cm-243	8.232E-07	1.256E-06	1.226E-06	1.169E-06	9.894E-07	3.566E-07	1.157E-07	9.825E-10	6.239E-17	
Cm-243	Pu-239+D	8.232E-07	3.863E-10	6.439E-10	1.141E-09	2.705E-09	8.180E-09	1.021E-08	1.088E-08	1.001E-08	
Cm-243	U-235+D	8.232E-07	3.103E-20	8.658E-20	2.776E-19	1.723E-18	2.843E-17	7.497E-17	2.983E-16	1.004E-15	
Cm-243	Pa-231	8.232E-07	1.629E-20	1.706E-20	1.843E-20	2.484E-20	1.874E-19	8.417E-19	1.084E-17	1.693E-16	
Cm-243	Ac-227+D4	8.232E-07	1.116E-20	1.203E-20	1.422E-20	2.015E-20	5.999E-20	2.844E-19	5.306E-18	8.045E-17	
Cm-243	ΣDSR(j)		1.256E-06	1.227E-06	1.170E-06	9.921E-07	3.647E-07	1.259E-07	1.186E-08	1.001E-08	
Cm-243	Cm-243	2.278E-09	3.475E-09	3.394E-09	3.236E-09	2.738E-09	9.868E-10	3.202E-10	2.719E-12	1.727E-19	
Cm-243	Pu-239+D	2.278E-09	1.069E-12	1.782E-12	3.159E-12	7.487E-12	2.264E-11	2.826E-11	3.011E-11	2.770E-11	
Cm-243	U-235+D	2.278E-09	8.494E-23	2.387E-22	7.672E-22	4.769E-21	7.868E-20	2.075E-19	8.257E-19	2.778E-18	
Cm-243	Pa-231	2.278E-09	2.329E-23	2.522E-23	2.972E-23	4.267E-23	4.750E-22	2.286E-21	2.995E-20	4.685E-19	
Cm-243	Ac-227+D5	2.278E-09	3.785E-23	4.032E-23	4.588E-23	6.285E-23	1.941E-22	8.151E-22	1.471E-20	2.227E-19	
Cm-243	ΣDSR(j)		3.477E-09	3.395E-09	3.239E-09	2.746E-09	1.009E-09	3.485E-10	3.282E-11	2.770E-11	
Cm-243	Cm-243	5.887E-04	8.980E-04	8.768E-04	8.360E-04	7.075E-04	2.550E-04	8.274E-05	7.026E-07	4.461E-14	
Cm-243	Pu-239	5.887E-04	2.763E-07	4.605E-07	8.161E-07	1.934E-06	5.849E-06	7.301E-06	7.778E-06	7.156E-06	
Cm-243	U-235+D	5.887E-04	2.108E-17	6.080E-17	1.974E-16	1.231E-15	2.033E-14	5.361E-14	2.133E-13	7.177E-13	
Cm-243	Pa-231	5.887E-04	7.708E-18	8.205E-18	9.266E-18	1.327E-17	1.286E-16	5.965E-16	7.745E-15	1.211E-13	
Cm-243	Ac-227+D	5.887E-04	8.471E-18	9.183E-18	1.080E-17	1.526E-17	4.862E-17	2.170E-16	3.984E-15	6.040E-14	
Cm-243	ΣDSR(j)		8.982E-04	8.773E-04	8.368E-04	7.094E-04	2.608E-04	9.004E-05	8.481E-06	7.156E-06	
Cm-243	Cm-243	1.629E-06	2.485E-06	2.427E-06	2.314E-06	1.958E-06	7.057E-07	2.290E-07	1.944E-09	1.235E-16	
Cm-243	Pu-239	1.629E-06	7.646E-10	1.274E-09	2.259E-09	5.354E-09	1.619E-08	2.021E-08	2.153E-08	1.980E-08	
Cm-243	U-235+D	1.629E-06	6.562E-20	1.756E-19	5.535E-19	3.415E-18	5.626E-17	1.484E-16	5.904E-16	1.986E-15	
Cm-243	Pa-231	1.629E-06	1.656E-20	1.787E-20	2.113E-20	3.007E-20	3.306E-19	1.626E-18	2.141E-17	3.350E-16	
Cm-243	Ac-227+D1	1.629E-06	3.635E-20	3.829E-20	4.243E-20	5.519E-20	1.547E-19	6.204E-19	1.104E-17	1.670E-16	
Cm-243	ΣDSR(j)		2.486E-06	2.428E-06	2.316E-06	1.963E-06	7.218E-07	2.492E-07	2.347E-08	1.980E-08	
Cm-243	Cm-243	8.237E-06	1.256E-05	1.227E-05	1.170E-05	9.899E-06	3.568E-06	1.158E-06	9.831E-09	6.242E-16	
Cm-243	Pu-239	8.237E-06	3.865E-09	6.443E-09	1.142E-08	2.707E-08	8.184E-08	1.022E-07	1.088E-07	1.001E-07	
Cm-243	U-235+D	8.237E-06	2.951E-19	8.509E-19	2.762E-18	1.723E-17	2.844E-16	7.501E-16	2.985E-15	1.004E-14	
Cm-243	Pa-231	8.237E-06	2.313E-19	2.394E-19	2.533E-19	3.179E-19	1.944E-18	8.490E-18	1.085E-16	1.694E-15	
Cm-243	Ac-227+D2	8.237E-06	1.374E-19	1.461E-19	1.677E-19	2.313E-19	7.248E-19	3.075E-18	5.566E-17	8.426E-16	
Cm-243	ΣDSR(j)		1.257E-05	1.227E-05	1.171E-05	9.926E-06	3.649E-06	1.260E-06	1.187E-07	1.001E-07	
Cm-243	Cm-243	2.280E-08	3.477E-08	3.395E-08	3.237E-08	2.740E-08	9.874E-09	3.204E-09	2.721E-11	1.728E-18	
Cm-243	Pu-239	2.280E-08	1.070E-11	1.783E-11	3.160E-11	7.491E-11	2.265E-10	2.827E-10	3.012E-10	2.771E-10	
Cm-243	U-235+D	2.280E-08	8.979E-22	2.436E-21	7.725E-21	4.776E-20	7.872E-19	2.076E-18	8.261E-18	2.779E-17	
Cm-243	Pa-231	2.280E-08	4.657E-22	4.879E-22	5.253E-22	7.035E-22	5.206E-21	2.332E-20	3.001E-19	4.688E-18	
Cm-243	Ac-227+D3	2.280E-08	3.622E-22	3.869E-22	4.468E-22	6.216E-22	1.972E-21	8.476E-21	1.540E-19	2.332E-18	
Cm-243	ΣDSR(j)		3.478E-08	3.397E-08	3.240E-08	2.747E-08	1.010E-08	3.487E-09	3.284E-10	2.771E-10	

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)								
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03	
Cm-243	Cm-243	4.942E-10	7.539E-10	7.361E-10	7.019E-10	5.940E-10	2.141E-10	6.947E-11	5.899E-13	3.746E-20	
Cm-243	Pu-239	4.942E-10	2.319E-13	3.866E-13	6.851E-13	1.624E-12	4.911E-12	6.130E-12	6.530E-12	6.008E-12	
Cm-243	U-235+D	4.942E-10	1.920E-23	5.255E-23	1.672E-22	1.035E-21	1.707E-20	4.501E-20	1.791E-19	6.026E-19	
Cm-243	Pa-231	4.942E-10	1.033E-23	1.081E-23	1.163E-23	1.550E-23	1.131E-22	5.059E-22	6.507E-21	1.016E-19	
Cm-243	Ac-227+D4	4.942E-10	6.726E-24	7.264E-24	8.566E-24	1.213E-23	3.816E-23	1.729E-22	3.187E-21	4.830E-20	
Cm-243	ΣDSR(j)		7.541E-10	7.365E-10	7.025E-10	5.956E-10	2.190E-10	7.560E-11	7.120E-12	6.008E-12	
Cm-243	Cm-243	1.368E-12	2.087E-12	2.037E-12	1.942E-12	1.644E-12	5.925E-13	1.923E-13	1.633E-15	1.037E-22	
Cm-243	Pu-239	1.368E-12	6.419E-16	1.070E-15	1.896E-15	4.495E-15	1.359E-14	1.697E-14	1.807E-14	1.663E-14	
Cm-243	U-235+D	1.368E-12	5.642E-26	1.487E-25	4.660E-25	2.868E-24	4.724E-23	1.246E-22	4.957E-22	1.668E-21	
Cm-243	Pa-231	1.368E-12	1.741E-26	1.846E-26	2.095E-26	3.006E-26	2.977E-25	1.385E-24	1.799E-23	2.813E-22	
Cm-243	Ac-227+D5	1.368E-12	1.859E-26	2.008E-26	2.368E-26	3.355E-26	1.056E-25	4.785E-25	8.822E-24	1.337E-22	
Cm-243	ΣDSR(j)		2.087E-12	2.038E-12	1.944E-12	1.648E-12	6.061E-13	2.092E-13	1.971E-14	1.663E-14	
Cm-244	Cm-244	1.371E-06	1.671E-06	1.608E-06	1.490E-06	1.139E-06	2.209E-07	3.620E-08	1.700E-11	4.289E-23	
Cm-244	Cm-244	5.750E-08	7.008E-08	6.745E-08	6.247E-08	4.777E-08	9.266E-09	1.518E-09	7.128E-13	1.799E-24	
Cm-244	Pu-240	5.750E-08	9.947E-11	1.646E-10	2.877E-10	6.509E-10	1.592E-09	1.765E-09	1.722E-09	1.500E-09	
Cm-244	ΣDSR(j)		7.018E-08	6.761E-08	6.276E-08	4.842E-08	1.086E-08	3.284E-09	1.723E-09	1.500E-09	
Cm-244	Cm-244	1.000E+00	1.219E+00	1.173E+00	1.086E+00	8.308E-01	1.611E-01	2.641E-02	1.240E-05	3.128E-17	
Cm-244	Pu-240	1.000E+00	1.730E-03	2.863E-03	5.004E-03	1.132E-02	2.769E-02	3.070E-02	2.995E-02	2.608E-02	
Cm-244	U-236	1.000E+00	4.362E-12	1.181E-11	3.726E-11	2.239E-10	3.188E-09	7.633E-09	2.663E-08	8.350E-08	
Cm-244	Th-232	1.000E+00	1.144E-22	1.459E-22	2.987E-22	6.643E-21	6.963E-19	3.347E-18	3.925E-17	6.422E-16	
Cm-244	Ra-228+D	1.000E+00	3.265E-22	3.000E-22	3.329E-22	1.299E-21	4.443E-19	2.578E-18	3.479E-17	5.009E-15	
Cm-244	Th-228+D	1.000E+00	4.663E-24	4.581E-24	4.931E-24	3.478E-23	1.216E-19	7.658E-19	1.087E-17	2.144E-16	
Cm-244	ΣDSR(j)		1.221E+00	1.176E+00	1.091E+00	8.421E-01	1.888E-01	5.711E-02	2.996E-02	2.608E-02	
Co-60	Co-60	1.000E+00	1.122E-01	9.840E-02	7.563E-02	3.011E-02	1.078E-04	2.163E-07	8.040E-19	0.000E+00	
Cs-134	Cs-134	1.000E+00	1.935E+00	1.382E+00	7.056E-01	6.708E-02	3.782E-08	4.859E-15	1.121E-44	0.000E+00	
Cs-137+D	Cs-137+D	1.000E+00	1.536E+00	1.500E+00	1.431E+00	1.215E+00	4.450E-01	1.471E-01	1.349E-03	1.188E-10	
Eu-152	Eu-152	7.210E-01	2.739E-02	2.601E-02	2.347E-02	1.637E-02	1.812E-03	1.599E-04	5.451E-09	1.284E-24	
Eu-152	Eu-152	2.790E-01	1.060E-02	1.007E-02	9.082E-03	6.336E-03	7.011E-04	6.187E-05	2.109E-09	4.969E-25	
Eu-152	Gd-152	2.790E-01	3.789E-16	5.625E-16	8.998E-16	1.841E-15	3.770E-15	3.984E-15	3.985E-15	4.397E-15	
Eu-152	Sm-148	2.790E-01	7.049E-30	6.696E-30	6.042E-30	4.216E-30	4.687E-31	4.357E-32	2.416E-33	4.639E-29	
Eu-152	Nd-144	2.790E-01	4.760E-38	4.759E-38	4.758E-38	4.754E-38	4.726E-38	4.695E-38	4.568E-38	4.147E-38	
Eu-152	ΣDSR(j)		1.060E-02	1.007E-02	9.082E-03	6.336E-03	7.011E-04	6.187E-05	2.109E-09	4.397E-15	
Eu-154	Eu-154	1.000E+00	5.517E-02	5.088E-02	4.328E-02	2.457E-02	7.705E-04	1.693E-05	1.593E-12	4.153E-37	
Eu-155	Eu-155	1.000E+00	8.562E-03	7.400E-03	5.528E-03	1.992E-03	3.881E-06	3.980E-09	8.603E-22	0.000E+00	

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Fe-55	Fe-55	1.000E+00	1.480E-04	1.149E-04	6.925E-05	1.176E-05	2.306E-10	1.484E-15	1.492E-37	0.000E+00
H-3	H-3	1.000E+00	2.169E-01	1.844E-01	1.333E-01	4.281E-02	4.123E-05	1.944E-08	1.563E-22	0.000E+00
Nb-94	Nb-94	1.000E+00	8.656E-02	8.651E-02	8.642E-02	8.611E-02	8.423E-02	8.220E-02	7.415E-02	5.550E-02
Ni-59	Ni-59	1.000E+00	5.746E-03	5.744E-03	5.740E-03	5.725E-03	5.638E-03	5.544E-03	5.162E-03	5.528E-03
Ni-63	Ni-63	1.000E+00	1.573E-02	1.562E-02	1.539E-02	1.463E-02	1.071E-02	7.601E-03	1.774E-03	1.499E-05
Np-237+D	Np-237+D	1.000E+00	2.026E+03	1.990E+03	1.919E+03	1.691E+03	7.801E+02	3.324E+02	8.945E+00	2.865E-05
Np-237+D	U-233	1.000E+00	4.154E-05	4.708E-05	5.669E-05	8.769E-05	2.106E-04	2.696E-04	3.032E-04	2.742E-04
Np-237+D	Th-229+D	1.000E+00	3.157E-05	3.101E-05	2.991E-05	2.637E-05	1.230E-05	6.012E-06	2.231E-06	1.052E-05
Np-237+D	ΣDSR(j)		2.026E+03	1.990E+03	1.919E+03	1.691E+03	7.801E+02	3.324E+02	8.946E+00	3.134E-04
Pm-147	Pm-147	1.000E+00	5.569E-03	4.275E-03	2.519E-03	3.956E-04	4.806E-09	1.824E-14	1.957E-37	0.000E+00
Pm-147	Sm-147	1.000E+00	1.629E-12	2.197E-12	2.959E-12	3.881E-12	4.048E-12	4.043E-12	4.022E-12	4.344E-12
Pm-147	ΣDSR(j)		5.569E-03	4.275E-03	2.519E-03	3.956E-04	4.810E-09	4.061E-12	4.022E-12	4.344E-12
Pu-238	Pu-238	1.850E-09	1.856E-08	1.841E-08	1.812E-08	1.713E-08	1.215E-08	8.316E-09	1.670E-09	6.198E-12
Pu-238	Pu-238	9.996E-01	1.003E+01	9.949E+00	9.791E+00	9.256E+00	6.564E+00	4.494E+00	9.021E-01	3.349E-03
Pu-238	U-234	9.996E-01	5.327E-06	8.880E-06	1.590E-05	3.958E-05	1.581E-04	2.481E-04	3.953E-04	3.933E-04
Pu-238	Th-230	9.996E-01	1.511E-11	2.117E-11	3.702E-11	1.316E-10	1.864E-09	5.547E-09	3.100E-08	1.962E-07
Pu-238	Ra-226+D	9.996E-01	2.310E-11	2.316E-11	2.331E-11	2.409E-11	8.533E-11	3.799E-10	6.530E-09	1.268E-06
Pu-238	Pb-210+D	9.996E-01	9.083E-11	9.105E-11	9.156E-11	9.306E-11	2.111E-10	1.086E-09	2.890E-08	9.606E-07
Pu-238	Po-210	9.996E-01	4.015E-11	3.998E-11	4.028E-11	4.178E-11	5.076E-10	4.310E-09	1.272E-07	2.459E-06
Pu-238	ΣDSR(j)		1.003E+01	9.949E+00	9.791E+00	9.256E+00	6.564E+00	4.494E+00	9.025E-01	3.747E-03
Pu-238	Pu-238	1.319E-06	1.324E-05	1.313E-05	1.292E-05	1.222E-05	8.664E-06	5.931E-06	1.191E-06	4.421E-09
Pu-238	U-234	1.319E-06	7.032E-12	1.172E-11	2.099E-11	5.224E-11	2.087E-10	3.276E-10	5.218E-10	5.191E-10
Pu-238	Th-230	1.319E-06	1.997E-17	2.797E-17	4.889E-17	1.738E-16	2.461E-15	7.322E-15	4.091E-14	2.590E-13
Pu-238	Ra-226+D	1.319E-06	3.061E-17	3.069E-17	3.089E-17	3.203E-17	1.129E-16	5.017E-16	8.620E-15	1.674E-12
Pu-238	Pb-210+D1	1.319E-06	1.189E-16	1.192E-16	1.199E-16	1.216E-16	2.771E-16	1.432E-15	3.814E-14	1.261E-12
Pu-238	ΣDSR(j)		1.324E-05	1.313E-05	1.292E-05	1.222E-05	8.665E-06	5.932E-06	1.191E-06	4.943E-09
Pu-238	Pu-238	1.899E-08	1.906E-07	1.890E-07	1.860E-07	1.759E-07	1.247E-07	8.538E-08	1.714E-08	6.363E-11
Pu-238	U-234	1.899E-08	1.012E-13	1.687E-13	3.021E-13	7.520E-13	3.004E-12	4.715E-12	7.511E-12	7.472E-12
Pu-238	Th-230	1.899E-08	2.877E-19	4.028E-19	7.039E-19	2.502E-18	3.542E-17	1.054E-16	5.889E-16	3.728E-15
Pu-238	Ra-226+D	1.899E-08	4.452E-19	4.463E-19	4.494E-19	4.662E-19	1.630E-18	7.227E-18	1.241E-16	2.410E-14
Pu-238	Pb-210+D2	1.899E-08	1.711E-18	1.715E-18	1.725E-18	1.750E-18	3.985E-18	2.059E-17	5.484E-16	1.813E-14
Pu-238	ΣDSR(j)		1.906E-07	1.890E-07	1.860E-07	1.759E-07	1.247E-07	8.538E-08	1.715E-08	7.115E-11

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)								
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03	
Pu-238	Pu-238	2.100E-04	2.107E-03	2.090E-03	2.056E-03	1.944E-03	1.379E-03	9.438E-04	1.895E-04	7.035E-07	
Pu-238	U-234	2.100E-04	1.119E-09	1.865E-09	3.339E-09	8.313E-09	3.321E-08	5.212E-08	8.304E-08	8.260E-08	
Pu-238	Th-230	2.100E-04	3.182E-15	4.454E-15	7.783E-15	2.765E-14	3.916E-13	1.165E-12	6.510E-12	4.122E-11	
Pu-238	Ra-226+D1	2.100E-04	4.865E-15	4.878E-15	4.908E-15	5.086E-15	1.795E-14	7.981E-14	1.372E-12	2.664E-10	
Pu-238	Pb-210+D	2.100E-04	1.905E-14	1.910E-14	1.920E-14	1.951E-14	4.431E-14	2.282E-13	6.071E-12	2.018E-10	
Pu-238	Po-210	2.100E-04	8.072E-15	8.063E-15	8.118E-15	8.449E-15	1.063E-13	9.050E-13	2.671E-11	5.165E-10	
Pu-238	ΣDSR(j)		2.107E-03	2.090E-03	2.056E-03	1.944E-03	1.379E-03	9.439E-04	1.896E-04	7.871E-07	
Pu-238	Pu-238	2.771E-10	2.781E-09	2.759E-09	2.715E-09	2.566E-09	1.820E-09	1.246E-09	2.501E-10	9.286E-13	
Pu-238	U-234	2.771E-10	1.477E-15	2.462E-15	4.408E-15	1.097E-14	4.383E-14	6.880E-14	1.096E-13	1.090E-13	
Pu-238	Th-230	2.771E-10	4.192E-21	5.871E-21	1.027E-20	3.650E-20	5.169E-19	1.538E-18	8.594E-18	5.441E-17	
Pu-238	Ra-226+D1	2.771E-10	6.397E-21	6.415E-21	6.451E-21	6.623E-21	2.360E-20	1.053E-19	1.810E-18	3.517E-16	
Pu-238	Pb-210+D1	2.771E-10	2.507E-20	2.514E-20	2.527E-20	2.566E-20	5.836E-20	3.010E-19	8.012E-18	2.649E-16	
Pu-238	ΣDSR(j)		2.781E-09	2.759E-09	2.715E-09	2.566E-09	1.820E-09	1.246E-09	2.502E-10	1.038E-12	
Pu-238	Pu-238	3.989E-12	4.003E-11	3.971E-11	3.907E-11	3.694E-11	2.620E-11	1.793E-11	3.600E-12	1.337E-14	
Pu-238	U-234	3.989E-12	2.126E-17	3.544E-17	6.345E-17	1.580E-16	6.309E-16	9.903E-16	1.578E-15	1.569E-15	
Pu-238	Th-230	3.989E-12	6.034E-23	8.451E-23	1.478E-22	5.253E-22	7.440E-21	2.214E-20	1.237E-19	7.831E-19	
Pu-238	Ra-226+D1	3.989E-12	9.344E-23	9.368E-23	9.433E-23	9.785E-23	3.422E-22	1.518E-21	2.606E-20	5.062E-18	
Pu-238	Pb-210+D2	3.989E-12	3.615E-22	3.624E-22	3.644E-22	3.703E-22	8.407E-22	4.328E-21	1.152E-19	3.808E-18	
Pu-238	ΣDSR(j)		4.003E-11	3.971E-11	3.907E-11	3.694E-11	2.620E-11	1.793E-11	3.602E-12	1.494E-14	
Pu-238	Pu-238	1.998E-04	2.004E-03	1.988E-03	1.957E-03	1.850E-03	1.312E-03	8.980E-04	1.803E-04	6.693E-07	
Pu-238	U-234	1.998E-04	1.065E-09	1.774E-09	3.177E-09	7.909E-09	3.159E-08	4.959E-08	7.900E-08	7.859E-08	
Pu-238	Th-230	1.998E-04	3.033E-15	4.244E-15	7.411E-15	2.632E-14	3.726E-13	1.108E-12	6.194E-12	3.922E-11	
Pu-238	Ra-226+D2	1.998E-04	4.641E-15	4.654E-15	4.684E-15	4.859E-15	1.709E-14	7.592E-14	1.304E-12	2.533E-10	
Pu-238	Pb-210+D	1.998E-04	1.812E-14	1.816E-14	1.827E-14	1.856E-14	4.215E-14	2.171E-13	5.776E-12	1.920E-10	
Pu-238	Po-210	1.998E-04	7.574E-15	7.561E-15	7.607E-15	7.921E-15	1.010E-13	8.609E-13	2.541E-11	4.914E-10	
Pu-238	ΣDSR(j)		2.004E-03	1.988E-03	1.957E-03	1.850E-03	1.312E-03	8.980E-04	1.804E-04	7.489E-07	
Pu-238	Pu-238	2.637E-10	2.646E-09	2.625E-09	2.583E-09	2.442E-09	1.732E-09	1.185E-09	2.380E-10	8.835E-13	
Pu-238	U-234	2.637E-10	1.405E-15	2.342E-15	4.194E-15	1.044E-14	4.170E-14	6.546E-14	1.043E-13	1.037E-13	
Pu-238	Th-230	2.637E-10	3.999E-21	5.597E-21	9.778E-21	3.473E-20	4.918E-19	1.463E-18	8.176E-18	5.177E-17	
Pu-238	Ra-226+D2	2.637E-10	6.137E-21	6.154E-21	6.195E-21	6.428E-21	2.257E-20	1.002E-19	1.722E-18	3.344E-16	
Pu-238	Pb-210+D1	2.637E-10	2.369E-20	2.375E-20	2.388E-20	2.420E-20	5.473E-20	2.856E-19	7.622E-18	2.520E-16	
Pu-238	ΣDSR(j)		2.646E-09	2.625E-09	2.583E-09	2.442E-09	1.732E-09	1.185E-09	2.381E-10	9.878E-13	
Pu-238	Pu-238	3.795E-12	3.808E-11	3.778E-11	3.718E-11	3.514E-11	2.492E-11	1.706E-11	3.425E-12	1.272E-14	
Pu-238	U-234	3.795E-12	2.023E-17	3.372E-17	6.037E-17	1.503E-16	6.003E-16	9.422E-16	1.501E-15	1.493E-15	
Pu-238	Th-230	3.795E-12	5.726E-23	8.025E-23	1.404E-22	4.997E-22	7.079E-21	2.106E-20	1.177E-19	7.451E-19	
Pu-238	Ra-226+D2	3.795E-12	8.818E-23	8.842E-23	8.901E-23	9.234E-23	3.247E-22	1.443E-21	2.478E-20	4.813E-18	
Pu-238	Pb-210+D2	3.795E-12	3.436E-22	3.444E-22	3.463E-22	3.518E-22	7.993E-22	4.118E-21	1.096E-19	3.623E-18	
Pu-238	ΣDSR(j)		3.808E-11	3.778E-11	3.718E-11	3.514E-11	2.492E-11	1.706E-11	3.427E-12	1.422E-14	

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Pu-238	Pu-238	4.196E-08	4.210E-07	4.176E-07	4.110E-07	3.885E-07	2.755E-07	1.886E-07	3.787E-08	1.406E-10
Pu-238	U-234	4.196E-08	2.236E-13	3.727E-13	6.674E-13	1.661E-12	6.636E-12	1.042E-11	1.659E-11	1.651E-11
Pu-238	Th-230	4.196E-08	6.368E-19	8.910E-19	1.556E-18	5.528E-18	7.826E-17	2.328E-16	1.301E-15	8.237E-15
Pu-238	Ra-226+D3	4.196E-08	9.747E-19	9.773E-19	9.838E-19	1.021E-18	3.589E-18	1.595E-17	2.740E-16	5.321E-14
Pu-238	Pb-210+D	4.196E-08	3.844E-18	3.852E-18	3.874E-18	3.936E-18	8.895E-18	4.563E-17	1.213E-15	4.032E-14
Pu-238	Po-210	4.196E-08	1.549E-18	1.545E-18	1.557E-18	1.615E-18	2.115E-17	1.808E-16	5.338E-15	1.032E-13
Pu-238	ΣDSR(j)		4.210E-07	4.176E-07	4.110E-07	3.885E-07	2.755E-07	1.886E-07	3.788E-08	1.573E-10
Pu-238	Pu-238	5.538E-14	5.557E-13	5.513E-13	5.425E-13	5.128E-13	3.637E-13	2.490E-13	4.998E-14	1.856E-16
Pu-238	U-234	5.538E-14	2.952E-19	4.920E-19	8.809E-19	2.193E-18	8.760E-18	1.375E-17	2.190E-17	2.179E-17
Pu-238	Th-230	5.538E-14	8.438E-25	1.179E-24	2.058E-24	7.300E-24	1.033E-22	3.073E-22	1.717E-21	1.087E-20
Pu-238	Ra-226+D3	5.538E-14	1.278E-24	1.281E-24	1.288E-24	1.319E-24	4.709E-24	2.102E-23	3.616E-22	7.024E-20
Pu-238	Pb-210+D1	5.538E-14	4.975E-24	4.989E-24	5.017E-24	5.083E-24	1.154E-23	6.002E-23	1.601E-21	5.294E-20
Pu-238	ΣDSR(j)		5.557E-13	5.513E-13	5.425E-13	5.128E-13	3.637E-13	2.490E-13	5.001E-14	2.075E-16
Pu-238	Pu-238	7.972E-16	7.999E-15	7.935E-15	7.808E-15	7.382E-15	5.235E-15	3.584E-15	7.195E-16	2.671E-18
Pu-238	U-234	7.972E-16	4.249E-21	7.082E-21	1.268E-20	3.156E-20	1.261E-19	1.979E-19	3.153E-19	3.136E-19
Pu-238	Th-230	7.972E-16	1.203E-26	1.686E-26	2.950E-26	1.050E-25	1.487E-24	4.424E-24	2.472E-23	1.565E-22
Pu-238	Ra-226+D3	7.972E-16	1.863E-26	1.868E-26	1.881E-26	1.951E-26	6.831E-26	3.031E-25	5.206E-24	1.011E-21
Pu-238	Pb-210+D2	7.972E-16	7.304E-26	7.319E-26	7.361E-26	7.480E-26	1.689E-25	8.659E-25	2.302E-23	7.611E-22
Pu-238	ΣDSR(j)		7.999E-15	7.935E-15	7.808E-15	7.382E-15	5.235E-15	3.584E-15	7.198E-16	2.987E-18
Pu-238	Pu-238	2.000E-07	2.007E-06	1.991E-06	1.959E-06	1.852E-06	1.313E-06	8.991E-07	1.805E-07	6.701E-10
Pu-238	U-234	2.000E-07	1.066E-12	1.777E-12	3.181E-12	7.919E-12	3.163E-11	4.965E-11	7.910E-11	7.869E-11
Pu-238	Th-230	2.000E-07	3.047E-18	4.259E-18	7.430E-18	2.636E-17	3.730E-16	1.110E-15	6.202E-15	3.926E-14
Pu-238	Ra-226+D4	2.000E-07	4.628E-18	4.640E-18	4.670E-18	4.836E-18	1.708E-17	7.597E-17	1.306E-15	2.536E-13
Pu-238	Pb-210+D	2.000E-07	1.844E-17	1.848E-17	1.859E-17	1.888E-17	4.252E-17	2.176E-16	5.783E-15	1.922E-13
Pu-238	Po-210	2.000E-07	6.682E-18	6.702E-18	6.742E-18	6.843E-18	9.896E-17	8.598E-16	2.544E-14	4.920E-13
Pu-238	ΣDSR(j)		2.007E-06	1.991E-06	1.959E-06	1.852E-06	1.313E-06	8.991E-07	1.806E-07	7.498E-10
Pu-238	Pu-238	2.640E-13	2.649E-12	2.628E-12	2.586E-12	2.445E-12	1.734E-12	1.187E-12	2.383E-13	8.845E-16
Pu-238	U-234	2.640E-13	1.407E-18	2.345E-18	4.199E-18	1.045E-17	4.175E-17	6.554E-17	1.044E-16	1.039E-16
Pu-238	Th-230	2.640E-13	4.007E-24	5.607E-24	9.793E-24	3.478E-23	4.924E-22	1.465E-21	8.186E-21	5.183E-20
Pu-238	Ra-226+D4	2.640E-13	6.146E-24	6.162E-24	6.204E-24	6.437E-24	2.259E-23	1.003E-22	1.723E-21	3.347E-19
Pu-238	Pb-210+D1	2.640E-13	2.372E-23	2.379E-23	2.392E-23	2.424E-23	5.515E-23	2.862E-22	7.631E-21	2.523E-19
Pu-238	ΣDSR(j)		2.649E-12	2.628E-12	2.586E-12	2.445E-12	1.734E-12	1.187E-12	2.384E-13	9.890E-16
Pu-238	Pu-238	3.800E-15	3.813E-14	3.782E-14	3.722E-14	3.519E-14	2.495E-14	1.708E-14	3.429E-15	1.273E-17
Pu-238	U-234	3.800E-15	2.025E-20	3.376E-20	6.044E-20	1.505E-19	6.010E-19	9.433E-19	1.503E-18	1.495E-18
Pu-238	Th-230	3.800E-15	5.750E-26	8.052E-26	1.408E-25	5.004E-25	7.087E-24	2.109E-23	1.178E-22	7.460E-22
Pu-238	Ra-226+D4	3.800E-15	8.849E-26	8.873E-26	8.933E-26	9.269E-26	3.253E-25	1.444E-24	2.481E-23	4.818E-21
Pu-238	Pb-210+D2	3.800E-15	3.412E-25	3.421E-25	3.440E-25	3.487E-25	7.941E-25	4.117E-24	1.097E-22	3.628E-21
Pu-238	ΣDSR(j)		3.813E-14	3.782E-14	3.722E-14	3.519E-14	2.495E-14	1.708E-14	3.431E-15	1.424E-17

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)								
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03	
Pu-239	Pu-239	5.901E-04	6.575E-03	6.574E-03	6.572E-03	6.565E-03	6.522E-03	6.475E-03	6.279E-03	5.775E-03	
Pu-239	U-235+D	5.901E-04	1.034E-12	1.730E-12	3.122E-12	7.987E-12	3.749E-11	6.955E-11	2.000E-10	6.045E-10	
Pu-239	Pa-231	5.901E-04	2.332E-14	2.346E-14	2.485E-14	3.538E-14	2.961E-13	9.771E-13	8.226E-12	1.069E-10	
Pu-239	Ac-227+D	5.901E-04	3.340E-14	3.330E-14	3.418E-14	3.542E-14	1.021E-13	3.802E-13	4.343E-12	5.326E-11	
Pu-239	ΣDSR(j)		6.575E-03	6.574E-03	6.572E-03	6.565E-03	6.522E-03	6.475E-03	6.279E-03	5.775E-03	
Pu-239	Pu-239	1.633E-06	1.820E-05	1.820E-05	1.819E-05	1.817E-05	1.805E-05	1.792E-05	1.738E-05	1.598E-05	
Pu-239	U-235+D	1.633E-06	2.862E-15	4.789E-15	8.641E-15	2.211E-14	1.038E-13	1.925E-13	5.535E-13	1.673E-12	
Pu-239	Pa-231	1.633E-06	7.458E-17	7.565E-17	8.070E-17	1.112E-16	8.327E-16	2.717E-15	2.278E-14	2.958E-13	
Pu-239	Ac-227+D1	1.633E-06	8.421E-17	8.395E-17	8.652E-17	8.765E-17	2.653E-16	1.035E-15	1.200E-14	1.472E-13	
Pu-239	ΣDSR(j)		1.820E-05	1.820E-05	1.819E-05	1.817E-05	1.805E-05	1.792E-05	1.738E-05	1.598E-05	
Pu-239	Pu-239	8.257E-06	9.201E-05	9.199E-05	9.196E-05	9.187E-05	9.126E-05	9.060E-05	8.786E-05	8.081E-05	
Pu-239	U-235+D	8.257E-06	1.447E-14	2.421E-14	4.369E-14	1.118E-13	5.246E-13	9.732E-13	2.799E-12	8.458E-12	
Pu-239	Pa-231	8.257E-06	3.895E-16	3.947E-16	4.202E-16	5.745E-16	4.223E-15	1.375E-14	1.152E-13	1.496E-12	
Pu-239	Ac-227+D2	8.257E-06	4.307E-16	4.296E-16	4.422E-16	4.521E-16	1.371E-15	5.253E-15	6.057E-14	7.429E-13	
Pu-239	ΣDSR(j)		9.201E-05	9.199E-05	9.196E-05	9.187E-05	9.126E-05	9.060E-05	8.786E-05	8.081E-05	
Pu-239	Pu-239	2.285E-08	2.546E-07	2.546E-07	2.545E-07	2.543E-07	2.526E-07	2.508E-07	2.432E-07	2.237E-07	
Pu-239	U-235+D	2.285E-08	4.005E-17	6.701E-17	1.209E-16	3.093E-16	1.452E-15	2.694E-15	7.745E-15	2.341E-14	
Pu-239	Pa-231	2.285E-08	8.455E-19	8.452E-19	8.776E-19	1.163E-18	1.126E-17	3.764E-17	3.184E-16	4.139E-15	
Pu-239	Ac-227+D3	2.285E-08	1.375E-18	1.373E-18	1.406E-18	1.455E-18	4.029E-18	1.477E-17	1.679E-16	2.056E-15	
Pu-239	ΣDSR(j)		2.546E-07	2.546E-07	2.545E-07	2.543E-07	2.526E-07	2.508E-07	2.432E-07	2.237E-07	
Pu-239	Pu-239	4.954E-10	5.521E-09	5.520E-09	5.518E-09	5.512E-09	5.476E-09	5.436E-09	5.272E-09	4.849E-09	
Pu-239	U-235+D	4.954E-10	8.682E-19	1.453E-18	2.621E-18	6.706E-18	3.148E-17	5.840E-17	1.679E-16	5.075E-16	
Pu-239	Pa-231	4.954E-10	2.345E-20	2.377E-20	2.530E-20	3.455E-20	2.534E-19	8.252E-19	6.911E-18	8.975E-17	
Pu-239	Ac-227+D4	4.954E-10	2.723E-20	2.719E-20	2.787E-20	2.887E-20	8.220E-20	3.047E-19	3.476E-18	4.259E-17	
Pu-239	ΣDSR(j)		5.521E-09	5.520E-09	5.518E-09	5.512E-09	5.476E-09	5.436E-09	5.272E-09	4.849E-09	
Pu-239	Pu-239	1.371E-12	1.528E-11	1.528E-11	1.527E-11	1.526E-11	1.516E-11	1.505E-11	1.459E-11	1.342E-11	
Pu-239	U-235+D	1.371E-12	2.403E-21	4.021E-21	7.255E-21	1.856E-20	8.712E-20	1.616E-19	4.647E-19	1.405E-18	
Pu-239	Pa-231	1.371E-12	6.413E-23	6.499E-23	6.921E-23	9.484E-23	7.007E-22	2.283E-21	1.913E-20	2.484E-19	
Pu-239	Ac-227+D5	1.371E-12	7.235E-23	7.222E-23	7.409E-23	7.671E-23	2.242E-22	8.401E-22	9.616E-21	1.179E-19	
Pu-239	ΣDSR(j)		1.528E-11	1.528E-11	1.527E-11	1.526E-11	1.516E-11	1.505E-11	1.459E-11	1.342E-11	
Pu-239+D	Pu-239+D	9.829E-01	1.095E+01	1.095E+01	1.095E+01	1.094E+01	1.086E+01	1.079E+01	1.046E+01	9.620E+00	
Pu-239+D	U-235+D	9.829E-01	1.722E-09	2.882E-09	5.201E-09	1.330E-08	6.245E-08	1.159E-07	3.331E-07	1.007E-06	
Pu-239+D	Pa-231	9.829E-01	3.726E-11	3.746E-11	3.946E-11	5.546E-11	4.898E-10	1.624E-09	1.370E-08	1.780E-07	
Pu-239+D	Ac-227+D	9.829E-01	5.385E-11	5.378E-11	5.519E-11	5.710E-11	1.681E-10	6.313E-10	7.232E-09	8.871E-08	
Pu-239+D	ΣDSR(j)		1.095E+01	1.095E+01	1.095E+01	1.094E+01	1.086E+01	1.079E+01	1.046E+01	9.620E+00	
Pu-239+D	Pu-239+D	2.720E-03	3.031E-02	3.031E-02	3.030E-02	3.027E-02	3.007E-02	2.985E-02	2.895E-02	2.663E-02	
Pu-239+D	U-235+D	2.720E-03	4.767E-12	7.977E-12	1.439E-11	3.682E-11	1.728E-10	3.206E-10	9.220E-10	2.787E-09	
Pu-239+D	Pa-231	2.720E-03	1.075E-13	1.082E-13	1.146E-13	1.631E-13	1.365E-12	4.505E-12	3.792E-11	4.927E-10	
Pu-239+D	Ac-227+D1	2.720E-03	1.614E-13	1.612E-13	1.651E-13	1.709E-13	4.780E-13	1.759E-12	2.002E-11	2.453E-10	
Pu-239+D	ΣDSR(j)		3.031E-02	3.031E-02	3.030E-02	3.027E-02	3.007E-02	2.985E-02	2.895E-02	2.663E-02	

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Pu-239+D	Pu-239+D	1.375E-02	1.533E-01	1.532E-01	1.532E-01	1.530E-01	1.520E-01	1.509E-01	1.464E-01	1.346E-01
Pu-239+D	U-235+D	1.375E-02	2.410E-11	4.033E-11	7.277E-11	1.862E-10	8.738E-10	1.621E-09	4.661E-09	1.409E-08
Pu-239+D	Pa-231	1.375E-02	5.771E-13	5.843E-13	6.241E-13	8.788E-13	6.956E-12	2.283E-11	1.918E-10	2.491E-09
Pu-239+D	Ac-227+D2	1.375E-02	7.674E-13	7.658E-13	7.859E-13	8.138E-13	2.363E-12	8.829E-12	1.010E-10	1.238E-09
Pu-239+D	ΣDSR(j)		1.533E-01	1.532E-01	1.532E-01	1.530E-01	1.520E-01	1.509E-01	1.464E-01	1.346E-01
Pu-239+D	Pu-239+D	3.806E-05	4.241E-04	4.241E-04	4.240E-04	4.235E-04	4.207E-04	4.177E-04	4.050E-04	3.726E-04
Pu-239+D	U-235+D	3.806E-05	6.671E-14	1.116E-13	2.014E-13	5.152E-13	2.418E-12	4.487E-12	1.290E-11	3.899E-11
Pu-239+D	Pa-231	3.806E-05	1.747E-15	1.772E-15	1.889E-15	2.600E-15	1.942E-14	6.334E-14	5.309E-13	6.895E-12
Pu-239+D	Ac-227+D3	3.806E-05	1.959E-15	1.954E-15	2.013E-15	2.041E-15	6.190E-15	2.409E-14	2.791E-13	3.425E-12
Pu-239+D	ΣDSR(j)		4.241E-04	4.241E-04	4.240E-04	4.235E-04	4.207E-04	4.177E-04	4.050E-04	3.726E-04
Pu-239+D	Pu-239+D	8.252E-07	9.196E-06	9.194E-06	9.192E-06	9.182E-06	9.121E-06	9.055E-06	8.782E-06	8.077E-06
Pu-239+D	U-235+D	8.252E-07	1.446E-15	2.420E-15	4.366E-15	1.117E-14	5.243E-14	9.727E-14	2.797E-13	8.453E-13
Pu-239+D	Pa-231	8.252E-07	3.051E-17	3.045E-17	3.149E-17	3.960E-17	4.043E-16	1.357E-15	1.149E-14	1.495E-13
Pu-239+D	Ac-227+D4	8.252E-07	4.054E-17	4.040E-17	4.165E-17	4.209E-17	1.242E-16	4.949E-16	5.777E-15	7.093E-14
Pu-239+D	ΣDSR(j)		9.196E-06	9.194E-06	9.192E-06	9.182E-06	9.121E-06	9.055E-06	8.782E-06	8.077E-06
Pu-239+D	Pu-239+D	2.284E-09	2.545E-08	2.545E-08	2.544E-08	2.541E-08	2.524E-08	2.506E-08	2.430E-08	2.235E-08
Pu-239+D	U-235+D	2.284E-09	4.003E-18	6.697E-18	1.208E-17	3.091E-17	1.451E-16	2.692E-16	7.741E-16	2.340E-15
Pu-239+D	Pa-231	2.284E-09	9.418E-20	9.514E-20	1.013E-19	1.434E-19	1.153E-18	3.788E-18	3.185E-17	4.137E-16
Pu-239+D	Ac-227+D5	2.284E-09	1.122E-19	1.118E-19	1.153E-19	1.166E-19	3.465E-19	1.373E-18	1.599E-17	1.963E-16
Pu-239+D	ΣDSR(j)		2.545E-08	2.545E-08	2.544E-08	2.541E-08	2.524E-08	2.506E-08	2.430E-08	2.235E-08
Pu-240	Pu-240	5.750E-08	6.407E-07	6.405E-07	6.402E-07	6.392E-07	6.329E-07	6.260E-07	5.979E-07	5.211E-07
Pu-240	Pu-240	1.000E+00	1.114E+01	1.114E+01	1.114E+01	1.112E+01	1.101E+01	1.089E+01	1.040E+01	9.063E+00
Pu-240	U-236	1.000E+00	5.301E-08	8.869E-08	1.600E-07	4.093E-07	1.918E-06	3.551E-06	1.013E-05	2.982E-05
Pu-240	Th-232	1.000E+00	2.680E-19	7.145E-19	3.200E-18	2.441E-17	5.476E-16	1.895E-15	1.624E-14	2.383E-13
Pu-240	Ra-228+D	1.000E+00	2.973E-19	3.559E-19	6.521E-19	7.707E-18	3.792E-16	1.511E-15	1.446E-14	1.904E-12
Pu-240	Th-228+D	1.000E+00	2.408E-20	2.508E-20	4.046E-20	1.175E-18	1.078E-16	4.548E-16	4.527E-15	7.988E-14
Pu-240	ΣDSR(j)		1.114E+01	1.114E+01	1.114E+01	1.112E+01	1.101E+01	1.089E+01	1.040E+01	9.063E+00
Pu-241	Pu-241	1.000E+00	2.102E-01	2.003E-01	1.818E-01	1.295E-01	1.630E-02	1.657E-03	1.030E-07	2.000E-22
Pu-241	Am-241	1.000E+00	2.737E-02	4.451E-02	7.631E-02	1.653E-01	3.403E-01	3.376E-01	2.412E-01	7.371E-02
Pu-241	Np-237+D	1.000E+00	1.166E-06	3.183E-06	9.968E-06	5.648E-05	5.421E-04	8.696E-04	8.555E-04	2.587E-04
Pu-241	U-233	1.000E+00	1.325E-13	1.717E-13	3.192E-13	1.688E-12	4.492E-11	1.450E-10	6.491E-10	1.494E-09
Pu-241	Th-229+D	1.000E+00	1.565E-12	1.595E-12	1.697E-12	2.409E-12	9.858E-12	1.598E-11	1.681E-11	3.857E-11
Pu-241	ΣDSR(j)		2.376E-01	2.448E-01	2.581E-01	2.949E-01	3.571E-01	3.402E-01	2.420E-01	7.397E-02
Pu-241+D	Pu-241+D	2.450E-05	5.389E-06	5.134E-06	4.660E-06	3.320E-06	4.178E-07	4.249E-08	2.642E-12	5.128E-27
Pu-241+D	Np-237+D	2.450E-05	2.336E-08	3.824E-08	6.512E-08	1.335E-07	1.694E-07	8.530E-08	2.406E-09	7.705E-15
Pu-241+D	U-233	2.450E-05	4.325E-16	7.721E-16	1.510E-15	4.634E-15	2.657E-14	4.122E-14	5.118E-14	4.637E-14
Pu-241+D	Th-229+D	2.450E-05	3.977E-16	6.281E-16	1.044E-15	2.101E-15	2.650E-15	1.477E-15	3.621E-16	1.723E-15
Pu-241+D	ΣDSR(j)		5.412E-06	5.172E-06	4.725E-06	3.454E-06	5.872E-07	1.278E-07	2.409E-09	5.580E-14

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Sb-125	Sb-125	7.686E-01	6.240E-02	4.848E-02	2.925E-02	4.994E-03	1.010E-07	6.724E-13	7.807E-35	0.000E+00
Sb-125	Sb-125	2.314E-01	1.878E-02	1.459E-02	8.805E-03	1.503E-03	3.040E-08	2.024E-13	2.350E-35	0.000E+00
Sb-125	Te-125m	2.314E-01	1.813E+00	1.406E+00	8.484E-01	1.448E-01	2.929E-06	1.950E-11	2.264E-33	0.000E+00
Sb-125	ΣDSR(j)		1.832E+00	1.420E+00	8.572E-01	1.463E-01	2.959E-06	1.970E-11	2.288E-33	0.000E+00
Sr-90+D	Sr-90+D	1.000E+00	4.362E+01	4.221E+01	3.954E+01	3.143E+01	7.730E+00	1.646E+00	2.343E-03	2.881E-13
Tc-99	Tc-99	1.000E+00	5.142E+00	4.626E+00	3.742E+00	1.782E+00	1.907E-02	1.280E-04	7.920E-14	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Ag-108m	1.001E+02	1.003E+02	1.008E+02	1.026E+02	1.140E+02	1.280E+02	2.093E+02	1.147E+03	
Am-241	2.226E+00	2.229E+00	2.237E+00	2.263E+00	2.433E+00	2.638E+00	3.723E+00	1.217E+01	
Am-243	2.231E+00	2.231E+00	2.232E+00	2.235E+00	2.253E+00	2.273E+00	2.360E+00	2.627E+00	
C-14	9.239E+00	9.384E+00	9.682E+00	1.080E+01	2.108E+01	4.408E+01	1.003E+03	5.573E+07	
Cm-243	1.638E+01	1.678E+01	1.759E+01	2.075E+01	5.642E+01	1.634E+02	1.727E+03	2.046E+03	
Cm-244	2.048E+01	2.126E+01	2.291E+01	2.969E+01	1.324E+02	4.378E+02	8.344E+02	9.586E+02	
Co-60	2.227E+02	2.541E+02	3.306E+02	8.304E+02	2.319E+05	1.156E+08	*1.113E+15	*1.113E+15	
Cs-134	1.292E+01	1.809E+01	3.543E+01	3.727E+02	6.610E+08	*1.283E+15	*1.283E+15	*1.283E+15	
Cs-137	1.628E+01	1.667E+01	1.747E+01	2.058E+01	5.618E+01	1.700E+02	1.854E+04	2.104E+11	
Eu-152	6.582E+02	6.929E+02	7.680E+02	1.101E+03	9.948E+03	1.127E+05	3.307E+09	*1.727E+14	
Eu-154	4.532E+02	4.913E+02	5.776E+02	1.018E+03	3.245E+04	1.477E+06	1.569E+13	*2.685E+14	
Eu-155	2.920E+03	3.378E+03	4.522E+03	1.255E+04	6.442E+06	6.281E+09	*4.815E+14	*4.815E+14	
Fe-55	1.689E+05	2.176E+05	3.610E+05	2.126E+06	1.084E+11	*2.335E+15	*2.335E+15	*2.335E+15	
H-3	1.153E+02	1.356E+02	1.875E+02	5.840E+02	6.064E+05	1.286E+09	*9.621E+15	*9.621E+15	
Nb-94	2.888E+02	2.890E+02	2.893E+02	2.903E+02	2.968E+02	3.041E+02	3.372E+02	4.505E+02	
Ni-59	4.351E+03	4.353E+03	4.356E+03	4.367E+03	4.434E+03	4.509E+03	4.843E+03	4.522E+03	
Ni-63	1.589E+03	1.601E+03	1.624E+03	1.709E+03	2.333E+03	3.289E+03	1.409E+04	1.668E+06	
Np-237	1.234E-02	1.256E-02	1.303E-02	1.478E-02	3.205E-02	7.521E-02	2.795E+00	7.978E+04	
Pm-147	4.489E+03	5.848E+03	9.925E+03	6.319E+04	5.197E+09	6.155E+12	6.215E+12	5.755E+12	
Pu-238	2.492E+00	2.512E+00	2.552E+00	2.700E+00	3.807E+00	5.561E+00	2.769E+01	6.669E+03	
Pu-239	2.244E+00	2.244E+00	2.245E+00	2.247E+00	2.262E+00	2.278E+00	2.349E+00	2.554E+00	
Pu-240	2.244E+00	2.244E+00	2.245E+00	2.249E+00	2.271E+00	2.296E+00	2.404E+00	2.758E+00	
Pu-241	1.052E+02	1.021E+02	9.686E+01	8.478E+01	7.001E+01	7.350E+01	1.033E+02	3.380E+02	
Sb-125	1.320E+01	1.702E+01	2.820E+01	1.652E+02	8.169E+06	1.227E+12	*1.029E+15	*1.029E+15	
Sr-90	5.732E-01	5.922E-01	6.323E-01	7.954E-01	3.234E+00	1.519E+01	1.067E+04	8.677E+13	
Tc-99	4.862E+00	5.404E+00	6.680E+00	1.403E+01	1.311E+03	1.954E+05	*1.695E+10	*1.695E+10	

*At specific activity limit

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Ag-108m	1.000E+00	0.000E+00	2.498E-01	1.001E+02	2.498E-01	1.001E+02
Am-241	1.000E+00	0.000E+00	1.123E+01	2.226E+00	1.123E+01	2.226E+00
Am-243	1.000E+00	0.000E+00	1.121E+01	2.231E+00	1.121E+01	2.231E+00
C-14	1.000E+00	0.000E+00	2.706E+00	9.239E+00	2.706E+00	9.239E+00
Cm-243	1.000E+00	0.000E+00	1.526E+00	1.638E+01	1.526E+00	1.638E+01
Cm-244	1.000E+00	0.000E+00	1.221E+00	2.048E+01	1.221E+00	2.048E+01
Co-60	1.000E+00	0.000E+00	1.122E-01	2.227E+02	1.122E-01	2.227E+02
Cs-134	1.000E+00	0.000E+00	1.935E+00	1.292E+01	1.935E+00	1.292E+01
Cs-137	1.000E+00	0.000E+00	1.536E+00	1.628E+01	1.536E+00	1.628E+01
Eu-152	1.000E+00	0.000E+00	3.798E-02	6.582E+02	3.798E-02	6.582E+02
Eu-154	1.000E+00	0.000E+00	5.517E-02	4.532E+02	5.517E-02	4.532E+02
Eu-155	1.000E+00	0.000E+00	8.562E-03	2.920E+03	8.562E-03	2.920E+03
Fe-55	1.000E+00	0.000E+00	1.480E-04	1.689E+05	1.480E-04	1.689E+05
H-3	1.000E+00	0.000E+00	2.169E-01	1.153E+02	2.169E-01	1.153E+02
Nb-94	1.000E+00	0.000E+00	8.656E-02	2.888E+02	8.656E-02	2.888E+02
Ni-59	1.000E+00	0.000E+00	5.746E-03	4.351E+03	5.746E-03	4.351E+03
Ni-63	1.000E+00	0.000E+00	1.573E-02	1.589E+03	1.573E-02	1.589E+03
Np-237	1.000E+00	0.000E+00	2.026E+03	1.234E-02	2.026E+03	1.234E-02
Pm-147	1.000E+00	0.000E+00	5.569E-03	4.489E+03	5.569E-03	4.489E+03
Pu-238	1.000E+00	0.000E+00	1.003E+01	2.492E+00	1.003E+01	2.492E+00
Pu-239	1.000E+00	0.000E+00	1.114E+01	2.244E+00	1.114E+01	2.244E+00
Pu-240	1.000E+00	0.000E+00	1.114E+01	2.244E+00	1.114E+01	2.244E+00
Pu-241	1.000E+00	52.8 ± 0.1	3.571E-01	7.001E+01	2.376E-01	1.052E+02
Sb-125	1.000E+00	0.000E+00	1.894E+00	1.320E+01	1.894E+00	1.320E+01
Sr-90	1.000E+00	0.000E+00	4.362E+01	5.732E-01	4.362E+01	5.732E-01
Tc-99	1.000E+00	0.000E+00	5.142E+00	4.862E+00	5.142E+00	4.862E+00

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF (i)	DOSE (j, t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Ag-108m	Ag-108m	1.000E+00	2.498E-01	2.491E-01	2.479E-01	2.437E-01	2.193E-01	1.953E-01	1.194E-01	2.179E-02
Am-241	Am-241	1.000E+00	1.123E+01	1.121E+01	1.117E+01	1.104E+01	1.025E+01	9.451E+00	6.691E+00	2.047E+00
Am-241	Pu-241	1.000E+00	2.737E-02	4.451E-02	7.631E-02	1.653E-01	3.403E-01	3.376E-01	2.412E-01	7.371E-02
Am-241	ΣDOSE (j)		1.126E+01	1.126E+01	1.125E+01	1.120E+01	1.059E+01	9.788E+00	6.932E+00	2.121E+00
Np-237	Am-241	1.000E+00	9.406E-04	1.576E-03	2.809E-03	6.758E-03	2.163E-02	2.745E-02	2.383E-02	7.178E-03
Np-237	Np-237	1.000E+00	2.026E+03	1.990E+03	1.919E+03	1.691E+03	7.801E+02	3.324E+02	8.945E+00	2.865E-05
Np-237	Pu-241	1.000E+00	1.166E-06	3.183E-06	9.968E-06	5.648E-05	5.421E-04	8.696E-04	8.555E-04	2.587E-04
Np-237	Pu-241	2.450E-05	2.336E-08	3.824E-08	6.512E-08	1.335E-07	1.694E-07	8.530E-08	2.406E-09	7.705E-15
Np-237	ΣDOSE (j)		2.026E+03	1.990E+03	1.919E+03	1.691E+03	7.802E+02	3.324E+02	8.970E+00	7.466E-03
U-233	Am-241	1.000E+00	2.045E-11	3.474E-11	6.754E-11	2.270E-10	2.280E-09	5.625E-09	2.000E-08	4.329E-08
U-233	Np-237	1.000E+00	4.154E-05	4.708E-05	5.669E-05	8.769E-05	2.106E-04	2.696E-04	3.032E-04	2.742E-04
U-233	Pu-241	1.000E+00	1.325E-13	1.717E-13	3.192E-13	1.688E-12	4.492E-11	1.450E-10	6.491E-10	1.494E-09
U-233	Pu-241	2.450E-05	4.325E-16	7.721E-16	1.510E-15	4.634E-15	2.657E-14	4.122E-14	5.118E-14	4.637E-14
U-233	ΣDOSE (j)		4.154E-05	4.708E-05	5.669E-05	8.769E-05	2.106E-04	2.696E-04	3.032E-04	2.743E-04
Th-229	Am-241	1.000E+00	5.819E-11	6.801E-11	8.708E-11	1.481E-10	3.765E-10	5.007E-10	4.805E-10	1.153E-09
Th-229	Np-237	1.000E+00	3.157E-05	3.101E-05	2.991E-05	2.637E-05	1.230E-05	6.012E-06	2.231E-06	1.052E-05
Th-229	Pu-241	1.000E+00	1.565E-12	1.595E-12	1.697E-12	2.409E-12	9.858E-12	1.598E-11	1.681E-11	3.857E-11
Th-229	Pu-241	2.450E-05	3.977E-16	6.281E-16	1.044E-15	2.101E-15	2.650E-15	1.477E-15	3.621E-16	1.723E-15
Th-229	ΣDOSE (j)		3.157E-05	3.101E-05	2.991E-05	2.637E-05	1.230E-05	6.012E-06	2.231E-06	1.052E-05
Am-243	Am-243	9.829E-01	1.101E+01	1.101E+01	1.101E+01	1.099E+01	1.089E+01	1.078E+01	1.032E+01	9.086E+00
Am-243	Am-243	2.720E-03	3.049E-02	3.048E-02	3.047E-02	3.042E-02	3.014E-02	2.983E-02	2.857E-02	2.515E-02
Am-243	Cm-243	2.359E-03	3.643E-06	6.071E-06	1.076E-05	2.549E-05	7.696E-05	9.584E-05	1.009E-04	8.883E-05
Am-243	Cm-243	6.529E-06	1.008E-08	1.680E-08	2.977E-08	7.056E-08	2.130E-07	2.653E-07	2.792E-07	2.459E-07
Am-243	Cm-243	3.301E-05	5.097E-08	8.494E-08	1.505E-07	3.567E-07	1.077E-06	1.341E-06	1.412E-06	1.243E-06
Am-243	Cm-243	9.135E-08	1.411E-10	2.351E-10	4.166E-10	9.873E-10	2.980E-09	3.712E-09	3.907E-09	3.440E-09
Am-243	Cm-243	1.981E-09	3.058E-12	5.097E-12	9.032E-12	2.140E-11	6.461E-11	8.047E-11	8.470E-11	7.458E-11
Am-243	Cm-243	5.481E-12	8.464E-15	1.411E-14	2.500E-14	5.924E-14	1.788E-13	2.227E-13	2.344E-13	2.064E-13
Am-243	Cm-243	1.416E-06	2.187E-09	3.645E-09	6.459E-09	1.531E-08	4.620E-08	5.754E-08	6.057E-08	5.333E-08
Am-243	Cm-243	3.920E-09	6.052E-12	1.009E-11	1.788E-11	4.236E-11	1.279E-10	1.593E-10	1.676E-10	1.476E-10
Am-243	Cm-243	1.982E-08	3.060E-11	5.100E-11	9.037E-11	2.142E-10	6.465E-10	8.051E-10	8.475E-10	7.462E-10
Am-243	Cm-243	5.484E-11	8.469E-14	1.411E-13	2.501E-13	5.927E-13	1.789E-12	2.228E-12	2.345E-12	2.065E-12
Am-243	Cm-243	1.189E-12	1.836E-15	3.060E-15	5.423E-15	1.285E-14	3.879E-14	4.831E-14	5.085E-14	4.478E-14
Am-243	Cm-243	3.291E-15	5.082E-18	8.469E-18	1.501E-17	3.556E-17	1.074E-16	1.337E-16	1.407E-16	1.239E-16
Am-243	ΣDOSE (j)		1.104E+01	1.104E+01	1.104E+01	1.102E+01	1.092E+01	1.081E+01	1.035E+01	9.111E+00
Pu-239	Am-243	9.829E-01	4.720E-04	7.868E-04	1.416E-03	3.614E-03	1.693E-02	3.137E-02	8.980E-02	2.684E-01
Pu-239	Am-243	2.720E-03	1.307E-06	2.178E-06	3.919E-06	1.000E-05	4.686E-05	8.683E-05	2.486E-04	7.429E-04
Pu-239	Am-243	1.375E-02	6.605E-06	1.101E-05	1.981E-05	5.057E-05	2.369E-04	4.390E-04	1.257E-03	3.756E-03
Pu-239	Am-243	3.806E-05	1.828E-08	3.047E-08	5.483E-08	1.400E-07	6.557E-07	1.215E-06	3.478E-06	1.039E-05
Pu-239	Am-243	8.252E-07	3.964E-10	6.606E-10	1.189E-09	3.034E-09	1.422E-08	2.634E-08	7.540E-08	2.254E-07
Pu-239	Am-243	2.284E-09	1.097E-12	1.828E-12	3.290E-12	8.398E-12	3.934E-11	7.290E-11	2.087E-10	6.237E-10
Pu-239	Cm-243	2.359E-03	8.164E-11	2.238E-10	7.114E-10	4.396E-09	7.228E-08	1.904E-07	7.544E-07	2.510E-06
Pu-239	Cm-243	6.529E-06	2.299E-13	6.233E-13	1.973E-12	1.217E-11	2.000E-10	5.270E-10	2.088E-09	6.947E-09
Pu-239	Cm-243	3.301E-05	1.099E-12	3.088E-12	9.910E-12	6.146E-11	1.011E-09	2.664E-09	1.056E-08	3.512E-08

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Pu-239	Cm-243	9.135E-08	3.135E-15	8.639E-15	2.752E-14	1.702E-13	2.799E-12	7.374E-12	2.922E-11	9.720E-11
Pu-239	Cm-243	1.981E-09	6.949E-17	1.888E-16	5.982E-16	3.691E-15	6.069E-14	1.599E-13	6.334E-13	2.107E-12
Pu-239	Cm-243	5.481E-12	1.935E-19	5.238E-19	1.657E-18	1.022E-17	1.680E-16	4.425E-16	1.753E-15	5.833E-15
Pu-239	Cm-243	9.805E-01	4.602E-04	7.670E-04	1.359E-03	3.222E-03	9.743E-03	1.216E-02	1.296E-02	1.192E-02
Pu-239	Cm-243	2.714E-03	1.274E-06	2.123E-06	3.762E-06	8.917E-06	2.697E-05	3.366E-05	3.586E-05	3.299E-05
Pu-239	Cm-243	1.372E-02	6.439E-06	1.073E-05	1.902E-05	4.508E-05	1.363E-04	1.702E-04	1.813E-04	1.668E-04
Pu-239	Cm-243	3.797E-05	1.782E-08	2.970E-08	5.264E-08	1.248E-07	3.773E-07	4.710E-07	5.017E-07	4.616E-07
Pu-239	Cm-243	8.232E-07	3.863E-10	6.439E-10	1.141E-09	2.705E-09	8.180E-09	1.021E-08	1.088E-08	1.001E-08
Pu-239	Cm-243	2.278E-09	1.069E-12	1.782E-12	3.159E-12	7.487E-12	2.264E-11	2.826E-11	3.011E-11	2.770E-11
Pu-239	Pu-239	9.829E-01	1.095E+01	1.095E+01	1.095E+01	1.094E+01	1.086E+01	1.079E+01	1.046E+01	9.620E+00
Pu-239	ΣDOSE(j)		1.095E+01	1.095E+01	1.095E+01	1.094E+01	1.089E+01	1.083E+01	1.056E+01	9.905E+00
U-235	Am-243	9.829E-01	1.136E-12	1.170E-12	1.448E-12	3.267E-12	5.008E-11	1.698E-10	1.437E-09	1.424E-08
U-235	Am-243	2.720E-03	1.067E-15	1.114E-15	1.466E-15	6.028E-15	1.356E-13	4.670E-13	3.974E-12	3.941E-11
U-235	Am-243	1.375E-02	5.393E-15	5.635E-15	7.413E-15	3.049E-14	6.858E-13	2.361E-12	2.009E-11	1.992E-10
U-235	Am-243	3.806E-05	3.559E-18	3.730E-18	6.400E-18	5.226E-17	1.865E-15	6.502E-15	5.558E-14	5.514E-13
U-235	Am-243	8.252E-07	2.110E-18	2.105E-18	2.365E-18	4.026E-18	4.321E-17	1.437E-16	1.208E-15	1.196E-14
U-235	Am-243	2.284E-09	2.068E-22	2.219E-22	3.766E-22	3.100E-21	1.119E-19	3.901E-19	3.335E-18	3.308E-17
U-235	Am-243	5.901E-04	5.279E-17	5.851E-17	9.478E-17	7.931E-16	2.890E-14	1.008E-13	8.616E-13	8.548E-12
U-235	Am-243	1.633E-06	2.119E-18	2.165E-18	2.665E-18	5.696E-18	8.349E-17	2.824E-16	2.388E-15	2.366E-14
U-235	Am-243	8.257E-06	1.694E-17	1.690E-17	1.948E-17	3.491E-17	4.282E-16	1.434E-15	1.208E-14	1.196E-13
U-235	Am-243	2.285E-08	3.281E-20	3.352E-20	4.028E-20	8.311E-20	1.172E-18	3.955E-18	3.342E-17	3.311E-16
U-235	Am-243	4.954E-10	2.880E-24	3.599E-24	5.900E-24	2.328E-22	2.370E-20	8.405E-20	7.229E-19	7.176E-18
U-235	Am-243	1.371E-12	2.001E-24	2.043E-24	2.468E-24	5.020E-24	7.034E-23	2.373E-22	2.005E-21	1.987E-20
U-235	Cm-243	2.359E-03	1.413E-17	1.383E-17	1.462E-17	1.611E-17	1.695E-16	8.095E-16	1.066E-14	1.278E-13
U-235	Cm-243	6.529E-06	4.700E-23	5.663E-23	7.849E-23	2.683E-22	3.833E-19	2.156E-18	2.942E-17	3.536E-16
U-235	Cm-243	3.301E-05	3.998E-20	3.806E-20	3.661E-20	5.006E-20	2.149E-18	1.111E-17	1.489E-16	1.788E-15
U-235	Cm-243	9.135E-08	7.099E-23	6.521E-23	6.191E-23	8.788E-23	5.833E-21	3.063E-20	4.120E-19	4.948E-18
U-235	Cm-243	1.981E-09	3.171E-25	3.001E-25	3.194E-25	5.593E-25	1.211E-22	6.588E-22	8.928E-21	1.073E-19
U-235	Cm-243	5.481E-12	1.873E-27	1.819E-27	2.008E-27	2.735E-27	3.414E-25	1.830E-24	2.472E-23	2.969E-22
U-235	Cm-243	1.416E-06	2.154E-21	2.070E-21	2.055E-21	2.693E-21	9.321E-20	4.776E-19	6.391E-18	7.671E-17
U-235	Cm-243	3.920E-09	4.045E-23	3.954E-23	4.065E-23	4.315E-23	2.980E-22	1.361E-21	1.772E-20	2.123E-19
U-235	Cm-243	1.982E-08	4.909E-24	4.732E-24	5.162E-24	8.621E-24	1.225E-21	6.605E-21	8.934E-20	1.073E-18
U-235	Cm-243	5.484E-11	1.880E-27	1.942E-27	2.381E-27	5.313E-27	3.283E-24	1.817E-23	2.472E-22	2.970E-21
U-235	Cm-243	1.189E-12	4.415E-27	4.320E-27	4.580E-27	5.251E-27	8.238E-26	4.050E-25	5.369E-24	6.441E-23
U-235	Cm-243	3.291E-15	2.253E-30	2.034E-30	1.964E-30	2.765E-30	2.105E-28	1.104E-27	1.484E-26	1.782E-25
U-235	Cm-243	9.805E-01	4.413E-14	1.103E-13	3.378E-13	2.060E-12	3.387E-11	8.930E-11	3.553E-10	1.195E-09
U-235	Cm-243	2.714E-03	1.157E-16	2.988E-16	9.283E-16	5.695E-15	9.372E-14	2.472E-13	9.834E-13	3.309E-12
U-235	Cm-243	1.372E-02	5.754E-16	1.501E-15	4.684E-15	2.878E-14	4.738E-13	1.250E-12	4.972E-12	1.673E-11
U-235	Cm-243	3.797E-05	1.255E-18	3.817E-18	1.263E-17	7.932E-17	1.311E-15	3.458E-15	1.376E-14	4.629E-14
U-235	Cm-243	8.232E-07	3.103E-20	8.658E-20	2.776E-19	1.723E-18	2.843E-17	7.497E-17	2.983E-16	1.004E-15
U-235	Cm-243	2.278E-09	8.494E-23	2.387E-22	7.672E-22	4.769E-21	7.868E-20	2.075E-19	8.257E-19	2.778E-18
U-235	Cm-243	5.887E-04	2.108E-17	6.080E-17	1.974E-16	1.231E-15	2.033E-14	5.361E-14	2.133E-13	7.177E-13
U-235	Cm-243	1.629E-06	6.562E-20	1.756E-19	5.535E-19	3.415E-18	5.626E-17	1.484E-16	5.904E-16	1.986E-15
U-235	Cm-243	8.237E-06	2.951E-19	8.509E-19	2.762E-18	1.723E-17	2.844E-16	7.501E-16	2.985E-15	1.004E-14
U-235	Cm-243	2.280E-08	8.979E-22	2.436E-21	7.725E-21	4.776E-20	7.872E-19	2.076E-18	8.261E-18	2.779E-17
U-235	Cm-243	4.942E-10	1.920E-23	5.255E-23	1.672E-22	1.035E-21	1.707E-20	4.501E-20	1.791E-19	6.026E-19
U-235	Cm-243	1.368E-12	5.642E-26	1.487E-25	4.660E-25	2.868E-24	4.724E-23	1.246E-22	4.957E-22	1.668E-21
U-235	Pu-239	5.901E-04	1.034E-12	1.730E-12	3.122E-12	7.987E-12	3.749E-11	6.955E-11	2.000E-10	6.045E-10

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF (i)	DOSE (j, t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
U-235	Pu-239	1.633E-06	2.862E-15	4.789E-15	8.641E-15	2.211E-14	1.038E-13	1.925E-13	5.535E-13	1.673E-12
U-235	Pu-239	8.257E-06	1.447E-14	2.421E-14	4.369E-14	1.118E-13	5.246E-13	9.732E-13	2.799E-12	8.458E-12
U-235	Pu-239	2.285E-08	4.005E-17	6.701E-17	1.209E-16	3.093E-16	1.452E-15	2.694E-15	7.745E-15	2.341E-14
U-235	Pu-239	4.954E-10	8.682E-19	1.453E-18	2.621E-18	6.706E-18	3.148E-17	5.840E-17	1.679E-16	5.075E-16
U-235	Pu-239	1.371E-12	2.403E-21	4.021E-21	7.255E-21	1.856E-20	8.712E-20	1.616E-19	4.647E-19	1.405E-18
U-235	Pu-239	9.829E-01	1.722E-09	2.882E-09	5.201E-09	1.330E-08	6.245E-08	1.159E-07	3.331E-07	1.007E-06
U-235	Pu-239	2.720E-03	4.767E-12	7.977E-12	1.439E-11	3.682E-11	1.728E-10	3.206E-10	9.220E-10	2.787E-09
U-235	Pu-239	1.375E-02	2.410E-11	4.033E-11	7.277E-11	1.862E-10	8.738E-10	1.621E-09	4.661E-09	1.409E-08
U-235	Pu-239	3.806E-05	6.671E-14	1.116E-13	2.014E-13	5.152E-13	2.418E-12	4.487E-12	1.290E-11	3.899E-11
U-235	Pu-239	8.252E-07	1.446E-15	2.420E-15	4.366E-15	1.117E-14	5.243E-14	9.727E-14	2.797E-13	8.453E-13
U-235	Pu-239	2.284E-09	4.003E-18	6.697E-18	1.208E-17	3.091E-17	1.451E-16	2.692E-16	7.741E-16	2.340E-15
U-235	ΣDOSE (j)		1.754E-09	2.934E-09	5.293E-09	1.354E-08	6.362E-08	1.181E-07	3.408E-07	1.040E-06
Pa-231	Am-243	9.829E-01	1.912E-11	1.913E-11	1.938E-11	1.965E-11	1.793E-11	1.941E-11	5.757E-11	1.690E-09
Pa-231	Am-243	2.720E-03	4.037E-14	4.022E-14	4.153E-14	4.197E-14	4.005E-14	3.796E-14	1.333E-13	4.655E-12
Pa-231	Am-243	1.375E-02	2.041E-13	2.033E-13	2.100E-13	2.121E-13	2.025E-13	1.911E-13	6.574E-13	2.352E-11
Pa-231	Am-243	3.806E-05	5.653E-16	5.632E-16	5.817E-16	5.878E-16	5.604E-16	5.346E-16	1.893E-15	6.516E-14
Pa-231	Am-243	8.252E-07	1.240E-17	1.237E-17	1.274E-17	1.288E-17	1.219E-17	1.191E-17	4.250E-17	1.414E-15
Pa-231	Am-243	2.284E-09	3.876E-20	3.887E-20	3.937E-20	3.986E-20	3.644E-20	3.877E-20	1.273E-19	3.922E-18
Pa-231	Am-243	5.901E-04	8.756E-15	8.725E-15	9.009E-15	9.102E-15	8.688E-15	8.207E-15	2.845E-14	1.009E-12
Pa-231	Am-243	1.633E-06	3.267E-17	3.282E-17	3.318E-17	3.365E-17	3.074E-17	3.331E-17	9.671E-17	2.810E-15
Pa-231	Am-243	8.257E-06	1.273E-16	1.269E-16	1.300E-16	1.320E-16	1.231E-16	1.237E-16	4.364E-16	1.416E-14
Pa-231	Am-243	2.285E-08	3.833E-19	3.843E-19	3.896E-19	3.954E-19	3.609E-19	3.829E-19	1.267E-18	3.923E-17
Pa-231	Am-243	4.954E-10	1.022E-20	1.027E-20	1.040E-20	1.052E-20	9.641E-21	1.041E-20	2.963E-20	8.525E-19
Pa-231	Am-243	1.371E-12	2.036E-23	2.028E-23	2.094E-23	2.116E-23	2.019E-23	1.920E-23	6.780E-23	2.347E-21
Pa-231	Cm-243	2.359E-03	3.238E-17	3.480E-17	4.112E-17	5.781E-17	1.098E-16	1.245E-16	3.603E-16	1.444E-14
Pa-231	Cm-243	6.529E-06	2.938E-19	3.052E-19	3.162E-19	3.652E-19	4.763E-19	5.575E-19	1.298E-18	4.024E-17
Pa-231	Cm-243	3.301E-05	8.116E-19	8.588E-19	9.154E-19	1.158E-18	1.760E-18	2.129E-18	5.877E-18	2.029E-16
Pa-231	Cm-243	9.135E-08	1.461E-21	1.560E-21	1.779E-21	2.442E-21	4.314E-21	5.048E-21	1.492E-20	5.602E-19
Pa-231	Cm-243	1.981E-09	4.030E-23	4.296E-23	4.629E-23	6.108E-23	9.865E-23	1.185E-22	3.403E-22	1.216E-20
Pa-231	Cm-243	5.481E-12	1.927E-25	2.017E-25	2.112E-25	2.522E-25	3.463E-25	4.141E-25	1.039E-24	3.374E-23
Pa-231	Cm-243	1.416E-06	5.995E-20	6.240E-20	6.478E-20	7.544E-20	9.967E-20	1.171E-19	2.782E-19	8.727E-18
Pa-231	Cm-243	3.920E-09	5.505E-23	5.918E-23	6.950E-23	9.766E-23	1.828E-22	2.087E-22	6.122E-22	2.401E-20
Pa-231	Cm-243	1.982E-08	2.711E-22	2.918E-22	3.445E-22	4.850E-22	9.225E-22	1.044E-21	3.011E-21	1.213E-19
Pa-231	Cm-243	5.484E-11	9.986E-25	1.073E-24	1.177E-24	1.580E-24	2.666E-24	3.161E-24	9.227E-24	3.366E-22
Pa-231	Cm-243	1.189E-12	1.625E-26	1.746E-26	2.067E-26	2.908E-26	5.535E-26	6.258E-26	1.803E-25	7.279E-24
Pa-231	Cm-243	3.291E-15	8.408E-29	8.799E-29	9.397E-29	1.184E-28	1.778E-28	2.150E-28	5.888E-28	2.023E-26
Pa-231	Cm-243	9.805E-01	2.601E-14	2.697E-14	2.862E-14	3.632E-14	2.300E-13	1.009E-12	1.291E-11	2.017E-10
Pa-231	Cm-243	2.714E-03	2.814E-17	3.060E-17	3.589E-17	5.179E-17	5.715E-16	2.728E-15	3.568E-14	5.581E-13
Pa-231	Cm-243	1.372E-02	1.630E-16	1.732E-16	1.987E-16	2.878E-16	2.960E-15	1.386E-14	1.805E-13	2.821E-12
Pa-231	Cm-243	3.797E-05	6.470E-19	6.827E-19	7.464E-19	1.035E-18	8.526E-18	3.870E-17	4.998E-16	7.809E-15
Pa-231	Cm-243	8.232E-07	1.629E-20	1.706E-20	1.843E-20	2.484E-20	1.874E-19	8.417E-19	1.084E-17	1.693E-16
Pa-231	Cm-243	2.278E-09	2.329E-23	2.522E-23	2.972E-23	4.267E-23	4.750E-22	2.286E-21	2.995E-20	4.685E-19
Pa-231	Cm-243	5.887E-04	7.708E-18	8.205E-18	9.266E-18	1.327E-17	1.286E-16	5.965E-16	7.745E-15	1.211E-13
Pa-231	Cm-243	1.629E-06	1.656E-20	1.787E-20	2.113E-20	3.007E-20	3.306E-19	1.626E-18	2.141E-17	3.350E-16
Pa-231	Cm-243	8.237E-06	2.313E-19	2.394E-19	2.533E-19	3.179E-19	1.944E-18	8.490E-18	1.085E-16	1.694E-15
Pa-231	Cm-243	2.280E-08	4.657E-22	4.879E-22	5.253E-22	7.035E-22	5.206E-21	2.332E-20	3.001E-19	4.688E-18
Pa-231	Cm-243	4.942E-10	1.033E-23	1.081E-23	1.163E-23	1.550E-23	1.131E-22	5.059E-22	6.507E-21	1.016E-19
Pa-231	Cm-243	1.368E-12	1.741E-26	1.846E-26	2.095E-26	3.006E-26	2.977E-25	1.385E-24	1.799E-23	2.813E-22

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF (i)	DOSE (j, t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Pa-231	Pu-239	5.901E-04	2.332E-14	2.346E-14	2.485E-14	3.538E-14	2.961E-13	9.771E-13	8.226E-12	1.069E-10
Pa-231	Pu-239	1.633E-06	7.458E-17	7.565E-17	8.070E-17	1.112E-16	8.327E-16	2.717E-15	2.278E-14	2.958E-13
Pa-231	Pu-239	8.257E-06	3.895E-16	3.947E-16	4.202E-16	5.745E-16	4.223E-15	1.375E-14	1.152E-13	1.496E-12
Pa-231	Pu-239	2.285E-08	8.455E-19	8.452E-19	8.776E-19	1.163E-18	1.126E-17	3.764E-17	3.184E-16	4.139E-15
Pa-231	Pu-239	4.954E-10	2.345E-20	2.377E-20	2.530E-20	3.455E-20	2.534E-19	8.252E-19	6.911E-18	8.975E-17
Pa-231	Pu-239	1.371E-12	6.413E-23	6.499E-23	6.921E-23	9.484E-23	7.007E-22	2.283E-21	1.913E-20	2.484E-19
Pa-231	Pu-239	9.829E-01	3.726E-11	3.746E-11	3.946E-11	5.546E-11	4.898E-10	1.624E-09	1.370E-08	1.780E-07
Pa-231	Pu-239	2.720E-03	1.075E-13	1.082E-13	1.146E-13	1.631E-13	1.365E-12	4.505E-12	3.792E-11	4.927E-10
Pa-231	Pu-239	1.375E-02	5.771E-13	5.843E-13	6.241E-13	8.788E-13	6.956E-12	2.283E-11	1.918E-10	2.491E-09
Pa-231	Pu-239	3.806E-05	1.747E-15	1.772E-15	1.889E-15	2.600E-15	1.942E-14	6.334E-14	5.309E-13	6.895E-12
Pa-231	Pu-239	8.252E-07	3.051E-17	3.045E-17	3.149E-17	3.960E-17	4.043E-16	1.357E-15	1.149E-14	1.495E-13
Pa-231	Pu-239	2.284E-09	9.418E-20	9.514E-20	1.013E-19	1.434E-19	1.153E-18	3.788E-18	3.185E-17	4.137E-16
Pa-231	ΣDOSE (j)		5.737E-11	5.759E-11	5.990E-11	7.649E-11	5.169E-10	1.673E-09	1.401E-08	1.831E-07
Ac-227	Am-243	9.829E-01	2.047E-11	2.041E-11	2.106E-11	2.128E-11	2.023E-11	1.924E-11	3.673E-11	8.258E-10
Ac-227	Am-243	5.901E-04	1.235E-14	1.230E-14	1.268E-14	1.282E-14	1.215E-14	1.161E-14	2.227E-14	4.960E-13
Ac-227	Cm-243	2.359E-03	5.419E-17	5.805E-17	6.544E-17	8.928E-17	1.576E-16	1.816E-16	3.174E-16	7.124E-15
Ac-227	Cm-243	1.416E-06	2.693E-20	2.900E-20	3.424E-20	4.827E-20	9.216E-20	1.036E-19	1.672E-19	4.256E-18
Ac-227	Cm-243	9.805E-01	1.469E-14	1.583E-14	1.847E-14	2.596E-14	8.306E-14	3.636E-13	6.638E-12	1.006E-10
Ac-227	Cm-243	5.887E-04	8.471E-18	9.183E-18	1.080E-17	1.526E-17	4.862E-17	2.170E-16	3.984E-15	6.040E-14
Ac-227	Pu-239	5.901E-04	3.340E-14	3.330E-14	3.418E-14	3.542E-14	1.021E-13	3.802E-13	4.343E-12	5.326E-11
Ac-227	Pu-239	9.829E-01	5.385E-11	5.378E-11	5.519E-11	5.710E-11	1.681E-10	6.313E-10	7.232E-09	8.871E-08
Ac-227	ΣDOSE (j)		7.438E-11	7.426E-11	7.631E-11	7.846E-11	1.885E-10	6.513E-10	7.279E-09	8.969E-08
Ac-227	Am-243	2.720E-03	6.095E-14	6.101E-14	6.235E-14	6.306E-14	5.872E-14	5.799E-14	1.106E-13	2.292E-12
Ac-227	Am-243	1.375E-02	2.844E-13	2.834E-13	2.926E-13	2.957E-13	2.821E-13	2.662E-13	4.924E-13	1.150E-11
Ac-227	Am-243	1.633E-06	3.675E-17	3.673E-17	3.758E-17	3.801E-17	3.538E-17	3.497E-17	6.659E-17	1.376E-15
Ac-227	Cm-243	6.529E-06	2.257E-19	2.377E-19	2.580E-19	3.242E-19	5.044E-19	5.796E-19	9.664E-19	1.977E-17
Ac-227	Cm-243	3.920E-09	7.632E-23	8.231E-23	9.639E-23	1.351E-22	2.550E-22	2.887E-22	4.937E-22	1.180E-20
Ac-227	Cm-243	2.714E-03	4.253E-17	4.549E-17	5.267E-17	7.342E-17	2.339E-16	1.010E-15	1.837E-14	2.782E-13
Ac-227	Cm-243	1.629E-06	3.635E-20	3.829E-20	4.243E-20	5.519E-20	1.547E-19	6.204E-19	1.104E-17	1.670E-16
Ac-227	Pu-239	1.633E-06	8.421E-17	8.395E-17	8.652E-17	8.765E-17	2.653E-16	1.035E-15	1.200E-14	1.472E-13
Ac-227	Pu-239	2.720E-03	1.614E-13	1.612E-13	1.651E-13	1.709E-13	4.780E-13	1.759E-12	2.002E-11	2.453E-10
Ac-227	ΣDOSE (j)		5.070E-13	5.058E-13	5.203E-13	5.299E-13	8.194E-13	2.086E-12	2.065E-11	2.595E-10
Am-243	Am-243	1.375E-02	1.541E-01	1.541E-01	1.540E-01	1.538E-01	1.524E-01	1.508E-01	1.444E-01	1.271E-01
Am-243	Am-243	3.806E-05	4.266E-04	4.265E-04	4.263E-04	4.257E-04	4.217E-04	4.174E-04	3.997E-04	3.519E-04
Am-243	ΣDOSE (j)		1.546E-01	1.545E-01	1.545E-01	1.542E-01	1.528E-01	1.512E-01	1.448E-01	1.275E-01
Ac-227	Am-243	3.806E-05	9.152E-16	9.160E-16	9.360E-16	9.467E-16	8.794E-16	8.773E-16	1.614E-15	3.206E-14
Ac-227	Am-243	8.252E-07	1.677E-17	1.674E-17	1.719E-17	1.740E-17	1.637E-17	1.582E-17	3.060E-17	6.616E-16
Ac-227	Am-243	2.285E-08	5.458E-19	5.452E-19	5.572E-19	5.639E-19	5.229E-19	5.217E-19	9.644E-19	1.924E-17
Ac-227	Cm-243	9.135E-08	1.878E-21	2.013E-21	2.334E-21	3.247E-21	5.969E-21	6.808E-21	1.182E-20	2.746E-19
Ac-227	Cm-243	5.484E-11	1.080E-24	1.158E-24	1.354E-24	1.898E-24	3.567E-24	4.041E-24	6.937E-24	1.647E-22
Ac-227	Cm-243	3.797E-05	6.670E-19	7.101E-19	8.062E-19	1.104E-18	3.397E-18	1.423E-17	2.566E-16	3.885E-15
Ac-227	Cm-243	2.280E-08	3.622E-22	3.869E-22	4.468E-22	6.216E-22	1.972E-21	8.476E-21	1.540E-19	2.332E-18
Ac-227	Pu-239	2.285E-08	1.375E-18	1.373E-18	1.406E-18	1.455E-18	4.029E-18	1.477E-17	1.679E-16	2.056E-15
Ac-227	Pu-239	3.806E-05	1.959E-15	1.954E-15	2.013E-15	2.041E-15	6.190E-15	2.409E-14	2.791E-13	3.425E-12
Ac-227	ΣDOSE (j)		2.894E-15	2.889E-15	2.969E-15	3.009E-15	7.094E-15	2.501E-14	2.812E-13	3.463E-12

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE (j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Am-243	Am-243	8.252E-07	9.248E-06	9.246E-06	9.242E-06	9.228E-06	9.143E-06	9.050E-06	8.666E-06	7.629E-06
Am-243	Am-243	2.284E-09	2.560E-08	2.559E-08	2.558E-08	2.554E-08	2.530E-08	2.505E-08	2.398E-08	2.111E-08
Am-243	ΣDOSE (j)		9.274E-06	9.272E-06	9.268E-06	9.254E-06	9.168E-06	9.075E-06	8.690E-06	7.650E-06
Ac-227	Am-243	2.284E-09	4.513E-20	4.497E-20	4.644E-20	4.692E-20	4.477E-20	4.222E-20	7.476E-20	1.822E-18
Ac-227	Am-243	1.371E-12	2.890E-23	2.889E-23	2.954E-23	2.991E-23	2.785E-23	2.741E-23	5.258E-23	1.101E-21
Ac-227	Cm-243	5.481E-12	1.452E-25	1.533E-25	1.695E-25	2.229E-25	3.693E-25	4.273E-25	7.362E-25	1.580E-23
Ac-227	Cm-243	3.291E-15	7.447E-29	7.980E-29	8.943E-29	1.213E-28	2.111E-28	2.439E-28	4.258E-28	9.469E-27
Ac-227	Cm-243	2.278E-09	3.785E-23	4.032E-23	4.588E-23	6.285E-23	1.941E-22	8.151E-22	1.471E-20	2.227E-19
Ac-227	Cm-243	1.368E-12	1.859E-26	2.008E-26	2.368E-26	3.355E-26	1.056E-25	4.785E-25	8.822E-24	1.337E-22
Ac-227	Pu-239	1.371E-12	7.235E-23	7.222E-23	7.409E-23	7.671E-23	2.242E-22	8.401E-22	9.616E-21	1.179E-19
Ac-227	Pu-239	2.284E-09	1.122E-19	1.118E-19	1.153E-19	1.166E-19	3.465E-19	1.373E-18	1.599E-17	1.963E-16
Ac-227	ΣDOSE (j)		1.575E-19	1.570E-19	1.619E-19	1.637E-19	3.917E-19	1.416E-18	1.609E-17	1.985E-16
Am-243	Am-243	5.901E-04	6.613E-03	6.612E-03	6.609E-03	6.599E-03	6.538E-03	6.471E-03	6.197E-03	5.455E-03
Am-243	Am-243	1.633E-06	1.830E-05	1.830E-05	1.829E-05	1.826E-05	1.809E-05	1.791E-05	1.715E-05	1.510E-05
Am-243	ΣDOSE (j)		6.631E-03	6.630E-03	6.627E-03	6.617E-03	6.556E-03	6.489E-03	6.214E-03	5.470E-03
Pu-239	Am-243	5.901E-04	2.834E-07	4.724E-07	8.501E-07	2.170E-06	1.016E-05	1.884E-05	5.392E-05	1.611E-04
Pu-239	Am-243	1.633E-06	7.844E-10	1.307E-09	2.353E-09	6.005E-09	2.813E-08	5.213E-08	1.492E-07	4.460E-07
Pu-239	Am-243	8.257E-06	3.966E-09	6.610E-09	1.189E-08	3.036E-08	1.422E-07	2.635E-07	7.544E-07	2.255E-06
Pu-239	Am-243	2.285E-08	1.098E-11	1.829E-11	3.292E-11	8.403E-11	3.936E-10	7.294E-10	2.088E-09	6.241E-09
Pu-239	Am-243	4.954E-10	2.380E-13	3.966E-13	7.137E-13	1.822E-12	8.534E-12	1.581E-11	4.527E-11	1.353E-10
Pu-239	Am-243	1.371E-12	6.586E-16	1.098E-15	1.975E-15	5.042E-15	2.362E-14	4.377E-14	1.253E-13	3.745E-13
Pu-239	Cm-243	1.416E-06	5.128E-14	1.364E-13	4.287E-13	2.639E-12	4.339E-11	1.143E-10	4.529E-10	1.507E-09
Pu-239	Cm-243	3.920E-09	1.405E-16	3.760E-16	1.185E-15	7.303E-15	1.201E-13	3.164E-13	1.254E-12	4.171E-12
Pu-239	Cm-243	1.982E-08	6.975E-16	1.888E-15	5.979E-15	3.691E-14	6.071E-13	1.599E-12	6.337E-12	2.109E-11
Pu-239	Cm-243	5.484E-11	1.954E-18	5.250E-18	1.657E-17	1.022E-16	1.680E-15	4.427E-15	1.754E-14	5.836E-14
Pu-239	Cm-243	1.189E-12	4.109E-20	1.125E-19	3.580E-19	2.214E-18	3.643E-17	9.597E-17	3.803E-16	1.265E-15
Pu-239	Cm-243	3.291E-15	1.136E-22	3.113E-22	9.906E-22	6.127E-21	1.008E-19	2.656E-19	1.052E-18	3.502E-18
Pu-239	Cm-243	5.887E-04	2.763E-07	4.605E-07	8.161E-07	1.934E-06	5.849E-06	7.301E-06	7.778E-06	7.156E-06
Pu-239	Cm-243	1.629E-06	7.646E-10	1.274E-09	2.259E-09	5.354E-09	1.619E-08	2.021E-08	2.153E-08	1.980E-08
Pu-239	Cm-243	8.237E-06	3.865E-09	6.443E-09	1.142E-08	2.707E-08	8.184E-08	1.022E-07	1.088E-07	1.001E-07
Pu-239	Cm-243	2.280E-08	1.070E-11	1.783E-11	3.160E-11	7.491E-11	2.265E-10	2.827E-10	3.012E-10	2.771E-10
Pu-239	Cm-243	4.942E-10	2.319E-13	3.866E-13	6.851E-13	1.624E-12	4.911E-12	6.130E-12	6.530E-12	6.008E-12
Pu-239	Cm-243	1.368E-12	6.419E-16	1.070E-15	1.896E-15	4.495E-15	1.359E-14	1.697E-14	1.807E-14	1.663E-14
Pu-239	Pu-239	5.901E-04	6.575E-03	6.574E-03	6.572E-03	6.565E-03	6.522E-03	6.475E-03	6.279E-03	5.775E-03
Pu-239	ΣDOSE (j)		6.576E-03	6.575E-03	6.574E-03	6.569E-03	6.538E-03	6.501E-03	6.342E-03	5.947E-03
Am-243	Am-243	8.257E-06	9.253E-05	9.251E-05	9.247E-05	9.233E-05	9.148E-05	9.055E-05	8.671E-05	7.633E-05
Am-243	Am-243	2.285E-08	2.561E-07	2.560E-07	2.559E-07	2.555E-07	2.532E-07	2.506E-07	2.400E-07	2.113E-07
Am-243	ΣDOSE (j)		9.279E-05	9.277E-05	9.273E-05	9.259E-05	9.173E-05	9.080E-05	8.695E-05	7.654E-05
Ac-227	Am-243	8.257E-06	2.150E-16	2.153E-16	2.196E-16	2.222E-16	2.077E-16	2.066E-16	3.660E-16	6.969E-15
Ac-227	Cm-243	3.301E-05	6.253E-19	6.732E-19	7.951E-19	1.122E-18	2.142E-18	2.409E-18	3.966E-18	9.896E-17
Ac-227	Cm-243	1.982E-08	4.394E-22	4.715E-22	5.349E-22	7.341E-22	1.314E-21	1.508E-21	2.634E-21	5.964E-20
Ac-227	Cm-243	1.372E-02	2.642E-16	2.806E-16	3.150E-16	4.229E-16	1.257E-15	5.171E-15	9.276E-14	1.404E-12
Ac-227	Cm-243	8.237E-06	1.374E-19	1.461E-19	1.677E-19	2.313E-19	7.248E-19	3.075E-18	5.566E-17	8.426E-16
Ac-227	Pu-239	8.257E-06	4.307E-16	4.296E-16	4.422E-16	4.521E-16	1.371E-15	5.253E-15	6.057E-14	7.429E-13

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Ac-227	Pu-239	1.375E-02	7.674E-13	7.658E-13	7.859E-13	8.138E-13	2.363E-12	8.829E-12	1.010E-10	1.238E-09
Ac-227	ΣDOSE(j)		7.683E-13	7.667E-13	7.869E-13	8.149E-13	2.366E-12	8.839E-12	1.011E-10	1.240E-09
Am-243	Am-243	4.954E-10	5.552E-09	5.551E-09	5.549E-09	5.540E-09	5.489E-09	5.433E-09	5.203E-09	4.580E-09
Am-243	Am-243	1.371E-12	1.537E-11	1.536E-11	1.536E-11	1.533E-11	1.519E-11	1.504E-11	1.440E-11	1.268E-11
Am-243	ΣDOSE(j)		5.568E-09	5.566E-09	5.564E-09	5.556E-09	5.504E-09	5.448E-09	5.217E-09	4.593E-09
Ac-227	Am-243	4.954E-10	9.795E-21	9.760E-21	1.008E-20	1.018E-20	9.715E-21	9.163E-21	1.632E-20	3.954E-19
Ac-227	Cm-243	1.981E-09	4.077E-23	4.380E-23	4.995E-23	6.882E-23	1.247E-22	1.428E-22	2.493E-22	5.693E-21
Ac-227	Cm-243	1.189E-12	2.623E-26	2.809E-26	3.160E-26	4.308E-26	7.588E-26	8.746E-26	1.529E-25	3.421E-24
Ac-227	Cm-243	8.232E-07	1.116E-20	1.203E-20	1.422E-20	2.015E-20	5.999E-20	2.844E-19	5.306E-18	8.045E-17
Ac-227	Cm-243	4.942E-10	6.726E-24	7.264E-24	8.566E-24	1.213E-23	3.816E-23	1.729E-22	3.187E-21	4.830E-20
Ac-227	Pu-239	4.954E-10	2.723E-20	2.719E-20	2.787E-20	2.887E-20	8.220E-20	3.047E-19	3.476E-18	4.259E-17
Ac-227	Pu-239	8.252E-07	4.054E-17	4.040E-17	4.165E-17	4.209E-17	1.242E-16	4.949E-16	5.777E-15	7.093E-14
Ac-227	ΣDOSE(j)		4.059E-17	4.045E-17	4.170E-17	4.215E-17	1.243E-16	4.955E-16	5.786E-15	7.106E-14
C-14	C-14	1.000E+00	2.706E+00	2.664E+00	2.582E+00	2.315E+00	1.186E+00	5.672E-01	2.492E-02	4.486E-07
Cm-243	Cm-243	2.359E-03	3.598E-03	3.513E-03	3.350E-03	2.835E-03	1.022E-03	3.316E-04	2.815E-06	1.788E-13
Cm-243	Cm-243	6.529E-06	9.959E-06	9.724E-06	9.271E-06	7.846E-06	2.828E-06	9.176E-07	7.792E-09	4.948E-16
Cm-243	ΣDOSE(j)		3.608E-03	3.523E-03	3.359E-03	2.843E-03	1.025E-03	3.325E-04	2.823E-06	1.793E-13
Cm-243	Cm-243	3.301E-05	5.035E-05	4.916E-05	4.687E-05	3.967E-05	1.430E-05	4.639E-06	3.939E-08	2.501E-15
Cm-243	Cm-243	9.135E-08	1.393E-07	1.361E-07	1.297E-07	1.098E-07	3.957E-08	1.284E-08	1.090E-10	6.923E-18
Cm-243	ΣDOSE(j)		5.049E-05	4.930E-05	4.700E-05	3.978E-05	1.434E-05	4.652E-06	3.950E-08	2.508E-15
Cm-243	Cm-243	1.981E-09	3.021E-09	2.950E-09	2.813E-09	2.380E-09	8.578E-10	2.784E-10	2.364E-12	1.501E-19
Cm-243	Cm-243	5.481E-12	8.361E-12	8.164E-12	7.784E-12	6.587E-12	2.374E-12	7.704E-13	6.542E-15	4.154E-22
Cm-243	ΣDOSE(j)		3.029E-09	2.958E-09	2.820E-09	2.387E-09	8.602E-10	2.791E-10	2.370E-12	1.505E-19
Cm-243	Cm-243	1.416E-06	2.160E-06	2.109E-06	2.011E-06	1.702E-06	6.134E-07	1.991E-07	1.690E-09	1.073E-16
Cm-243	Cm-243	3.920E-09	5.979E-09	5.838E-09	5.566E-09	4.710E-09	1.698E-09	5.509E-10	4.678E-12	2.970E-19
Cm-243	ΣDOSE(j)		2.166E-06	2.115E-06	2.017E-06	1.707E-06	6.151E-07	1.996E-07	1.695E-09	1.076E-16
Cm-243	Cm-243	1.982E-08	3.023E-08	2.951E-08	2.814E-08	2.381E-08	8.583E-09	2.785E-09	2.365E-11	1.502E-18
Cm-243	Cm-243	5.484E-11	8.366E-11	8.169E-11	7.788E-11	6.591E-11	2.375E-11	7.708E-12	6.546E-14	4.156E-21
Cm-243	ΣDOSE(j)		3.031E-08	2.960E-08	2.822E-08	2.388E-08	8.607E-09	2.793E-09	2.372E-11	1.506E-18
Cm-243	Cm-243	1.189E-12	1.814E-12	1.771E-12	1.689E-12	1.429E-12	5.150E-13	1.671E-13	1.419E-15	9.011E-23
Cm-243	Cm-243	3.291E-15	5.020E-15	4.901E-15	4.673E-15	3.955E-15	1.425E-15	4.625E-16	3.928E-18	2.494E-25
Cm-243	ΣDOSE(j)		1.819E-12	1.776E-12	1.693E-12	1.433E-12	5.164E-13	1.676E-13	1.423E-15	9.036E-23
Cm-243	Cm-243	9.805E-01	1.496E+00	1.460E+00	1.392E+00	1.178E+00	4.247E-01	1.378E-01	1.170E-03	7.431E-11
Cm-243	Cm-243	2.714E-03	4.140E-03	4.042E-03	3.854E-03	3.261E-03	1.175E-03	3.814E-04	3.239E-06	2.057E-13
Cm-243	ΣDOSE(j)		1.500E+00	1.464E+00	1.396E+00	1.182E+00	4.259E-01	1.382E-01	1.173E-03	7.452E-11
Cm-243	Cm-243	1.372E-02	2.093E-02	2.043E-02	1.948E-02	1.649E-02	5.942E-03	1.928E-03	1.637E-05	1.040E-12
Cm-243	Cm-243	3.797E-05	5.792E-05	5.656E-05	5.392E-05	4.563E-05	1.645E-05	5.337E-06	4.532E-08	2.878E-15
Cm-243	ΣDOSE(j)		2.099E-02	2.049E-02	1.954E-02	1.653E-02	5.959E-03	1.934E-03	1.642E-05	1.043E-12

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03	
Cm-243	Cm-243	8.232E-07	1.256E-06	1.226E-06	1.169E-06	9.894E-07	3.566E-07	1.157E-07	9.825E-10	6.239E-17	
Cm-243	Cm-243	2.278E-09	3.475E-09	3.394E-09	3.236E-09	2.738E-09	9.868E-10	3.202E-10	2.719E-12	1.727E-19	
Cm-243	ΣDOSE(j)		1.259E-06	1.230E-06	1.172E-06	9.921E-07	3.576E-07	1.160E-07	9.852E-10	6.256E-17	
Cm-243	Cm-243	5.887E-04	8.980E-04	8.768E-04	8.360E-04	7.075E-04	2.550E-04	8.274E-05	7.026E-07	4.461E-14	
Cm-243	Cm-243	1.629E-06	2.485E-06	2.427E-06	2.314E-06	1.958E-06	7.057E-07	2.290E-07	1.944E-09	1.235E-16	
Cm-243	ΣDOSE(j)		9.004E-04	8.792E-04	8.383E-04	7.094E-04	2.557E-04	8.297E-05	7.045E-07	4.474E-14	
Cm-243	Cm-243	8.237E-06	1.256E-05	1.227E-05	1.170E-05	9.899E-06	3.568E-06	1.158E-06	9.831E-09	6.242E-16	
Cm-243	Cm-243	2.280E-08	3.477E-08	3.395E-08	3.237E-08	2.740E-08	9.874E-09	3.204E-09	2.721E-11	1.728E-18	
Cm-243	ΣDOSE(j)		1.260E-05	1.230E-05	1.173E-05	9.926E-06	3.577E-06	1.161E-06	9.858E-09	6.260E-16	
Cm-243	Cm-243	4.942E-10	7.539E-10	7.361E-10	7.019E-10	5.940E-10	2.141E-10	6.947E-11	5.899E-13	3.746E-20	
Cm-243	Cm-243	1.368E-12	2.087E-12	2.037E-12	1.942E-12	1.644E-12	5.925E-13	1.923E-13	1.633E-15	1.037E-22	
Cm-243	ΣDOSE(j)		7.560E-10	7.382E-10	7.038E-10	5.956E-10	2.147E-10	6.966E-11	5.915E-13	3.756E-20	
Cm-244	Cm-244	1.371E-06	1.671E-06	1.608E-06	1.490E-06	1.139E-06	2.209E-07	3.620E-08	1.700E-11	4.289E-23	
Cm-244	Cm-244	5.750E-08	7.008E-08	6.745E-08	6.247E-08	4.777E-08	9.266E-09	1.518E-09	7.128E-13	1.799E-24	
Cm-244	ΣDOSE(j)		1.741E-06	1.676E-06	1.552E-06	1.187E-06	2.302E-07	3.772E-08	1.771E-11	4.469E-23	
Pu-240	Cm-244	5.750E-08	9.947E-11	1.646E-10	2.877E-10	6.509E-10	1.592E-09	1.765E-09	1.722E-09	1.500E-09	
Pu-240	Pu-240	5.750E-08	6.407E-07	6.405E-07	6.402E-07	6.392E-07	6.329E-07	6.260E-07	5.979E-07	5.211E-07	
Pu-240	ΣDOSE(j)		6.408E-07	6.407E-07	6.405E-07	6.398E-07	6.345E-07	6.278E-07	5.996E-07	5.226E-07	
Cm-244	Cm-244	1.000E+00	1.219E+00	1.173E+00	1.086E+00	8.308E-01	1.611E-01	2.641E-02	1.240E-05	3.128E-17	
Pu-240	Cm-244	1.000E+00	1.730E-03	2.863E-03	5.004E-03	1.132E-02	2.769E-02	3.070E-02	2.995E-02	2.608E-02	
U-236	Cm-244	1.000E+00	4.362E-12	1.181E-11	3.726E-11	2.239E-10	3.188E-09	7.633E-09	2.663E-08	8.350E-08	
U-236	Pu-240	1.000E+00	5.301E-08	8.869E-08	1.600E-07	4.093E-07	1.918E-06	3.551E-06	1.013E-05	2.982E-05	
U-236	ΣDOSE(j)		5.301E-08	8.870E-08	1.601E-07	4.095E-07	1.921E-06	3.559E-06	1.016E-05	2.990E-05	
Th-232	Cm-244	1.000E+00	1.144E-22	1.459E-22	2.987E-22	6.643E-21	6.963E-19	3.347E-18	3.925E-17	6.422E-16	
Th-232	Pu-240	1.000E+00	2.680E-19	7.145E-19	3.200E-18	2.441E-17	5.476E-16	1.895E-15	1.624E-14	2.383E-13	
Th-232	ΣDOSE(j)		2.681E-19	7.147E-19	3.200E-18	2.442E-17	5.483E-16	1.898E-15	1.627E-14	2.390E-13	
Ra-228	Cm-244	1.000E+00	3.265E-22	3.000E-22	3.329E-22	1.299E-21	4.443E-19	2.578E-18	3.479E-17	5.009E-15	
Ra-228	Pu-240	1.000E+00	2.973E-19	3.559E-19	6.521E-19	7.707E-18	3.792E-16	1.511E-15	1.446E-14	1.904E-12	
Ra-228	ΣDOSE(j)		2.976E-19	3.562E-19	6.525E-19	7.708E-18	3.797E-16	1.514E-15	1.449E-14	1.909E-12	
Th-228	Cm-244	1.000E+00	4.663E-24	4.581E-24	4.931E-24	3.478E-23	1.216E-19	7.658E-19	1.087E-17	2.144E-16	
Th-228	Pu-240	1.000E+00	2.408E-20	2.508E-20	4.046E-20	1.175E-18	1.078E-16	4.548E-16	4.527E-15	7.988E-14	
Th-228	ΣDOSE(j)		2.409E-20	2.509E-20	4.047E-20	1.175E-18	1.079E-16	4.556E-16	4.538E-15	8.010E-14	
Co-60	Co-60	1.000E+00	1.122E-01	9.840E-02	7.563E-02	3.011E-02	1.078E-04	2.163E-07	8.040E-19	0.000E+00	
Cs-134	Cs-134	1.000E+00	1.935E+00	1.382E+00	7.056E-01	6.708E-02	3.782E-08	4.859E-15	0.000E+00	0.000E+00	
Cs-137	Cs-137	1.000E+00	1.536E+00	1.500E+00	1.431E+00	1.215E+00	4.450E-01	1.471E-01	1.349E-03	1.188E-10	

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE (j, t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Eu-152	Eu-152	7.210E-01	2.739E-02	2.601E-02	2.347E-02	1.637E-02	1.812E-03	1.599E-04	5.451E-09	1.284E-24
Eu-152	Eu-152	2.790E-01	1.060E-02	1.007E-02	9.082E-03	6.336E-03	7.011E-04	6.187E-05	2.109E-09	4.969E-25
Eu-152	ΣDOSE (j)		3.798E-02	3.608E-02	3.255E-02	2.271E-02	2.513E-03	2.218E-04	7.560E-09	1.781E-24
Gd-152	Eu-152	2.790E-01	3.789E-16	5.625E-16	8.998E-16	1.841E-15	3.770E-15	3.984E-15	3.985E-15	4.397E-15
Sm-148	Eu-152	2.790E-01	6.002E-30	5.701E-30	5.144E-30	3.589E-30	0.000E+00	0.000E+00	0.000E+00	4.608E-29
Nd-144	Eu-152	2.790E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Eu-154	Eu-154	1.000E+00	5.517E-02	5.088E-02	4.328E-02	2.457E-02	7.705E-04	1.693E-05	1.593E-12	0.000E+00
Eu-155	Eu-155	1.000E+00	8.562E-03	7.400E-03	5.528E-03	1.992E-03	3.881E-06	3.980E-09	8.603E-22	0.000E+00
Fe-55	Fe-55	1.000E+00	1.480E-04	1.149E-04	6.925E-05	1.176E-05	2.306E-10	1.484E-15	0.000E+00	0.000E+00
H-3	H-3	1.000E+00	2.169E-01	1.844E-01	1.333E-01	4.281E-02	4.123E-05	1.944E-08	1.563E-22	0.000E+00
Nb-94	Nb-94	1.000E+00	8.656E-02	8.651E-02	8.642E-02	8.611E-02	8.423E-02	8.220E-02	7.415E-02	5.550E-02
Ni-59	Ni-59	1.000E+00	5.746E-03	5.744E-03	5.740E-03	5.725E-03	5.638E-03	5.544E-03	5.162E-03	5.528E-03
Ni-63	Ni-63	1.000E+00	1.573E-02	1.562E-02	1.539E-02	1.463E-02	1.071E-02	7.601E-03	1.774E-03	1.499E-05
Pm-147	Pm-147	1.000E+00	5.569E-03	4.275E-03	2.519E-03	3.956E-04	4.806E-09	1.824E-14	0.000E+00	0.000E+00
Sm-147	Pm-147	1.000E+00	1.629E-12	2.197E-12	2.959E-12	3.881E-12	4.048E-12	4.043E-12	4.022E-12	4.344E-12
Pu-238	Pu-238	1.850E-09	1.856E-08	1.841E-08	1.812E-08	1.713E-08	1.215E-08	8.316E-09	1.670E-09	6.198E-12
Pu-238	Pu-238	9.996E-01	1.003E+01	9.949E+00	9.791E+00	9.256E+00	6.564E+00	4.494E+00	9.021E-01	3.349E-03
Pu-238	ΣDOSE (j)		1.003E+01	9.949E+00	9.791E+00	9.256E+00	6.564E+00	4.494E+00	9.021E-01	3.349E-03
U-234	Pu-238	9.996E-01	5.327E-06	8.880E-06	1.590E-05	3.958E-05	1.581E-04	2.481E-04	3.953E-04	3.933E-04
U-234	Pu-238	1.899E-08	1.012E-13	1.687E-13	3.021E-13	7.520E-13	3.004E-12	4.715E-12	7.511E-12	7.472E-12
U-234	Pu-238	2.100E-04	1.119E-09	1.865E-09	3.339E-09	8.313E-09	3.321E-08	5.212E-08	8.304E-08	8.260E-08
U-234	Pu-238	2.771E-10	1.477E-15	2.462E-15	4.408E-15	1.097E-14	4.383E-14	6.880E-14	1.096E-13	1.090E-13
U-234	Pu-238	3.989E-12	2.126E-17	3.544E-17	6.345E-17	1.580E-16	6.309E-16	9.903E-16	1.578E-15	1.569E-15
U-234	Pu-238	1.998E-04	1.065E-09	1.774E-09	3.177E-09	7.909E-09	3.159E-08	4.959E-08	7.900E-08	7.859E-08
U-234	Pu-238	2.637E-10	1.405E-15	2.342E-15	4.194E-15	1.044E-14	4.170E-14	6.546E-14	1.043E-13	1.037E-13
U-234	Pu-238	3.795E-12	2.023E-17	3.372E-17	6.037E-17	1.503E-16	6.003E-16	9.422E-16	1.501E-15	1.493E-15
U-234	Pu-238	4.196E-08	2.236E-13	3.727E-13	6.674E-13	1.661E-12	6.636E-12	1.042E-11	1.659E-11	1.651E-11
U-234	Pu-238	5.538E-14	2.952E-19	4.920E-19	8.809E-19	2.193E-18	8.760E-18	1.375E-17	2.190E-17	2.179E-17
U-234	Pu-238	7.972E-16	4.249E-21	7.082E-21	1.268E-20	3.156E-20	1.261E-19	1.979E-19	3.153E-19	3.136E-19
U-234	Pu-238	2.000E-07	1.066E-12	1.777E-12	3.181E-12	7.919E-12	3.163E-11	4.965E-11	7.910E-11	7.869E-11
U-234	Pu-238	2.640E-13	1.407E-18	2.345E-18	4.199E-18	1.045E-17	4.175E-17	6.554E-17	1.044E-16	1.039E-16
U-234	Pu-238	3.800E-15	2.025E-20	3.376E-20	6.044E-20	1.505E-19	6.010E-19	9.433E-19	1.503E-18	1.495E-18
U-234	ΣDOSE (j)		5.330E-06	8.883E-06	1.591E-05	3.959E-05	1.582E-04	2.482E-04	3.955E-04	3.934E-04
Th-230	Pu-238	9.996E-01	1.511E-11	2.117E-11	3.702E-11	1.316E-10	1.864E-09	5.547E-09	3.100E-08	1.962E-07

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE (j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Th-230	Pu-238	1.899E-08	2.877E-19	4.028E-19	7.039E-19	2.502E-18	3.542E-17	1.054E-16	5.889E-16	3.728E-15
Th-230	Pu-238	2.100E-04	3.182E-15	4.454E-15	7.783E-15	2.765E-14	3.916E-13	1.165E-12	6.510E-12	4.122E-11
Th-230	Pu-238	2.771E-10	4.192E-21	5.871E-21	1.027E-20	3.650E-20	5.169E-19	1.538E-18	8.594E-18	5.441E-17
Th-230	Pu-238	3.989E-12	6.034E-23	8.451E-23	1.478E-22	5.253E-22	7.440E-21	2.214E-20	1.237E-19	7.831E-19
Th-230	Pu-238	1.998E-04	3.033E-15	4.244E-15	7.411E-15	2.632E-14	3.726E-13	1.108E-12	6.194E-12	3.922E-11
Th-230	Pu-238	2.637E-10	3.999E-21	5.597E-21	9.778E-21	3.473E-20	4.918E-19	1.463E-18	8.176E-18	5.177E-17
Th-230	Pu-238	3.795E-12	5.726E-23	8.025E-23	1.404E-22	4.997E-22	7.079E-21	2.106E-20	1.177E-19	7.451E-19
Th-230	Pu-238	4.196E-08	6.368E-19	8.910E-19	1.556E-18	5.528E-18	7.826E-17	2.328E-16	1.301E-15	8.237E-15
Th-230	Pu-238	5.538E-14	8.438E-25	1.179E-24	2.058E-24	7.300E-24	1.033E-22	3.073E-22	1.717E-21	1.087E-20
Th-230	Pu-238	7.972E-16	1.203E-26	1.686E-26	2.950E-26	1.050E-25	1.487E-24	4.424E-24	2.472E-23	1.565E-22
Th-230	Pu-238	2.000E-07	3.047E-18	4.259E-18	7.430E-18	2.636E-17	3.730E-16	1.110E-15	6.202E-15	3.926E-14
Th-230	Pu-238	2.640E-13	4.007E-24	5.607E-24	9.793E-24	3.478E-23	4.924E-22	1.465E-21	8.186E-21	5.183E-20
Th-230	Pu-238	3.800E-15	5.750E-26	8.052E-26	1.408E-25	5.004E-25	7.087E-24	2.109E-23	1.178E-22	7.460E-22
Th-230	ΣDOSE (j)		1.512E-11	2.118E-11	3.703E-11	1.317E-10	1.865E-09	5.549E-09	3.101E-08	1.963E-07
Ra-226	Pu-238	9.996E-01	2.310E-11	2.316E-11	2.331E-11	2.409E-11	8.533E-11	3.799E-10	6.530E-09	1.268E-06
Ra-226	Pu-238	1.899E-08	4.452E-19	4.463E-19	4.494E-19	4.662E-19	1.630E-18	7.227E-18	1.241E-16	2.410E-14
Ra-226	ΣDOSE (j)		2.310E-11	2.316E-11	2.331E-11	2.409E-11	8.533E-11	3.799E-10	6.530E-09	1.268E-06
Pb-210	Pu-238	9.996E-01	9.083E-11	9.105E-11	9.156E-11	9.306E-11	2.111E-10	1.086E-09	2.890E-08	9.606E-07
Pb-210	Pu-238	1.319E-06	1.189E-16	1.192E-16	1.199E-16	1.216E-16	2.771E-16	1.432E-15	3.814E-14	1.261E-12
Pb-210	Pu-238	2.100E-04	1.905E-14	1.910E-14	1.920E-14	1.951E-14	4.431E-14	2.282E-13	6.071E-12	2.018E-10
Pb-210	Pu-238	1.998E-04	1.812E-14	1.816E-14	1.827E-14	1.856E-14	4.215E-14	2.171E-13	5.776E-12	1.920E-10
Pb-210	Pu-238	4.196E-08	3.844E-18	3.852E-18	3.874E-18	3.936E-18	8.895E-18	4.563E-17	1.213E-15	4.032E-14
Pb-210	Pu-238	2.000E-07	1.844E-17	1.848E-17	1.859E-17	1.888E-17	4.252E-17	2.176E-16	5.783E-15	1.922E-13
Pb-210	ΣDOSE (j)		9.087E-11	9.109E-11	9.160E-11	9.310E-11	2.112E-10	1.087E-09	2.891E-08	9.610E-07
Po-210	Pu-238	9.996E-01	4.015E-11	3.998E-11	4.028E-11	4.178E-11	5.076E-10	4.310E-09	1.272E-07	2.459E-06
Po-210	Pu-238	2.100E-04	8.072E-15	8.063E-15	8.118E-15	8.449E-15	1.063E-13	9.050E-13	2.671E-11	5.165E-10
Po-210	Pu-238	1.998E-04	7.574E-15	7.561E-15	7.607E-15	7.921E-15	1.010E-13	8.609E-13	2.541E-11	4.914E-10
Po-210	Pu-238	4.196E-08	1.549E-18	1.545E-18	1.557E-18	1.615E-18	2.115E-17	1.808E-16	5.338E-15	1.032E-13
Po-210	Pu-238	2.000E-07	6.682E-18	6.702E-18	6.742E-18	6.843E-18	9.896E-17	8.598E-16	2.544E-14	4.920E-13
Po-210	ΣDOSE (j)		4.017E-11	3.999E-11	4.029E-11	4.179E-11	5.078E-10	4.312E-09	1.272E-07	2.460E-06
Pu-238	Pu-238	1.319E-06	1.324E-05	1.313E-05	1.292E-05	1.222E-05	8.664E-06	5.931E-06	1.191E-06	4.421E-09
Pu-238	Pu-238	1.899E-08	1.906E-07	1.890E-07	1.860E-07	1.759E-07	1.247E-07	8.538E-08	1.714E-08	6.363E-11
Pu-238	ΣDOSE (j)		1.343E-05	1.332E-05	1.311E-05	1.239E-05	8.789E-06	6.017E-06	1.208E-06	4.484E-09
U-234	Pu-238	1.319E-06	7.032E-12	1.172E-11	2.099E-11	5.224E-11	2.087E-10	3.276E-10	5.218E-10	5.191E-10
Th-230	Pu-238	1.319E-06	1.997E-17	2.797E-17	4.889E-17	1.738E-16	2.461E-15	7.322E-15	4.091E-14	2.590E-13
Ra-226	Pu-238	1.319E-06	3.061E-17	3.069E-17	3.089E-17	3.203E-17	1.129E-16	5.017E-16	8.620E-15	1.674E-12
Pb-210	Pu-238	1.899E-08	1.711E-18	1.715E-18	1.725E-18	1.750E-18	3.985E-18	2.059E-17	5.484E-16	1.813E-14
Pb-210	Pu-238	3.989E-12	3.615E-22	3.624E-22	3.644E-22	3.703E-22	8.407E-22	4.328E-21	1.152E-19	3.808E-18
Pb-210	Pu-238	3.795E-12	3.436E-22	3.444E-22	3.463E-22	3.518E-22	7.993E-22	4.118E-21	1.096E-19	3.623E-18
Pb-210	Pu-238	7.972E-16	7.304E-26	7.319E-26	7.361E-26	7.480E-26	1.689E-25	8.659E-25	2.302E-23	7.611E-22
Pb-210	Pu-238	3.800E-15	3.412E-25	3.421E-25	3.440E-25	3.487E-25	7.941E-25	4.117E-24	1.097E-22	3.628E-21
Pb-210	ΣDOSE (j)		1.712E-18	1.716E-18	1.726E-18	1.751E-18	3.987E-18	2.060E-17	5.486E-16	1.814E-14

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE (j, t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Pu-238	Pu-238	2.100E-04	2.107E-03	2.090E-03	2.056E-03	1.944E-03	1.379E-03	9.438E-04	1.895E-04	7.035E-07
Pu-238	Pu-238	2.771E-10	2.781E-09	2.759E-09	2.715E-09	2.566E-09	1.820E-09	1.246E-09	2.501E-10	9.286E-13
Pu-238	ΣDOSE (j)		2.107E-03	2.090E-03	2.056E-03	1.944E-03	1.379E-03	9.438E-04	1.895E-04	7.035E-07
Ra-226	Pu-238	2.100E-04	4.865E-15	4.878E-15	4.908E-15	5.086E-15	1.795E-14	7.981E-14	1.372E-12	2.664E-10
Ra-226	Pu-238	2.771E-10	6.397E-21	6.415E-21	6.451E-21	6.623E-21	2.360E-20	1.053E-19	1.810E-18	3.517E-16
Ra-226	Pu-238	3.989E-12	9.344E-23	9.368E-23	9.433E-23	9.785E-23	3.422E-22	1.518E-21	2.606E-20	5.062E-18
Ra-226	ΣDOSE (j)		4.865E-15	4.878E-15	4.908E-15	5.086E-15	1.795E-14	7.981E-14	1.372E-12	2.664E-10
Pb-210	Pu-238	2.771E-10	2.507E-20	2.514E-20	2.527E-20	2.566E-20	5.836E-20	3.010E-19	8.012E-18	2.649E-16
Pb-210	Pu-238	2.637E-10	2.369E-20	2.375E-20	2.388E-20	2.420E-20	5.473E-20	2.856E-19	7.622E-18	2.520E-16
Pb-210	Pu-238	5.538E-14	4.975E-24	4.989E-24	5.017E-24	5.083E-24	1.154E-23	6.002E-23	1.601E-21	5.294E-20
Pb-210	Pu-238	2.640E-13	2.372E-23	2.379E-23	2.392E-23	2.424E-23	5.515E-23	2.862E-22	7.631E-21	2.523E-19
Pb-210	ΣDOSE (j)		4.879E-20	4.892E-20	4.918E-20	4.989E-20	1.132E-19	5.869E-19	1.564E-17	5.172E-16
Pu-238	Pu-238	3.989E-12	4.003E-11	3.971E-11	3.907E-11	3.694E-11	2.620E-11	1.793E-11	3.600E-12	1.337E-14
Pu-238	Pu-238	1.998E-04	2.004E-03	1.988E-03	1.957E-03	1.850E-03	1.312E-03	8.980E-04	1.803E-04	6.693E-07
Pu-238	ΣDOSE (j)		2.004E-03	1.988E-03	1.957E-03	1.850E-03	1.312E-03	8.980E-04	1.803E-04	6.693E-07
Ra-226	Pu-238	1.998E-04	4.641E-15	4.654E-15	4.684E-15	4.859E-15	1.709E-14	7.592E-14	1.304E-12	2.533E-10
Ra-226	Pu-238	3.795E-12	8.818E-23	8.842E-23	8.901E-23	9.234E-23	3.247E-22	1.443E-21	2.478E-20	4.813E-18
Ra-226	ΣDOSE (j)		4.641E-15	4.654E-15	4.684E-15	4.859E-15	1.709E-14	7.592E-14	1.304E-12	2.533E-10
Pu-238	Pu-238	2.637E-10	2.646E-09	2.625E-09	2.583E-09	2.442E-09	1.732E-09	1.185E-09	2.380E-10	8.835E-13
Pu-238	Pu-238	3.795E-12	3.808E-11	3.778E-11	3.718E-11	3.514E-11	2.492E-11	1.706E-11	3.425E-12	1.272E-14
Pu-238	ΣDOSE (j)		2.684E-09	2.662E-09	2.620E-09	2.477E-09	1.756E-09	1.202E-09	2.414E-10	8.962E-13
Ra-226	Pu-238	2.637E-10	6.137E-21	6.154E-21	6.195E-21	6.428E-21	2.257E-20	1.002E-19	1.722E-18	3.344E-16
Pu-238	Pu-238	4.196E-08	4.210E-07	4.176E-07	4.110E-07	3.885E-07	2.755E-07	1.886E-07	3.787E-08	1.406E-10
Pu-238	Pu-238	5.538E-14	5.557E-13	5.513E-13	5.425E-13	5.128E-13	3.637E-13	2.490E-13	4.998E-14	1.856E-16
Pu-238	ΣDOSE (j)		4.210E-07	4.176E-07	4.110E-07	3.885E-07	2.755E-07	1.886E-07	3.787E-08	1.406E-10
Ra-226	Pu-238	4.196E-08	9.747E-19	9.773E-19	9.838E-19	1.021E-18	3.589E-18	1.595E-17	2.740E-16	5.321E-14
Ra-226	Pu-238	5.538E-14	1.278E-24	1.281E-24	1.288E-24	1.319E-24	4.709E-24	2.102E-23	3.616E-22	7.024E-20
Ra-226	Pu-238	7.972E-16	1.863E-26	1.868E-26	1.881E-26	1.951E-26	6.831E-26	3.031E-25	5.206E-24	1.011E-21
Ra-226	ΣDOSE (j)		9.747E-19	9.773E-19	9.838E-19	1.021E-18	3.589E-18	1.595E-17	2.740E-16	5.321E-14
Pu-238	Pu-238	7.972E-16	7.999E-15	7.935E-15	7.808E-15	7.382E-15	5.235E-15	3.584E-15	7.195E-16	2.671E-18
Pu-238	Pu-238	2.000E-07	2.007E-06	1.991E-06	1.959E-06	1.852E-06	1.313E-06	8.991E-07	1.805E-07	6.701E-10
Pu-238	ΣDOSE (j)		2.007E-06	1.991E-06	1.959E-06	1.852E-06	1.313E-06	8.991E-07	1.805E-07	6.701E-10
Ra-226	Pu-238	2.000E-07	4.628E-18	4.640E-18	4.670E-18	4.836E-18	1.708E-17	7.597E-17	1.306E-15	2.536E-13
Ra-226	Pu-238	3.800E-15	8.849E-26	8.873E-26	8.933E-26	9.269E-26	3.253E-25	1.444E-24	2.481E-23	4.818E-21
Ra-226	ΣDOSE (j)		4.628E-18	4.640E-18	4.670E-18	4.836E-18	1.708E-17	7.597E-17	1.306E-15	2.536E-13
Pu-238	Pu-238	2.640E-13	2.649E-12	2.628E-12	2.586E-12	2.445E-12	1.734E-12	1.187E-12	2.383E-13	8.845E-16
Pu-238	Pu-238	3.800E-15	3.813E-14	3.782E-14	3.722E-14	3.519E-14	2.495E-14	1.708E-14	3.429E-15	1.273E-17
Pu-238	ΣDOSE (j)		2.687E-12	2.666E-12	2.623E-12	2.480E-12	1.759E-12	1.204E-12	2.417E-13	8.973E-16

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03	
Ra-226	Pu-238	2.640E-13	6.146E-24	6.162E-24	6.204E-24	6.437E-24	2.259E-23	1.003E-22	1.723E-21	3.347E-19	
Pu-239	Pu-239	1.633E-06	1.820E-05	1.820E-05	1.819E-05	1.817E-05	1.805E-05	1.792E-05	1.738E-05	1.598E-05	
Pu-239	Pu-239	8.257E-06	9.201E-05	9.199E-05	9.196E-05	9.187E-05	9.126E-05	9.060E-05	8.786E-05	8.081E-05	
Pu-239	ΣDOSE(j)		1.102E-04	1.102E-04	1.102E-04	1.100E-04	1.093E-04	1.085E-04	1.052E-04	9.680E-05	
Pu-239	Pu-239	2.285E-08	2.546E-07	2.546E-07	2.545E-07	2.543E-07	2.526E-07	2.508E-07	2.432E-07	2.237E-07	
Pu-239	Pu-239	4.954E-10	5.521E-09	5.520E-09	5.518E-09	5.512E-09	5.476E-09	5.436E-09	5.272E-09	4.849E-09	
Pu-239	ΣDOSE(j)		2.602E-07	2.601E-07	2.600E-07	2.598E-07	2.581E-07	2.562E-07	2.484E-07	2.285E-07	
Pu-239	Pu-239	1.371E-12	1.528E-11	1.528E-11	1.527E-11	1.526E-11	1.516E-11	1.505E-11	1.459E-11	1.342E-11	
Pu-239	Pu-239	2.720E-03	3.031E-02	3.031E-02	3.030E-02	3.027E-02	3.007E-02	2.985E-02	2.895E-02	2.663E-02	
Pu-239	Pu-239	1.375E-02	1.533E-01	1.532E-01	1.532E-01	1.530E-01	1.520E-01	1.509E-01	1.464E-01	1.346E-01	
Pu-239	ΣDOSE(j)		1.836E-01	1.835E-01	1.835E-01	1.833E-01	1.821E-01	1.808E-01	1.753E-01	1.612E-01	
Pu-239	Pu-239	3.806E-05	4.241E-04	4.241E-04	4.240E-04	4.235E-04	4.207E-04	4.177E-04	4.050E-04	3.726E-04	
Pu-239	Pu-239	8.252E-07	9.196E-06	9.194E-06	9.192E-06	9.182E-06	9.121E-06	9.055E-06	8.782E-06	8.077E-06	
Pu-239	ΣDOSE(j)		4.333E-04	4.333E-04	4.331E-04	4.327E-04	4.298E-04	4.267E-04	4.138E-04	3.806E-04	
Pu-239	Pu-239	2.284E-09	2.545E-08	2.545E-08	2.544E-08	2.541E-08	2.524E-08	2.506E-08	2.430E-08	2.235E-08	
Pu-240	Pu-240	1.000E+00	1.114E+01	1.114E+01	1.114E+01	1.112E+01	1.101E+01	1.089E+01	1.040E+01	9.063E+00	
Pu-241	Pu-241	1.000E+00	2.102E-01	2.003E-01	1.818E-01	1.295E-01	1.630E-02	1.657E-03	1.030E-07	2.000E-22	
Pu-241	Pu-241	2.450E-05	5.389E-06	5.134E-06	4.660E-06	3.320E-06	4.178E-07	4.249E-08	2.642E-12	5.127E-27	
Pu-241	ΣDOSE(j)		2.102E-01	2.003E-01	1.818E-01	1.295E-01	1.630E-02	1.657E-03	1.031E-07	2.000E-22	
Sb-125	Sb-125	7.686E-01	6.240E-02	4.848E-02	2.925E-02	4.994E-03	1.010E-07	6.724E-13	0.000E+00	0.000E+00	
Sb-125	Sb-125	2.314E-01	1.878E-02	1.459E-02	8.805E-03	1.503E-03	3.040E-08	2.024E-13	0.000E+00	0.000E+00	
Sb-125	ΣDOSE(j)		8.118E-02	6.307E-02	3.806E-02	6.497E-03	1.314E-07	8.748E-13	0.000E+00	0.000E+00	
Te-125m	Sb-125	2.314E-01	1.813E+00	1.406E+00	8.484E-01	1.448E-01	2.929E-06	1.950E-11	0.000E+00	0.000E+00	
Sr-90	Sr-90	1.000E+00	4.362E+01	4.221E+01	3.954E+01	3.143E+01	7.730E+00	1.646E+00	2.343E-03	2.881E-13	
Tc-99	Tc-99	1.000E+00	5.142E+00	4.626E+00	3.742E+00	1.782E+00	1.907E-02	1.280E-04	7.920E-14	0.000E+00	

THF(i) is the thread fraction of the parent nuclide.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Ag-108m	Ag-108m	1.000E+00	1.000E+00	9.975E-01	9.926E-01	9.757E-01	8.782E-01	7.820E-01	4.782E-01	8.550E-02
Am-241	Am-241	1.000E+00	1.000E+00	9.983E-01	9.948E-01	9.829E-01	9.129E-01	8.414E-01	5.957E-01	1.779E-01
Am-241	Pu-241	1.000E+00	0.000E+00	1.564E-03	4.466E-03	1.259E-02	2.869E-02	2.862E-02	2.046E-02	6.108E-03
Am-241	ΣS(j):		1.000E+00	9.998E-01	9.993E-01	9.955E-01	9.415E-01	8.700E-01	6.162E-01	1.840E-01
Np-237	Am-241	1.000E+00	0.000E+00	3.201E-07	9.416E-07	2.931E-06	1.044E-05	1.339E-05	1.169E-05	3.517E-06
Np-237	Np-237	1.000E+00	1.000E+00	9.821E-01	9.472E-01	8.346E-01	3.850E-01	1.640E-01	4.415E-03	1.411E-08
Np-237	Pu-241	1.000E+00	0.000E+00	2.534E-10	2.180E-09	2.075E-08	2.459E-07	4.028E-07	3.999E-07	1.208E-07
Np-237	Pu-241	2.450E-05	0.000E+00	7.662E-12	2.151E-11	5.702E-11	8.025E-11	4.075E-11	1.152E-12	3.683E-18
Np-237	ΣS(j):		1.000E+00	9.821E-01	9.472E-01	8.346E-01	3.850E-01	1.641E-01	4.427E-03	3.652E-06
U-233	Am-241	1.000E+00	0.000E+00	6.991E-13	6.209E-12	6.590E-11	1.411E-09	3.899E-09	1.505E-08	3.263E-08
U-233	Np-237	1.000E+00	0.000E+00	4.314E-06	1.271E-05	3.979E-05	1.473E-04	1.991E-04	2.296E-04	2.038E-04
U-233	Pu-241	1.000E+00	0.000E+00	3.699E-16	9.654E-15	3.183E-13	2.470E-11	9.324E-11	4.641E-10	1.074E-09
U-233	Pu-241	2.450E-05	0.000E+00	1.687E-17	1.452E-16	1.387E-15	1.694E-14	2.900E-14	3.759E-14	3.345E-14
U-233	ΣS(j):		0.000E+00	4.314E-06	1.271E-05	3.979E-05	1.473E-04	1.991E-04	2.296E-04	2.038E-04
Th-229	Am-241	1.000E+00	0.000E+00	2.204E-17	5.893E-16	2.108E-14	2.540E-12	1.413E-11	1.950E-10	1.853E-09
Th-229	Np-237	1.000E+00	0.000E+00	2.043E-10	1.817E-09	1.936E-08	4.249E-07	1.210E-06	5.378E-06	1.887E-05
Th-229	Pu-241	1.000E+00	0.000E+00	8.762E-21	6.907E-19	7.767E-17	3.602E-14	2.865E-13	5.564E-12	5.939E-11
Th-229	Pu-241	2.450E-05	0.000E+00	5.338E-22	1.394E-20	4.611E-19	3.654E-17	1.416E-16	8.079E-16	3.026E-15
Th-229	ΣS(j):		0.000E+00	2.043E-10	1.817E-09	1.936E-08	4.249E-07	1.210E-06	5.378E-06	1.887E-05
Am-243	Am-243	9.829E-01	9.829E-01	9.827E-01	9.822E-01	9.808E-01	9.717E-01	9.618E-01	9.209E-01	7.911E-01
Am-243	Am-243	2.720E-03	2.720E-03	2.720E-03	2.719E-03	2.714E-03	2.689E-03	2.662E-03	2.549E-03	2.190E-03
Am-243	Cm-243	2.359E-03	0.000E+00	2.192E-07	6.421E-07	1.972E-06	6.617E-06	8.323E-06	8.791E-06	7.558E-06
Am-243	Cm-243	6.529E-06	0.000E+00	6.067E-10	1.777E-09	5.457E-09	1.831E-08	2.304E-08	2.433E-08	2.092E-08
Am-243	Cm-243	3.301E-05	0.000E+00	3.067E-09	8.985E-09	2.759E-08	9.258E-08	1.165E-07	1.230E-07	1.058E-07
Am-243	Cm-243	9.135E-08	0.000E+00	8.489E-12	2.487E-11	7.635E-11	2.562E-10	3.223E-10	3.404E-10	2.927E-10
Am-243	Cm-243	1.981E-09	0.000E+00	1.840E-13	5.391E-13	1.655E-12	5.555E-12	6.988E-12	7.381E-12	6.346E-12
Am-243	Cm-243	5.481E-12	0.000E+00	5.094E-16	1.492E-15	4.582E-15	1.538E-14	1.934E-14	2.043E-14	1.756E-14
Am-243	Cm-243	1.416E-06	0.000E+00	1.316E-10	3.855E-10	1.184E-09	3.972E-09	4.997E-09	5.278E-09	4.538E-09
Am-243	Cm-243	3.920E-09	0.000E+00	3.642E-13	1.067E-12	3.276E-12	1.099E-11	1.383E-11	1.461E-11	1.256E-11
Am-243	Cm-243	1.982E-08	0.000E+00	1.841E-12	5.394E-12	1.656E-11	5.558E-11	6.992E-11	7.385E-11	6.349E-11
Am-243	Cm-243	5.484E-11	0.000E+00	5.096E-15	1.493E-14	4.584E-14	1.538E-13	1.935E-13	2.044E-13	1.757E-13
Am-243	Cm-243	1.189E-12	0.000E+00	1.105E-16	3.237E-16	9.938E-16	3.335E-15	4.195E-15	4.431E-15	3.810E-15
Am-243	Cm-243	3.291E-15	0.000E+00	3.058E-19	8.958E-19	2.751E-18	9.231E-18	1.161E-17	1.226E-17	1.054E-17
Am-243	ΣS(j):		9.856E-01	9.854E-01	9.850E-01	9.835E-01	9.744E-01	9.645E-01	9.235E-01	7.933E-01
Pu-239	Am-243	9.829E-01	0.000E+00	2.825E-05	8.473E-05	2.821E-04	1.477E-03	2.774E-03	8.019E-03	2.348E-02
Pu-239	Am-243	2.720E-03	0.000E+00	7.819E-08	2.345E-07	7.806E-07	4.089E-06	7.677E-06	2.219E-05	6.498E-05
Pu-239	Am-243	1.375E-02	0.000E+00	3.953E-07	1.185E-06	3.947E-06	2.067E-05	3.881E-05	1.122E-04	3.285E-04
Pu-239	Am-243	3.806E-05	0.000E+00	1.094E-09	3.281E-09	1.092E-08	5.722E-08	1.074E-07	3.105E-07	9.092E-07
Pu-239	Am-243	8.252E-07	0.000E+00	2.372E-11	7.113E-11	2.368E-10	1.240E-09	2.329E-09	6.732E-09	1.971E-08
Pu-239	Am-243	2.284E-09	0.000E+00	6.565E-14	1.969E-13	6.554E-13	3.433E-12	6.445E-12	1.863E-11	5.456E-11
Pu-239	Cm-243	2.359E-03	0.000E+00	3.164E-12	2.802E-11	2.946E-10	6.047E-09	1.633E-08	6.573E-08	2.145E-07
Pu-239	Cm-243	6.529E-06	0.000E+00	8.756E-15	7.755E-14	8.154E-13	1.674E-11	4.519E-11	1.819E-10	5.937E-10
Pu-239	Cm-243	3.301E-05	0.000E+00	4.427E-14	3.921E-13	4.123E-12	8.462E-11	2.285E-10	9.198E-10	3.002E-09

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Pu-239	Cm-243	9.135E-08	0.000E+00	1.225E-16	1.085E-15	1.141E-14	2.342E-13	6.323E-13	2.546E-12	8.308E-12
Pu-239	Cm-243	1.981E-09	0.000E+00	2.656E-18	2.352E-17	2.474E-16	5.077E-15	1.371E-14	5.519E-14	1.801E-13
Pu-239	Cm-243	5.481E-12	0.000E+00	7.351E-21	6.511E-20	6.846E-19	1.405E-17	3.794E-17	1.527E-16	4.985E-16
Pu-239	Cm-243	9.805E-01	0.000E+00	2.785E-05	8.160E-05	2.506E-04	8.424E-04	1.062E-03	1.135E-03	1.020E-03
Pu-239	Cm-243	2.714E-03	0.000E+00	7.709E-08	2.258E-07	6.936E-07	2.332E-06	2.940E-06	3.142E-06	2.824E-06
Pu-239	Cm-243	1.372E-02	0.000E+00	3.897E-07	1.142E-06	3.507E-06	1.179E-05	1.486E-05	1.589E-05	1.428E-05
Pu-239	Cm-243	3.797E-05	0.000E+00	1.079E-09	3.160E-09	9.705E-09	3.262E-08	4.113E-08	4.397E-08	3.951E-08
Pu-239	Cm-243	8.232E-07	0.000E+00	2.339E-11	6.851E-11	2.104E-10	7.073E-10	8.917E-10	9.532E-10	8.566E-10
Pu-239	Cm-243	2.278E-09	0.000E+00	6.472E-14	1.896E-13	5.823E-13	1.958E-12	2.468E-12	2.638E-12	2.371E-12
Pu-239	Pu-239	9.829E-01	9.829E-01	9.827E-01	9.824E-01	9.814E-01	9.749E-01	9.679E-01	9.386E-01	8.427E-01
Pu-239	ΣS(j):		9.829E-01	9.828E-01	9.826E-01	9.819E-01	9.773E-01	9.718E-01	9.479E-01	8.676E-01
U-235	Am-243	9.829E-01	0.000E+00	1.391E-14	1.251E-13	1.389E-12	3.841E-11	1.366E-10	1.186E-09	1.161E-08
U-235	Am-243	2.720E-03	0.000E+00	3.849E-17	3.463E-16	3.843E-15	1.063E-13	3.781E-13	3.282E-12	3.212E-11
U-235	Am-243	1.375E-02	0.000E+00	1.946E-16	1.751E-15	1.943E-14	5.375E-13	1.912E-12	1.659E-11	1.624E-10
U-235	Am-243	3.806E-05	0.000E+00	5.386E-19	4.846E-18	5.377E-17	1.488E-15	5.290E-15	4.592E-14	4.495E-13
U-235	Am-243	8.252E-07	0.000E+00	1.168E-20	1.051E-19	1.166E-18	3.225E-17	1.147E-16	9.955E-16	9.745E-15
U-235	Am-243	2.284E-09	0.000E+00	3.232E-23	2.908E-22	3.227E-21	8.926E-20	3.174E-19	2.755E-18	2.697E-17
U-235	Am-243	5.901E-04	0.000E+00	8.350E-18	7.512E-17	8.336E-16	2.306E-14	8.202E-14	7.119E-13	6.968E-12
U-235	Am-243	1.633E-06	0.000E+00	2.311E-20	2.079E-19	2.307E-18	6.382E-17	2.270E-16	1.970E-15	1.929E-14
U-235	Am-243	8.257E-06	0.000E+00	1.168E-19	1.051E-18	1.166E-17	3.227E-16	1.148E-15	9.961E-15	9.750E-14
U-235	Am-243	2.285E-08	0.000E+00	3.234E-22	2.909E-21	3.228E-20	8.931E-19	3.176E-18	2.757E-17	2.698E-16
U-235	Am-243	4.954E-10	0.000E+00	7.011E-24	6.307E-23	6.999E-22	1.936E-20	6.886E-20	5.977E-19	5.850E-18
U-235	Am-243	1.371E-12	0.000E+00	1.940E-26	1.746E-25	1.937E-24	5.359E-23	1.906E-22	1.654E-21	1.619E-20
U-235	Cm-243	2.359E-03	0.000E+00	1.040E-21	2.775E-20	9.858E-19	1.147E-16	6.235E-16	8.573E-15	1.018E-13
U-235	Cm-243	6.529E-06	0.000E+00	2.879E-24	7.680E-23	2.728E-21	3.176E-19	1.726E-18	2.373E-17	2.816E-16
U-235	Cm-243	3.301E-05	0.000E+00	1.456E-23	3.883E-22	1.379E-20	1.606E-18	8.724E-18	1.200E-16	1.424E-15
U-235	Cm-243	9.135E-08	0.000E+00	4.029E-26	1.075E-24	3.817E-23	4.444E-21	2.415E-20	3.320E-19	3.940E-18
U-235	Cm-243	1.981E-09	0.000E+00	8.734E-28	2.330E-26	8.276E-25	9.634E-23	5.235E-22	7.198E-21	8.543E-20
U-235	Cm-243	5.481E-12	0.000E+00	2.417E-30	6.448E-29	2.291E-27	2.666E-25	1.449E-24	1.992E-23	2.364E-22
U-235	Cm-243	1.416E-06	0.000E+00	6.246E-25	1.666E-23	5.918E-22	6.889E-20	3.743E-19	5.147E-18	6.109E-17
U-235	Cm-243	3.920E-09	0.000E+00	1.729E-27	4.611E-26	1.638E-24	1.907E-22	1.036E-21	1.424E-20	1.691E-19
U-235	Cm-243	1.982E-08	0.000E+00	8.739E-27	2.331E-25	8.281E-24	9.639E-22	5.238E-21	7.201E-20	8.548E-19
U-235	Cm-243	5.484E-11	0.000E+00	2.419E-29	6.452E-28	2.292E-26	2.668E-24	1.450E-23	1.993E-22	2.366E-21
U-235	Cm-243	1.189E-12	0.000E+00	5.244E-31	1.399E-29	4.969E-28	5.784E-26	3.143E-25	4.321E-24	5.129E-23
U-235	Cm-243	3.291E-15	0.000E+00	1.451E-33	3.871E-32	1.375E-30	1.601E-28	8.698E-28	1.196E-26	1.420E-25
U-235	Cm-243	9.805E-01	0.000E+00	1.377E-14	1.219E-13	1.282E-12	2.634E-11	7.118E-11	2.877E-10	9.535E-10
U-235	Cm-243	2.714E-03	0.000E+00	3.810E-17	3.375E-16	3.549E-15	7.289E-14	1.970E-13	7.963E-13	2.639E-12
U-235	Cm-243	1.372E-02	0.000E+00	1.926E-16	1.706E-15	1.794E-14	3.685E-13	9.959E-13	4.026E-12	1.334E-11
U-235	Cm-243	3.797E-05	0.000E+00	5.331E-19	4.722E-18	4.966E-17	1.020E-15	2.756E-15	1.114E-14	3.692E-14
U-235	Cm-243	8.232E-07	0.000E+00	1.156E-20	1.024E-19	1.077E-18	2.211E-17	5.976E-17	2.416E-16	8.005E-16
U-235	Cm-243	2.278E-09	0.000E+00	3.199E-23	2.833E-22	2.980E-21	6.120E-20	1.654E-19	6.686E-19	2.216E-18
U-235	Cm-243	5.887E-04	0.000E+00	8.265E-18	7.320E-17	7.698E-16	1.581E-14	4.273E-14	1.727E-13	5.724E-13
U-235	Cm-243	1.629E-06	0.000E+00	2.287E-20	2.026E-19	2.131E-18	4.376E-17	1.183E-16	4.781E-16	1.584E-15
U-235	Cm-243	8.237E-06	0.000E+00	1.156E-19	1.024E-18	1.077E-17	2.212E-16	5.979E-16	2.417E-15	8.010E-15
U-235	Cm-243	2.280E-08	0.000E+00	3.201E-22	2.835E-21	2.981E-20	6.123E-19	1.655E-18	6.689E-18	2.217E-17
U-235	Cm-243	4.942E-10	0.000E+00	6.939E-24	6.146E-23	6.464E-22	1.328E-20	3.588E-20	1.450E-19	4.806E-19
U-235	Cm-243	1.368E-12	0.000E+00	1.920E-26	1.701E-25	1.789E-24	3.674E-23	9.929E-23	4.014E-22	1.330E-21
U-235	Pu-239	5.901E-04	0.000E+00	5.809E-13	1.742E-12	5.800E-12	3.041E-11	5.716E-11	1.660E-10	4.935E-10

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
U-235	Pu-239	1.633E-06	0.000E+00	1.608E-15	4.822E-15	1.605E-14	8.417E-14	1.582E-13	4.593E-13	1.366E-12
U-235	Pu-239	8.257E-06	0.000E+00	8.128E-15	2.438E-14	8.116E-14	4.255E-13	7.998E-13	2.322E-12	6.905E-12
U-235	Pu-239	2.285E-08	0.000E+00	2.250E-17	6.746E-17	2.246E-16	1.178E-15	2.213E-15	6.427E-15	1.911E-14
U-235	Pu-239	4.954E-10	0.000E+00	4.877E-19	1.463E-18	4.870E-18	2.553E-17	4.799E-17	1.393E-16	4.143E-16
U-235	Pu-239	1.371E-12	0.000E+00	1.350E-21	4.048E-21	1.348E-20	7.067E-20	1.328E-19	3.857E-19	1.147E-18
U-235	Pu-239	9.829E-01	0.000E+00	9.676E-10	2.902E-09	9.662E-09	5.066E-08	9.521E-08	2.764E-07	8.220E-07
U-235	Pu-239	2.720E-03	0.000E+00	2.678E-12	8.031E-12	2.674E-11	1.402E-10	2.635E-10	7.651E-10	2.275E-09
U-235	Pu-239	1.375E-02	0.000E+00	1.354E-11	4.060E-11	1.352E-10	7.088E-10	1.332E-09	3.868E-09	1.150E-08
U-235	Pu-239	3.806E-05	0.000E+00	3.747E-14	1.124E-13	3.741E-13	1.962E-12	3.687E-12	1.071E-11	3.183E-11
U-235	Pu-239	8.252E-07	0.000E+00	8.124E-16	2.436E-15	8.112E-15	4.253E-14	7.993E-14	2.321E-13	6.901E-13
U-235	Pu-239	2.284E-09	0.000E+00	2.248E-18	6.743E-18	2.245E-17	1.177E-16	2.212E-16	6.424E-16	1.910E-15
U-235	ΣS(j):		0.000E+00	9.845E-10	2.953E-09	9.832E-09	5.161E-08	9.708E-08	2.828E-07	8.491E-07
Pa-231	Am-243	9.829E-01	0.000E+00	9.810E-20	2.648E-18	9.796E-17	1.432E-14	9.660E-14	2.528E-12	8.400E-11
Pa-231	Am-243	2.720E-03	0.000E+00	2.715E-22	7.328E-21	2.711E-19	3.964E-17	2.673E-16	6.997E-15	2.325E-13
Pa-231	Am-243	1.375E-02	0.000E+00	1.373E-21	3.705E-20	1.371E-18	2.004E-16	1.352E-15	3.538E-14	1.175E-12
Pa-231	Am-243	3.806E-05	0.000E+00	3.799E-24	1.025E-22	3.793E-21	5.547E-19	3.741E-18	9.791E-17	3.253E-15
Pa-231	Am-243	8.252E-07	0.000E+00	8.236E-26	2.223E-24	8.224E-23	1.203E-20	8.110E-20	2.123E-18	7.053E-17
Pa-231	Am-243	2.284E-09	0.000E+00	2.279E-28	6.152E-27	2.276E-25	3.328E-23	2.245E-22	5.875E-21	1.952E-19
Pa-231	Am-243	5.901E-04	0.000E+00	5.889E-23	1.590E-21	5.881E-20	8.599E-18	5.799E-17	1.518E-15	5.043E-14
Pa-231	Am-243	1.633E-06	0.000E+00	1.630E-25	4.399E-24	1.628E-22	2.380E-20	1.605E-19	4.201E-18	1.396E-16
Pa-231	Am-243	8.257E-06	0.000E+00	8.240E-25	2.224E-23	8.229E-22	1.203E-19	8.115E-19	2.124E-17	7.057E-16
Pa-231	Am-243	2.285E-08	0.000E+00	2.281E-27	6.156E-26	2.277E-24	3.330E-22	2.246E-21	5.878E-20	1.953E-18
Pa-231	Am-243	4.954E-10	0.000E+00	4.945E-29	1.335E-27	4.938E-26	7.220E-24	4.869E-23	1.274E-21	4.234E-20
Pa-231	Am-243	1.371E-12	0.000E+00	1.368E-31	3.694E-30	1.367E-28	1.998E-26	1.348E-25	3.527E-24	1.172E-22
Pa-231	Cm-243	2.359E-03	0.000E+00	5.509E-27	4.419E-25	5.276E-23	3.388E-20	3.624E-19	1.638E-17	7.072E-16
Pa-231	Cm-243	6.529E-06	0.000E+00	1.525E-29	1.223E-27	1.460E-25	9.378E-23	1.003E-21	4.534E-20	1.957E-18
Pa-231	Cm-243	3.301E-05	0.000E+00	7.709E-29	6.184E-27	7.382E-25	4.741E-22	5.070E-21	2.292E-19	9.896E-18
Pa-231	Cm-243	9.135E-08	0.000E+00	2.134E-31	1.711E-29	2.043E-27	1.312E-24	1.403E-23	6.344E-22	2.739E-20
Pa-231	Cm-243	1.981E-09	0.000E+00	4.626E-33	3.710E-31	4.430E-29	2.845E-26	3.042E-25	1.375E-23	5.938E-22
Pa-231	Cm-243	5.481E-12	0.000E+00	1.280E-35	1.027E-33	1.226E-31	7.873E-29	8.420E-28	3.806E-26	1.643E-24
Pa-231	Cm-243	1.416E-06	0.000E+00	3.308E-30	2.653E-28	3.167E-26	2.034E-23	2.175E-22	9.834E-21	4.246E-19
Pa-231	Cm-243	3.920E-09	0.000E+00	9.154E-33	7.343E-31	8.766E-29	5.630E-26	6.021E-25	2.722E-23	1.175E-21
Pa-231	Cm-243	1.982E-08	0.000E+00	4.628E-32	3.712E-30	4.432E-28	2.846E-25	3.044E-24	1.376E-22	5.941E-21
Pa-231	Cm-243	5.484E-11	0.000E+00	1.281E-34	1.027E-32	1.227E-30	7.878E-28	8.424E-27	3.808E-25	1.644E-23
Pa-231	Cm-243	1.189E-12	0.000E+00	2.777E-36	2.228E-34	2.659E-32	1.708E-29	1.826E-28	8.257E-27	3.565E-25
Pa-231	Cm-243	3.291E-15	0.000E+00	7.686E-39	6.165E-37	7.360E-35	4.727E-32	5.055E-31	2.285E-29	9.866E-28
Pa-231	Cm-243	9.805E-01	0.000E+00	9.728E-20	2.595E-18	9.221E-17	1.075E-14	5.853E-14	8.117E-13	9.948E-12
Pa-231	Cm-243	2.714E-03	0.000E+00	2.692E-22	7.183E-21	2.552E-19	2.975E-17	1.620E-16	2.246E-15	2.753E-14
Pa-231	Cm-243	1.372E-02	0.000E+00	1.361E-21	3.631E-20	1.290E-18	1.504E-16	8.189E-16	1.136E-14	1.392E-13
Pa-231	Cm-243	3.797E-05	0.000E+00	3.767E-24	1.005E-22	3.571E-21	4.163E-19	2.267E-18	3.143E-17	3.853E-16
Pa-231	Cm-243	8.232E-07	0.000E+00	8.168E-26	2.179E-24	7.742E-23	9.026E-21	4.914E-20	6.815E-19	8.352E-18
Pa-231	Cm-243	2.278E-09	0.000E+00	2.261E-28	6.030E-27	2.143E-25	2.498E-23	1.360E-22	1.886E-21	2.312E-20
Pa-231	Cm-243	5.887E-04	0.000E+00	5.841E-23	1.558E-21	5.536E-20	6.454E-18	3.514E-17	4.873E-16	5.973E-15
Pa-231	Cm-243	1.629E-06	0.000E+00	1.616E-25	4.312E-24	1.532E-22	1.786E-20	9.725E-20	1.349E-18	1.653E-17
Pa-231	Cm-243	8.237E-06	0.000E+00	8.172E-25	2.180E-23	7.746E-22	9.031E-20	4.917E-19	6.819E-18	8.357E-17
Pa-231	Cm-243	2.280E-08	0.000E+00	2.262E-27	6.034E-26	2.144E-24	2.500E-22	1.361E-21	1.887E-20	2.313E-19
Pa-231	Cm-243	4.942E-10	0.000E+00	4.904E-29	1.308E-27	4.648E-26	5.419E-24	2.950E-23	4.091E-22	5.014E-21
Pa-231	Cm-243	1.368E-12	0.000E+00	1.357E-31	3.620E-30	1.286E-28	1.500E-26	8.165E-26	1.132E-24	1.388E-23

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Pa-231	Pu-239	5.901E-04	0.000E+00	6.146E-18	5.530E-17	6.138E-16	1.701E-14	6.064E-14	5.312E-13	5.371E-12
Pa-231	Pu-239	1.633E-06	0.000E+00	1.701E-20	1.530E-19	1.699E-18	4.709E-17	1.678E-16	1.470E-15	1.487E-14
Pa-231	Pu-239	8.257E-06	0.000E+00	8.599E-20	7.737E-19	8.589E-18	2.381E-16	8.485E-16	7.433E-15	7.516E-14
Pa-231	Pu-239	2.285E-08	0.000E+00	2.380E-22	2.141E-21	2.377E-20	6.589E-19	2.348E-18	2.057E-17	2.080E-16
Pa-231	Pu-239	4.954E-10	0.000E+00	5.160E-24	4.643E-23	5.153E-22	1.428E-20	5.091E-20	4.460E-19	4.510E-18
Pa-231	Pu-239	1.371E-12	0.000E+00	1.428E-26	1.285E-25	1.426E-24	3.953E-23	1.409E-22	1.234E-21	1.248E-20
Pa-231	Pu-239	9.829E-01	0.000E+00	1.024E-14	9.210E-14	1.022E-12	2.834E-11	1.010E-10	8.849E-10	8.947E-09
Pa-231	Pu-239	2.720E-03	0.000E+00	2.833E-17	2.549E-16	2.830E-15	7.843E-14	2.795E-13	2.449E-12	2.476E-11
Pa-231	Pu-239	1.375E-02	0.000E+00	1.432E-16	1.289E-15	1.431E-14	3.965E-13	1.413E-12	1.238E-11	1.252E-10
Pa-231	Pu-239	3.806E-05	0.000E+00	3.964E-19	3.567E-18	3.959E-17	1.097E-15	3.912E-15	3.427E-14	3.465E-13
Pa-231	Pu-239	8.252E-07	0.000E+00	8.594E-21	7.733E-20	8.584E-19	2.379E-17	8.480E-17	7.429E-16	7.512E-15
Pa-231	Pu-239	2.284E-09	0.000E+00	2.379E-23	2.140E-22	2.376E-21	6.585E-20	2.347E-19	2.056E-18	2.079E-17
Pa-231	ΣS(j) :		0.000E+00	1.041E-14	9.371E-14	1.040E-12	2.886E-11	1.029E-10	9.037E-10	9.198E-09
Ac-227	Am-243	9.829E-01	0.000E+00	7.758E-22	6.204E-20	7.327E-18	4.455E-15	4.562E-14	1.889E-12	7.685E-11
Ac-227	Am-243	5.901E-04	0.000E+00	4.658E-25	3.724E-23	4.399E-21	2.675E-18	2.739E-17	1.134E-15	4.614E-14
Ac-227	Cm-243	2.359E-03	0.000E+00	3.492E-29	8.329E-27	3.213E-24	9.111E-21	1.545E-19	1.187E-17	6.447E-16
Ac-227	Cm-243	1.416E-06	0.000E+00	2.097E-32	5.001E-30	1.929E-27	5.470E-24	9.278E-23	7.129E-21	3.870E-19
Ac-227	Cm-243	9.805E-01	0.000E+00	7.703E-22	6.102E-20	6.974E-18	3.493E-15	2.937E-14	6.441E-13	9.348E-12
Ac-227	Cm-243	5.887E-04	0.000E+00	4.625E-25	3.663E-23	4.187E-21	2.097E-18	1.763E-17	3.867E-16	5.612E-15
Ac-227	Pu-239	5.901E-04	0.000E+00	6.470E-20	1.719E-18	6.028E-17	6.578E-15	3.407E-14	4.328E-13	5.061E-12
Ac-227	Pu-239	9.829E-01	0.000E+00	1.078E-16	2.864E-15	1.004E-13	1.096E-11	5.676E-11	7.209E-10	8.429E-09
Ac-227	ΣS(j) :		0.000E+00	1.078E-16	2.866E-15	1.005E-13	1.097E-11	5.687E-11	7.239E-10	8.521E-09
Ac-227	Am-243	2.720E-03	0.000E+00	2.147E-24	1.717E-22	2.028E-20	1.233E-17	1.263E-16	5.227E-15	2.127E-13
Ac-227	Am-243	1.375E-02	0.000E+00	1.086E-23	8.680E-22	1.025E-19	6.234E-17	6.383E-16	2.643E-14	1.075E-12
Ac-227	Am-243	1.633E-06	0.000E+00	1.289E-27	1.031E-25	1.217E-23	7.403E-21	7.580E-20	3.138E-18	1.277E-16
Ac-227	Cm-243	6.529E-06	0.000E+00	9.665E-32	2.305E-29	8.893E-27	2.522E-23	4.277E-22	3.286E-20	1.784E-18
Ac-227	Cm-243	3.920E-09	0.000E+00	5.803E-35	1.384E-32	5.339E-30	1.514E-26	2.568E-25	1.973E-23	1.071E-21
Ac-227	Cm-243	2.714E-03	0.000E+00	2.132E-24	1.689E-22	1.930E-20	9.668E-18	8.129E-17	1.783E-15	2.587E-14
Ac-227	Cm-243	1.629E-06	0.000E+00	1.280E-27	1.014E-25	1.159E-23	5.805E-21	4.880E-20	1.070E-18	1.553E-17
Ac-227	Pu-239	1.633E-06	0.000E+00	1.791E-22	4.758E-21	1.668E-19	1.821E-17	9.431E-17	1.198E-15	1.401E-14
Ac-227	Pu-239	2.720E-03	0.000E+00	2.983E-19	7.926E-18	2.779E-16	3.033E-14	1.571E-13	1.995E-12	2.333E-11
Ac-227	ΣS(j) :		0.000E+00	2.985E-19	7.932E-18	2.782E-16	3.043E-14	1.580E-13	2.030E-12	2.466E-11
Am-243	Am-243	1.375E-02	1.375E-02	1.375E-02	1.374E-02	1.372E-02	1.360E-02	1.346E-02	1.289E-02	1.107E-02
Am-243	Am-243	3.806E-05	3.806E-05	3.805E-05	3.804E-05	3.798E-05	3.763E-05	3.725E-05	3.566E-05	3.064E-05
Am-243	ΣS(j) :		1.379E-02	1.379E-02	1.378E-02	1.376E-02	1.363E-02	1.349E-02	1.292E-02	1.110E-02
Ac-227	Am-243	3.806E-05	0.000E+00	3.004E-26	2.402E-24	2.837E-22	1.725E-19	1.767E-18	7.314E-17	2.976E-15
Ac-227	Am-243	8.252E-07	0.000E+00	6.514E-28	5.209E-26	6.152E-24	3.741E-21	3.830E-20	1.586E-18	6.452E-17
Ac-227	Am-243	2.285E-08	0.000E+00	1.804E-29	1.442E-27	1.704E-25	1.036E-22	1.061E-21	4.391E-20	1.787E-18
Ac-227	Cm-243	9.135E-08	0.000E+00	1.352E-33	3.226E-31	1.244E-28	3.528E-25	5.985E-24	4.598E-22	2.497E-20
Ac-227	Cm-243	5.484E-11	0.000E+00	8.119E-37	1.936E-34	7.471E-32	2.118E-28	3.593E-27	2.761E-25	1.499E-23
Ac-227	Cm-243	3.797E-05	0.000E+00	2.983E-26	2.363E-24	2.701E-22	1.353E-19	1.137E-18	2.494E-17	3.620E-16
Ac-227	Cm-243	2.280E-08	0.000E+00	1.791E-29	1.419E-27	1.621E-25	8.122E-23	6.828E-22	1.498E-20	2.173E-19
Ac-227	Pu-239	2.285E-08	0.000E+00	2.506E-24	6.658E-23	2.335E-21	2.548E-19	1.320E-18	1.676E-17	1.960E-16
Ac-227	Pu-239	3.806E-05	0.000E+00	4.174E-21	1.109E-19	3.889E-18	4.243E-16	2.198E-15	2.792E-14	3.264E-13
Ac-227	ΣS(j) :		0.000E+00	4.176E-21	1.110E-19	3.891E-18	4.249E-16	2.202E-15	2.803E-14	3.300E-13

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Am-243	Am-243	8.252E-07	8.252E-07	8.250E-07	8.247E-07	8.234E-07	8.158E-07	8.075E-07	7.732E-07	6.642E-07
Am-243	Am-243	2.284E-09	2.284E-09	2.283E-09	2.282E-09	2.279E-09	2.258E-09	2.235E-09	2.140E-09	1.838E-09
Am-243	ΣS(j):		8.275E-07	8.273E-07	8.270E-07	8.257E-07	8.181E-07	8.097E-07	7.753E-07	6.661E-07
Ac-227	Am-243	2.284E-09	0.000E+00	1.803E-30	1.442E-28	1.703E-26	1.035E-23	1.060E-22	4.388E-21	1.786E-19
Ac-227	Am-243	1.371E-12	0.000E+00	1.082E-33	8.654E-32	1.022E-29	6.216E-27	6.364E-26	2.635E-24	1.072E-22
Ac-227	Cm-243	5.481E-12	0.000E+00	8.115E-38	1.935E-35	7.467E-33	2.117E-29	3.591E-28	2.759E-26	1.498E-24
Ac-227	Cm-243	3.291E-15	0.000E+00	4.872E-41	1.162E-38	4.483E-36	1.271E-32	2.156E-31	1.657E-29	8.993E-28
Ac-227	Cm-243	2.278E-09	0.000E+00	1.790E-30	1.418E-28	1.621E-26	8.117E-24	6.825E-23	1.497E-21	2.172E-20
Ac-227	Cm-243	1.368E-12	0.000E+00	1.075E-33	8.512E-32	9.729E-30	4.873E-27	4.097E-26	8.986E-25	1.304E-23
Ac-227	Pu-239	1.371E-12	0.000E+00	1.504E-28	3.995E-27	1.401E-25	1.529E-23	7.918E-23	1.006E-21	1.176E-20
Ac-227	Pu-239	2.284E-09	0.000E+00	2.504E-25	6.655E-24	2.333E-22	2.546E-20	1.319E-19	1.675E-18	1.959E-17
Ac-227	ΣS(j):		0.000E+00	2.506E-25	6.659E-24	2.335E-22	2.550E-20	1.321E-19	1.682E-18	1.980E-17
Am-243	Am-243	5.901E-04	5.901E-04	5.900E-04	5.897E-04	5.888E-04	5.834E-04	5.774E-04	5.529E-04	4.750E-04
Am-243	Am-243	1.633E-06	1.633E-06	1.633E-06	1.632E-06	1.630E-06	1.615E-06	1.598E-06	1.530E-06	1.315E-06
Am-243	ΣS(j):		5.917E-04	5.916E-04	5.913E-04	5.904E-04	5.850E-04	5.790E-04	5.544E-04	4.763E-04
Pu-239	Am-243	5.901E-04	0.000E+00	1.696E-08	5.087E-08	1.693E-07	8.870E-07	1.665E-06	4.814E-06	1.410E-05
Pu-239	Am-243	1.633E-06	0.000E+00	4.694E-11	1.408E-10	4.686E-10	2.455E-09	4.609E-09	1.332E-08	3.901E-08
Pu-239	Am-243	8.257E-06	0.000E+00	2.373E-10	7.117E-10	2.369E-09	1.241E-08	2.330E-08	6.736E-08	1.972E-07
Pu-239	Am-243	2.285E-08	0.000E+00	6.568E-13	1.970E-12	6.557E-12	3.435E-11	6.449E-11	1.864E-10	5.459E-10
Pu-239	Am-243	4.954E-10	0.000E+00	1.424E-14	4.271E-14	1.422E-13	7.447E-13	1.398E-12	4.042E-12	1.183E-11
Pu-239	Am-243	1.371E-12	0.000E+00	3.941E-17	1.182E-16	3.935E-16	2.061E-15	3.870E-15	1.119E-14	3.275E-14
Pu-239	Cm-243	1.416E-06	0.000E+00	1.899E-15	1.682E-14	1.769E-13	3.631E-12	9.803E-12	3.946E-11	1.288E-10
Pu-239	Cm-243	3.920E-09	0.000E+00	5.256E-18	4.656E-17	4.896E-16	1.005E-14	2.713E-14	1.092E-13	3.565E-13
Pu-239	Cm-243	1.982E-08	0.000E+00	2.657E-17	2.354E-16	2.475E-15	5.080E-14	1.372E-13	5.522E-13	1.802E-12
Pu-239	Cm-243	5.484E-11	0.000E+00	7.355E-20	6.514E-19	6.850E-18	1.406E-16	3.796E-16	1.528E-15	4.988E-15
Pu-239	Cm-243	1.189E-12	0.000E+00	1.595E-21	1.412E-20	1.485E-19	3.048E-18	8.230E-18	3.313E-17	1.081E-16
Pu-239	Cm-243	3.291E-15	0.000E+00	4.413E-24	3.909E-23	4.110E-22	8.436E-21	2.278E-20	9.170E-20	2.993E-19
Pu-239	Cm-243	5.887E-04	0.000E+00	1.672E-08	4.899E-08	1.505E-07	5.058E-07	6.377E-07	6.816E-07	6.125E-07
Pu-239	Cm-243	1.629E-06	0.000E+00	4.628E-11	1.356E-10	4.164E-10	1.400E-09	1.765E-09	1.886E-09	1.695E-09
Pu-239	Cm-243	8.237E-06	0.000E+00	2.340E-10	6.854E-10	2.105E-09	7.077E-09	8.922E-09	9.537E-09	8.571E-09
Pu-239	Cm-243	2.280E-08	0.000E+00	6.476E-13	1.897E-12	5.826E-12	1.959E-11	2.469E-11	2.640E-11	2.372E-11
Pu-239	Cm-243	4.942E-10	0.000E+00	1.404E-14	4.113E-14	1.263E-13	4.246E-13	5.354E-13	5.723E-13	5.143E-13
Pu-239	Cm-243	1.368E-12	0.000E+00	3.886E-17	1.138E-16	3.496E-16	1.175E-15	1.482E-15	1.584E-15	1.423E-15
Pu-239	Pu-239	5.901E-04	5.901E-04	5.900E-04	5.898E-04	5.892E-04	5.853E-04	5.811E-04	5.635E-04	5.059E-04
Pu-239	ΣS(j):		5.901E-04	5.900E-04	5.899E-04	5.895E-04	5.867E-04	5.834E-04	5.691E-04	5.209E-04
Am-243	Am-243	8.257E-06	8.257E-06	8.255E-06	8.251E-06	8.239E-06	8.163E-06	8.079E-06	7.736E-06	6.646E-06
Am-243	Am-243	2.285E-08	2.285E-08	2.285E-08	2.284E-08	2.280E-08	2.259E-08	2.236E-08	2.141E-08	1.839E-08
Am-243	ΣS(j):		8.280E-06	8.278E-06	8.274E-06	8.262E-06	8.185E-06	8.102E-06	7.758E-06	6.664E-06
Ac-227	Am-243	8.257E-06	0.000E+00	6.517E-27	5.211E-25	6.155E-23	3.743E-20	3.832E-19	1.587E-17	6.456E-16
Ac-227	Cm-243	3.301E-05	0.000E+00	4.887E-31	1.165E-28	4.496E-26	1.275E-22	2.162E-21	1.661E-19	9.020E-18
Ac-227	Cm-243	1.982E-08	0.000E+00	2.934E-34	6.997E-32	2.699E-29	7.653E-26	1.298E-24	9.975E-23	5.415E-21
Ac-227	Cm-243	1.372E-02	0.000E+00	1.078E-23	8.538E-22	9.758E-20	4.888E-17	4.110E-16	9.013E-15	1.308E-13
Ac-227	Cm-243	8.237E-06	0.000E+00	6.471E-27	5.126E-25	5.859E-23	2.935E-20	2.467E-19	5.411E-18	7.853E-17
Ac-227	Pu-239	8.257E-06	0.000E+00	9.054E-22	2.406E-20	8.435E-19	9.205E-17	4.768E-16	6.056E-15	7.081E-14

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Ac-227	Pu-239	1.375E-02	0.000E+00	1.508E-18	4.007E-17	1.405E-15	1.533E-13	7.942E-13	1.009E-11	1.179E-10
Ac-227	ΣS(j):		0.000E+00	1.509E-18	4.010E-17	1.406E-15	1.535E-13	7.950E-13	1.010E-11	1.181E-10
Am-243	Am-243	4.954E-10	4.954E-10	4.953E-10	4.951E-10	4.944E-10	4.898E-10	4.848E-10	4.642E-10	3.988E-10
Am-243	Am-243	1.371E-12	1.371E-12	1.371E-12	1.370E-12	1.368E-12	1.356E-12	1.342E-12	1.285E-12	1.104E-12
Am-243	ΣS(j):		4.968E-10	4.967E-10	4.965E-10	4.957E-10	4.911E-10	4.861E-10	4.655E-10	3.999E-10
Ac-227	Am-243	4.954E-10	0.000E+00	3.911E-31	3.127E-29	3.693E-27	2.246E-24	2.299E-23	9.520E-22	3.874E-20
Ac-227	Cm-243	1.981E-09	0.000E+00	2.932E-35	6.993E-33	2.698E-30	7.649E-27	1.298E-25	9.969E-24	5.413E-22
Ac-227	Cm-243	1.189E-12	0.000E+00	1.760E-38	4.198E-36	1.620E-33	4.592E-30	7.790E-29	5.985E-27	3.249E-25
Ac-227	Cm-243	8.232E-07	0.000E+00	6.468E-28	5.123E-26	5.855E-24	2.933E-21	2.466E-20	5.408E-19	7.849E-18
Ac-227	Cm-243	4.942E-10	0.000E+00	3.883E-31	3.076E-29	3.515E-27	1.761E-24	1.480E-23	3.247E-22	4.712E-21
Ac-227	Pu-239	4.954E-10	0.000E+00	5.432E-26	1.444E-24	5.061E-23	5.523E-21	2.861E-20	3.634E-19	4.249E-18
Ac-227	Pu-239	8.252E-07	0.000E+00	9.049E-23	2.404E-21	8.430E-20	9.200E-18	4.765E-17	6.053E-16	7.077E-15
Ac-227	ΣS(j):		0.000E+00	9.054E-23	2.406E-21	8.436E-20	9.208E-18	4.771E-17	6.062E-16	7.089E-15
C-14	C-14	1.000E+00	1.000E+00	9.845E-01	9.542E-01	8.553E-01	4.382E-01	2.096E-01	9.209E-03	1.637E-07
Cm-243	Cm-243	2.359E-03	2.359E-03	2.303E-03	2.196E-03	1.858E-03	6.698E-04	2.174E-04	1.846E-06	1.041E-13
Cm-243	Cm-243	6.529E-06	6.529E-06	6.375E-06	6.078E-06	5.144E-06	1.854E-06	6.016E-07	5.108E-09	2.881E-16
Cm-243	ΣS(j):		2.365E-03	2.310E-03	2.202E-03	1.864E-03	6.717E-04	2.180E-04	1.851E-06	1.044E-13
Cm-243	Cm-243	3.301E-05	3.301E-05	3.223E-05	3.073E-05	2.600E-05	9.372E-06	3.041E-06	2.582E-08	1.456E-15
Cm-243	Cm-243	9.135E-08	9.135E-08	8.920E-08	8.504E-08	7.197E-08	2.594E-08	8.418E-09	7.147E-11	4.031E-18
Cm-243	ΣS(j):		3.310E-05	3.232E-05	3.081E-05	2.608E-05	9.398E-06	3.050E-06	2.589E-08	1.461E-15
Cm-243	Cm-243	1.981E-09	1.981E-09	1.934E-09	1.844E-09	1.560E-09	5.624E-10	1.825E-10	1.550E-12	8.740E-20
Cm-243	Cm-243	5.481E-12	5.481E-12	5.352E-12	5.103E-12	4.319E-12	1.556E-12	5.051E-13	4.288E-15	2.419E-22
Cm-243	ΣS(j):		1.986E-09	1.939E-09	1.849E-09	1.565E-09	5.639E-10	1.830E-10	1.554E-12	8.764E-20
Cm-243	Cm-243	1.416E-06	1.416E-06	1.383E-06	1.318E-06	1.116E-06	4.021E-07	1.305E-07	1.108E-09	6.249E-17
Cm-243	Cm-243	3.920E-09	3.920E-09	3.827E-09	3.649E-09	3.088E-09	1.113E-09	3.612E-10	3.067E-12	1.730E-19
Cm-243	ΣS(j):		1.420E-06	1.387E-06	1.322E-06	1.119E-06	4.032E-07	1.309E-07	1.111E-09	6.267E-17
Cm-243	Cm-243	1.982E-08	1.982E-08	1.935E-08	1.845E-08	1.561E-08	5.627E-09	1.826E-09	1.550E-11	8.744E-19
Cm-243	Cm-243	5.484E-11	5.484E-11	5.355E-11	5.106E-11	4.321E-11	1.557E-11	5.054E-12	4.291E-14	2.420E-21
Cm-243	ΣS(j):		1.987E-08	1.940E-08	1.850E-08	1.566E-08	5.642E-09	1.831E-09	1.555E-11	8.768E-19
Cm-243	Cm-243	1.189E-12	1.189E-12	1.161E-12	1.107E-12	9.368E-13	3.376E-13	1.096E-13	9.303E-16	5.247E-23
Cm-243	Cm-243	3.291E-15	3.291E-15	3.213E-15	3.064E-15	2.593E-15	9.344E-16	3.032E-16	2.575E-18	1.452E-25
Cm-243	ΣS(j):		1.192E-12	1.164E-12	1.110E-12	9.394E-13	3.386E-13	1.099E-13	9.328E-16	5.261E-23
Cm-243	Cm-243	9.805E-01	9.805E-01	9.574E-01	9.128E-01	7.725E-01	2.784E-01	9.035E-02	7.671E-04	4.327E-11
Cm-243	Cm-243	2.714E-03	2.714E-03	2.650E-03	2.526E-03	2.138E-03	7.706E-04	2.501E-04	2.123E-06	1.198E-13
Cm-243	ΣS(j):		9.832E-01	9.601E-01	9.154E-01	7.747E-01	2.792E-01	9.060E-02	7.693E-04	4.339E-11
Cm-243	Cm-243	1.372E-02	1.372E-02	1.340E-02	1.277E-02	1.081E-02	3.896E-03	1.264E-03	1.073E-05	6.054E-13
Cm-243	Cm-243	3.797E-05	3.797E-05	3.708E-05	3.535E-05	2.992E-05	1.078E-05	3.499E-06	2.971E-08	1.676E-15
Cm-243	ΣS(j):		1.376E-02	1.343E-02	1.281E-02	1.084E-02	3.907E-03	1.268E-03	1.076E-05	6.071E-13

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03	
Cm-243	Cm-243	8.232E-07	8.232E-07	8.038E-07	7.664E-07	6.486E-07	2.338E-07	7.586E-08	6.441E-10	3.633E-17	
Cm-243	Cm-243	2.278E-09	2.278E-09	2.225E-09	2.121E-09	1.795E-09	6.470E-10	2.099E-10	1.783E-12	1.005E-19	
Cm-243	ΣS(j):		8.255E-07	8.061E-07	7.685E-07	6.504E-07	2.344E-07	7.607E-08	6.459E-10	3.643E-17	
Cm-243	Cm-243	5.887E-04	5.887E-04	5.748E-04	5.480E-04	4.638E-04	1.672E-04	5.424E-05	4.606E-07	2.598E-14	
Cm-243	Cm-243	1.629E-06	1.629E-06	1.591E-06	1.517E-06	1.284E-06	4.626E-07	1.501E-07	1.275E-09	7.189E-17	
Cm-243	ΣS(j):		5.903E-04	5.764E-04	5.495E-04	4.651E-04	1.676E-04	5.439E-05	4.618E-07	2.605E-14	
Cm-243	Cm-243	8.237E-06	8.237E-06	8.043E-06	7.668E-06	6.489E-06	2.339E-06	7.590E-07	6.444E-09	3.635E-16	
Cm-243	Cm-243	2.280E-08	2.280E-08	2.226E-08	2.122E-08	1.796E-08	6.473E-09	2.101E-09	1.784E-11	1.006E-18	
Cm-243	ΣS(j):		8.260E-06	8.065E-06	7.689E-06	6.507E-06	2.345E-06	7.611E-07	6.462E-09	3.645E-16	
Cm-243	Cm-243	4.942E-10	4.942E-10	4.826E-10	4.601E-10	3.894E-10	1.403E-10	4.554E-11	3.867E-13	2.181E-20	
Cm-243	Cm-243	1.368E-12	1.368E-12	1.336E-12	1.273E-12	1.078E-12	3.884E-13	1.260E-13	1.070E-15	6.036E-23	
Cm-243	ΣS(j):		4.956E-10	4.839E-10	4.614E-10	3.905E-10	1.407E-10	4.567E-11	3.877E-13	2.187E-20	
Cm-244	Cm-244	1.371E-06	1.371E-06	1.319E-06	1.222E-06	9.346E-07	1.813E-07	2.970E-08	1.394E-11	3.126E-23	
Cm-244	Cm-244	5.750E-08	5.750E-08	5.534E-08	5.126E-08	3.920E-08	7.603E-09	1.246E-09	5.848E-13	1.311E-24	
Cm-244	ΣS(j):		1.429E-06	1.375E-06	1.273E-06	9.738E-07	1.889E-07	3.095E-08	1.453E-11	3.257E-23	
Pu-240	Cm-244	5.750E-08	0.000E+00	5.956E-12	1.720E-11	5.038E-11	1.364E-10	1.523E-10	1.488E-10	1.266E-10	
Pu-240	Pu-240	5.750E-08	5.750E-08	5.749E-08	5.746E-08	5.737E-08	5.680E-08	5.619E-08	5.366E-08	4.565E-08	
Pu-240	ΣS(j):		5.750E-08	5.749E-08	5.748E-08	5.742E-08	5.694E-08	5.634E-08	5.380E-08	4.578E-08	
Cm-244	Cm-244	1.000E+00	1.000E+00	9.624E-01	8.914E-01	6.817E-01	1.322E-01	2.167E-02	1.017E-05	2.280E-17	
Pu-240	Cm-244	1.000E+00	0.000E+00	1.036E-04	2.992E-04	8.761E-04	2.372E-03	2.649E-03	2.587E-03	2.201E-03	
U-236	Cm-244	1.000E+00	0.000E+00	1.543E-12	1.353E-11	1.379E-10	2.439E-09	5.974E-09	2.113E-08	6.527E-08	
U-236	Pu-240	1.000E+00	0.000E+00	2.959E-08	8.874E-08	2.954E-07	1.546E-06	2.901E-06	8.358E-06	2.419E-05	
U-236	ΣS(j):		0.000E+00	2.959E-08	8.875E-08	2.955E-07	1.549E-06	2.907E-06	8.379E-06	2.426E-05	
Th-232	Cm-244	1.000E+00	0.000E+00	2.545E-23	6.741E-22	2.339E-20	2.428E-18	1.216E-17	1.467E-16	1.675E-15	
Th-232	Pu-240	1.000E+00	0.000E+00	7.300E-19	6.568E-18	7.291E-17	2.021E-15	7.202E-15	6.309E-14	6.382E-13	
Th-232	ΣS(j):		0.000E+00	7.300E-19	6.569E-18	7.293E-17	2.023E-15	7.214E-15	6.324E-14	6.398E-13	
Ra-228	Cm-244	1.000E+00	0.000E+00	7.503E-25	5.710E-23	5.730E-21	1.651E-18	9.973E-18	1.383E-16	1.648E-15	
Ra-228	Pu-240	1.000E+00	0.000E+00	2.847E-20	7.251E-19	2.224E-17	1.487E-15	6.112E-15	5.976E-14	6.283E-13	
Ra-228	ΣS(j):		0.000E+00	2.847E-20	7.252E-19	2.224E-17	1.488E-15	6.122E-15	5.990E-14	6.300E-13	
Th-228	Cm-244	1.000E+00	0.000E+00	5.155E-26	1.062E-23	2.613E-21	1.416E-18	9.276E-18	1.355E-16	1.639E-15	
Th-228	Pu-240	1.000E+00	0.000E+00	2.418E-21	1.635E-19	1.165E-17	1.320E-15	5.760E-15	5.866E-14	6.251E-13	
Th-228	ΣS(j):		0.000E+00	2.418E-21	1.635E-19	1.165E-17	1.321E-15	5.770E-15	5.880E-14	6.267E-13	
Co-60	Co-60	1.000E+00	1.000E+00	8.767E-01	6.738E-01	2.682E-01	9.605E-04	1.928E-06	7.163E-18	0.000E+00	
Cs-134	Cs-134	1.000E+00	1.000E+00	7.145E-01	3.648E-01	3.467E-02	1.955E-08	2.511E-15	1.541E-44	0.000E+00	
Cs-137	Cs-137	1.000E+00	1.000E+00	9.768E-01	9.320E-01	7.909E-01	2.898E-01	9.576E-02	8.782E-04	6.485E-11	

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Eu-152	Eu-152	7.210E-01	7.210E-01	6.849E-01	6.179E-01	4.311E-01	4.770E-02	4.210E-03	1.435E-07	3.319E-23
Eu-152	Eu-152	2.790E-01	2.790E-01	2.650E-01	2.391E-01	1.668E-01	1.846E-02	1.629E-03	5.553E-08	1.284E-23
Eu-152	ΣS(j):		1.000E+00	9.499E-01	8.570E-01	5.979E-01	6.616E-02	5.839E-03	1.990E-07	4.603E-23
Gd-152	Eu-152	2.790E-01	0.000E+00	1.745E-15	4.978E-15	1.400E-14	3.248E-14	3.454E-14	3.456E-14	3.393E-14
Sm-148	Eu-152	2.790E-01	0.000E+00	8.715E-32	7.584E-31	7.521E-30	1.193E-28	2.775E-28	9.600E-28	3.294E-27
Nd-144	Eu-152	2.790E-01	0.000E+00	0.000E+00	0.000E+00	8.408E-45	7.497E-43	3.561E-42	4.053E-41	4.717E-40
Eu-154	Eu-154	1.000E+00	1.000E+00	9.223E-01	7.845E-01	4.453E-01	1.397E-02	3.068E-04	2.888E-11	7.389E-36
Eu-155	Eu-155	1.000E+00	1.000E+00	8.643E-01	6.457E-01	2.327E-01	4.533E-04	4.649E-07	1.005E-19	0.000E+00
Fe-55	Fe-55	1.000E+00	1.000E+00	7.763E-01	4.678E-01	7.945E-02	1.558E-06	1.003E-11	1.008E-33	0.000E+00
H-3	H-3	1.000E+00	1.000E+00	8.502E-01	6.146E-01	1.974E-01	1.901E-04	8.965E-08	7.205E-22	0.000E+00
Nb-94	Nb-94	1.000E+00	1.000E+00	9.995E-01	9.985E-01	9.949E-01	9.731E-01	9.497E-01	8.565E-01	5.968E-01
Ni-59	Ni-59	1.000E+00	1.000E+00	9.996E-01	9.989E-01	9.964E-01	9.813E-01	9.649E-01	8.984E-01	6.997E-01
Ni-63	Ni-63	1.000E+00	1.000E+00	9.928E-01	9.784E-01	9.298E-01	6.811E-01	4.831E-01	1.128E-01	6.927E-04
Pm-147	Pm-147	1.000E+00	1.000E+00	7.676E-01	4.523E-01	7.104E-02	8.631E-07	3.275E-12	3.514E-35	0.000E+00
Sm-147	Pm-147	1.000E+00	0.000E+00	5.746E-12	1.354E-11	2.297E-11	2.470E-11	2.466E-11	2.453E-11	2.409E-11
Pu-238	Pu-238	1.850E-09	1.850E-09	1.835E-09	1.806E-09	1.707E-09	1.211E-09	8.289E-10	1.664E-10	6.030E-13
Pu-238	Pu-238	9.996E-01	9.996E-01	9.916E-01	9.758E-01	9.225E-01	6.542E-01	4.479E-01	8.990E-02	3.258E-04
Pu-238	ΣS(j):		9.996E-01	9.916E-01	9.758E-01	9.225E-01	6.542E-01	4.479E-01	8.990E-02	3.258E-04
U-234	Pu-238	9.996E-01	0.000E+00	2.811E-06	8.363E-06	2.710E-05	1.209E-04	1.921E-04	3.086E-04	3.014E-04
U-234	Pu-238	1.899E-08	0.000E+00	5.340E-14	1.589E-13	5.148E-13	2.296E-12	3.650E-12	5.864E-12	5.727E-12
U-234	Pu-238	2.100E-04	0.000E+00	5.904E-10	1.757E-09	5.691E-09	2.539E-08	4.035E-08	6.482E-08	6.331E-08
U-234	Pu-238	2.771E-10	0.000E+00	7.793E-16	2.319E-15	7.512E-15	3.351E-14	5.326E-14	8.557E-14	8.357E-14
U-234	Pu-238	3.989E-12	0.000E+00	1.122E-17	3.338E-17	1.081E-16	4.823E-16	7.667E-16	1.232E-15	1.203E-15
U-234	Pu-238	1.998E-04	0.000E+00	5.617E-10	1.671E-09	5.415E-09	2.415E-08	3.839E-08	6.168E-08	6.023E-08
U-234	Pu-238	2.637E-10	0.000E+00	7.414E-16	2.206E-15	7.147E-15	3.188E-14	5.068E-14	8.141E-14	7.951E-14
U-234	Pu-238	3.795E-12	0.000E+00	1.067E-17	3.176E-17	1.029E-16	4.589E-16	7.294E-16	1.172E-15	1.144E-15
U-234	Pu-238	4.196E-08	0.000E+00	1.180E-13	3.511E-13	1.137E-12	5.073E-12	8.064E-12	1.295E-11	1.265E-11
U-234	Pu-238	5.538E-14	0.000E+00	1.557E-19	4.634E-19	1.501E-18	6.696E-18	1.064E-17	1.710E-17	1.670E-17
U-234	Pu-238	7.972E-16	0.000E+00	2.242E-21	6.670E-21	2.161E-20	9.639E-20	1.532E-19	2.461E-19	2.404E-19
U-234	Pu-238	2.000E-07	0.000E+00	5.624E-13	1.673E-12	5.421E-12	2.418E-11	3.844E-11	6.175E-11	6.031E-11
U-234	Pu-238	2.640E-13	0.000E+00	7.423E-19	2.209E-18	7.156E-18	3.192E-17	5.074E-17	8.151E-17	7.961E-17
U-234	Pu-238	3.800E-15	0.000E+00	1.069E-20	3.179E-20	1.030E-19	4.594E-19	7.303E-19	1.173E-18	1.146E-18
U-234	ΣS(j):		0.000E+00	2.812E-06	8.367E-06	2.711E-05	1.209E-04	1.922E-04	3.087E-04	3.015E-04
Th-230	Pu-238	9.996E-01	0.000E+00	1.294E-11	1.158E-10	1.263E-09	3.145E-08	1.003E-07	5.903E-07	2.604E-06

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Th-230	Pu-238	1.899E-08	0.000E+00	2.459E-19	2.201E-18	2.399E-17	5.976E-16	1.907E-15	1.121E-14	4.948E-14
Th-230	Pu-238	2.100E-04	0.000E+00	2.718E-15	2.433E-14	2.652E-13	6.607E-12	2.108E-11	1.240E-10	5.470E-10
Th-230	Pu-238	2.771E-10	0.000E+00	3.588E-21	3.211E-20	3.501E-19	8.721E-18	2.782E-17	1.637E-16	7.220E-16
Th-230	Pu-238	3.989E-12	0.000E+00	5.164E-23	4.623E-22	5.039E-21	1.255E-19	4.005E-19	2.356E-18	1.039E-17
Th-230	Pu-238	1.998E-04	0.000E+00	2.586E-15	2.315E-14	2.523E-13	6.286E-12	2.005E-11	1.180E-10	5.204E-10
Th-230	Pu-238	2.637E-10	0.000E+00	3.414E-21	3.055E-20	3.331E-19	8.297E-18	2.647E-17	1.557E-16	6.869E-16
Th-230	Pu-238	3.795E-12	0.000E+00	4.913E-23	4.398E-22	4.795E-21	1.194E-19	3.810E-19	2.241E-18	9.887E-18
Th-230	Pu-238	4.196E-08	0.000E+00	5.432E-19	4.862E-18	5.300E-17	1.320E-15	4.212E-15	2.478E-14	1.093E-13
Th-230	Pu-238	5.538E-14	0.000E+00	7.170E-25	6.418E-24	6.997E-23	1.743E-21	5.560E-21	3.270E-20	1.443E-19
Th-230	Pu-238	7.972E-16	0.000E+00	1.032E-26	9.238E-26	1.007E-24	2.509E-23	8.003E-23	4.708E-22	2.077E-21
Th-230	Pu-238	2.000E-07	0.000E+00	2.589E-18	2.318E-17	2.527E-16	6.293E-15	2.008E-14	1.181E-13	5.210E-13
Th-230	Pu-238	2.640E-13	0.000E+00	3.418E-24	3.059E-23	3.335E-22	8.307E-21	2.650E-20	1.559E-19	6.877E-19
Th-230	Pu-238	3.800E-15	0.000E+00	4.919E-26	4.403E-25	4.800E-24	1.196E-22	3.815E-22	2.244E-21	9.899E-21
Th-230	ΣS(j):		0.000E+00	1.295E-11	1.159E-10	1.263E-09	3.147E-08	1.004E-07	5.905E-07	2.605E-06
Ra-226	Pu-238	9.996E-01	0.000E+00	1.870E-15	5.027E-14	1.834E-12	2.468E-10	1.526E-09	2.893E-08	4.545E-07
Ra-226	Pu-238	1.899E-08	0.000E+00	3.552E-23	9.550E-22	3.484E-20	4.689E-18	2.899E-17	5.497E-16	8.636E-15
Ra-226	ΣS(j):		0.000E+00	1.870E-15	5.027E-14	1.834E-12	2.468E-10	1.526E-09	2.893E-08	4.545E-07
Pb-210	Pu-238	9.996E-01	0.000E+00	1.451E-17	1.157E-15	1.352E-13	7.695E-11	7.308E-10	2.227E-08	4.255E-07
Pb-210	Pu-238	1.319E-06	0.000E+00	1.915E-23	1.527E-21	1.785E-19	1.016E-16	9.647E-16	2.940E-14	5.616E-13
Pb-210	Pu-238	2.100E-04	0.000E+00	3.048E-21	2.430E-19	2.840E-17	1.616E-14	1.535E-13	4.678E-12	8.937E-11
Pb-210	Pu-238	1.998E-04	0.000E+00	2.900E-21	2.312E-19	2.702E-17	1.538E-14	1.461E-13	4.451E-12	8.503E-11
Pb-210	Pu-238	4.196E-08	0.000E+00	6.091E-25	4.856E-23	5.675E-21	3.230E-18	3.068E-17	9.349E-16	1.786E-14
Pb-210	Pu-238	2.000E-07	0.000E+00	2.903E-24	2.315E-22	2.705E-20	1.540E-17	1.462E-16	4.456E-15	8.513E-14
Pb-210	ΣS(j):		0.000E+00	1.452E-17	1.157E-15	1.353E-13	7.698E-11	7.311E-10	2.228E-08	4.256E-07
Po-210	Pu-238	9.996E-01	0.000E+00	4.038E-18	6.385E-16	1.104E-13	7.412E-11	7.174E-10	2.216E-08	4.249E-07
Po-210	Pu-238	2.100E-04	0.000E+00	8.481E-22	1.341E-19	2.318E-17	1.557E-14	1.507E-13	4.654E-12	8.926E-11
Po-210	Pu-238	1.998E-04	0.000E+00	8.069E-22	1.276E-19	2.206E-17	1.481E-14	1.434E-13	4.428E-12	8.492E-11
Po-210	Pu-238	4.196E-08	0.000E+00	1.695E-25	2.680E-23	4.633E-21	3.111E-18	3.011E-17	9.301E-16	1.784E-14
Po-210	Pu-238	2.000E-07	0.000E+00	8.079E-25	1.278E-22	2.208E-20	1.483E-17	1.435E-16	4.434E-15	8.502E-14
Po-210	ΣS(j):		0.000E+00	4.039E-18	6.388E-16	1.104E-13	7.415E-11	7.177E-10	2.217E-08	4.251E-07
Pu-238	Pu-238	1.319E-06	1.319E-06	1.309E-06	1.288E-06	1.218E-06	8.636E-07	5.912E-07	1.187E-07	4.301E-10
Pu-238	Pu-238	1.899E-08	1.899E-08	1.884E-08	1.854E-08	1.753E-08	1.243E-08	8.509E-09	1.708E-09	6.191E-12
Pu-238	ΣS(j):		1.338E-06	1.328E-06	1.307E-06	1.235E-06	8.760E-07	5.997E-07	1.204E-07	4.363E-10
U-234	Pu-238	1.319E-06	0.000E+00	3.710E-12	1.104E-11	3.577E-11	1.595E-10	2.536E-10	4.074E-10	3.979E-10
Th-230	Pu-238	1.319E-06	0.000E+00	1.708E-17	1.529E-16	1.667E-15	4.152E-14	1.325E-13	7.791E-13	3.437E-12
Ra-226	Pu-238	1.319E-06	0.000E+00	2.468E-21	6.635E-20	2.421E-18	3.258E-16	2.014E-15	3.819E-14	5.999E-13
Pb-210	Pu-238	1.899E-08	0.000E+00	2.757E-25	2.198E-23	2.569E-21	1.462E-18	1.389E-17	4.232E-16	8.084E-15
Pb-210	Pu-238	3.989E-12	0.000E+00	5.791E-29	4.617E-27	5.396E-25	3.071E-22	2.917E-21	8.889E-20	1.698E-18
Pb-210	Pu-238	3.795E-12	0.000E+00	5.509E-29	4.392E-27	5.134E-25	2.922E-22	2.775E-21	8.457E-20	1.615E-18
Pb-210	Pu-238	7.972E-16	0.000E+00	1.157E-32	9.226E-31	1.078E-28	6.137E-26	5.829E-25	1.776E-23	3.393E-22
Pb-210	Pu-238	3.800E-15	0.000E+00	5.516E-32	4.398E-30	5.140E-28	2.925E-25	2.778E-24	8.467E-23	1.617E-21
Pb-210	ΣS(j):		0.000E+00	2.758E-25	2.199E-23	2.570E-21	1.463E-18	1.389E-17	4.234E-16	8.087E-15

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Pu-238	Pu-238	2.100E-04	2.100E-04	2.083E-04	2.050E-04	1.938E-04	1.374E-04	9.407E-05	1.888E-05	6.844E-08
Pu-238	Pu-238	2.771E-10	2.771E-10	2.749E-10	2.705E-10	2.558E-10	1.814E-10	1.242E-10	2.493E-11	9.034E-14
Pu-238	ΣS(j):		2.100E-04	2.083E-04	2.050E-04	1.938E-04	1.374E-04	9.407E-05	1.888E-05	6.844E-08
Ra-226	Pu-238	2.100E-04	0.000E+00	3.927E-19	1.056E-17	3.852E-16	5.184E-14	3.205E-13	6.077E-12	9.547E-11
Ra-226	Pu-238	2.771E-10	0.000E+00	5.184E-25	1.394E-23	5.085E-22	6.843E-20	4.231E-19	8.022E-18	1.260E-16
Ra-226	Pu-238	3.989E-12	0.000E+00	7.462E-27	2.006E-25	7.319E-24	9.850E-22	6.089E-21	1.155E-19	1.814E-18
Ra-226	ΣS(j):		0.000E+00	3.927E-19	1.056E-17	3.852E-16	5.184E-14	3.205E-13	6.077E-12	9.547E-11
Pb-210	Pu-238	2.771E-10	0.000E+00	4.023E-27	3.207E-25	3.749E-23	2.134E-20	2.026E-19	6.175E-18	1.180E-16
Pb-210	Pu-238	2.637E-10	0.000E+00	3.828E-27	3.052E-25	3.567E-23	2.030E-20	1.928E-19	5.875E-18	1.122E-16
Pb-210	Pu-238	5.538E-14	0.000E+00	8.040E-31	6.410E-29	7.491E-27	4.264E-24	4.049E-23	1.234E-21	2.357E-20
Pb-210	Pu-238	2.640E-13	0.000E+00	3.832E-30	3.055E-28	3.571E-26	2.032E-23	1.930E-22	5.883E-21	1.124E-19
Pb-210	ΣS(j):		0.000E+00	7.855E-27	6.263E-25	7.320E-23	4.166E-20	3.957E-19	1.206E-17	2.303E-16
Pu-238	Pu-238	3.989E-12	3.989E-12	3.957E-12	3.894E-12	3.681E-12	2.611E-12	1.787E-12	3.588E-13	1.300E-15
Pu-238	Pu-238	1.998E-04	1.998E-04	1.982E-04	1.950E-04	1.843E-04	1.307E-04	8.950E-05	1.797E-05	6.511E-08
Pu-238	ΣS(j):		1.998E-04	1.982E-04	1.950E-04	1.843E-04	1.307E-04	8.950E-05	1.797E-05	6.511E-08
Ra-226	Pu-238	1.998E-04	0.000E+00	3.736E-19	1.004E-17	3.665E-16	4.932E-14	3.049E-13	5.782E-12	9.083E-11
Ra-226	Pu-238	3.795E-12	0.000E+00	7.099E-27	1.909E-25	6.963E-24	9.371E-22	5.794E-21	1.099E-19	1.726E-18
Ra-226	ΣS(j):		0.000E+00	3.736E-19	1.004E-17	3.665E-16	4.932E-14	3.049E-13	5.782E-12	9.083E-11
Pu-238	Pu-238	2.637E-10	2.637E-10	2.616E-10	2.574E-10	2.433E-10	1.726E-10	1.181E-10	2.372E-11	8.595E-14
Pu-238	Pu-238	3.795E-12	3.795E-12	3.765E-12	3.705E-12	3.503E-12	2.484E-12	1.700E-12	3.414E-13	1.237E-15
Pu-238	ΣS(j):		2.675E-10	2.653E-10	2.611E-10	2.468E-10	1.751E-10	1.198E-10	2.406E-11	8.719E-14
Ra-226	Pu-238	2.637E-10	0.000E+00	4.932E-25	1.326E-23	4.838E-22	6.510E-20	4.025E-19	7.633E-18	1.199E-16
Pu-238	Pu-238	4.196E-08	4.196E-08	4.162E-08	4.096E-08	3.872E-08	2.746E-08	1.880E-08	3.774E-09	1.368E-11
Pu-238	Pu-238	5.538E-14	5.538E-14	5.494E-14	5.407E-14	5.111E-14	3.625E-14	2.481E-14	4.981E-15	1.805E-17
Pu-238	ΣS(j):		4.196E-08	4.162E-08	4.096E-08	3.872E-08	2.746E-08	1.880E-08	3.774E-09	1.368E-11
Ra-226	Pu-238	4.196E-08	0.000E+00	7.848E-23	2.110E-21	7.698E-20	1.036E-17	6.405E-17	1.215E-15	1.908E-14
Ra-226	Pu-238	5.538E-14	0.000E+00	1.036E-28	2.785E-27	1.016E-25	1.367E-23	8.454E-23	1.603E-21	2.518E-20
Ra-226	Pu-238	7.972E-16	0.000E+00	1.491E-30	4.009E-29	1.463E-27	1.968E-25	1.217E-24	2.308E-23	3.625E-22
Ra-226	ΣS(j):		0.000E+00	7.848E-23	2.110E-21	7.698E-20	1.036E-17	6.405E-17	1.215E-15	1.908E-14
Pu-238	Pu-238	7.972E-16	7.972E-16	7.908E-16	7.782E-16	7.357E-16	5.218E-16	3.572E-16	7.170E-17	2.599E-19
Pu-238	Pu-238	2.000E-07	2.000E-07	1.984E-07	1.952E-07	1.846E-07	1.309E-07	8.961E-08	1.799E-08	6.519E-11
Pu-238	ΣS(j):		2.000E-07	1.984E-07	1.952E-07	1.846E-07	1.309E-07	8.961E-08	1.799E-08	6.519E-11
Ra-226	Pu-238	2.000E-07	0.000E+00	3.741E-22	1.006E-20	3.669E-19	4.938E-17	3.053E-16	5.789E-15	9.094E-14
Ra-226	Pu-238	3.800E-15	0.000E+00	7.108E-30	1.911E-28	6.972E-27	9.382E-25	5.801E-24	1.100E-22	1.728E-21
Ra-226	ΣS(j):		0.000E+00	3.741E-22	1.006E-20	3.669E-19	4.938E-17	3.053E-16	5.789E-15	9.094E-14
Pu-238	Pu-238	2.640E-13	2.640E-13	2.619E-13	2.577E-13	2.436E-13	1.728E-13	1.183E-13	2.374E-14	8.606E-17
Pu-238	Pu-238	3.800E-15	3.800E-15	3.770E-15	3.710E-15	3.507E-15	2.487E-15	1.703E-15	3.418E-16	1.239E-18
Pu-238	ΣS(j):		2.678E-13	2.657E-13	2.614E-13	2.471E-13	1.753E-13	1.200E-13	2.409E-14	8.729E-17

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\ROC SCREENING\ROC SCREENING INPUT RAD FILE\FINAL\ZION ROC SCREENING.RAD

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	5.280E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	Pu-238	2.640E-13	0.000E+00	4.938E-28	1.328E-26	4.843E-25	6.518E-23	4.030E-22	7.642E-21	1.200E-19
Pu-239	Pu-239	1.633E-06	1.633E-06	1.633E-06	1.632E-06	1.631E-06	1.620E-06	1.608E-06	1.559E-06	1.400E-06
Pu-239	Pu-239	8.257E-06	8.257E-06	8.255E-06	8.253E-06	8.244E-06	8.190E-06	8.131E-06	7.884E-06	7.079E-06
Pu-239	ΣS(j):		9.890E-06	9.888E-06	9.885E-06	9.875E-06	9.810E-06	9.739E-06	9.444E-06	8.480E-06
Pu-239	Pu-239	2.285E-08	2.285E-08	2.285E-08	2.284E-08	2.282E-08	2.267E-08	2.250E-08	2.182E-08	1.959E-08
Pu-239	Pu-239	4.954E-10	4.954E-10	4.954E-10	4.952E-10	4.947E-10	4.914E-10	4.879E-10	4.731E-10	4.248E-10
Pu-239	ΣS(j):		2.335E-08	2.334E-08	2.334E-08	2.331E-08	2.316E-08	2.299E-08	2.229E-08	2.002E-08
Pu-239	Pu-239	1.371E-12	1.371E-12	1.371E-12	1.371E-12	1.369E-12	1.360E-12	1.350E-12	1.309E-12	1.176E-12
Pu-239	Pu-239	2.720E-03	2.720E-03	2.720E-03	2.719E-03	2.716E-03	2.698E-03	2.679E-03	2.598E-03	2.332E-03
Pu-239	Pu-239	1.375E-02	1.375E-02	1.375E-02	1.375E-02	1.373E-02	1.364E-02	1.354E-02	1.313E-02	1.179E-02
Pu-239	ΣS(j):		1.647E-02	1.647E-02	1.647E-02	1.645E-02	1.634E-02	1.622E-02	1.573E-02	1.412E-02
Pu-239	Pu-239	3.806E-05	3.806E-05	3.806E-05	3.805E-05	3.800E-05	3.775E-05	3.748E-05	3.635E-05	3.264E-05
Pu-239	Pu-239	8.252E-07	8.252E-07	8.251E-07	8.248E-07	8.240E-07	8.185E-07	8.126E-07	7.880E-07	7.076E-07
Pu-239	ΣS(j):		3.889E-05	3.888E-05	3.887E-05	3.883E-05	3.857E-05	3.829E-05	3.713E-05	3.334E-05
Pu-239	Pu-239	2.284E-09	2.284E-09	2.284E-09	2.283E-09	2.280E-09	2.265E-09	2.249E-09	2.181E-09	1.958E-09
Pu-240	Pu-240	1.000E+00	1.000E+00	9.998E-01	9.993E-01	9.977E-01	9.879E-01	9.772E-01	9.331E-01	7.940E-01
Pu-241	Pu-241	1.000E+00	1.000E+00	9.527E-01	8.648E-01	6.161E-01	7.754E-02	7.885E-03	4.902E-07	9.289E-22
Pu-241	Pu-241	2.450E-05	2.450E-05	2.334E-05	2.119E-05	1.510E-05	1.900E-06	1.932E-07	1.201E-11	2.276E-26
Pu-241	ΣS(j):		1.000E+00	9.527E-01	8.648E-01	6.161E-01	7.754E-02	7.885E-03	4.902E-07	9.289E-22
Sb-125	Sb-125	7.686E-01	7.686E-01	5.971E-01	3.603E-01	6.151E-02	1.244E-06	8.282E-12	9.616E-34	0.000E+00
Sb-125	Sb-125	2.314E-01	2.314E-01	1.797E-01	1.085E-01	1.852E-02	3.745E-07	2.493E-12	2.894E-34	0.000E+00
Sb-125	ΣS(j):		1.000E+00	7.768E-01	4.688E-01	8.003E-02	1.619E-06	1.077E-11	1.251E-33	0.000E+00
Te-125m	Sb-125	2.314E-01	0.000E+00	1.833E-01	1.122E-01	1.915E-02	3.873E-07	2.579E-12	2.994E-34	0.000E+00
Sr-90	Sr-90	1.000E+00	1.000E+00	9.678E-01	9.064E-01	7.206E-01	1.772E-01	3.773E-02	5.371E-05	5.845E-15
Tc-99	Tc-99	1.000E+00	1.000E+00	8.994E-01	7.276E-01	3.464E-01	3.707E-03	2.488E-05	1.540E-14	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 272.14 seconds

Total water/soil iteration failures = 1.500E+01.