

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Table of Contents

---

Part I: Mixture Sums and Single Radionuclide Guidelines

---

---

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	5
Summary of Pathway Selections .....	10
Contaminated Zone and Total Dose Summary .....	11
Total Dose Components	
Time = 0.000E+00 .....	12
Time = 1.000E+00 .....	13
Time = 3.000E+00 .....	14
Time = 1.000E+01 .....	15
Time = 3.000E+01 .....	16
Time = 1.000E+02 .....	17
Time = 3.000E+02 .....	18
Time = 1.000E+03 .....	19
Dose/Source Ratios Summed Over All Pathways .....	20
Single Radionuclide Soil Guidelines .....	20
Dose Per Nuclide Summed Over All Pathways .....	22
Soil Concentration Per Nuclide .....	23

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

## Dose Conversion Factor (and Related) Parameter Summary

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ba-137m (Source: FGR 12)	3.606E+00	3.606E+00	DCF1( 1)
A-1	Co-60 (Source: FGR 12)	1.622E+01	1.622E+01	DCF1( 2)
A-1	Cs-134 (Source: FGR 12)	9.472E+00	9.472E+00	DCF1( 3)
A-1	Cs-137 (Source: FGR 12)	7.510E-04	7.510E-04	DCF1( 4)
A-1	Eu-152 (Source: FGR 12)	7.006E+00	7.006E+00	DCF1( 5)
A-1	Eu-154 (Source: FGR 12)	7.678E+00	7.678E+00	DCF1( 6)
A-1	Gd-152 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 7)
A-1	H-3 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 8)
A-1	Nd-144 (Source: Surface Soil DCGL)	0.000E+00	-1.000E+00	DCF1( 9)
A-1	Ni-63 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 10)
A-1	Sm-148 (Source: Surface Soil DCGL)	0.000E+00	-1.000E+00	DCF1( 11)
A-1	Sr-90 (Source: FGR 12)	7.043E-04	7.043E-04	DCF1( 12)
A-1	Y-90 (Source: FGR 12)	2.391E-02	2.391E-02	DCF1( 13)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Co-60	2.190E-04	2.190E-04	DCF2( 1)
B-1	Cs-134	4.620E-05	4.620E-05	DCF2( 2)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2( 3)
B-1	Eu-152	2.210E-04	2.210E-04	DCF2( 4)
B-1	Eu-154	2.860E-04	2.860E-04	DCF2( 6)
B-1	Gd-152	2.430E-01	2.430E-01	DCF2( 7)
B-1	H-3	6.400E-08	6.400E-08	DCF2( 8)
B-1	Nd-144	7.040E-02	-1.000E+00	DCF2( 9)
B-1	Ni-63	6.290E-06	6.290E-06	DCF2( 10)
B-1	Sm-148	7.340E-02	-1.000E+00	DCF2( 11)
B-1	Sr-90+D	1.308E-03	1.300E-03	DCF2( 12)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Co-60	2.690E-05	2.690E-05	DCF3( 1)
D-1	Cs-134	7.330E-05	7.330E-05	DCF3( 2)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3( 3)
D-1	Eu-152	6.480E-06	6.480E-06	DCF3( 4)
D-1	Eu-154	9.550E-06	9.550E-06	DCF3( 6)
D-1	Gd-152	1.610E-04	1.610E-04	DCF3( 7)
D-1	H-3	6.400E-08	6.400E-08	DCF3( 8)
D-1	Nd-144	1.510E-04	-1.000E+00	DCF3( 9)
D-1	Ni-63	5.770E-07	5.770E-07	DCF3( 10)
D-1	Sm-148	1.580E-04	-1.000E+00	DCF3( 11)
D-1	Sr-90+D	1.528E-04	1.420E-04	DCF3( 12)
D-34	Food transfer factors:			
D-34	Co-60 , plant/soil concentration ratio, dimensionless	1.500E-01	8.000E-02	RTF( 1,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.800E-02	2.000E-02	RTF( 1,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF( 1,3)
D-34				
D-34	Cs-134 , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF( 2,1)
D-34	Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF( 2,2)
D-34	Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF( 2,3)
D-34				

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF( 3,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF( 3,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF( 3,3)
D-34				
D-34	Eu-152 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 4,1)
D-34	Eu-152 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF( 4,2)
D-34	Eu-152 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-05	5.000E-05	RTF( 4,3)
D-34				
D-34	Eu-154 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 6,1)
D-34	Eu-154 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF( 6,2)
D-34	Eu-154 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-05	5.000E-05	RTF( 6,3)
D-34				
D-34	Gd-152 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 7,1)
D-34	Gd-152 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF( 7,2)
D-34	Gd-152 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF( 7,3)
D-34				
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF( 8,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF( 8,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF( 8,3)
D-34				
D-34	Nd-144 , plant/soil concentration ratio, dimensionless	2.400E-03	2.400E-03	RTF( 9,1)
D-34	Nd-144 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF( 9,2)
D-34	Nd-144 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF( 9,3)
D-34				
D-34	Ni-63 , plant/soil concentration ratio, dimensionless	9.200E-02	5.000E-02	RTF( 10,1)
D-34	Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF( 10,2)
D-34	Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-02	2.000E-02	RTF( 10,3)
D-34				
D-34	Sm-148 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 11,1)
D-34	Sm-148 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-03	2.000E-03	RTF( 11,2)
D-34	Sm-148 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF( 11,3)
D-34				
D-34	Sr-90+D , plant/soil concentration ratio, dimensionless	5.900E-01	3.000E-01	RTF( 12,1)
D-34	Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-03	8.000E-03	RTF( 12,2)
D-34	Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.700E-03	2.000E-03	RTF( 12,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC( 1,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC( 1,2)
D-5				
D-5	Cs-134 , fish	2.000E+03	2.000E+03	BIOFAC( 2,1)
D-5	Cs-134 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 2,2)
D-5				
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC( 3,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 3,2)
D-5				
D-5	Eu-152 , fish	5.000E+01	5.000E+01	BIOFAC( 4,1)
D-5	Eu-152 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC( 4,2)
D-5				

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	Eu-154 , fish	5.000E+01	5.000E+01	BIOFAC( 6,1)
D-5	Eu-154 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC( 6,2)
D-5				
D-5	Gd-152 , fish	2.500E+01	2.500E+01	BIOFAC( 7,1)
D-5	Gd-152 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC( 7,2)
D-5				
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC( 8,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC( 8,2)
D-5				
D-5	Nd-144 , fish	1.000E+02	1.000E+02	BIOFAC( 9,1)
D-5	Nd-144 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC( 9,2)
D-5				
D-5	Ni-63 , fish	1.000E+02	1.000E+02	BIOFAC( 10,1)
D-5	Ni-63 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 10,2)
D-5				
D-5	Sm-148 , fish	2.500E+01	2.500E+01	BIOFAC( 11,1)
D-5	Sm-148 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC( 11,2)
D-5				
D-5	Sr-90+D , fish	6.000E+01	6.000E+01	BIOFAC( 12,1)
D-5	Sr-90+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 12,2)

#For DCF1(xxx) only, factors are for infinite depth &amp; area. See ETEG table in Ground Pathway of Detailed Report.

\*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

## Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	6.450E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	2.870E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T( 9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Co-60	1.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Cs-134	1.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Cs-137	1.000E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Eu-152	1.000E+00	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Eu-154	1.000E+00	0.000E+00	---	S1(6)
R012	Initial principal radionuclide (pCi/g): H-3	1.000E+00	0.000E+00	---	S1(8)
R012	Initial principal radionuclide (pCi/g): Ni-63	1.000E+00	0.000E+00	---	S1(10)
R012	Initial principal radionuclide (pCi/g): Sr-90	1.000E+00	0.000E+00	---	S1(12)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1( 1)
R012	Concentration in groundwater (pCi/L): Cs-134	not used	0.000E+00	---	W1( 2)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1( 3)
R012	Concentration in groundwater (pCi/L): Eu-152	not used	0.000E+00	---	W1( 4)
R012	Concentration in groundwater (pCi/L): Eu-154	not used	0.000E+00	---	W1( 6)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1( 8)
R012	Concentration in groundwater (pCi/L): Ni-63	not used	0.000E+00	---	W1(10)
R012	Concentration in groundwater (pCi/L): Sr-90	not used	0.000E+00	---	W1(12)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	6.600E-02	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	9.700E-01	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.200E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	7.200E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.250E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	8.300E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.900E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.500E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.900E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	6.600E-02	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	3.900E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	3.300E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.250E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	2.600E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.800E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.900E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	6.600E-02	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	9.700E-01	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCC( 1)
R016	Unsat. zone 1 (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCU( 1,1)
R016	Saturated zone (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCS( 1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.532E-04	ALEACH( 1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 1)
R016	Distribution coefficients for Cs-134				
R016	Contaminated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCC( 2)
R016	Unsat. zone 1 (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCU( 2,1)
R016	Saturated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCS( 2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.893E-04	ALEACH( 2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 2)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCC( 3)
R016	Unsat. zone 1 (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCU( 3,1)
R016	Saturated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCS( 3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.893E-04	ALEACH( 3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 3)
R016	Distribution coefficients for Eu-152				
R016	Contaminated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCC( 4)
R016	Unsat. zone 1 (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCU( 4,1)
R016	Saturated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCS( 4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.872E-03	ALEACH( 4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 4)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Eu-154				
R016	Contaminated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCC ( 6)
R016	Unsaturated zone 1 (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCU ( 6,1)
R016	Saturated zone (cm**3/g)	9.500E+01	-1.000E+00	---	DCNUCS ( 6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.872E-03	ALEACH ( 6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 6)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC ( 8)
R016	Unsaturated zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU ( 8,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS ( 8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.852E+00	ALEACH ( 8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 8)
R016	Distribution coefficients for Ni-63				
R016	Contaminated zone (cm**3/g)	6.200E+01	1.000E+03	---	DCNUCC(10)
R016	Unsaturated zone 1 (cm**3/g)	6.200E+01	1.000E+03	---	DCNUCU(10,1)
R016	Saturated zone (cm**3/g)	6.200E+01	1.000E+03	---	DCNUCS(10)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.868E-03	ALEACH(10)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(10)
R016	Distribution coefficients for Sr-90				
R016	Contaminated zone (cm**3/g)	2.300E+00	3.000E+01	---	DCNUCC(12)
R016	Unsaturated zone 1 (cm**3/g)	2.300E+00	3.000E+01	---	DCNUCU(12,1)
R016	Saturated zone (cm**3/g)	2.300E+00	3.000E+01	---	DCNUCS(12)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	7.614E-02	ALEACH(12)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(12)
R016	Distribution coefficients for daughter Gd-152				
R016	Contaminated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCC ( 7)
R016	Unsaturated zone 1 (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCU ( 7,1)
R016	Saturated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCS ( 7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.156E-04	ALEACH ( 7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 7)
R016	Distribution coefficients for daughter Nd-144				
R016	Contaminated zone (cm**3/g)	1.580E+02	1.580E+02	---	DCNUCC ( 9)
R016	Unsaturated zone 1 (cm**3/g)	1.580E+02	1.580E+02	---	DCNUCU ( 9,1)
R016	Saturated zone (cm**3/g)	1.580E+02	1.580E+02	---	DCNUCS ( 9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.126E-03	ALEACH ( 9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 9)
R016	Distribution coefficients for daughter Sm-148				
R016	Contaminated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCC(11)
R016	Unsaturated zone 1 (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCU(11,1)
R016	Saturated zone (cm**3/g)	8.250E+02	-1.000E+00	---	DCNUCS(11)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.156E-04	ALEACH(11)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(11)
R017	Inhalation rate (m**3/yr)	1.917E+03	8.400E+03	---	INHALR

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Mass loading for inhalation (g/m**3)	2.350E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	4.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	1.875E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	6.250E-02	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE ( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE ( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE ( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE ( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE ( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE ( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE ( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE ( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE ( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA ( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA ( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA ( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA ( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA ( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA ( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA ( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA ( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA ( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA (10)
R017	Ring 11	not used	0.000E+00	---	FRACA (11)
R017	Ring 12	not used	0.000E+00	---	FRACA (12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	3.270E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT



Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	2.300E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	1.000E+00	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	17	---	---	KYMAX

## Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g	
Area: 64500.00 square meters	Co-60	1.000E+00
Thickness: 1.00 meters	Cs-134	1.000E+00
Cover Depth: 0.00 meters	Cs-137	1.000E+00
	Eu-152	1.000E+00
	Eu-154	1.000E+00
	H-3	1.000E+00
	Ni-63	1.000E+00
	Sr-90	1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	5.442E+00	4.759E+00	3.722E+00	1.901E+00	1.071E+00	9.210E-02	4.166E-04	4.638E-07
M(t):	2.177E-01	1.903E-01	1.489E-01	7.602E-02	4.282E-02	3.684E-03	1.667E-05	1.855E-08

Maximum TDOSE(t): 5.442E+00 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.023E+00	0.3717	1.550E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.153E-04	0.0000
Cs-134	1.069E+00	0.1965	2.964E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.848E-04	0.0001
Cs-137	4.473E-01	0.0822	2.382E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.261E-04	0.0000
Eu-152	9.097E-01	0.1672	1.626E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.887E-05	0.0000
Eu-154	9.816E-01	0.1804	2.073E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.194E-05	0.0000
H-3	0.000E+00	0.0000	2.472E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.255E-08	0.0000
Ni-63	0.000E+00	0.0000	4.728E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.627E-06	0.0000
Sr-90	3.119E-03	0.0006	9.404E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.652E-04	0.0001
Total	5.434E+00	0.9985	2.625E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.365E-03	0.0003

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.023E+00	0.3718
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.070E+00	0.1965
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.475E-01	0.0822
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.097E-01	0.1672
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.816E-01	0.1804
H-3	6.660E-03	0.0012	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.685E-03	0.0012
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.632E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.785E-03	0.0007
Total	6.660E-03	0.0012	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.442E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.773E+00	0.3727	1.359E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.011E-04	0.0000
Cs-134	7.641E-01	0.1606	2.118E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.035E-04	0.0000
Cs-137	4.370E-01	0.0918	2.327E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.209E-04	0.0000
Eu-152	8.626E-01	0.1813	1.542E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.738E-05	0.0000
Eu-154	9.038E-01	0.1899	1.909E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.861E-05	0.0000
H-3	0.000E+00	0.0000	5.458E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.979E-14	0.0000
Ni-63	0.000E+00	0.0000	4.682E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.601E-06	0.0000
Sr-90	2.822E-03	0.0006	8.507E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.017E-04	0.0001
<b>Total</b>	<b>4.744E+00</b>	<b>0.9969</b>	<b>1.381E-06</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.196E-03</b>	<b>0.0003</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.774E+00	0.3727
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.643E-01	0.1606
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.373E-01	0.0919
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.627E-01	0.1813
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.038E-01	0.1899
H-3	1.356E-02	0.0028	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.356E-02	0.0028
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.606E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.424E-03	0.0007
<b>Total</b>	<b>1.356E-02</b>	<b>0.0028</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>4.759E+00</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.363E+00	0.3662	1.044E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.769E-05	0.0000
Cs-134	3.902E-01	0.1048	1.082E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.040E-04	0.0000
Cs-137	4.172E-01	0.1121	2.221E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.109E-04	0.0001
Eu-152	7.758E-01	0.2084	1.386E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.462E-05	0.0000
Eu-154	7.663E-01	0.2059	1.619E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.274E-05	0.0000
H-3	0.000E+00	0.0000	2.472E-22	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.255E-25	0.0000
Ni-63	0.000E+00	0.0000	4.591E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.551E-06	0.0000
Sr-90	2.309E-03	0.0006	6.962E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.925E-04	0.0001
Total	3.715E+00	0.9980	1.139E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.449E-04	0.0003

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.363E+00	0.3662
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.903E-01	0.1049
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.174E-01	0.1121
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.758E-01	0.2084
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.663E-01	0.2059
H-3	6.351E-03	0.0017	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.351E-03	0.0017
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.555E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.802E-03	0.0008
Total	6.351E-03	0.0017	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.722E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	5.423E-01	0.2853	4.155E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.091E-05	0.0000
Cs-134	3.715E-02	0.0195	1.030E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.895E-06	0.0000
Cs-137	3.545E-01	0.1865	1.887E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.792E-04	0.0001
Eu-152	5.350E-01	0.2815	9.562E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.698E-05	0.0000
Eu-154	4.300E-01	0.2262	9.083E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.837E-05	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	4.287E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.382E-06	0.0000
Sr-90	1.145E-03	0.0006	3.452E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.442E-04	0.0001
Total	1.900E+00	0.9997	5.974E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.019E-04	0.0003

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.423E-01	0.2854
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.716E-02	0.0195
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.546E-01	0.1866
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.350E-01	0.2815
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.300E-01	0.2263
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.386E-06	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.389E-03	0.0007
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.901E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.897E-02	0.0364	2.986E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.222E-06	0.0000
Cs-134	4.483E-05	0.0000	1.243E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.194E-08	0.0000
Cs-137	2.226E-01	0.2079	1.185E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.125E-04	0.0001
Eu-152	1.851E-01	0.1729	3.308E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.875E-06	0.0000
Eu-154	8.252E-02	0.0771	1.743E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.526E-06	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	3.524E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.958E-06	0.0000
Sr-90	1.543E-04	0.0001	4.651E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.290E-05	0.0000
Total	5.294E-01	0.4945	1.154E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.590E-04	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.898E-02	0.0364
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.484E-05	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.227E-01	0.2080
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.851E-01	0.1729
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.252E-02	0.0771
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.962E-06	0.0000
Sr-90	5.410E-01	0.5054	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.412E-01	0.5055
Total	5.410E-01	0.5054	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.071E+00	1.0000

\*Sum of all water independent and dependent pathways.



Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.878E-06	0.0000	2.971E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.210E-10	0.0000
Cs-134	2.738E-15	0.0000	7.588E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.293E-19	0.0000
Cs-137	4.367E-02	0.4741	2.325E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.207E-05	0.0002
Eu-152	4.506E-03	0.0489	8.053E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.430E-07	0.0000
Eu-154	2.555E-04	0.0028	5.397E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.092E-08	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	1.776E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.866E-07	0.0000
Sr-90	1.386E-07	0.0000	4.177E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.955E-08	0.0000
<b>Total</b>	<b>4.844E-02</b>	<b>0.5259</b>	<b>5.002E-09</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>2.324E-05</b>	<b>0.0003</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.878E-06	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.738E-15	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.369E-02	0.4744
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.506E-03	0.0489
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.555E-04	0.0028
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.884E-07	0.0000
Sr-90	4.364E-02	0.4739	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.364E-02	0.4739
<b>Total</b>	<b>4.364E-02</b>	<b>0.4739</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>9.210E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.424E-17	0.0000	1.092E-24	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.123E-22	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.162E-04	0.9989	2.216E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.104E-07	0.0005
Eu-152	1.106E-07	0.0003	1.977E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.510E-12	0.0000
Eu-154	1.731E-11	0.0000	3.657E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.397E-16	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	2.505E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.392E-07	0.0003
Sr-90	2.734E-16	0.0000	8.244E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.832E-17	0.0000
<b>Total</b>	<b>4.163E-04</b>	<b>0.9992</b>	<b>2.727E-10</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.496E-07</b>	<b>0.0008</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.424E-17	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.164E-04	0.9994
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.106E-07	0.0003
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.731E-11	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.394E-07	0.0003
Sr-90	5.843E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.843E-11	0.0000
<b>Total</b>	<b>5.843E-11</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>4.166E-04</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-152	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Eu-154	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	4.638E-07	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.638E-07	1.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>4.638E-07</b>	<b>1.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>4.638E-07</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Dose/Source Ratios Summed Over All Pathways  
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	2.023E+00	1.774E+00	1.363E+00	5.423E-01	3.898E-02	3.878E-06	1.424E-17	0.000E+00
Cs-134	Cs-134	1.000E+00	1.070E+00	7.643E-01	3.903E-01	3.716E-02	4.484E-05	2.738E-15	1.822E-44	0.000E+00
Cs-137+D	Cs-137+D	1.000E+00	4.475E-01	4.373E-01	4.174E-01	3.546E-01	2.227E-01	4.369E-02	4.164E-04	0.000E+00
Eu-152	Eu-152	7.210E-01	6.559E-01	6.220E-01	5.593E-01	3.858E-01	1.334E-01	3.249E-03	7.972E-08	0.000E+00
Eu-152	Eu-152	2.790E-01	2.538E-01	2.407E-01	2.164E-01	1.493E-01	5.164E-02	1.257E-03	3.085E-08	0.000E+00
Eu-152	Gd-152	2.790E-01	8.093E-19	2.372E-18	5.258E-18	1.324E-17	2.479E-17	3.035E-17	2.921E-17	0.000E+00
Eu-152	Sm-148	2.790E-01	2.270E-35	1.565E-34	7.996E-34	6.364E-33	3.982E-32	2.087E-31	6.890E-31	0.000E+00
Eu-152	Nd-144	2.790E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	2.803E-45	2.522E-44	0.000E+00
Eu-152	ΣDSR(j)		2.538E-01	2.407E-01	2.164E-01	1.493E-01	5.164E-02	1.257E-03	3.085E-08	0.000E+00
Eu-154	Eu-154	1.000E+00	9.816E-01	9.038E-01	7.663E-01	4.300E-01	8.252E-02	2.555E-04	1.731E-11	0.000E+00
H-3	H-3	1.000E+00	6.685E-03	1.356E-02	6.351E-03	4.416E-41	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ni-63	Ni-63	1.000E+00	2.632E-06	2.606E-06	2.555E-06	2.386E-06	1.962E-06	9.884E-07	1.394E-07	4.638E-07
Sr-90+D	Sr-90+D	1.000E+00	3.785E-03	3.424E-03	2.802E-03	1.389E-03	5.412E-01	4.364E-02	5.843E-11	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		1.236E+01	1.410E+01	1.834E+01	4.610E+01	6.414E+02	6.447E+06	*1.113E+15	*1.113E+15
Cs-134		2.337E+01	3.271E+01	6.405E+01	6.728E+02	5.575E+05	*1.283E+15	*1.283E+15	*1.283E+15
Cs-137		5.586E+01	5.718E+01	5.990E+01	7.049E+01	1.123E+02	5.722E+02	6.004E+04	*8.593E+13
Eu-152		2.748E+01	2.898E+01	3.223E+01	4.672E+01	1.351E+02	5.548E+03	2.261E+08	*1.727E+14
Eu-154		2.547E+01	2.766E+01	3.262E+01	5.814E+01	3.029E+02	9.784E+04	1.444E+12	*2.685E+14
H-3		3.740E+03	1.844E+03	3.936E+03	*9.621E+15	*9.621E+15	*9.621E+15	*9.621E+15	*9.621E+15
Ni-63		9.500E+06	9.593E+06	9.783E+06	1.048E+07	1.274E+07	2.529E+07	1.793E+08	5.390E+07
Sr-90		6.605E+03	7.301E+03	8.921E+03	1.799E+04	4.619E+01	5.728E+02	4.278E+11	*1.366E+14

\*At specific activity limit

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)  
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 at tmin = time of minimum single radionuclide soil guideline  
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Co-60	1.000E+00	0.000E+00	2.023E+00	1.236E+01	2.023E+00	1.236E+01
Cs-134	1.000E+00	0.000E+00	1.070E+00	2.337E+01	1.070E+00	2.337E+01
Cs-137	1.000E+00	0.000E+00	4.475E-01	5.586E+01	4.475E-01	5.586E+01
Eu-152	1.000E+00	0.000E+00	9.097E-01	2.748E+01	9.097E-01	2.748E+01
Eu-154	1.000E+00	0.000E+00	9.816E-01	2.547E+01	9.816E-01	2.547E+01
H-3	1.000E+00	0.673 ± 0.001	1.375E-02	1.819E+03	6.685E-03	3.740E+03
Ni-63	1.000E+00	0.000E+00	2.632E-06	9.500E+06	2.632E-06	9.500E+06
Sr-90	1.000E+00	46.33 ± 0.09	1.775E+00	1.409E+01	3.785E-03	6.605E+03

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Individual Nuclide Dose Summed Over All Pathways  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
Co-60	Co-60	1.000E+00	2.023E+00	1.774E+00	1.363E+00	5.423E-01	3.898E-02	3.878E-06	1.424E-17	0.000E+00	
Cs-134	Cs-134	1.000E+00	1.070E+00	7.643E-01	3.903E-01	3.716E-02	4.484E-05	2.738E-15	0.000E+00	0.000E+00	
Cs-137	Cs-137	1.000E+00	4.475E-01	4.373E-01	4.174E-01	3.546E-01	2.227E-01	4.369E-02	4.164E-04	0.000E+00	
Eu-152	Eu-152	7.210E-01	6.559E-01	6.220E-01	5.593E-01	3.858E-01	1.334E-01	3.249E-03	7.972E-08	0.000E+00	
Eu-152	Eu-152	2.790E-01	2.538E-01	2.407E-01	2.164E-01	1.493E-01	5.164E-02	1.257E-03	3.085E-08	0.000E+00	
Eu-152	ΣDOSE(j)		9.097E-01	8.627E-01	7.758E-01	5.350E-01	1.851E-01	4.506E-03	1.106E-07	0.000E+00	
Gd-152	Eu-152	2.790E-01	8.093E-19	2.372E-18	5.258E-18	1.324E-17	2.479E-17	3.035E-17	2.921E-17	0.000E+00	
Sm-148	Eu-152	2.790E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
Nd-144	Eu-152	2.790E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
Eu-154	Eu-154	1.000E+00	9.816E-01	9.038E-01	7.663E-01	4.300E-01	8.252E-02	2.555E-04	1.731E-11	0.000E+00	
H-3	H-3	1.000E+00	6.685E-03	1.356E-02	6.351E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
Ni-63	Ni-63	1.000E+00	2.632E-06	2.606E-06	2.555E-06	2.386E-06	1.962E-06	9.884E-07	1.394E-07	4.638E-07	
Sr-90	Sr-90	1.000E+00	3.785E-03	3.424E-03	2.802E-03	1.389E-03	5.412E-01	4.364E-02	5.843E-11	0.000E+00	

THF(i) is the thread fraction of the parent nuclide.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION INDUSTRIAL SOIL.RAD

Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
Co-60	Co-60	1.000E+00	1.000E+00	8.766E-01	6.737E-01	2.681E-01	1.927E-02	1.917E-06	7.044E-18	0.000E+00	
Cs-134	Cs-134	1.000E+00	1.000E+00	7.146E-01	3.650E-01	3.474E-02	4.193E-05	2.560E-15	1.682E-44	0.000E+00	
Cs-137	Cs-137	1.000E+00	1.000E+00	9.770E-01	9.326E-01	7.924E-01	4.976E-01	9.763E-02	9.304E-04	7.864E-11	
Eu-152	Eu-152	7.210E-01	7.210E-01	6.837E-01	6.149E-01	4.241E-01	1.467E-01	3.572E-03	8.765E-08	6.417E-24	
Eu-152	Eu-152	2.790E-01	2.790E-01	2.646E-01	2.379E-01	1.641E-01	5.677E-02	1.382E-03	3.392E-08	2.483E-24	
Eu-152	ΣS(j):		1.000E+00	9.483E-01	8.528E-01	5.882E-01	2.035E-01	4.954E-03	1.216E-07	8.900E-24	
Gd-152	Eu-152	2.790E-01	0.000E+00	1.744E-15	4.964E-15	1.388E-14	2.676E-14	3.298E-14	3.175E-14	2.730E-14	
Sm-148	Eu-152	2.790E-01	0.000E+00	8.709E-32	7.568E-31	7.474E-30	4.984E-29	2.665E-28	8.838E-28	2.652E-27	
Nd-144	Eu-152	2.790E-01	0.000E+00	0.000E+00	0.000E+00	8.408E-45	1.668E-43	3.352E-42	3.472E-41	2.988E-40	
Eu-154	Eu-154	1.000E+00	1.000E+00	9.208E-01	7.807E-01	4.381E-01	8.407E-02	2.603E-04	1.764E-11	1.429E-36	
H-3	H-3	1.000E+00	1.000E+00	2.212E-06	1.005E-17	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
Ni-63	Ni-63	1.000E+00	1.000E+00	9.903E-01	9.710E-01	9.067E-01	7.454E-01	3.756E-01	5.299E-02	5.587E-05	
Sr-90	Sr-90	1.000E+00	1.000E+00	9.046E-01	7.403E-01	3.671E-01	4.946E-02	4.442E-05	8.767E-14	2.943E-44	

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 0.66 seconds