

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Table of Contents

Part VI: Uncertainty Analysis

RESRAD Uncertainty Analysis Results

Probabilistic Input	2
Total Dose	3
Total Risk	4
Dose vs Pathway: Ground External	5
Dose vs Pathway: Inhalation (w/o Radon)	6
Dose vs Pathway: Radon (Water Ind.)	7
Dose vs Pathway: Plant (Water Ind.)	8
Dose vs Pathway: Meat (Water Ind.)	9
Dose vs Pathway: Milk (Water Ind.)	10
Dose vs Pathway: Soil Ingestion	11
Dose vs Pathway: Water Ingestion	12
Dose vs Pathway: Fish Ingestion	13
Dose vs Pathway: Radon (Water Dep.)	14
Dose vs Pathway: Plant (Water Dep.)	15
Dose vs Pathway: Meat (Water Dep.)	16
Dose vs Pathway: Milk (Water Dep.)	17
Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Input

Number of Sample Runs: 300

Number	Name	Distribution	Parameters	
1	DCACTC (2)	UNIFORM	615	635
2	DCACTU1 (2)	UNIFORM	615	635
3	DCACTS (2)	UNIFORM	615	635
4	DCACTC (3)	UNIFORM	615	635
5	DCACTU1 (3)	UNIFORM	615	635
6	DCACTS (3)	UNIFORM	615	635
7	DCACTC (4)	UNIFORM	62	331
8	DCACTU1 (4)	UNIFORM	62	331
9	DCACTS (4)	UNIFORM	62	331
10	DCACTC (5)	UNIFORM	2.3	3.4
11	DCACTU1 (5)	UNIFORM	2.3	3.4
12	DCACTS (5)	UNIFORM	2.3	3.4

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Total Dose Summary

Nuclide (j)	Peak Time	Peak Dose	DOSE (j, t), mrem/yr							
			t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02
Co-60										
Min	0.00E+00	6.54E+00	6.54E+00	5.73E+00	4.40E+00	1.75E+00	1.25E-01	1.23E-05	4.34E-17	0.00E+00
Max	0.00E+00	6.54E+00	6.54E+00	5.73E+00	4.40E+00	1.75E+00	1.25E-01	1.23E-05	4.34E-17	0.00E+00
Avg	0.00E+00	6.54E+00	6.54E+00	5.73E+00	4.40E+00	1.75E+00	1.25E-01	1.23E-05	4.34E-17	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134										
Min	0.00E+00	5.07E+00	5.07E+00	3.62E+00	1.85E+00	1.75E-01	2.09E-04	1.23E-14	0.00E+00	0.00E+00
Max	0.00E+00	5.07E+00	5.07E+00	3.62E+00	1.85E+00	1.75E-01	2.09E-04	1.23E-14	0.00E+00	0.00E+00
Avg	0.00E+00	5.07E+00	5.07E+00	3.62E+00	1.85E+00	1.75E-01	2.09E-04	1.23E-14	0.00E+00	0.00E+00
Std	0.00E+00	5.84E-06	5.83E-06	1.37E-05	1.67E-05	4.81E-06	1.67E-08	3.24E-18	0.00E+00	0.00E+00
Cs-137										
Min	0.00E+00	2.91E+00	2.91E+00	2.84E+00	2.70E+00	2.28E+00	1.41E+00	2.62E-01	2.09E-03	0.00E+00
Max	0.00E+00	2.91E+00	2.91E+00	2.84E+00	2.70E+00	2.28E+00	1.41E+00	2.62E-01	2.09E-03	0.00E+00
Avg	0.00E+00	2.91E+00	2.91E+00	2.84E+00	2.70E+00	2.28E+00	1.41E+00	2.62E-01	2.09E-03	0.00E+00
Std	0.00E+00	3.43E-06	3.44E-06	1.08E-05	2.45E-05	6.28E-05	1.13E-04	6.93E-05	1.65E-06	0.00E+00
Ni-63										
Min	0.00E+00	2.95E-02	2.95E-02	2.91E-02	2.85E-02	2.63E-02	2.11E-02	9.54E-03	9.13E-04	0.00E+00
Max	0.00E+00	2.95E-02	2.95E-02	2.92E-02	2.87E-02	2.70E-02	2.26E-02	1.20E-02	1.84E-03	6.54E-07
Avg	0.00E+00	2.95E-02	2.95E-02	2.92E-02	2.87E-02	2.68E-02	2.22E-02	1.14E-02	1.57E-03	2.01E-08
Std	0.00E+00	6.78E-06	6.78E-06	2.30E-05	5.47E-05	1.56E-04	3.75E-04	6.20E-04	2.39E-04	8.52E-08
Sr-90										
Min	0.00E+00	1.34E+01	1.34E+01	1.21E+01	9.91E+00	4.87E+00	6.39E-01	1.18E-01	1.96E-10	0.00E+00
Max	0.00E+00	1.36E+01	1.36E+01	1.26E+01	1.08E+01	6.27E+00	1.80E+00	6.44E-01	8.33E-08	0.00E+00
Avg	0.00E+00	1.35E+01	1.35E+01	1.24E+01	1.04E+01	5.63E+00	1.05E+00	3.15E-01	1.54E-08	0.00E+00
Std	0.00E+00	4.13E-02	4.13E-02	1.23E-01	2.48E-01	4.05E-01	2.53E-01	1.07E-01	1.81E-08	0.00E+00
ΣALL										
Min	0.00E+00	2.80E+01	2.80E+01	2.44E+01	1.89E+01	9.10E+00	2.20E+00	3.92E-01	3.00E-03	0.00E+00
Max	0.00E+00	2.81E+01	2.81E+01	2.48E+01	1.98E+01	1.05E+01	3.36E+00	9.18E-01	3.93E-03	6.54E-07
Avg	0.00E+00	2.81E+01	2.81E+01	2.46E+01	1.94E+01	9.86E+00	2.61E+00	5.89E-01	3.66E-03	2.01E-08
Std	0.00E+00	4.13E-02	4.13E-02	1.23E-01	2.48E-01	4.05E-01	2.53E-01	1.07E-01	2.39E-04	8.52E-08

ΣALL is total dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Risk Summary

Nuclide (j)	RISK(j,t)							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	1.62E-04	1.42E-04	1.09E-04	4.33E-05	3.10E-06	3.04E-10	1.07E-21	0.00E+00
Max	1.62E-04	1.42E-04	1.09E-04	4.33E-05	3.10E-06	3.04E-10	1.07E-21	0.00E+00
Avg	1.62E-04	1.42E-04	1.09E-04	4.33E-05	3.10E-06	3.04E-10	1.07E-21	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	1.31E-04	9.34E-05	4.76E-05	4.52E-06	5.39E-09	3.17E-19	0.00E+00	0.00E+00
Max	1.31E-04	9.34E-05	4.76E-05	4.52E-06	5.40E-09	3.17E-19	0.00E+00	0.00E+00
Avg	1.31E-04	9.34E-05	4.76E-05	4.52E-06	5.39E-09	3.17E-19	0.00E+00	0.00E+00
Std	0.00E+00	2.37E-10	3.71E-10	1.18E-10	4.25E-13	8.34E-23	0.00E+00	0.00E+00
Cs-137								
Min	6.59E-05	6.43E-05	6.13E-05	5.18E-05	3.20E-05	5.94E-06	4.73E-08	0.00E+00
Max	6.59E-05	6.43E-05	6.13E-05	5.18E-05	3.21E-05	5.95E-06	4.74E-08	0.00E+00
Avg	6.59E-05	6.43E-05	6.13E-05	5.18E-05	3.20E-05	5.95E-06	4.74E-08	0.00E+00
Std	0.00E+00	1.61E-10	4.76E-10	1.36E-09	2.52E-09	1.56E-09	3.74E-11	0.00E+00
Ni-63								
Min	1.46E-06	1.45E-06	1.42E-06	1.31E-06	1.05E-06	4.74E-07	4.54E-08	0.00E+00
Max	1.46E-06	1.45E-06	1.43E-06	1.34E-06	1.12E-06	5.98E-07	9.12E-08	2.93E-11
Avg	1.46E-06	1.45E-06	1.42E-06	1.33E-06	1.10E-06	5.66E-07	7.79E-08	8.97E-13
Std	0.00E+00	7.35E-10	2.32E-09	7.39E-09	1.83E-08	3.07E-08	1.18E-08	3.81E-12
Sr-90								
Min	2.63E-04	2.39E-04	1.95E-04	9.58E-05	1.26E-05	1.94E-06	3.22E-15	0.00E+00
Max	2.63E-04	2.45E-04	2.10E-04	1.22E-04	3.08E-05	1.05E-05	1.36E-12	0.00E+00
Avg	2.63E-04	2.42E-04	2.03E-04	1.10E-04	1.99E-05	5.15E-06	2.51E-13	0.00E+00
Std	0.00E+00	1.58E-06	4.15E-06	7.54E-06	4.19E-06	1.75E-06	2.95E-13	0.00E+00
ΣALL								
Min	6.23E-04	5.40E-04	4.14E-04	1.97E-04	4.88E-05	8.48E-06	9.27E-08	0.00E+00
Max	6.23E-04	5.46E-04	4.29E-04	2.23E-04	6.71E-05	1.70E-05	1.39E-07	2.93E-11
Avg	6.23E-04	5.43E-04	4.22E-04	2.11E-04	5.61E-05	1.17E-05	1.25E-07	8.97E-13
Std	0.00E+00	1.58E-06	4.15E-06	7.54E-06	4.19E-06	1.75E-06	1.18E-08	3.81E-12

ΣALL is total risk summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Ground External

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	5.64E+00	4.95E+00	3.80E+00	1.51E+00	1.09E-01	1.08E-05	3.97E-17	0.00E+00
Max	5.64E+00	4.95E+00	3.80E+00	1.51E+00	1.09E-01	1.08E-05	3.97E-17	0.00E+00
Avg	5.64E+00	4.95E+00	3.80E+00	1.51E+00	1.09E-01	1.08E-05	3.97E-17	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	2.98E+00	2.13E+00	1.09E+00	1.04E-01	1.25E-04	7.64E-15	0.00E+00	0.00E+00
Max	2.98E+00	2.13E+00	1.09E+00	1.04E-01	1.25E-04	7.64E-15	0.00E+00	0.00E+00
Avg	2.98E+00	2.13E+00	1.09E+00	1.04E-01	1.25E-04	7.64E-15	0.00E+00	0.00E+00
Std	3.69E-06	8.24E-06	9.94E-06	2.85E-06	1.00E-08	2.02E-18	0.00E+00	0.00E+00
Cs-137								
Min	1.25E+00	1.22E+00	1.16E+00	9.89E-01	6.21E-01	1.22E-01	1.16E-03	0.00E+00
Max	1.25E+00	1.22E+00	1.16E+00	9.89E-01	6.21E-01	1.22E-01	1.16E-03	0.00E+00
Avg	1.25E+00	1.22E+00	1.16E+00	9.89E-01	6.21E-01	1.22E-01	1.16E-03	0.00E+00
Std	1.63E-06	4.80E-06	1.07E-05	2.73E-05	4.98E-05	3.22E-05	9.19E-07	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	8.70E-03	7.87E-03	6.44E-03	3.20E-03	4.32E-04	3.91E-07	7.87E-16	0.00E+00
Max	8.81E-03	8.16E-03	7.01E-03	4.12E-03	9.04E-04	4.46E-06	1.15E-12	0.00E+00
Avg	8.76E-03	8.04E-03	6.76E-03	3.70E-03	6.69E-04	1.92E-06	2.07E-13	0.00E+00
Std	3.01E-05	8.34E-05	1.64E-04	2.68E-04	1.38E-04	1.18E-06	2.90E-13	0.00E+00
ΣALL								
Min	9.88E+00	8.31E+00	6.06E+00	2.61E+00	7.30E-01	1.22E-01	1.16E-03	0.00E+00
Max	9.88E+00	8.31E+00	6.06E+00	2.61E+00	7.31E-01	1.22E-01	1.16E-03	0.00E+00
Avg	9.88E+00	8.31E+00	6.06E+00	2.61E+00	7.31E-01	1.22E-01	1.16E-03	0.00E+00
Std	3.03E-05	8.40E-05	1.65E-04	2.69E-04	1.46E-04	3.22E-05	9.19E-07	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Inhalation (w/o Radon)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	1.97E-06	1.73E-06	1.33E-06	5.29E-07	3.80E-08	3.78E-12	1.39E-23	0.00E+00
Max	1.97E-06	1.73E-06	1.33E-06	5.29E-07	3.80E-08	3.78E-12	1.39E-23	0.00E+00
Avg	1.97E-06	1.73E-06	1.33E-06	5.29E-07	3.80E-08	3.78E-12	1.39E-23	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	3.77E-07	2.69E-07	1.38E-07	1.31E-08	1.58E-11	9.66E-22	0.00E+00	0.00E+00
Max	3.77E-07	2.70E-07	1.38E-07	1.31E-08	1.58E-11	9.66E-22	0.00E+00	0.00E+00
Avg	3.77E-07	2.70E-07	1.38E-07	1.31E-08	1.58E-11	9.66E-22	0.00E+00	0.00E+00
Std	4.67E-13	1.04E-12	1.26E-12	3.61E-13	1.27E-15	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	3.03E-07	2.96E-07	2.83E-07	2.40E-07	1.51E-07	2.96E-08	2.82E-10	0.00E+00
Max	3.03E-07	2.96E-07	2.83E-07	2.40E-07	1.51E-07	2.96E-08	2.83E-10	0.00E+00
Avg	3.03E-07	2.96E-07	2.83E-07	2.40E-07	1.51E-07	2.96E-08	2.82E-10	0.00E+00
Std	3.96E-13	1.17E-12	2.60E-12	6.63E-12	1.21E-11	7.82E-12	2.23E-13	0.00E+00
Ni-63								
Min	6.02E-08	5.96E-08	5.84E-08	5.45E-08	4.48E-08	2.26E-08	3.19E-09	0.00E+00
Max	6.02E-08	5.98E-08	5.89E-08	5.59E-08	4.81E-08	2.86E-08	6.42E-09	0.00E+00
Avg	6.02E-08	5.97E-08	5.88E-08	5.56E-08	4.73E-08	2.70E-08	5.48E-09	0.00E+00
Std	1.69E-11	5.03E-11	1.15E-10	3.27E-10	8.02E-10	1.47E-09	8.35E-10	0.00E+00
Sr-90								
Min	1.20E-05	1.08E-05	8.86E-06	4.40E-06	5.94E-07	5.37E-10	1.08E-18	0.00E+00
Max	1.21E-05	1.12E-05	9.64E-06	5.67E-06	1.24E-06	6.14E-09	1.58E-15	0.00E+00
Avg	1.20E-05	1.10E-05	9.30E-06	5.09E-06	9.20E-07	2.64E-09	2.85E-16	0.00E+00
Std	4.13E-08	1.15E-07	2.25E-07	3.68E-07	1.89E-07	1.63E-09	3.99E-16	0.00E+00
ΣALL								
Min	1.47E-05	1.32E-05	1.07E-05	5.23E-06	8.29E-07	5.35E-08	3.47E-09	0.00E+00
Max	1.48E-05	1.36E-05	1.15E-05	6.51E-06	1.48E-06	6.41E-08	6.70E-09	0.00E+00
Avg	1.48E-05	1.34E-05	1.11E-05	5.92E-06	1.16E-06	5.93E-08	5.76E-09	0.00E+00
Std	4.13E-08	1.15E-07	2.25E-07	3.68E-07	1.89E-07	2.19E-09	8.35E-10	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Radon (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Plant (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	4.13E-01	3.62E-01	2.77E-01	1.09E-01	7.60E-03	6.73E-07	1.60E-18	0.00E+00
Max	4.13E-01	3.62E-01	2.77E-01	1.09E-01	7.60E-03	6.73E-07	1.60E-18	0.00E+00
Avg	4.13E-01	3.62E-01	2.77E-01	1.09E-01	7.60E-03	6.73E-07	1.60E-18	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	5.31E-01	3.79E-01	1.93E-01	1.82E-02	2.12E-05	1.15E-15	0.00E+00	0.00E+00
Max	5.31E-01	3.79E-01	1.93E-01	1.82E-02	2.13E-05	1.16E-15	0.00E+00	0.00E+00
Avg	5.31E-01	3.79E-01	1.93E-01	1.82E-02	2.12E-05	1.16E-15	0.00E+00	0.00E+00
Std	6.14E-07	1.44E-06	1.74E-06	4.99E-07	1.70E-09	3.05E-19	0.00E+00	0.00E+00
Cs-137								
Min	4.21E-01	4.11E-01	3.91E-01	3.29E-01	2.00E-01	3.50E-02	2.15E-04	0.00E+00
Max	4.21E-01	4.11E-01	3.91E-01	3.29E-01	2.00E-01	3.50E-02	2.16E-04	0.00E+00
Avg	4.21E-01	4.11E-01	3.91E-01	3.29E-01	2.00E-01	3.50E-02	2.16E-04	0.00E+00
Std	5.14E-07	1.59E-06	3.56E-06	9.05E-06	1.60E-05	9.24E-06	1.70E-07	0.00E+00
Ni-63								
Min	5.77E-03	5.71E-03	5.58E-03	5.16E-03	4.11E-03	1.84E-03	1.68E-04	0.00E+00
Max	5.78E-03	5.73E-03	5.63E-03	5.28E-03	4.41E-03	2.33E-03	3.39E-04	0.00E+00
Avg	5.78E-03	5.72E-03	5.61E-03	5.25E-03	4.34E-03	2.20E-03	2.89E-04	0.00E+00
Std	1.52E-06	4.71E-06	1.09E-05	3.08E-05	7.34E-05	1.20E-04	4.40E-05	0.00E+00
Sr-90								
Min	9.40E+00	8.49E+00	6.93E+00	3.40E+00	4.45E-01	3.59E-04	4.67E-13	0.00E+00
Max	9.50E+00	8.79E+00	7.53E+00	4.38E+00	9.32E-01	4.09E-03	6.80E-10	0.00E+00
Avg	9.45E+00	8.66E+00	7.26E+00	3.93E+00	6.90E-01	1.76E-03	1.23E-10	0.00E+00
Std	3.05E-02	8.80E-02	1.75E-01	2.84E-01	1.42E-01	1.09E-03	1.72E-10	0.00E+00
ΣALL								
Min	1.08E+01	9.65E+00	7.79E+00	3.86E+00	6.57E-01	3.74E-02	3.84E-04	0.00E+00
Max	1.09E+01	9.95E+00	8.40E+00	4.84E+00	1.14E+00	4.14E-02	5.55E-04	0.00E+00
Avg	1.08E+01	9.82E+00	8.13E+00	4.39E+00	9.02E-01	3.89E-02	5.05E-04	0.00E+00
Std	3.05E-02	8.80E-02	1.75E-01	2.84E-01	1.42E-01	1.09E-03	4.40E-05	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Meat (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	3.79E-01	3.31E-01	2.54E-01	1.00E-01	7.01E-03	6.30E-07	1.62E-18	0.00E+00
Max	3.79E-01	3.31E-01	2.54E-01	1.00E-01	7.01E-03	6.30E-07	1.62E-18	0.00E+00
Avg	3.79E-01	3.31E-01	2.54E-01	1.00E-01	7.01E-03	6.30E-07	1.62E-18	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	6.08E-01	4.34E-01	2.21E-01	2.09E-02	2.46E-05	1.37E-15	0.00E+00	0.00E+00
Max	6.08E-01	4.34E-01	2.21E-01	2.09E-02	2.46E-05	1.38E-15	0.00E+00	0.00E+00
Avg	6.08E-01	4.34E-01	2.21E-01	2.09E-02	2.46E-05	1.37E-15	0.00E+00	0.00E+00
Std	6.09E-07	1.57E-06	1.96E-06	5.69E-07	1.97E-09	3.63E-19	0.00E+00	0.00E+00
Cs-137								
Min	4.83E-01	4.71E-01	4.49E-01	3.78E-01	2.32E-01	4.16E-02	2.91E-04	0.00E+00
Max	4.83E-01	4.71E-01	4.49E-01	3.78E-01	2.32E-01	4.16E-02	2.92E-04	0.00E+00
Avg	4.83E-01	4.71E-01	4.49E-01	3.78E-01	2.32E-01	4.16E-02	2.91E-04	0.00E+00
Std	5.12E-07	1.74E-06	4.01E-06	1.03E-05	1.85E-05	1.10E-05	2.30E-07	0.00E+00
Ni-63								
Min	4.92E-04	4.87E-04	4.76E-04	4.41E-04	3.54E-04	1.62E-04	1.66E-05	0.00E+00
Max	4.93E-04	4.88E-04	4.80E-04	4.52E-04	3.80E-04	2.05E-04	3.34E-05	0.00E+00
Avg	4.93E-04	4.88E-04	4.79E-04	4.49E-04	3.73E-04	1.94E-04	2.85E-05	0.00E+00
Std	1.12E-07	3.83E-07	9.13E-07	2.61E-06	6.30E-06	1.06E-05	4.34E-06	0.00E+00
Sr-90								
Min	1.08E+00	9.79E-01	7.99E-01	3.92E-01	5.14E-02	4.16E-05	5.54E-14	0.00E+00
Max	1.09E+00	1.01E+00	8.67E-01	5.05E-01	1.07E-01	4.74E-04	8.05E-11	0.00E+00
Avg	1.09E+00	9.98E-01	8.37E-01	4.53E-01	7.96E-02	2.04E-04	1.46E-11	0.00E+00
Std	2.89E-03	9.51E-03	1.96E-02	3.24E-02	1.63E-02	1.26E-04	2.04E-11	0.00E+00
ΣALL								
Min	2.55E+00	2.22E+00	1.72E+00	8.92E-01	2.91E-01	4.18E-02	3.07E-04	0.00E+00
Max	2.56E+00	2.25E+00	1.79E+00	1.00E+00	3.47E-01	4.23E-02	3.25E-04	0.00E+00
Avg	2.56E+00	2.23E+00	1.76E+00	9.53E-01	3.19E-01	4.20E-02	3.20E-04	0.00E+00
Std	2.89E-03	9.51E-03	1.96E-02	3.24E-02	1.63E-02	1.27E-04	4.34E-06	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	1.00E-01	8.75E-02	6.71E-02	2.64E-02	1.84E-03	1.65E-07	4.06E-19	0.00E+00
Max	1.00E-01	8.75E-02	6.71E-02	2.64E-02	1.84E-03	1.65E-07	4.06E-19	0.00E+00
Avg	1.00E-01	8.75E-02	6.71E-02	2.64E-02	1.84E-03	1.65E-07	4.06E-19	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	9.48E-01	6.76E-01	3.45E-01	3.25E-02	3.81E-05	2.10E-15	0.00E+00	0.00E+00
Max	9.48E-01	6.76E-01	3.45E-01	3.25E-02	3.82E-05	2.10E-15	0.00E+00	0.00E+00
Avg	9.48E-01	6.76E-01	3.45E-01	3.25E-02	3.81E-05	2.10E-15	0.00E+00	0.00E+00
Std	9.20E-07	2.42E-06	3.04E-06	8.85E-07	3.05E-09	5.55E-19	0.00E+00	0.00E+00
Cs-137								
Min	7.52E-01	7.34E-01	6.99E-01	5.88E-01	3.59E-01	6.36E-02	4.19E-04	0.00E+00
Max	7.52E-01	7.34E-01	6.99E-01	5.88E-01	3.59E-01	6.37E-02	4.20E-04	0.00E+00
Avg	7.52E-01	7.34E-01	6.99E-01	5.88E-01	3.59E-01	6.36E-02	4.19E-04	0.00E+00
Std	7.80E-07	2.67E-06	6.22E-06	1.61E-05	2.87E-05	1.68E-05	3.31E-07	0.00E+00
Ni-63								
Min	2.32E-02	2.29E-02	2.24E-02	2.07E-02	1.66E-02	7.53E-03	7.28E-04	0.00E+00
Max	2.32E-02	2.30E-02	2.26E-02	2.12E-02	1.78E-02	9.50E-03	1.46E-03	0.00E+00
Avg	2.32E-02	2.30E-02	2.26E-02	2.11E-02	1.75E-02	8.99E-03	1.25E-03	0.00E+00
Std	5.14E-06	1.79E-05	4.28E-05	1.23E-04	2.95E-04	4.90E-04	1.90E-04	0.00E+00
Sr-90								
Min	2.95E+00	2.67E+00	2.18E+00	1.07E+00	1.40E-01	1.13E-04	1.49E-13	0.00E+00
Max	2.98E+00	2.76E+00	2.36E+00	1.38E+00	2.93E-01	1.29E-03	2.16E-10	0.00E+00
Avg	2.97E+00	2.72E+00	2.28E+00	1.24E+00	2.17E-01	5.55E-04	3.91E-11	0.00E+00
Std	7.85E-03	2.59E-02	5.34E-02	8.84E-02	4.44E-02	3.42E-04	5.47E-11	0.00E+00
ΣALL								
Min	4.78E+00	4.19E+00	3.31E+00	1.74E+00	5.19E-01	7.15E-02	1.15E-03	0.00E+00
Max	4.80E+00	4.28E+00	3.50E+00	2.04E+00	6.71E-01	7.44E-02	1.88E-03	0.00E+00
Avg	4.79E+00	4.24E+00	3.42E+00	1.90E+00	5.96E-01	7.32E-02	1.67E-03	0.00E+00
Std	7.85E-03	2.59E-02	5.34E-02	8.84E-02	4.44E-02	5.95E-04	1.90E-04	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Soil Ingestion

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	3.57E-04	3.13E-04	2.40E-04	9.56E-05	6.87E-06	6.83E-10	2.51E-21	0.00E+00
Max	3.57E-04	3.13E-04	2.40E-04	9.56E-05	6.87E-06	6.83E-10	2.51E-21	0.00E+00
Avg	3.57E-04	3.13E-04	2.40E-04	9.56E-05	6.87E-06	6.83E-10	2.51E-21	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	8.81E-04	6.29E-04	3.21E-04	3.06E-05	3.69E-08	2.25E-18	0.00E+00	0.00E+00
Max	8.81E-04	6.29E-04	3.21E-04	3.06E-05	3.69E-08	2.26E-18	0.00E+00	0.00E+00
Avg	8.81E-04	6.29E-04	3.21E-04	3.06E-05	3.69E-08	2.26E-18	0.00E+00	0.00E+00
Std	1.09E-09	2.44E-09	2.93E-09	8.42E-10	2.96E-12	5.96E-22	0.00E+00	0.00E+00
Cs-137								
Min	6.99E-04	6.83E-04	6.52E-04	5.54E-04	3.48E-04	6.83E-05	6.50E-07	0.00E+00
Max	6.99E-04	6.83E-04	6.52E-04	5.54E-04	3.48E-04	6.83E-05	6.52E-07	0.00E+00
Avg	6.99E-04	6.83E-04	6.52E-04	5.54E-04	3.48E-04	6.83E-05	6.51E-07	0.00E+00
Std	9.16E-10	2.69E-09	6.00E-09	1.53E-08	2.79E-08	1.80E-08	5.15E-10	0.00E+00
Ni-63								
Min	8.12E-06	8.04E-06	7.89E-06	7.37E-06	6.06E-06	3.05E-06	4.31E-07	0.00E+00
Max	8.13E-06	8.07E-06	7.95E-06	7.55E-06	6.50E-06	3.86E-06	8.67E-07	0.00E+00
Avg	8.13E-06	8.06E-06	7.94E-06	7.50E-06	6.39E-06	3.65E-06	7.40E-07	0.00E+00
Std	2.28E-09	6.79E-09	1.56E-08	4.41E-08	1.08E-07	1.99E-07	1.13E-07	0.00E+00
Sr-90								
Min	2.06E-03	1.86E-03	1.52E-03	7.56E-04	1.02E-04	9.23E-08	1.86E-16	0.00E+00
Max	2.08E-03	1.93E-03	1.66E-03	9.75E-04	2.14E-04	1.05E-06	2.71E-13	0.00E+00
Avg	2.07E-03	1.90E-03	1.60E-03	8.74E-04	1.58E-04	4.54E-07	4.90E-14	0.00E+00
Std	7.10E-06	1.97E-05	3.88E-05	6.33E-05	3.25E-05	2.80E-07	6.85E-14	0.00E+00
ΣALL								
Min	4.00E-03	3.49E-03	2.74E-03	1.44E-03	4.63E-04	7.15E-05	1.08E-06	0.00E+00
Max	4.03E-03	3.56E-03	2.88E-03	1.66E-03	5.75E-04	7.32E-05	1.52E-06	0.00E+00
Avg	4.02E-03	3.53E-03	2.82E-03	1.56E-03	5.19E-04	7.24E-05	1.39E-06	0.00E+00
Std	7.10E-06	1.97E-05	3.88E-05	6.33E-05	3.25E-05	3.43E-07	1.13E-07	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Water Ingestion

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.12E-07
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.52E-09
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.77E-08
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.71E-02	1.44E-10	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.48E-01	4.73E-01	6.12E-08	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.80E-02	2.32E-01	1.13E-08	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.26E-01	7.92E-02	1.33E-08	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.71E-02	1.44E-10	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.48E-01	4.73E-01	6.12E-08	2.12E-07
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.80E-02	2.32E-01	1.13E-08	6.52E-09
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.26E-01	7.92E-02	1.33E-08	2.77E-08

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Fish Ingestion

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Radon (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Plant (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.71E-08
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.26E-10
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.23E-09
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.49E-03	1.41E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.25E-02	4.61E-02	5.97E-09	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.59E-03	2.26E-02	1.10E-09	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.22E-02	7.72E-03	1.29E-09	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.49E-03	1.41E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.25E-02	4.61E-02	5.97E-09	1.71E-08
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.59E-03	2.26E-02	1.10E-09	5.26E-10
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.22E-02	7.72E-03	1.29E-09	2.23E-09

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Meat (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.14E-08
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.49E-10
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.48E-09
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.56E-03	1.25E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.49E-02	4.10E-02	5.31E-09	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.99E-03	2.01E-02	9.78E-10	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.06E-02	6.87E-03	1.15E-09	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.56E-03	1.25E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.49E-02	4.10E-02	5.31E-09	1.14E-08
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.99E-03	2.01E-02	9.78E-10	3.49E-10
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.06E-02	6.87E-03	1.15E-09	1.48E-09

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.13E-07
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.27E-08
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.38E-08
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.46E-02	2.41E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.05E-01	7.89E-02	1.02E-08	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.53E-03	3.86E-02	1.88E-09	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.01E-02	1.32E-02	2.21E-09	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.46E-02	2.41E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.05E-01	7.89E-02	1.02E-08	4.13E-07
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.53E-03	3.86E-02	1.88E-09	1.27E-08
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.01E-02	1.32E-02	2.21E-09	5.38E-08

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Cumulative Probability Summary for: Total Dose Over Pathways

Cumulative Probability	Dose (t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
0.025	2.80E+01	2.44E+01	1.89E+01	9.15E+00	2.23E+00	4.18E-01	3.08E-03	0.00E+00
0.050	2.80E+01	2.44E+01	1.90E+01	9.19E+00	2.24E+00	4.25E-01	3.14E-03	0.00E+00
0.075	2.80E+01	2.44E+01	1.90E+01	9.23E+00	2.26E+00	4.40E-01	3.22E-03	0.00E+00
0.100	2.80E+01	2.44E+01	1.90E+01	9.27E+00	2.28E+00	4.52E-01	3.27E-03	0.00E+00
0.125	2.80E+01	2.44E+01	1.90E+01	9.32E+00	2.30E+00	4.65E-01	3.32E-03	0.00E+00
0.150	2.80E+01	2.44E+01	1.91E+01	9.35E+00	2.32E+00	4.76E-01	3.36E-03	0.00E+00
0.175	2.80E+01	2.45E+01	1.91E+01	9.40E+00	2.34E+00	4.84E-01	3.41E-03	0.00E+00
0.200	2.80E+01	2.45E+01	1.91E+01	9.44E+00	2.35E+00	4.99E-01	3.45E-03	0.00E+00
0.225	2.80E+01	2.45E+01	1.91E+01	9.49E+00	2.38E+00	5.06E-01	3.49E-03	0.00E+00
0.250	2.80E+01	2.45E+01	1.92E+01	9.53E+00	2.40E+00	5.16E-01	3.53E-03	0.00E+00
0.275	2.80E+01	2.45E+01	1.92E+01	9.57E+00	2.42E+00	5.24E-01	3.54E-03	0.00E+00
0.300	2.80E+01	2.45E+01	1.92E+01	9.60E+00	2.44E+00	5.27E-01	3.57E-03	0.00E+00
0.325	2.80E+01	2.45E+01	1.92E+01	9.64E+00	2.47E+00	5.31E-01	3.60E-03	0.00E+00
0.350	2.80E+01	2.46E+01	1.93E+01	9.68E+00	2.50E+00	5.39E-01	3.62E-03	0.00E+00
0.375	2.80E+01	2.46E+01	1.93E+01	9.71E+00	2.52E+00	5.46E-01	3.64E-03	0.00E+00
0.400	2.81E+01	2.46E+01	1.93E+01	9.75E+00	2.53E+00	5.50E-01	3.66E-03	0.00E+00
0.425	2.81E+01	2.46E+01	1.93E+01	9.79E+00	2.55E+00	5.55E-01	3.68E-03	0.00E+00
0.450	2.81E+01	2.46E+01	1.94E+01	9.83E+00	2.56E+00	5.59E-01	3.70E-03	0.00E+00
0.475	2.81E+01	2.46E+01	1.94E+01	9.86E+00	2.58E+00	5.65E-01	3.72E-03	0.00E+00
0.500	2.81E+01	2.46E+01	1.94E+01	9.90E+00	2.61E+00	5.72E-01	3.73E-03	0.00E+00
0.525	2.81E+01	2.46E+01	1.94E+01	9.93E+00	2.63E+00	5.79E-01	3.75E-03	0.00E+00
0.550	2.81E+01	2.46E+01	1.94E+01	9.96E+00	2.65E+00	5.87E-01	3.76E-03	0.00E+00
0.575	2.81E+01	2.46E+01	1.95E+01	9.99E+00	2.67E+00	5.98E-01	3.78E-03	0.00E+00
0.600	2.81E+01	2.47E+01	1.95E+01	1.00E+01	2.68E+00	6.05E-01	3.79E-03	0.00E+00
0.625	2.81E+01	2.47E+01	1.95E+01	1.01E+01	2.71E+00	6.17E-01	3.80E-03	0.00E+00
0.650	2.81E+01	2.47E+01	1.95E+01	1.01E+01	2.72E+00	6.21E-01	3.81E-03	0.00E+00
0.675	2.81E+01	2.47E+01	1.95E+01	1.01E+01	2.73E+00	6.27E-01	3.82E-03	0.00E+00
0.700	2.81E+01	2.47E+01	1.96E+01	1.02E+01	2.74E+00	6.37E-01	3.83E-03	0.00E+00
0.725	2.81E+01	2.47E+01	1.96E+01	1.02E+01	2.75E+00	6.49E-01	3.84E-03	0.00E+00
0.750	2.81E+01	2.47E+01	1.96E+01	1.02E+01	2.78E+00	6.61E-01	3.85E-03	0.00E+00
0.775	2.81E+01	2.47E+01	1.96E+01	1.02E+01	2.80E+00	6.73E-01	3.86E-03	0.00E+00
0.800	2.81E+01	2.47E+01	1.96E+01	1.03E+01	2.82E+00	6.82E-01	3.87E-03	0.00E+00
0.825	2.81E+01	2.47E+01	1.96E+01	1.03E+01	2.84E+00	6.91E-01	3.88E-03	0.00E+00
0.850	2.81E+01	2.47E+01	1.97E+01	1.03E+01	2.86E+00	7.02E-01	3.88E-03	0.00E+00
0.875	2.81E+01	2.48E+01	1.97E+01	1.04E+01	2.88E+00	7.25E-01	3.89E-03	0.00E+00
0.900	2.81E+01	2.48E+01	1.97E+01	1.04E+01	2.89E+00	7.41E-01	3.90E-03	0.00E+00
0.925	2.81E+01	2.48E+01	1.97E+01	1.04E+01	2.99E+00	7.58E-01	3.91E-03	4.07E-08
0.950	2.81E+01	2.48E+01	1.97E+01	1.05E+01	3.09E+00	7.74E-01	3.92E-03	1.62E-07
0.975	2.81E+01	2.48E+01	1.97E+01	1.05E+01	3.20E+00	8.33E-01	3.92E-03	3.73E-07
1.000	2.81E+01	2.48E+01	1.98E+01	1.05E+01	3.36E+00	9.18E-01	3.93E-03	6.54E-07

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Summary of dose at graphical times, reptition 1

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	2.80E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01
1.00E+00	2.44E+01	2.48E+01	2.46E+01	2.46E+01	2.48E+01	2.48E+01	2.48E+01	2.48E+01
1.30E+00	2.34E+01	2.39E+01	2.37E+01	2.37E+01	2.39E+01	2.39E+01	2.39E+01	2.39E+01
1.70E+00	2.22E+01	2.28E+01	2.25E+01	2.26E+01	2.28E+01	2.28E+01	2.28E+01	2.28E+01
2.22E+00	2.08E+01	2.15E+01	2.12E+01	2.12E+01	2.15E+01	2.15E+01	2.15E+01	2.15E+01
2.89E+00	1.91E+01	2.00E+01	1.96E+01	1.96E+01	1.99E+01	2.00E+01	2.00E+01	2.00E+01
3.00E+00	1.89E+01	1.98E+01	1.94E+01	1.94E+01	1.97E+01	1.97E+01	1.97E+01	1.98E+01
3.78E+00	1.72E+01	1.82E+01	1.78E+01	1.78E+01	1.82E+01	1.82E+01	1.82E+01	1.82E+01
4.92E+00	1.51E+01	1.63E+01	1.58E+01	1.58E+01	1.62E+01	1.62E+01	1.63E+01	1.63E+01
6.42E+00	1.29E+01	1.42E+01	1.36E+01	1.36E+01	1.41E+01	1.41E+01	1.42E+01	1.42E+01
8.38E+00	1.06E+01	1.20E+01	1.14E+01	1.14E+01	1.19E+01	1.19E+01	1.20E+01	1.20E+01
1.00E+01	9.10E+00	1.05E+01	9.86E+00	9.89E+00	1.04E+01	1.05E+01	1.05E+01	1.05E+01
1.09E+01	8.37E+00	9.77E+00	9.13E+00	9.15E+00	9.67E+00	9.72E+00	9.75E+00	9.77E+00
1.43E+01	6.29E+00	7.64E+00	7.01E+00	7.03E+00	7.54E+00	7.59E+00	7.62E+00	7.64E+00
1.86E+01	4.49E+00	5.68E+00	5.12E+00	5.13E+00	5.59E+00	5.64E+00	5.66E+00	5.68E+00
2.42E+01	3.06E+00	4.00E+00	3.54E+00	3.54E+00	3.92E+00	3.96E+00	3.98E+00	4.00E+00
3.00E+01	2.22E+00	3.36E+00	2.61E+00	2.62E+00	2.88E+00	3.13E+00	3.25E+00	3.36E+00
3.16E+01	2.04E+00	3.57E+00	2.52E+00	2.48E+00	3.08E+00	3.36E+00	3.50E+00	3.56E+00
4.12E+01	1.43E+00	4.30E+00	2.91E+00	2.97E+00	3.93E+00	4.12E+00	4.15E+00	4.30E+00
5.38E+01	2.49E+00	3.95E+00	3.15E+00	3.14E+00	3.65E+00	3.81E+00	3.89E+00	3.95E+00
7.02E+01	2.09E+00	2.92E+00	2.48E+00	2.47E+00	2.77E+00	2.85E+00	2.90E+00	2.92E+00
9.15E+01	6.12E-01	1.42E+00	9.93E-01	9.68E-01	1.31E+00	1.39E+00	1.41E+00	1.42E+00
1.00E+02	3.92E-01	8.80E-01	5.89E-01	5.75E-01	7.34E-01	7.68E-01	8.52E-01	8.80E-01
1.19E+02	1.91E-01	2.96E-01	2.32E-01	2.29E-01	2.58E-01	2.74E-01	2.88E-01	2.96E-01
1.56E+02	7.50E-02	8.20E-02	7.77E-02	7.76E-02	7.97E-02	8.01E-02	8.10E-02	8.20E-02
2.03E+02	2.48E-02	2.66E-02	2.60E-02	2.62E-02	2.65E-02	2.65E-02	2.65E-02	2.66E-02
2.65E+02	6.30E-03	7.47E-03	7.14E-03	7.24E-03	7.45E-03	7.47E-03	7.47E-03	7.47E-03
3.00E+02	3.01E-03	3.92E-03	3.66E-03	3.73E-03	3.90E-03	3.92E-03	3.92E-03	3.92E-03
3.46E+02	1.22E-03	1.86E-03	1.67E-03	1.72E-03	1.84E-03	1.85E-03	1.86E-03	1.86E-03
4.51E+02	1.90E-04	4.36E-04	3.59E-04	3.78E-04	4.29E-04	4.33E-04	4.36E-04	4.36E-04
5.88E+02	1.77E-05	6.34E-05	4.81E-05	5.15E-05	6.19E-05	6.28E-05	6.33E-05	6.34E-05
7.67E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1.00E+03	0.00E+00	6.54E-07	2.19E-08	0.00E+00	0.00E+00	2.70E-07	3.96E-07	6.51E-07

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Summary of dose at graphical times, reptition 2

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	2.80E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01
1.00E+00	2.44E+01	2.48E+01	2.46E+01	2.46E+01	2.48E+01	2.48E+01	2.48E+01	2.48E+01
1.30E+00	2.34E+01	2.39E+01	2.37E+01	2.37E+01	2.39E+01	2.39E+01	2.39E+01	2.39E+01
1.70E+00	2.22E+01	2.28E+01	2.25E+01	2.26E+01	2.28E+01	2.28E+01	2.28E+01	2.28E+01
2.22E+00	2.08E+01	2.15E+01	2.12E+01	2.12E+01	2.15E+01	2.15E+01	2.15E+01	2.15E+01
2.89E+00	1.91E+01	2.00E+01	1.96E+01	1.96E+01	1.99E+01	2.00E+01	2.00E+01	2.00E+01
3.00E+00	1.89E+01	1.98E+01	1.94E+01	1.94E+01	1.97E+01	1.97E+01	1.97E+01	1.98E+01
3.78E+00	1.72E+01	1.82E+01	1.78E+01	1.78E+01	1.82E+01	1.82E+01	1.82E+01	1.82E+01
4.92E+00	1.51E+01	1.63E+01	1.58E+01	1.58E+01	1.62E+01	1.62E+01	1.63E+01	1.63E+01
6.42E+00	1.29E+01	1.42E+01	1.36E+01	1.36E+01	1.41E+01	1.41E+01	1.42E+01	1.42E+01
8.38E+00	1.06E+01	1.20E+01	1.14E+01	1.14E+01	1.19E+01	1.19E+01	1.20E+01	1.20E+01
1.00E+01	9.11E+00	1.05E+01	9.86E+00	9.89E+00	1.04E+01	1.05E+01	1.05E+01	1.05E+01
1.09E+01	8.37E+00	9.77E+00	9.13E+00	9.15E+00	9.66E+00	9.72E+00	9.75E+00	9.77E+00
1.43E+01	6.29E+00	7.64E+00	7.01E+00	7.03E+00	7.53E+00	7.59E+00	7.62E+00	7.64E+00
1.86E+01	4.49E+00	5.68E+00	5.12E+00	5.13E+00	5.58E+00	5.64E+00	5.66E+00	5.68E+00
2.42E+01	3.06E+00	3.99E+00	3.54E+00	3.55E+00	3.91E+00	3.96E+00	3.98E+00	3.99E+00
3.00E+01	2.20E+00	3.30E+00	2.61E+00	2.61E+00	2.89E+00	3.14E+00	3.27E+00	3.30E+00
3.16E+01	2.02E+00	3.55E+00	2.51E+00	2.46E+00	3.05E+00	3.41E+00	3.48E+00	3.55E+00
4.12E+01	1.47E+00	4.24E+00	2.92E+00	2.98E+00	3.88E+00	3.98E+00	4.14E+00	4.24E+00
5.38E+01	2.42E+00	3.92E+00	3.16E+00	3.16E+00	3.61E+00	3.79E+00	3.85E+00	3.92E+00
7.02E+01	2.10E+00	2.97E+00	2.48E+00	2.46E+00	2.76E+00	2.82E+00	2.90E+00	2.97E+00
9.15E+01	6.43E-01	1.41E+00	9.92E-01	9.52E-01	1.33E+00	1.38E+00	1.40E+00	1.41E+00
1.00E+02	4.11E-01	8.89E-01	5.89E-01	5.61E-01	7.54E-01	7.70E-01	8.48E-01	8.89E-01
1.19E+02	1.93E-01	3.00E-01	2.32E-01	2.27E-01	2.68E-01	2.81E-01	2.90E-01	2.99E-01
1.56E+02	7.51E-02	8.20E-02	7.77E-02	7.74E-02	8.01E-02	8.10E-02	8.14E-02	8.20E-02
2.03E+02	2.47E-02	2.66E-02	2.60E-02	2.62E-02	2.65E-02	2.65E-02	2.65E-02	2.66E-02
2.65E+02	6.28E-03	7.48E-03	7.14E-03	7.23E-03	7.45E-03	7.46E-03	7.47E-03	7.48E-03
3.00E+02	3.00E-03	3.93E-03	3.66E-03	3.73E-03	3.90E-03	3.92E-03	3.92E-03	3.93E-03
3.46E+02	1.21E-03	1.86E-03	1.67E-03	1.72E-03	1.84E-03	1.85E-03	1.85E-03	1.86E-03
4.51E+02	1.88E-04	4.37E-04	3.59E-04	3.78E-04	4.29E-04	4.34E-04	4.35E-04	4.37E-04
5.88E+02	1.74E-05	6.35E-05	4.80E-05	5.14E-05	6.18E-05	6.28E-05	6.32E-05	6.35E-05
7.67E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1.00E+03	0.00E+00	4.01E-07	1.51E-08	0.00E+00	0.00E+00	1.62E-07	2.58E-07	4.00E-07

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Summary of dose at graphical times, reptition 3

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	2.80E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01
1.00E+00	2.44E+01	2.48E+01	2.46E+01	2.46E+01	2.48E+01	2.48E+01	2.48E+01	2.48E+01
1.30E+00	2.34E+01	2.39E+01	2.37E+01	2.37E+01	2.39E+01	2.39E+01	2.39E+01	2.39E+01
1.70E+00	2.22E+01	2.28E+01	2.25E+01	2.26E+01	2.28E+01	2.28E+01	2.28E+01	2.28E+01
2.22E+00	2.08E+01	2.15E+01	2.12E+01	2.12E+01	2.15E+01	2.15E+01	2.15E+01	2.15E+01
2.89E+00	1.91E+01	2.00E+01	1.96E+01	1.96E+01	1.99E+01	2.00E+01	2.00E+01	2.00E+01
3.00E+00	1.89E+01	1.98E+01	1.94E+01	1.94E+01	1.97E+01	1.97E+01	1.97E+01	1.98E+01
3.78E+00	1.72E+01	1.82E+01	1.78E+01	1.78E+01	1.82E+01	1.82E+01	1.82E+01	1.82E+01
4.92E+00	1.52E+01	1.63E+01	1.58E+01	1.58E+01	1.62E+01	1.62E+01	1.63E+01	1.63E+01
6.42E+00	1.29E+01	1.42E+01	1.36E+01	1.36E+01	1.41E+01	1.41E+01	1.42E+01	1.42E+01
8.38E+00	1.06E+01	1.20E+01	1.14E+01	1.14E+01	1.19E+01	1.19E+01	1.20E+01	1.20E+01
1.00E+01	9.11E+00	1.05E+01	9.86E+00	9.89E+00	1.04E+01	1.05E+01	1.05E+01	1.05E+01
1.09E+01	8.37E+00	9.77E+00	9.13E+00	9.16E+00	9.67E+00	9.72E+00	9.76E+00	9.77E+00
1.43E+01	6.29E+00	7.64E+00	7.01E+00	7.03E+00	7.54E+00	7.59E+00	7.62E+00	7.64E+00
1.86E+01	4.50E+00	5.68E+00	5.12E+00	5.13E+00	5.59E+00	5.64E+00	5.67E+00	5.68E+00
2.42E+01	3.06E+00	3.99E+00	3.54E+00	3.55E+00	3.92E+00	3.96E+00	3.98E+00	3.99E+00
3.00E+01	2.21E+00	3.21E+00	2.61E+00	2.59E+00	2.99E+00	3.08E+00	3.16E+00	3.21E+00
3.16E+01	2.03E+00	3.48E+00	2.52E+00	2.45E+00	3.17E+00	3.32E+00	3.45E+00	3.48E+00
4.12E+01	1.50E+00	4.16E+00	2.91E+00	2.94E+00	3.85E+00	4.04E+00	4.14E+00	4.16E+00
5.38E+01	2.38E+00	3.86E+00	3.15E+00	3.13E+00	3.69E+00	3.78E+00	3.80E+00	3.86E+00
7.02E+01	2.06E+00	2.92E+00	2.48E+00	2.45E+00	2.77E+00	2.83E+00	2.88E+00	2.92E+00
9.15E+01	6.25E-01	1.46E+00	9.87E-01	9.67E-01	1.31E+00	1.37E+00	1.41E+00	1.46E+00
1.00E+02	3.98E-01	9.18E-01	5.89E-01	5.76E-01	7.44E-01	7.81E-01	8.68E-01	9.18E-01
1.19E+02	1.91E-01	3.14E-01	2.32E-01	2.30E-01	2.63E-01	2.69E-01	2.90E-01	3.13E-01
1.56E+02	7.50E-02	8.34E-02	7.77E-02	7.76E-02	7.96E-02	8.07E-02	8.17E-02	8.34E-02
2.03E+02	2.48E-02	2.65E-02	2.60E-02	2.62E-02	2.65E-02	2.65E-02	2.65E-02	2.65E-02
2.65E+02	6.32E-03	7.48E-03	7.14E-03	7.24E-03	7.45E-03	7.46E-03	7.47E-03	7.48E-03
3.00E+02	3.03E-03	3.93E-03	3.66E-03	3.73E-03	3.90E-03	3.92E-03	3.92E-03	3.93E-03
3.46E+02	1.23E-03	1.86E-03	1.67E-03	1.72E-03	1.84E-03	1.85E-03	1.85E-03	1.86E-03
4.51E+02	1.93E-04	4.37E-04	3.59E-04	3.78E-04	4.29E-04	4.34E-04	4.35E-04	4.37E-04
5.88E+02	1.82E-05	6.35E-05	4.80E-05	5.14E-05	6.19E-05	6.28E-05	6.32E-05	6.35E-05
7.67E+02	0.00E+00	9.52E-08	9.52E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.42E-08
1.00E+03	0.00E+00	6.27E-07	2.32E-08	0.00E+00	0.00E+00	1.61E-07	4.33E-07	6.25E-07

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Peak of the mean dose (averaged over observations) at graphical times

Repetition	Time of peak mean dose Years	Peak mean dose mrem/yr
1	0.000E+00	2.806E+01
2	0.000E+00	2.806E+01
3	0.000E+00	2.806E+01

Title : RESRAD Default

Input File : ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Kd of Cs-134 in Contaminated Zone	3	-0.19	3	-0.02	10	-0.03	10	0.00
Kd of Cs-134 in Unsaturated Zone 1	10	-0.03	10	0.00	12	0.02	12	0.00
Kd of Cs-134 in Saturated Zone	9	0.03	9	0.00	7	0.04	7	0.00
Kd of Cs-137 in Contaminated Zone	6	0.08	6	0.01	11	-0.02	11	0.00
Kd of Cs-137 in Unsaturated Zone 1	5	0.08	5	0.01	8	0.03	8	0.00
Kd of Cs-137 in Saturated Zone	12	0.02	12	0.00	9	-0.03	9	0.00
Kd of Ni-63 in Contaminated Zone	8	-0.06	8	-0.01	3	-0.14	3	-0.01
Kd of Ni-63 in Unsaturated Zone 1	4	0.12	4	0.01	2	0.16	2	0.01
Kd of Ni-63 in Saturated Zone	2	0.21	2	0.02	5	0.09	5	0.01
Kd of Sr-90 in Contaminated Zone	1	0.99	1	0.99	1	1.00	1	1.00
Kd of Sr-90 in Unsaturated Zone 1	11	-0.03	11	0.00	6	-0.05	6	0.00
Kd of Sr-90 in Saturated Zone	7	0.06	7	0.01	4	0.12	4	0.01
R-SQUARE		0.99		0.99		1.00		1.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default

Input File : ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	2	2	2	2

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Kd of Cs-134 in Contaminated Zone	12	-0.03	12	0.00	9	0.04	9	0.00
Kd of Cs-134 in Unsaturated Zone 1	6	-0.08	6	-0.01	7	-0.07	7	0.00
Kd of Cs-134 in Saturated Zone	3	0.15	3	0.02	10	-0.02	10	0.00
Kd of Cs-137 in Contaminated Zone	11	0.03	11	0.00	11	0.01	11	0.00
Kd of Cs-137 in Unsaturated Zone 1	2	-0.22	2	-0.03	8	-0.06	8	0.00
Kd of Cs-137 in Saturated Zone	5	0.11	5	0.01	2	0.12	2	0.01
Kd of Ni-63 in Contaminated Zone	8	-0.07	8	-0.01	12	0.00	12	0.00
Kd of Ni-63 in Unsaturated Zone 1	7	-0.07	7	-0.01	5	0.08	5	0.01
Kd of Ni-63 in Saturated Zone	9	0.06	9	0.01	6	0.08	6	0.01
Kd of Sr-90 in Contaminated Zone	1	0.99	1	0.99	1	1.00	1	1.00
Kd of Sr-90 in Unsaturated Zone 1	4	-0.13	4	-0.02	3	-0.11	3	-0.01
Kd of Sr-90 in Saturated Zone	10	0.04	10	0.01	4	-0.09	4	-0.01
R-SQUARE		0.99		0.99		1.00		1.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default

Input File : ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	3	3	3	3

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Kd of Cs-134 in Contaminated Zone	9	-0.08	9	-0.01	3	-0.13	3	-0.01
Kd of Cs-134 in Unsaturated Zone 1	11	-0.06	11	-0.01	8	-0.04	8	0.00
Kd of Cs-134 in Saturated Zone	3	-0.20	3	-0.02	11	-0.02	11	0.00
Kd of Cs-137 in Contaminated Zone	5	-0.12	5	-0.01	7	-0.05	7	0.00
Kd of Cs-137 in Unsaturated Zone 1	2	0.26	2	0.03	2	0.21	2	0.02
Kd of Cs-137 in Saturated Zone	6	-0.11	6	-0.01	10	-0.02	10	0.00
Kd of Ni-63 in Contaminated Zone	12	0.01	12	0.00	12	-0.01	12	0.00
Kd of Ni-63 in Unsaturated Zone 1	10	0.07	10	0.01	5	-0.08	5	-0.01
Kd of Ni-63 in Saturated Zone	8	-0.09	8	-0.01	6	-0.07	6	0.00
Kd of Sr-90 in Contaminated Zone	1	0.99	1	0.99	1	1.00	1	1.00
Kd of Sr-90 in Unsaturated Zone 1	4	0.13	4	0.01	9	0.04	9	0.00
Kd of Sr-90 in Saturated Zone	7	0.10	7	0.01	4	0.09	4	0.01
R-SQUARE		0.99		0.99		1.00		1.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.