

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

Table of ContentsPart I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	4
Summary of Pathway Selections .....	8
Contaminated Zone and Total Dose Summary .....	9
Total Dose Components	
Time = 0.000E+00 .....	10
Time = 1.000E+00 .....	11
Time = 3.000E+00 .....	12
Time = 1.000E+01 .....	13
Time = 4.049E+01 .....	14
Time = 1.000E+02 .....	15
Time = 3.000E+02 .....	16
Time = 1.000E+03 .....	17
Dose/Source Ratios Summed Over All Pathways .....	18
Single Radionuclide Soil Guidelines .....	18
Dose Per Nuclide Summed Over All Pathways .....	19
Soil Concentration Per Nuclide .....	19

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Dose Conversion Factor (and Related) Parameter Summary

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ba-137m (Source: FGR 12)	3.606E+00	3.606E+00	DCF1( 1)
A-1	Co-60 (Source: FGR 12)	1.622E+01	1.622E+01	DCF1( 2)
A-1	Cs-134 (Source: FGR 12)	9.472E+00	9.472E+00	DCF1( 3)
A-1	Cs-137 (Source: FGR 12)	7.510E-04	7.510E-04	DCF1( 4)
A-1	Ni-63 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 5)
A-1	Sr-90 (Source: FGR 12)	7.043E-04	7.043E-04	DCF1( 6)
A-1	Y-90 (Source: FGR 12)	2.391E-02	2.391E-02	DCF1( 7)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Co-60	2.190E-04	2.190E-04	DCF2( 1)
B-1	Cs-134	4.620E-05	4.620E-05	DCF2( 2)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2( 3)
B-1	Ni-63	6.290E-06	6.290E-06	DCF2( 4)
B-1	Sr-90+D	1.308E-03	1.300E-03	DCF2( 5)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Co-60	2.690E-05	2.690E-05	DCF3( 1)
D-1	Cs-134	7.330E-05	7.330E-05	DCF3( 2)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3( 3)
D-1	Ni-63	5.770E-07	5.770E-07	DCF3( 4)
D-1	Sr-90+D	1.528E-04	1.420E-04	DCF3( 5)
D-34	Food transfer factors:			
D-34	Co-60 , plant/soil concentration ratio, dimensionless	1.500E-01	8.000E-02	RTF( 1,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.800E-02	2.000E-02	RTF( 1,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF( 1,3)
D-34	Cs-134 , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF( 2,1)
D-34	Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF( 2,2)
D-34	Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF( 2,3)
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF( 3,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF( 3,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF( 3,3)
D-34	Ni-63 , plant/soil concentration ratio, dimensionless	9.200E-02	5.000E-02	RTF( 4,1)
D-34	Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF( 4,2)
D-34	Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-02	2.000E-02	RTF( 4,3)
D-34	Sr-90+D , plant/soil concentration ratio, dimensionless	5.900E-01	3.000E-01	RTF( 5,1)
D-34	Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-03	8.000E-03	RTF( 5,2)
D-34	Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.700E-03	2.000E-03	RTF( 5,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC( 1,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC( 1,2)
D-5	Cs-134 , fish	2.000E+03	2.000E+03	BIOFAC( 2,1)
D-5	Cs-134 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 2,2)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC( 3,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 3,2)
D-5				
D-5	Ni-63 , fish	1.000E+02	1.000E+02	BIOFAC( 4,1)
D-5	Ni-63 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 4,2)
D-5				
D-5	Sr-90+D , fish	6.000E+01	6.000E+01	BIOFAC( 5,1)
D-5	Sr-90+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 5,2)

#For DCF1(xxx) only, factors are for infinite depth &amp; area. See ETFG table in Ground Pathway of Detailed Report.

\*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	2.153E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	4.600E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	4.049E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T( 9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Co-60	1.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Cs-134	1.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Cs-137	1.000E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Ni-63	1.000E+00	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Sr-90	1.000E+00	0.000E+00	---	S1(5)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1( 1)
R012	Concentration in groundwater (pCi/L): Cs-134	not used	0.000E+00	---	W1( 2)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1( 3)
R012	Concentration in groundwater (pCi/L): Ni-63	not used	0.000E+00	---	W1( 4)
R012	Concentration in groundwater (pCi/L): Sr-90	not used	0.000E+00	---	W1( 5)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	6.600E-02	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	9.700E-01	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.200E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.250E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	8.300E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.900E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.500E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.900E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	6.600E-02	2.000E-01	---	FCSZ

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Saturated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	3.900E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	3.300E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.250E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	2.600E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.800E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.900E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	6.600E-02	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	9.700E-01	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCC(1)
R016	Unsat. zone 1 (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.532E-04	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for Cs-134				
R016	Contaminated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCC(2)
R016	Unsat. zone 1 (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.893E-04	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCC(3)
R016	Unsat. zone 1 (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.893E-04	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Ni-63				
R016	Contaminated zone (cm**3/g)	3.310E+02	1.000E+03	---	DCNUCC(4)
R016	Unsat. zone 1 (cm**3/g)	3.310E+02	1.000E+03	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	3.310E+02	1.000E+03	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.375E-04	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R016	Distribution coefficients for Sr-90				
R016	Contaminated zone (cm**3/g)	3.400E+00	3.000E+01	---	DCNUCC(5)
R016	Unsat. zone 1 (cm**3/g)	3.400E+00	3.000E+01	---	DCNUCU(5,1)
R016	Saturated zone (cm**3/g)	3.400E+00	3.000E+01	---	DCNUCS(5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.177E-02	ALEACH(5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(5)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.350E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	4.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.490E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.240E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE ( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE ( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE ( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE ( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE ( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE ( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE ( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE ( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE ( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA ( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA ( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA ( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA ( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA ( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA ( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA ( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA ( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA ( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	2.240E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	4.280E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.780E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Contamination fraction of meat	-1	-1	0.108E+00	FMEAT
R018	Contamination fraction of milk	-1	-1	0.108E+00	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.830E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.520E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	1.220E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.900E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.900E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	1.000E+00	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	17	---	---	KYMAX

## Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed



Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	2153.00 square meters	Co-60	1.000E+00
Thickness:	1.00 meters	Cs-134	1.000E+00
Cover Depth:	0.00 meters	Cs-137	1.000E+00
		Ni-63	1.000E+00
		Sr-90	1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	2.090E+01	1.842E+01	1.464E+01	7.614E+00	1.124E+00	2.210E-01	1.874E-03	0.000E+00
M(t):	8.362E-01	7.369E-01	5.856E-01	3.046E-01	4.494E-02	8.842E-03	7.496E-05	0.000E+00

Maximum TDOSE(t): 2.090E+01 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	5.288E+00	0.2530	1.377E-06	0.0000	0.000E+00	0.0000	4.131E-01	0.0198	4.075E-02	0.0019	1.076E-02	0.0005	3.565E-04	0.0000
Cs-134	2.777E+00	0.1328	2.633E-07	0.0000	0.000E+00	0.0000	5.306E-01	0.0254	6.547E-02	0.0031	1.020E-01	0.0049	8.807E-04	0.0000
Cs-137	1.162E+00	0.0556	2.116E-07	0.0000	0.000E+00	0.0000	4.212E-01	0.0202	5.197E-02	0.0025	8.099E-02	0.0039	6.991E-04	0.0000
Ni-63	0.000E+00	0.0000	4.205E-08	0.0000	0.000E+00	0.0000	5.779E-03	0.0003	5.304E-05	0.0000	2.498E-03	0.0001	8.132E-06	0.0000
Sr-90	8.238E-03	0.0004	8.454E-06	0.0000	0.000E+00	0.0000	9.501E+00	0.4545	1.176E-01	0.0056	3.209E-01	0.0154	2.082E-03	0.0001
Total	9.235E+00	0.4418	1.035E-05	0.0000	0.000E+00	0.0000	1.087E+01	0.5201	2.759E-01	0.0132	5.172E-01	0.0247	4.026E-03	0.0002

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.753E+00	0.2752
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.476E+00	0.1663
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.717E+00	0.0821
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.338E-03	0.0004
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.950E+00	0.4760
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.090E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	4.636E+00	0.2517	1.207E-06	0.0000	0.000E+00	0.0000	3.616E-01	0.0196	3.568E-02	0.0019	9.422E-03	0.0005	3.126E-04	0.0000
Cs-134	1.985E+00	0.1077	1.881E-07	0.0000	0.000E+00	0.0000	3.786E-01	0.0206	4.673E-02	0.0025	7.281E-02	0.0040	6.294E-04	0.0000
Cs-137	1.135E+00	0.0616	2.067E-07	0.0000	0.000E+00	0.0000	4.109E-01	0.0223	5.072E-02	0.0028	7.902E-02	0.0043	6.831E-04	0.0000
Ni-63	0.000E+00	0.0000	4.173E-08	0.0000	0.000E+00	0.0000	5.727E-03	0.0003	5.258E-05	0.0000	2.476E-03	0.0001	8.071E-06	0.0000
Sr-90	7.637E-03	0.0004	7.837E-06	0.0000	0.000E+00	0.0000	8.795E+00	0.4774	1.090E-01	0.0059	2.972E-01	0.0161	1.930E-03	0.0001
Total	7.763E+00	0.4214	9.480E-06	0.0000	0.000E+00	0.0000	9.952E+00	0.5402	2.421E-01	0.0131	4.609E-01	0.0250	3.563E-03	0.0002

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.043E+00	0.2737
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.483E+00	0.1348
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.676E+00	0.0910
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.264E-03	0.0004
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.211E+00	0.5000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.842E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.563E+00	0.2434	9.276E-07	0.0000	0.000E+00	0.0000	2.771E-01	0.0189	2.735E-02	0.0019	7.221E-03	0.0005	2.402E-04	0.0000
Cs-134	1.014E+00	0.0692	9.609E-08	0.0000	0.000E+00	0.0000	1.928E-01	0.0132	2.381E-02	0.0016	3.709E-02	0.0025	3.214E-04	0.0000
Cs-137	1.083E+00	0.0740	1.973E-07	0.0000	0.000E+00	0.0000	3.911E-01	0.0267	4.830E-02	0.0033	7.523E-02	0.0051	6.520E-04	0.0000
Ni-63	0.000E+00	0.0000	4.112E-08	0.0000	0.000E+00	0.0000	5.626E-03	0.0004	5.168E-05	0.0000	2.433E-03	0.0002	7.952E-06	0.0000
Sr-90	6.562E-03	0.0004	6.734E-06	0.0000	0.000E+00	0.0000	7.535E+00	0.5147	9.335E-02	0.0064	2.546E-01	0.0174	1.658E-03	0.0001
Total	5.666E+00	0.3870	7.996E-06	0.0000	0.000E+00	0.0000	8.401E+00	0.5739	1.929E-01	0.0132	3.766E-01	0.0257	2.880E-03	0.0002

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.875E+00	0.2647
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.268E+00	0.0866
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.599E+00	0.1092
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.118E-03	0.0006
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.891E+00	0.5390
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.464E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.418E+00	0.1862	3.691E-07	0.0000	0.000E+00	0.0000	1.091E-01	0.0143	1.078E-02	0.0014	2.845E-03	0.0004	9.558E-05	0.0000
Cs-134	9.647E-02	0.0127	9.146E-09	0.0000	0.000E+00	0.0000	1.816E-02	0.0024	2.248E-03	0.0003	3.497E-03	0.0005	3.059E-05	0.0000
Cs-137	9.206E-01	0.1209	1.676E-07	0.0000	0.000E+00	0.0000	3.288E-01	0.0432	4.070E-02	0.0053	6.332E-02	0.0083	5.540E-04	0.0001
Ni-63	0.000E+00	0.0000	3.902E-08	0.0000	0.000E+00	0.0000	5.283E-03	0.0007	4.863E-05	0.0000	2.287E-03	0.0003	7.547E-06	0.0000
Sr-90	3.859E-03	0.0005	3.960E-06	0.0000	0.000E+00	0.0000	4.384E+00	0.5758	5.434E-02	0.0071	1.482E-01	0.0195	9.750E-04	0.0001
Total	2.439E+00	0.3203	4.545E-06	0.0000	0.000E+00	0.0000	4.845E+00	0.6364	1.081E-01	0.0142	2.201E-01	0.0289	1.663E-03	0.0002

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.540E+00	0.2023
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.204E-01	0.0158
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.354E+00	0.1778
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.626E-03	0.0010
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.591E+00	0.6030
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.614E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 4.049E+01 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.561E-02	0.0228	6.666E-09	0.0000	0.000E+00	0.0000	1.879E-03	0.0017	1.868E-04	0.0002	4.913E-05	0.0000	1.726E-06	0.0000
Cs-134	3.431E-06	0.0000	3.253E-13	0.0000	0.000E+00	0.0000	6.157E-07	0.0000	7.703E-08	0.0000	1.192E-07	0.0000	1.088E-09	0.0000
Cs-137	4.529E-01	0.4031	8.247E-08	0.0000	0.000E+00	0.0000	1.542E-01	0.1373	1.930E-02	0.0172	2.986E-02	0.0266	2.725E-04	0.0002
Ni-63	0.000E+00	0.0000	3.108E-08	0.0000	0.000E+00	0.0000	4.012E-03	0.0036	3.728E-05	0.0000	1.745E-03	0.0016	6.011E-06	0.0000
Sr-90	3.820E-04	0.0003	3.921E-07	0.0000	0.000E+00	0.0000	4.139E-01	0.3684	5.139E-03	0.0046	1.400E-02	0.0125	9.653E-05	0.0001
Total	4.789E-01	0.4262	5.123E-07	0.0000	0.000E+00	0.0000	5.740E-01	0.5109	2.466E-02	0.0219	4.565E-02	0.0406	3.768E-04	0.0003

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 4.049E+01 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.772E-02	0.0247
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.244E-06	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.565E-01	0.5843
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.801E-03	0.0052
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.335E-01	0.3858
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.124E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.014E-05	0.0000	2.639E-12	0.0000	0.000E+00	0.0000	6.731E-07	0.0000	6.787E-08	0.0000	1.772E-08	0.0000	6.835E-10	0.0000
Cs-134	7.110E-15	0.0000	6.741E-22	0.0000	0.000E+00	0.0000	1.155E-15	0.0000	1.479E-16	0.0000	2.262E-16	0.0000	2.255E-18	0.0000
Cs-137	1.134E-01	0.5131	2.065E-08	0.0000	0.000E+00	0.0000	3.495E-02	0.1581	4.477E-03	0.0203	6.847E-03	0.0310	6.825E-05	0.0003
Ni-63	0.000E+00	0.0000	1.994E-08	0.0000	0.000E+00	0.0000	2.329E-03	0.0105	2.209E-05	0.0001	1.023E-03	0.0046	3.856E-06	0.0000
Sr-90	4.187E-06	0.0000	4.297E-09	0.0000	0.000E+00	0.0000	4.104E-03	0.0186	5.116E-05	0.0002	1.391E-04	0.0006	1.058E-06	0.0000
Total	1.134E-01	0.5132	4.489E-08	0.0000	0.000E+00	0.0000	4.138E-02	0.1872	4.551E-03	0.0206	8.010E-03	0.0362	7.317E-05	0.0003

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.090E-05	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.641E-15	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.598E-01	0.7227
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.378E-03	0.0153
Sr-90	4.765E-02	0.2156	0.000E+00	0.0000	0.000E+00	0.0000	4.643E-03	0.0210	4.447E-04	0.0020	8.555E-04	0.0039	5.790E-02	0.2619
Total	4.765E-02	0.2156	0.000E+00	0.0000	0.000E+00	0.0000	4.643E-03	0.0210	4.447E-04	0.0020	8.555E-04	0.0039	2.210E-01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.724E-17	0.0000	9.698E-24	0.0000	0.000E+00	0.0000	1.600E-18	0.0000	1.741E-19	0.0000	4.369E-20	0.0000	2.512E-21	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	1.081E-03	0.5768	1.968E-10	0.0000	0.000E+00	0.0000	2.154E-04	0.1150	3.130E-05	0.0167	4.506E-05	0.0240	6.505E-07	0.0003
Ni-63	0.000E+00	0.0000	4.482E-09	0.0000	0.000E+00	0.0000	3.387E-04	0.1807	3.592E-06	0.0019	1.575E-04	0.0840	8.669E-07	0.0005
Sr-90	1.081E-12	0.0000	1.110E-15	0.0000	0.000E+00	0.0000	6.856E-10	0.0000	8.738E-12	0.0000	2.346E-11	0.0000	2.732E-13	0.0000
Total	1.081E-03	0.5768	4.679E-09	0.0000	0.000E+00	0.0000	5.541E-04	0.2957	3.489E-05	0.0186	2.026E-04	0.1081	1.517E-06	0.0008

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.906E-17	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.373E-03	0.7328
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.006E-04	0.2671
Sr-90	8.343E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.129E-10	0.0000	7.786E-11	0.0000	1.498E-10	0.0000	1.010E-08	0.0000
Total	8.343E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.129E-10	0.0000	7.786E-11	0.0000	1.498E-10	0.0000	1.874E-03	1.0000

\*Sum of all water independent and dependent pathways.



Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

Dose/Source Ratios Summed Over All Pathways  
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	5.753E+00	5.043E+00	3.875E+00	1.540E+00	2.772E-02	1.090E-05	3.906E-17	0.000E+00
Cs-134	Cs-134	1.000E+00	3.476E+00	2.483E+00	1.268E+00	1.204E-01	4.244E-06	8.641E-15	4.624E-44	0.000E+00
Cs-137+D	Cs-137+D	1.000E+00	1.717E+00	1.676E+00	1.599E+00	1.354E+00	6.565E-01	1.598E-01	1.373E-03	0.000E+00
Ni-63	Ni-63	1.000E+00	8.338E-03	8.264E-03	8.118E-03	7.626E-03	5.801E-03	3.378E-03	5.006E-04	0.000E+00
Sr-90+D	Sr-90+D	1.000E+00	9.950E+00	9.211E+00	7.891E+00	4.591E+00	4.335E-01	5.790E-02	1.010E-08	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t =	0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		4.345E+00	4.957E+00	6.452E+00	1.623E+01	9.018E+02	2.294E+06	*1.113E+15	*1.113E+15
Cs-134		7.192E+00	1.007E+01	1.972E+01	2.076E+02	5.891E+06	*1.283E+15	*1.283E+15	*1.283E+15
Cs-137		1.456E+01	1.491E+01	1.564E+01	1.846E+01	3.808E+01	1.565E+02	1.820E+04	*8.593E+13
Ni-63		2.998E+03	3.025E+03	3.079E+03	3.278E+03	4.310E+03	7.401E+03	4.994E+04	*5.586E+13
Sr-90		2.513E+00	2.714E+00	3.168E+00	5.445E+00	5.767E+01	4.318E+02	2.475E+09	*1.366E+14

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)  
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 at tmin = time of minimum single radionuclide soil guideline  
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Co-60	1.000E+00	0.000E+00	5.753E+00	4.345E+00	5.753E+00	4.345E+00
Cs-134	1.000E+00	0.000E+00	3.476E+00	7.192E+00	3.476E+00	7.192E+00
Cs-137	1.000E+00	0.000E+00	1.717E+00	1.456E+01	1.717E+00	1.456E+01
Ni-63	1.000E+00	0.000E+00	8.338E-03	2.998E+03	8.338E-03	2.998E+03
Sr-90	1.000E+00	0.000E+00	9.950E+00	2.513E+00	9.950E+00	2.513E+00

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP EXCAVATION DCGL 5\_23\_16.RAD

Individual Nuclide Dose Summed Over All Pathways  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03	
Co-60	Co-60	1.000E+00	5.753E+00	5.043E+00	3.875E+00	1.540E+00	2.772E-02	1.090E-05	3.906E-17	0.000E+00	
Cs-134	Cs-134	1.000E+00	3.476E+00	2.483E+00	1.268E+00	1.204E-01	4.244E-06	8.641E-15	0.000E+00	0.000E+00	
Cs-137	Cs-137	1.000E+00	1.717E+00	1.676E+00	1.599E+00	1.354E+00	6.565E-01	1.598E-01	1.373E-03	0.000E+00	
Ni-63	Ni-63	1.000E+00	8.338E-03	8.264E-03	8.118E-03	7.626E-03	5.801E-03	3.378E-03	5.006E-04	0.000E+00	
Sr-90	Sr-90	1.000E+00	9.950E+00	9.211E+00	7.891E+00	4.591E+00	4.335E-01	5.790E-02	1.010E-08	0.000E+00	

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03	
Co-60	Co-60	1.000E+00	1.000E+00	8.766E-01	6.737E-01	2.681E-01	4.842E-03	1.917E-06	7.044E-18	0.000E+00	
Cs-134	Cs-134	1.000E+00	1.000E+00	7.146E-01	3.650E-01	3.474E-02	1.235E-06	2.560E-15	1.682E-44	0.000E+00	
Cs-137	Cs-137	1.000E+00	1.000E+00	9.770E-01	9.326E-01	7.924E-01	3.898E-01	9.763E-02	9.304E-04	7.864E-11	
Ni-63	Ni-63	1.000E+00	1.000E+00	9.926E-01	9.779E-01	9.281E-01	7.392E-01	4.742E-01	1.066E-01	5.745E-04	
Sr-90	Sr-90	1.000E+00	1.000E+00	9.270E-01	7.965E-01	4.684E-01	4.637E-02	5.082E-04	1.313E-10	1.149E-33	

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 0.43 seconds