

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	4
Summary of Pathway Selections	8
Contaminated Zone and Total Dose Summary	9
Total Dose Components	
Time = 0.000E+00	10
Time = 1.000E+00	11
Time = 3.000E+00	12
Time = 1.000E+01	13
Time = 4.049E+01	14
Time = 1.000E+02	15
Time = 3.000E+02	16
Time = 1.000E+03	17
Dose/Source Ratios Summed Over All Pathways	18
Single Radionuclide Soil Guidelines	18
Dose Per Nuclide Summed Over All Pathways	19
Soil Concentration Per Nuclide	19

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Dose Conversion Factor (and Related) Parameter Summary
 Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ba-137m (Source: FGR 12)	3.606E+00	3.606E+00	DCF1(1)
A-1	Co-60 (Source: FGR 12)	1.622E+01	1.622E+01	DCF1(2)
A-1	Cs-134 (Source: FGR 12)	9.472E+00	9.472E+00	DCF1(3)
A-1	Cs-137 (Source: FGR 12)	7.510E-04	7.510E-04	DCF1(4)
A-1	Ni-63 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1(5)
A-1	Sr-90 (Source: FGR 12)	7.043E-04	7.043E-04	DCF1(6)
A-1	Y-90 (Source: FGR 12)	2.391E-02	2.391E-02	DCF1(7)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Co-60	2.190E-04	2.190E-04	DCF2(1)
B-1	Cs-134	4.620E-05	4.620E-05	DCF2(2)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2(3)
B-1	Ni-63	6.290E-06	6.290E-06	DCF2(4)
B-1	Sr-90+D	1.308E-03	1.300E-03	DCF2(5)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Co-60	2.690E-05	2.690E-05	DCF3(1)
D-1	Cs-134	7.330E-05	7.330E-05	DCF3(2)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3(3)
D-1	Ni-63	5.770E-07	5.770E-07	DCF3(4)
D-1	Sr-90+D	1.528E-04	1.420E-04	DCF3(5)
D-34	Food transfer factors:			
D-34	Co-60 , plant/soil concentration ratio, dimensionless	1.500E-01	8.000E-02	RTF(1,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.800E-02	2.000E-02	RTF(1,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF(1,3)
D-34	Cs-134 , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF(2,1)
D-34	Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF(2,2)
D-34	Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF(2,3)
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF(3,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF(3,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF(3,3)
D-34	Ni-63 , plant/soil concentration ratio, dimensionless	9.200E-02	5.000E-02	RTF(4,1)
D-34	Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(4,2)
D-34	Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-02	2.000E-02	RTF(4,3)
D-34	Sr-90+D , plant/soil concentration ratio, dimensionless	5.900E-01	3.000E-01	RTF(5,1)
D-34	Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-03	8.000E-03	RTF(5,2)
D-34	Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.700E-03	2.000E-03	RTF(5,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC(1,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(1,2)
D-5	Cs-134 , fish	2.000E+03	2.000E+03	BIOFAC(2,1)
D-5	Cs-134 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(2,2)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC(3,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(3,2)
D-5				
D-5	Ni-63 , fish	1.000E+02	1.000E+02	BIOFAC(4,1)
D-5	Ni-63 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(4,2)
D-5				
D-5	Sr-90+D , fish	6.000E+01	6.000E+01	BIOFAC(5,1)
D-5	Sr-90+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(5,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.

*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	2.153E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	1.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	4.600E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	4.049E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Co-60	1.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Cs-134	1.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Cs-137	1.000E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Ni-63	1.000E+00	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Sr-90	1.000E+00	0.000E+00	---	S1(5)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Cs-134	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Ni-63	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): Sr-90	not used	0.000E+00	---	W1(5)
R013	Cover depth (m)	3.600E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	1.500E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	6.600E-02	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	9.700E-01	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.200E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.250E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	8.300E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.900E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.500E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.900E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	6.600E-02	2.000E-01	---	FCSZ

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Saturated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.200E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	3.300E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.250E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	0	1	---	NS
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCC (1)
R016	Saturated zone (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCS (1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.191E-04	ALEACH (1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (1)
R016	Distribution coefficients for Cs-134				
R016	Contaminated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCC (2)
R016	Saturated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCS (2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.136E-04	ALEACH (2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (2)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCC (3)
R016	Saturated zone (cm**3/g)	6.150E+02	4.600E+03	---	DCNUCS (3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.136E-04	ALEACH (3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (3)
R016	Distribution coefficients for Ni-63				
R016	Contaminated zone (cm**3/g)	6.200E+01	1.000E+03	---	DCNUCC (4)
R016	Saturated zone (cm**3/g)	6.200E+01	1.000E+03	---	DCNUCS (4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.091E-03	ALEACH (4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (4)
R016	Distribution coefficients for Sr-90				
R016	Contaminated zone (cm**3/g)	2.300E+00	3.000E+01	---	DCNUCC (5)
R016	Saturated zone (cm**3/g)	2.300E+00	3.000E+01	---	DCNUCS (5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.020E-01	ALEACH (5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (5)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.350E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	4.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.490E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.240E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE (1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE (2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE (3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE (4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE (5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE (6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE (7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE (8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE (9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA (1)
R017	Ring 2	not used	2.732E-01	---	FRACA (2)
R017	Ring 3	not used	0.000E+00	---	FRACA (3)
R017	Ring 4	not used	0.000E+00	---	FRACA (4)
R017	Ring 5	not used	0.000E+00	---	FRACA (5)
R017	Ring 6	not used	0.000E+00	---	FRACA (6)
R017	Ring 7	not used	0.000E+00	---	FRACA (7)
R017	Ring 8	not used	0.000E+00	---	FRACA (8)
R017	Ring 9	not used	0.000E+00	---	FRACA (9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	2.240E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	4.280E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.780E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT
R018	Contamination fraction of meat	-1	-1	0.108E+00	FMEAT
R018	Contamination fraction of milk	-1	-1	0.108E+00	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.830E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.520E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	1.220E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.900E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.900E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.150E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	1.000E+00	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA (1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA (2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	2153.00 square meters	Co-60	1.000E+00
Thickness:	1.00 meters	Cs-134	1.000E+00
Cover Depth:	3.60 meters	Cs-137	1.000E+00
		Ni-63	1.000E+00
		Sr-90	1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	9.948E+00	9.124E+00	7.734E+00	4.710E+00	3.752E-01	2.420E-03	1.415E-04	1.882E-07
M(t):	3.979E-01	3.650E-01	3.094E-01	1.884E-01	1.501E-02	9.681E-05	5.661E-06	7.527E-09

Maximum TDOSE(t): 9.948E+00 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.771E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	4.472E-22	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	6.363E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	1.680E-30	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	2.771E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.144E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	3.765E-04	0.0000	2.378E-04	0.0000	4.896E-05	0.0000	3.807E-03	0.0004
Cs-134	1.466E-02	0.0015	0.000E+00	0.0000	0.000E+00	0.0000	1.720E-03	0.0002	1.241E-03	0.0001	1.596E-03	0.0002	1.922E-02	0.0019
Cs-137	1.164E-02	0.0012	0.000E+00	0.0000	0.000E+00	0.0000	1.365E-03	0.0001	9.855E-04	0.0001	1.267E-03	0.0001	1.525E-02	0.0015
Ni-63	1.337E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.576E-04	0.0000	8.716E-06	0.0000	3.329E-04	0.0000	1.837E-03	0.0002
Sr-90	8.496E+00	0.8540	0.000E+00	0.0000	0.000E+00	0.0000	1.142E+00	0.1148	8.949E-02	0.0090	1.809E-01	0.0182	9.908E+00	0.9960
Total	8.526E+00	0.8571	0.000E+00	0.0000	0.000E+00	0.0000	1.146E+00	0.1152	9.196E-02	0.0092	1.842E-01	0.0185	9.948E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.472E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	3.263E-22	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	6.350E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	1.521E-30	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	2.472E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.756E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	3.301E-04	0.0000	2.085E-04	0.0000	4.292E-05	0.0000	3.338E-03	0.0004
Cs-134	1.048E-02	0.0011	0.000E+00	0.0000	0.000E+00	0.0000	1.229E-03	0.0001	8.872E-04	0.0001	1.140E-03	0.0001	1.373E-02	0.0015
Cs-137	1.137E-02	0.0012	0.000E+00	0.0000	0.000E+00	0.0000	1.334E-03	0.0001	9.629E-04	0.0001	1.238E-03	0.0001	1.490E-02	0.0016
Ni-63	1.325E-03	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	1.561E-04	0.0000	8.633E-06	0.0000	3.297E-04	0.0000	1.819E-03	0.0002
Sr-90	7.794E+00	0.8543	0.000E+00	0.0000	0.000E+00	0.0000	1.048E+00	0.1148	8.211E-02	0.0090	1.660E-01	0.0182	9.090E+00	0.9963
Total	7.820E+00	0.8571	0.000E+00	0.0000	0.000E+00	0.0000	1.051E+00	0.1152	8.418E-02	0.0092	1.688E-01	0.0185	9.124E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.967E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	1.737E-22	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	6.325E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	1.247E-30	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.967E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.118E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	2.537E-04	0.0000	1.602E-04	0.0000	3.299E-05	0.0000	2.565E-03	0.0003
Cs-134	5.350E-03	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	6.278E-04	0.0001	4.531E-04	0.0001	5.824E-04	0.0001	7.014E-03	0.0009
Cs-137	1.085E-02	0.0014	0.000E+00	0.0000	0.000E+00	0.0000	1.273E-03	0.0002	9.191E-04	0.0001	1.181E-03	0.0002	1.423E-02	0.0018
Ni-63	1.300E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	1.531E-04	0.0000	8.471E-06	0.0000	3.235E-04	0.0000	1.785E-03	0.0002
Sr-90	6.609E+00	0.8546	0.000E+00	0.0000	0.000E+00	0.0000	8.885E-01	0.1149	6.961E-02	0.0090	1.407E-01	0.0182	7.708E+00	0.9967
Total	6.629E+00	0.8571	0.000E+00	0.0000	0.000E+00	0.0000	8.908E-01	0.1152	7.115E-02	0.0092	1.429E-01	0.0185	7.734E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	8.846E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	1.913E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	6.236E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	8.847E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	8.430E-04	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	1.009E-04	0.0000	6.377E-05	0.0000	1.313E-05	0.0000	1.021E-03	0.0002
Cs-134	5.094E-04	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	5.977E-05	0.0000	4.314E-05	0.0000	5.544E-05	0.0000	6.677E-04	0.0001
Cs-137	9.224E-03	0.0020	0.000E+00	0.0000	0.000E+00	0.0000	1.082E-03	0.0002	7.812E-04	0.0002	1.004E-03	0.0002	1.209E-02	0.0026
Ni-63	1.216E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.433E-04	0.0000	7.926E-06	0.0000	3.028E-04	0.0001	1.670E-03	0.0004
Sr-90	4.025E+00	0.8547	0.000E+00	0.0000	0.000E+00	0.0000	5.410E-01	0.1149	4.235E-02	0.0090	8.560E-02	0.0182	4.694E+00	0.9967
Total	4.037E+00	0.8572	0.000E+00	0.0000	0.000E+00	0.0000	5.423E-01	0.1152	4.325E-02	0.0092	8.698E-02	0.0185	4.710E+00	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 4.049E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.723E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	1.283E-27	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	5.865E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	2.729E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 4.049E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.523E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.824E-06	0.0000	1.152E-06	0.0000	2.372E-07	0.0000	1.845E-05	0.0000
Cs-134	1.813E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.127E-09	0.0000	1.535E-09	0.0000	1.973E-09	0.0000	2.377E-08	0.0000
Cs-137	4.542E-03	0.0121	0.000E+00	0.0000	0.000E+00	0.0000	5.329E-04	0.0014	3.846E-04	0.0010	4.943E-04	0.0013	5.953E-03	0.0159
Ni-63	9.129E-04	0.0024	0.000E+00	0.0000	0.000E+00	0.0000	1.075E-04	0.0003	5.949E-06	0.0000	2.272E-04	0.0006	1.254E-03	0.0033
Sr-90	3.154E-01	0.8408	0.000E+00	0.0000	0.000E+00	0.0000	4.244E-02	0.1131	3.331E-03	0.0089	6.741E-03	0.0180	3.679E-01	0.9807
Total	3.209E-01	0.8554	0.000E+00	0.0000	0.000E+00	0.0000	4.308E-02	0.1148	3.723E-03	0.0099	7.462E-03	0.0199	3.752E-01	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.051E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	5.202E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	8.253E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	6.036E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.228E-10	0.0000	4.566E-10	0.0000	9.399E-11	0.0000	7.310E-09	0.0000
Cs-134	3.764E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.417E-18	0.0000	3.188E-18	0.0000	4.097E-18	0.0000	4.934E-17	0.0000
Cs-137	1.139E-03	0.4708	0.000E+00	0.0000	0.000E+00	0.0000	1.337E-04	0.0552	9.650E-05	0.0399	1.240E-04	0.0512	1.494E-03	0.6171
Ni-63	5.271E-04	0.2178	0.000E+00	0.0000	0.000E+00	0.0000	6.209E-05	0.0257	3.435E-06	0.0014	1.312E-04	0.0542	7.238E-04	0.2991
Sr-90	1.740E-04	0.0719	0.000E+00	0.0000	0.000E+00	0.0000	2.340E-05	0.0097	1.837E-06	0.0008	3.717E-06	0.0015	2.029E-04	0.0838
Total	1.840E-03	0.7604	0.000E+00	0.0000	0.000E+00	0.0000	2.192E-04	0.0906	1.018E-04	0.0420	2.589E-04	0.1070	2.420E-03	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	3.476E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	3.476E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.226E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.665E-21	0.0000	1.684E-21	0.0000	3.466E-22	0.0000	2.695E-20	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	1.094E-05	0.0773	0.000E+00	0.0000	0.000E+00	0.0000	1.283E-06	0.0091	9.262E-07	0.0065	1.190E-06	0.0084	1.434E-05	0.1013
Ni-63	9.263E-05	0.6545	0.000E+00	0.0000	0.000E+00	0.0000	1.091E-05	0.0771	6.036E-07	0.0043	2.305E-05	0.1629	1.272E-04	0.8987
Sr-90	1.947E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.620E-16	0.0000	2.056E-17	0.0000	4.161E-17	0.0000	2.271E-15	0.0000
Total	1.036E-04	0.7317	0.000E+00	0.0000	0.000E+00	0.0000	1.220E-05	0.0862	1.530E-06	0.0108	2.424E-05	0.1713	1.415E-04	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	8.479E-24	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	8.479E-24	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	9.601E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.126E-13	0.0000	8.131E-14	0.0000	1.045E-13	0.0000	1.259E-12	0.0000
Ni-63	1.370E-07	0.7282	0.000E+00	0.0000	0.000E+00	0.0000	1.614E-08	0.0858	8.930E-10	0.0047	3.411E-08	0.1813	1.882E-07	1.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.370E-07	0.7282	0.000E+00	0.0000	0.000E+00	0.0000	1.614E-08	0.0858	8.931E-10	0.0047	3.411E-08	0.1813	1.882E-07	1.0000

*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	3.807E-03	3.338E-03	2.565E-03	1.021E-03	1.845E-05	7.310E-09	2.695E-20	0.000E+00
Cs-134	Cs-134	1.000E+00	1.922E-02	1.373E-02	7.014E-03	6.677E-04	2.377E-08	4.934E-17	0.000E+00	0.000E+00
Cs-137+D	Cs-137+D	1.000E+00	1.525E-02	1.490E-02	1.423E-02	1.209E-02	5.953E-03	1.494E-03	1.434E-05	1.259E-12
Ni-63	Ni-63	1.000E+00	1.837E-03	1.819E-03	1.785E-03	1.670E-03	1.254E-03	7.238E-04	1.272E-04	1.882E-07
Sr-90+D	Sr-90+D	1.000E+00	9.908E+00	9.090E+00	7.708E+00	4.694E+00	3.679E-01	2.029E-04	2.271E-15	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t =	0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		6.566E+03	7.490E+03	9.746E+03	2.449E+04	1.355E+06	3.420E+09	*1.113E+15	*1.113E+15
Cs-134		1.301E+03	1.821E+03	3.565E+03	3.744E+04	1.052E+09	*1.283E+15	*1.283E+15	*1.283E+15
Cs-137		1.639E+03	1.677E+03	1.757E+03	2.068E+03	4.199E+03	1.674E+04	1.744E+06	1.986E+13
Ni-63		1.361E+04	1.374E+04	1.401E+04	1.497E+04	1.994E+04	3.454E+04	1.965E+05	1.329E+08
Sr-90		2.523E+00	2.750E+00	3.243E+00	5.326E+00	6.795E+01	1.232E+05	*1.366E+14	*1.366E+14

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at t_{min} = time of minimum single radionuclide soil guideline
 and at t_{max} = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	t _{min} (years)	DSR(i,t _{min})	G(i,t _{min}) (pCi/g)	DSR(i,t _{max})	G(i,t _{max}) (pCi/g)
Co-60	1.000E+00	0.000E+00	3.807E-03	6.566E+03	3.807E-03	6.566E+03
Cs-134	1.000E+00	0.000E+00	1.922E-02	1.301E+03	1.922E-02	1.301E+03
Cs-137	1.000E+00	0.000E+00	1.525E-02	1.639E+03	1.525E-02	1.639E+03
Ni-63	1.000E+00	0.000E+00	1.837E-03	1.361E+04	1.837E-03	1.361E+04
Sr-90	1.000E+00	0.000E+00	9.908E+00	2.523E+00	9.908E+00	2.523E+00

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\SOIL DCGL\RESRAD INPUT SUBSURFACE\BP INSITU SAT DCGL 5_23.RAD

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03	
Co-60	Co-60	1.000E+00	3.807E-03	3.338E-03	2.565E-03	1.021E-03	1.845E-05	7.310E-09	2.695E-20	0.000E+00	
Cs-134	Cs-134	1.000E+00	1.922E-02	1.373E-02	7.014E-03	6.677E-04	2.377E-08	4.934E-17	0.000E+00	0.000E+00	
Cs-137	Cs-137	1.000E+00	1.525E-02	1.490E-02	1.423E-02	1.209E-02	5.953E-03	1.494E-03	1.434E-05	1.259E-12	
Ni-63	Ni-63	1.000E+00	1.837E-03	1.819E-03	1.785E-03	1.670E-03	1.254E-03	7.238E-04	1.272E-04	1.882E-07	
Sr-90	Sr-90	1.000E+00	9.908E+00	9.090E+00	7.708E+00	4.694E+00	3.679E-01	2.029E-04	2.271E-15	0.000E+00	

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	4.049E+01	1.000E+02	3.000E+02	1.000E+03	
Co-60	Co-60	1.000E+00	1.000E+00	8.766E-01	6.736E-01	2.679E-01	4.829E-03	1.904E-06	6.906E-18	0.000E+00	
Cs-134	Cs-134	1.000E+00	1.000E+00	7.145E-01	3.648E-01	3.470E-02	1.229E-06	2.529E-15	1.682E-44	0.000E+00	
Cs-137	Cs-137	1.000E+00	1.000E+00	9.769E-01	9.322E-01	7.914E-01	3.879E-01	9.642E-02	8.964E-04	6.944E-11	
Ni-63	Ni-63	1.000E+00	1.000E+00	9.890E-01	9.675E-01	8.957E-01	6.402E-01	3.324E-01	3.671E-02	1.644E-05	
Sr-90	Sr-90	1.000E+00	1.000E+00	8.815E-01	6.851E-01	2.834E-01	6.067E-03	3.346E-06	3.745E-17	0.000E+00	

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 0.40 seconds