



Region I Office
Division of Nuclear Materials Safety
2100 Renaissance Boulevard, Suite 100
King of Prussia, PA 19406-2713
(610)337-5000

Telephone Conversation Record

Date: 7/25/2016

License No. 38-35284-01

Docket No.(no hyphens): 03038888

Mail Control/Report No. 591448

Licensee Name: Thielsch Engineering, Inc.

Participant(s) Name/Title: Wendy Kerkhoff, Assistant RSO

Work Telephone No. 401-467-6454 X3701

Business Cellphone No. NA

NRC Representative Name/Title: Dennis Lawyer/Health Physicist

Subject: Request is outside of our regulatory authority

Discussion: I talked to Ms. Kerkhoff about the request dated July 1, 2016. She stated that it should have been sent to the Commonwealth of Massachusetts for their license there.

Action Required: Void action

SUNSI REVIEW

Document Availability: ☒ Public or ☐ Non-Public

Document Sensitivity:

(select "1" value to the right)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Non-Sensitive | <input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive) |
| <input type="checkbox"/> Non-Sensitive Copyright | <input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related) |
| <input type="checkbox"/> Sensitive – Proprietary | <input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary) |
| <input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII)) | <input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act) |
| <input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.) | <input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc) |
| <input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required | <input type="checkbox"/> MD 3.4 Non-Public A.7 (Internal) |

SUNSI Review Completed by: Dennis Lawyer